Lecture 10

Arthur Molna

UML

Eilo

Text files
Object
serialization with

Inheritance

Case Study I -File Repositories Case Study II -Exception bierarchies

Project Structure

UML. Files. Inheritance

Arthur Molnar

Babes-Bolyai University

Overview

Lecture 10

Arthur Molna

UMI

Text files
Object
serialization wit

Inheritance
Case Study I File Repositorie
Case Study II -

hierarchies Proiect 1 UML

- 2 Files
 - Text files
 - Object serialization with Pickle
- 3 Inheritance
 - Case Study I File Repositories
 - Case Study II Exception hierarchies
- 4 Project Structure

UML Diagrams

Lecture 10

Arthur Molna

UML

Text files
Object
serialization wi

Inheritance
Case Study I File Repositorie
Case Study II Exception

Project Structure

UML (Unified Modeling Language)

Standardized general-purpose modeling language in object-oriented software engineering.

- Includes a set of graphic notation techniques to create visual models of object-oriented software.
- It is language and platform agnostic (this is the whole point ©)

Class Diagrams

Lecture 10

Arthur Molna

UML

Files Text files

Object serialization wit Pickle

Case Study I -File Repositorio Case Study II -Exception

Project Structure **UML Class diagrams** - describe the structure of a system by showing the system's classes, their attributes, and the relationships between them.

RationalNumber
+_nr
+getNominator(): int +getDenominator(): int +add(nr: RationalNumber): RationalNumber

Class Diagrams

Lecture 10

Arthur Molna

UML

Text files
Object
serialization with

Inheritance

Case Study I -File Repositories Case Study II -Exception hierarchies

```
class Rational:
    def __init__(self,a,b):
         Initialize a rational number
        a,b integers
         , , ,
        self._nr = [a,b]
    def getDenominator(self):
         Denominator getter
         , , ,
        return self.__nr[1]
    def getNominator(self):
         , , ,
        Nominator getter
         , , ,
        return self.__nr[0]
```

Class Diagrams

Lecture 10

Arthur Molna

UML

Text files
Object
serialization w
Pickle

Inheritance

Case Study I File Repositorie
Case Study II Exception
hierarchies

Project Structure In the diagram classes are represented using boxes which contain three parts:

- Upper part holds the name of the class
- Middle part contains the attributes of the class
- Bottom part contains the methods or operations

Relationships

Lecture 10

Arthur Molna

UML

Text files
Object
serialization wit

Inheritance

Case Study I File Repositories

Case Study II Exception

- A relationship is a general term covering the specific types of logical connections found on class diagrams.
- A Link is the basic relationship among objects. It is represented as a line connecting two or more object boxes.

Associations

Lecture 10

Arthur Molna

UML

Text files
Object

Inheritance
Case Study I File Repositorie
Case Study II Exception

Project Structure Binary associations (with two ends) are normally represented as a line, with each end connected to a class box.



An association can be named, and the ends of an association can be annotated with role names, ownership indicators, multiplicity, visibility, and other properties. Association can be Bi-directional as well as uni-directional.

Aggregation

Lecture 10

Arthur Molna

UML

Files


Text files
Object
serialization wit
Pickle

Inheritance

Case Study I -File Repositories Case Study II -Exception

Project

Aggregation - an association that represents a part-whole or part-of relationship.



Aggregation

Lecture 10

Arthur Molna

UML

Text files
Object
serialization with

Inheritance
Case Study I File Repositorie
Case Study II Exception

Project Structure **Aggregation** - an association that represents a part-whole or part-of relationship.

```
class Car:
    def __init__(self, eng, col):
        Initialize a car
        eng - engine, col - string, i.e 'white'
        . . .
        self.\_eng = eng
        self._-color = col
class Engine:
    def __init__(self, cap, type):
        Initialize the engine
        cap - positive integer, type - string
        self._-capacity = cap
        self.__type = type
```

Dependency, Package

Lecture 10

Arthur Molna

UML

Text files
Object
serialization wi

Inheritance

Case Study I File Repositorie
Case Study II Exception
hierarchies

Project Structure **Dependency** - a relationship in which one element, the client, uses or depends on another element, the supplier

- Create instances
- Have a method parameter
- Use an object in a method

Dependency, Package

Lecture 10

Arthur Molnar


UML

_..

Text files Object serialization with

Inheritance

Case Study I -File Repositories Case Study II -Exception



UML class diagram for a Student Management app

Lecture 10

Arthur Molna


UML

E-11.

Text files
Object
serialization with

Inheritance

Case Study I -File Repositories Case Study II -Exception



Files

Lecture 10

Files

- The information on your computer is persisted using files.
- Files contain data, organized using certain rules (the file format).
- Files are organized in a hierarchical data structure over the file system, where directories (in most cases files, themselves) contain directories and files
- Operations for working with files: open (for read/write), close, read, write, seek.
- Files can be text files (directly human-readable) or binary files¹.

¹Insert 10 types of people joke here ©



Files

Lecture 10

Arthur Molna

UML

Text files Object serialization w

Inheritance

Case Study I File Repositorie

Case Study II -

Project Structure

Possible problems when working with files

- Incorrect path/file given results in error.
- File does not exist or the user running the program does not have access to it.
- File is already open by a different program (e.g. when you try to delete a file but the operating system disallows it)

Lecture 10

Arthur Molna

UM

Text files
Object

Object serialization wit Pickle

nheritance
Case Study I File Repositories
Case Study II Exception
hierarchies

Project Structure

Common operations²

- Built in function: open(filename,mode) returns a file object.
- filename string representing the path to the file (absolute or relative path)
- mode:
 - "r" open for read
 - "w" open for write (overwrites the existing content)
 - "a" open for append
 - "b" binary file (e.g. "rb" is read-mode, binary file)

Lecture 10

Arthur Molna

UML

Text files

Object serialization w Pickle

Inheritance
Case Study I File Repositorie
Case Study II Exception

Project Structure

Methods:

- write(str) write the string to the file
- readline() read a line from the file, return as a string
- read() read the entire file, return as a string
- close() close the file, free up any system resources

Lecture 10

Arthur Molna

UML

Files

Text files
Object

serialization wi Pickle

Case Study I -File Repositorie Case Study II -

Project

Exception:

■ **IOError** - raised exception if there is an input/output error.

Lecture 10

Arthur Molna

UML

Files

Text files
Object

serialization w Pickle

Inheritance

Case Study I -File Repositorie Case Study II -Exception hierarchies

Project Structur

Demo

A simple example to get you started with reading and writing text files in Python. (ex21_text_files.py).

Object serialization with Pickle

Lecture 10

Arthur Molna

UML

Text files
Object
serialization with

Inheritance

Case Study I File Repositories

Case Study II Exception
bierarchies

Project Structure

Pickle is a Python module for saving/loading objects from a binary file³

- load(f) load the data from the file
- dump(object, file) write the object to the given file in pickle's own format
- In order to use Pickle, you must f.open() using "rb" and "wb" (read binary and write binary, respectively)

³https://docs.python.org/3/library/pickle.html#module-pickle

Object serialization with Pickle

Lecture 10

Arthur Molna

UML

Text files
Object
serialization with
Pickle

Inheritance

Case Study I -File Repositories Case Study II -Exception hierarchies

Project Structure

Demo

A simple example to get you started with Pickle is in (ex37_pickle_files.py).

Inheritance

Lecture 10

Arthur Molna

UMI

Text files
Object
serialization wir

Inheritance

Case Study I -File Repositories Case Study II -Exception hierarchies

Project Structure

- Classes can inherit attributes and behavior (i.e., previously coded algorithms associated with a class) from pre-existing classes called base classes (or superclasses, or parent classes)
- The new classes are known as derived classes or subclasses or child classes. The relationships of classes through inheritance gives rise to a hierarchy.

NB!

Inheritance defines an **is a** relationhip between the derived and base classes.

Inheritance for code reuse

Lecture 10

Arthur Molna

UML

Text files
Object
serialization wit

Inheritance

Case Study I -File Repositories Case Study II -Exception hierarchies

- We can reuse code that already exist in another class.
- We can replace one implementation with another, more specialized one.
- With inheritance, base class behaviour can be inherited by subclasses. It not only possible to call the overridden behaviour (method) of the ancestor (superclass) before adding other functionalities, one can override the behaviour of the ancestor completely.

Inheritance in Python

Lecture 10

Arthur Molna

UM

Text files
Object
serialization wit
Pickle

Inheritance

Case Study I -File Repositories Case Study II -Exception hierarchies

- Syntax: **DerivedClassName**(BaseClassName)⁴:
- DerivedClass will inherit:
 - Fields
 - Methods
- If a requested attribute (field,method) is not found in the class, the search proceeds to look in the base class
- Derived classes may override methods of their base classes.
- An overriding method in a derived class may in fact want to extend rather than simply replace the base class method of the same name.
- There is a simple way to call the base class method directly: call BaseClassName.methodname(self,arguments)

⁴https://docs.python.org/3/tutorial/classes.html#inheritance

Demo

Lecture 10

Arthur Molna

UML

Text files Object

Object serialization wit Pickle

Inheritance

Case Study I -File Repositories Case Study II -Exception hierarchies

Project Structur

Inheritance in Python

Examine the source code in ex38_inheritance.py

Demo - UML class diagram

Lecture 10

Arthur Molnar


UML

Text files Object serialization wit

Inheritance

Case Study I -File Repositories Case Study II -Exception

Project



Inheritance

Lecture 10

Arthur Molna

UMI

Text files
Object
serialization wi

Inheritance

Case Study I -File Repositorie Case Study II -Exception bierarchies

Project Structure

NB!

- The generalization relationship ("is a") indicates that one of the two related classes (the subclass) is considered to be a specialized form of the other.
- Any instance of the subtype is also an instance of the superclass.

Case Study I - File Repositories

Lecture 10

Arthur Molna

UML

Files
Text files
Object
serialization wit
Pickle

Inheritance Case Study I File Repositories Case Study II Exception hierarchies

- We would like to load/save problem entities to persistent storage.
- We already have a repository implementation, we're only missing the persistent storage functionality.
- We use **inheritance** to create a more specialized repository implementation, one that saves to/loads from files.

File Repositories

Lecture 10


Arthur Molna

Text files
Object
serialization wit

Inheritance

Case Study I -File Repositories Case Study II -Exception

Project Structure This is the UML class diagram for the repository implementation for the **Student** entity.



File Repositories

Lecture 10

Arthur Molna

UML

Text files
Object
serialization wit

Inheritance
Case Study I File Repositories
Case Study II Exception

Project Structur

NB!

The application must work with either a *memory*, a *text file* or a *binary-file* backed repository implementation. Remember, modules are **independent** and **interchangeble**

Case Study II - Exception hierarchies

Lecture 10

Arthur Molna

UMI

Text files
Object
serialization wit

Inheritance
Case Study I File Repositorie
Case Study II Exception
hierarchies

- We use exceptions to handle errors and special situations in the application
- Our exception classes are derived from Exception, a class that comes with the Python environment
- To handle different situations, most applications implement their own exception hierarchy

Example from a student management application

Lecture 10

Arthur Molna

ши


Text files
Object

to the safety and a

Case Study I -File Repositorie

File Repositorie
Case Study II Exception
hierarchies

Project



Exception hierarchies - example

Lecture 10

Arthur Molna

UM

Files
Text files
Object
serialization wit
Pickle

Inheritance
Case Study I File Repositorie
Case Study II Exception
hierarchies

Project Structur

What happens when we initialize the *Repository*?

- In memory implementation does not raise exceptions
- File-based implementation might raise *IOError* (input file not found, open another program, etc.)
- Database-backed implementation might raise
 SQLConnectorException (database server not started or cannot be reached)
- NoSQL database implementation might raise CouchbaseException (database server not started or cannot be reached)

Exception hierarchies - example (cont.)

Lecture 10

Arthur Molna

UMI

Files
Text files
Object
serialization wit
Pickle

Inheritance
Case Study I File Repositorie
Case Study II Exception
hierarchies

Project Structur

- Higher layers (Controller, UI) have to be independent from lower-layer implementations
- We cannot make the *Controller* or *UI* handle each possible exception type that a *Repository* might raise.

Solution

Define a *RepositoryException*. The repository code catches exception types that could be raised (e.g. *IOError*, *SQLConnectorException*) and re-raises them in the form of a *RepositoryException*

UML class diagram for student management app

Lecture 10

Arthur Molna

IIMI

Text files Object serialization with

Inheritance

Case Study I File Repositor Case Study II Exception

