Please check the examination details be	low before ente	ering your candidate information
Candidate surname		Other names
Centre Number Candidate N	umber	
Pearson Edexcel Leve	I 3 GCE	
Time 1 hour 40 minutes	Paper reference	8FM0/01
Further Mathema	tics	•
Advanced Subsidiary		
PAPER 1: Core Pure Math	ematics	
You must have: Mathematical Formulae and Statistic	al Tables (Gr	reen), calculator

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided - there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 8 questions in this guestion paper. The total mark for this paper is 80.
- The marks for **each** question are shown in brackets
 - use this as a guide as to how much time to spend on each question.

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ▶







1.

$$\mathbf{A} = \begin{pmatrix} 4 & -1 \\ 7 & 2 \\ -5 & 8 \end{pmatrix} \qquad \mathbf{B} = \begin{pmatrix} 2 & 3 & 2 \\ -1 & 6 & 5 \end{pmatrix} \qquad \mathbf{C} = \begin{pmatrix} -5 & 2 & 1 \\ 4 & 3 & 8 \\ -6 & 11 & 2 \end{pmatrix}$$

Given that **I** is the 3×3 identity matrix,

(a) (i) show that there is an integer k for which

$$\mathbf{AB} - 3\mathbf{C} + k\mathbf{I} = \mathbf{0}$$

stating the value of k

(ii) explain why there can be no constant m such that

$$\mathbf{BA} - 3\mathbf{C} + m\mathbf{I} = \mathbf{0}$$

(4)

(b) (i) Show how the matrix C can be used to solve the simultaneous equations

$$-5x + 2y + z = -14$$

$$4x + 3y + 8z = 3$$

$$-6x + 11y + 2z = 7$$

(ii) Hence use your calculator to solve these equations.

(3)

XXXXX
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
XXXX
DO NOT WRITE IN THIS AREA
XMXX
\times \times
(X)
$\otimes \mapsto$
\times
\times
$\times\!\!\!\!+\!\!\!\times\!\!\!\!$
~ ~
$\otimes \triangle $

$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$

$\times\!\!\times\!\!\times\!\!\times$
XXXX
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
XXXX
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
$\times\!\!\times\!\!\times\!\!\times$
XXXX
$\times\!\!\times\!\!\times\!\!\times$
XX - X
$\times \times \times$
X 020
隻
12
T N
EINT
TEINT
TE IN TH
RITE IN TH
VRITE IN TH
WRITEINTH
WRITEINTH
T WRITE IN TH
OT WRITE IN TH
OT WRITE IN TH
VOT WRITE IN TH
NOT WRITE IN TH
O NOT WRITE IN TH
O NOT WRITE IN THIS AREA
DO NOT WRITE IN TH
NOT WRITE IN THIS AREA
NOT WRITE IN THIS AREA
O NOT WRITE IN THIS AREA

Question 1 continued	



Question 1 continued	

			2			
					Ę	
	И		è	ø	à	
S	K		þ	ġ	į	
۶	Ş	į	Š	2	2	
8	3	ļ	Ì	2	2	
5	Ş	2		2	2	
3				2	2	
3	3			2	7	
3	1			2		
3	1			2		
3	3					
3						
>						
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					
	3					

Question 1 continued	
(Total for Question 1 is 7 mar	rks)



2. (a) Express the complex number $w = 4\sqrt{3} - 4i$ in the form $r(\cos \theta + i \sin \theta)$ where r > 0 and $-\pi < \theta \le \pi$

(4)

- (b) Show, on a single Argand diagram,
 - (i) the point representing w
 - (ii) the locus of points defined by $arg(z + 10i) = \frac{\pi}{3}$

(3)

(c) Hence determine the minimum distance of w from the locus $\arg(z + 10i) = \frac{\pi}{3}$

(3)



Question 2 co	ontinued			
				_
				_
				_

Question 2 continued

Question 2 continued	
	(Total for Question 2 is 10 marks)



3. With respect to the **right-hand rule**, a rotation through θ° anticlockwise about the y-axis is represented by the matrix

$$\begin{pmatrix}
\cos\theta & 0 & \sin\theta \\
0 & 1 & 0 \\
-\sin\theta & 0 & \cos\theta
\end{pmatrix}$$

The point P has coordinates (8, 3, 2)

The point Q is the image of P under the transformation reflection in the plane y = 0

(a) Write down the coordinates of Q

(1)

The point R is the image of P under the transformation rotation through 120° anticlockwise about the y-axis, with respect to the **right-hand rule**.

(b) Determine the exact coordinates of *R*

(2)

(c) Hence find $|\overrightarrow{PR}|$ giving your answer as a simplified surd.

(2)

(d) Show that \overrightarrow{PR} and \overrightarrow{PQ} are perpendicular.

(1)

(e) Hence determine the exact area of triangle PQR, giving your answer as a surd in simplest form.

(2)

X	XX
${}^{\!$	$\times\!\!\times\!\!$
×	$\times\!\!\times$
	××
X	\Leftrightarrow
Ø	\approx
Ņ.	XX
X.	$\times\!\!\times$
×	$\Diamond \Diamond$
8	\approx
Ø.	$\times\!\!\times$
X	ď
×	100
X	إبيو
✡	0
$\langle \cdot \rangle$	8
×	ST.
X	
X.	RITE IN THIS AREA
⋄	
\Diamond	
X	#
×	×
8	W
\Diamond	7
$\langle \cdot \rangle$	苤
×	$\overline{\sim}$
×	ш
X	\square
\Diamond	W
×	~~
×	等
X	3
\Diamond	2
×	7X
×	₩
X	w
$\langle \times$	7
×	\sim
×	
X	DO NOT
Ø	$\overline{\mathcal{A}}$
Ç.	
X	XX
X	$\Leftrightarrow >$
X	$\times\!\!\times$
8	$\times\!\!\times$
Ø	$\times\!\!\times\!\!$
X	\ll
X	$\wedge\!\!\!\wedge$
X	XX
\Diamond	$\times\!\!\times\!\!\times$
\Diamond	$\times\!\!\times\!\!$
X	$\times\!\!\times\!\!$
X	\Leftrightarrow
Ø	$\times\!\!\times\!\!\times$
X	$\times\!\!\times\!\!$
X	\ll
X	\times
X	\otimes
Ø	\approx
X	$\times\!\!\times$
X	\ll
X	AREA
X	5
Ø	ЫÌ
×	66
X	ΨĶ
X	
$\langle \rangle$	362
8	4.87
8	73
8	翠
× ×	SE E
× ×	SIT
× ×	SE
	WRITETATES
	WRITE TATES
	NOTWRITEINTHE
	WRITE TATES
	NOTWRITEINTHE
	DO NOT WRITE IN THIS
	DO NOT WRITE IN THIS
	A DONOTWRITE IN THIS
	EA DO NOT WRITE IN THIS
	REA DO NOT WRITE IN THIS
	REA DO NOT WRITE IN THIS
	AREA DO NOT WRITE IN THIS
	AREA DO NOT WRITE IN THIS
	S AREA DO NOT WRITE IN THIS
	IS AREA DO NOT WRITE IN THIS
	IS AREA DO NOT WRITE IN THIS
	HIS AREA DO NOT WRITE IN THIS
	THIS AREA DO NOT WRITE IN THIS
	THIS AREA DO NOT WRITE IN THIS
	N THIS AREA DO NOT WRITE IN THIS
	N THIS AREA DO NOT WRITE IN THIS
	IN THIS AREA DO NOT WRITEIN THIS
	EIN THIS AREA DO NOT WRITEIN THIS
	TEIN THIS AREA DO NOT WRITEIN THIS
	TEIN THIS AREA DO NOT WRITE'IN THIS
	TEIN THIS AREA DO NOT WRITE'IN THIS
	RITE IN THIS AREA
	RITE IN THIS AREA
	RITE IN THIS AREA
	WRITE IN THIS AREA
	FWRITE IN THIS AREA
	WRITE IN THIS AREA

J			ы		L
1	d		и		ŀ
		3			
				3	
	į				
		7			
IJ			ø	=	
4	К	а		2	
М	ø				
	š	2		2	,
	à		ø	۲	۰
	۴	۹		è	ć
	ă	d		۰	۲
Э	۲	7			
		K			
А	Ħ.		S	٥	
		=	=	=	
А	Ц				
A		į			
		S	2		ř.
2	ч			۲	
١,	ż	Š	2	_	
Α	٠	7			r
S.	à		۳	7	
Α					
					è
				1	
5	d			ń	è
4					۲
Э		2	4		
	2	3	2	2	
	ì	ē	ij	ì	
Ú	ľ	Š	2	ì	k
ĺ	ľ		į	ì	ľ

Question 3 continued	



Question 3 continued

	Question 3 continued
(Total for Question 3 is 8 marks)	(Total for Question 3 is 8 marks)



4. The roots of the quartic equation

$$3x^4 + 5x^3 - 7x + 6 = 0$$

are α , β , γ and δ

Making your method clear and without solving the equation, determine the exact value of

(i)
$$\alpha^2 + \beta^2 + \gamma^2 + \delta^2$$

(3)

(ii)
$$\frac{2}{\alpha} + \frac{2}{\beta} + \frac{2}{\gamma} + \frac{2}{\delta}$$

(3)

(iii)
$$(3 - \alpha)(3 - \beta)(3 - \gamma)(3 - \delta)$$

(3)

\Diamond	X	$\langle \cdot \rangle$
×	$\langle \langle \rangle$	X
\otimes	X	X
×	\otimes	\Diamond
\approx	\propto	X
×	X	Ż
×	$\langle \times \rangle$	×
$\langle \! \rangle$	X	×,
×	\approx	$\stackrel{\wedge}{\sim}$
\approx	×	×
\approx	\simeq	X
×		Ŷ
×	ш	10
\approx		×
$\langle \cdot \rangle$	×	Ź
×		Ø
\approx	S	X
$\langle \rangle$	u	v
$\langle \times$		•
×	SI.	X
X	K	
×	V	×
×	÷	×
X	•	€⁄.
\propto	X	₹
×	Ù	ĸ
\approx	K	Z
$\langle \times$	K	<u> </u>
×		×
\approx	×	€
\propto	2	*
×	4	×
\approx	$ \angle $	\geq
×	×	\otimes
\approx	Œ	Х
×		×
X		Ŷ
X		K
Ø	¥	K)
X	Ó	Ŷ
X		8
$\langle \cdot \rangle$	×	Ý.
×	$\langle \rangle$	\times
X	\propto	X
Ø	×	Ş
X	\otimes	×
X	×	X
$\langle \rangle$	X	4
\propto	X	\Diamond
×	$\langle \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	X
$\langle \rangle$	X	\$
×	\approx	\propto
×	X	X
X	58	×
$\langle \times$	\approx	\Diamond
×	×	×
\times	×	X
\propto	\approx	\Diamond
×	X	×
\propto	¥	×
\otimes	$\overline{\lambda}$	ķ.
×	и	10
X	ø	
$\langle \times \rangle$	\propto	7
×	Ģ	M.
\propto	×	X
×	=	Ţ.
\otimes	Š	
$\stackrel{>}{\sim}$	Ì	
	THE WALL BOW CO	

Question 4 continued



Question 4 continued



Question 4 continued	
	(Total for Question 4 is 9 marks)



5. (a) Use the standard summation formulae to show that, for $n \in \mathbb{N}$,

$$\sum_{r=1}^{n} (3r^2 - 17r - 25) = n(n^2 - An - B)$$

where A and B are integers to be determined.

(4)

(b) Explain why, for $k \in \mathbb{N}$,

$$\sum_{r=1}^{3k} r \tan (60r)^\circ = -k\sqrt{3}$$

(2)

Using the results from part (a) and part (b) and showing all your working,

(c) determine any value of n that satisfies

$$\sum_{r=5}^{n} (3r^2 - 17r - 25) = 15 \left[\sum_{r=6}^{3n} r \tan(60r)^{\circ} \right]^2$$

(6)



$\times\!\!\times\!\!\times\!\!\times$
>>>>
XXXX

<u> </u>
4
× La×
ā
TE IN THIS
×m×
$\times \bowtie \times$
WR
\times
DOA
$\otimes \otimes \times$
\sim
XXX

XXX
XXXX
>>>>>

>>>>
XXX

4
W.
×
THIS
$\gg + \infty$
\times Z \times
\times
$\times \times \times$
R
WRIT
OT WRIT
9
NON
TON O
NON
TON O
DO NOT
A DO NOT
EA DO NOT
REA DO NOT
AREA DO NOT
REA DO NOT
HIS AREA DO NOT
I THIS AREA DO NOT
HIS AREA DO NOT
N THIS AREA DO NOT
TE IN THIS AREA DO NOT
TE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT
WRITE IN THIS AREA DO NOT

	N				
d		ď			
2	٠	9	비	ĸ	
			Ļ		
	á	5	ĕ	6	
				Ź	
		è			
		ξ			
			Ř		
		d			
				ě	
		è	ú	è	
	ģ	è	ú	è	
		è	ú	è	
	2	è	ú	è	
	į	9	Ę	5	
	į	9	Ę	5	
	į	è	Ę	5	
1		2			
1		2			
1		2			
1		2			
		2			
		200			
		2			
		2			
			P		
			P		
			P P P P P P P P P P P P P P P P P P P		
			P P P P P P P P P P P P P P P P P P P		
			P P P P P P P P P P P P P P P P P P P		

Question 5 continued



Question 5 continued

Question 5 continued	
	4-16 O
(To	tal for Question 5 is 12 marks)



- **6.** The surface of a horizontal tennis court is modelled as part of a horizontal plane, with the origin on the ground at the centre of the court, and
 - **i** and **j** are unit vectors directed across the width and length of the court respectively
 - **k** is a unit vector directed vertically upwards
 - units are metres

After being hit, a tennis ball, modelled as a particle, moves along the path with equation

$$\mathbf{r} = (-4.1 + 9\lambda - 2.3\lambda^2)\mathbf{i} + (-10.25 + 15\lambda)\mathbf{j} + (0.84 + 0.8\lambda - \lambda^2)\mathbf{k}$$

where λ is a scalar parameter with $\lambda \geqslant 0$

Assuming that the tennis ball continues on this path until it hits the ground,

(a) find the value of λ at the point where the ball hits the ground.

(2)

The direction in which the tennis ball is moving at a general point on its path is given by

$$(9-4.6\lambda)i + 15j + (0.8-2\lambda)k$$

(b) Write down the direction in which the tennis ball is moving as it hits the ground.

(1)

(c) Hence find the acute angle at which the tennis ball hits the ground, giving your answer in degrees to one decimal place.

(4)

The net of the tennis court lies in the plane $\mathbf{r} \cdot \mathbf{j} = 0$

(d) Find the position of the tennis ball at the point where it is in the same plane as the net.

(3)

The maximum height above the court of the top of the net is 0.9 m.

Modelling the top of the net as a horizontal straight line,

(e) state whether the tennis ball will pass over the net according to the model, giving a reason for your answer.

(1)

With reference to the model.

(f) decide whether the tennis ball will actually pass over the net, giving a reason for your answer.

(2)



Question 6 continued	



Question 6 continued

Question 6 continued	
(Total for	Question 6 is 13 marks)



7	Prove by	y mathematical	induction	that	for	n	_	M
/ •	TIOVE	y mamemancai	muuchon	mai,	101	$I\iota$	\vdash	Τ //

$$\begin{pmatrix} -5 & 9 \\ -4 & 7 \end{pmatrix}^n = \begin{pmatrix} 1 - 6n & 9n \\ -4n & 1 + 6n \end{pmatrix}$$

- (h
•	v,

			é			
			9			
			į			
	Ý					
	G				4	
	Ì					
	У					
					1	
	1		3			
	И		è	ú	ú	k
Κ	X		þ	ų		K
S	X		þ	ų		1
8	₹	2	Š	2	2	K
8	₹	2	Š	2	2	6
2	₹	2	Š	2	2	K K
5	₹	2	Š	2	2	K
5	₹	2	Š	2	2	
3	₹	2	Š	2	2	K
3	₹	2	Š	2	2	
	₹	2	Š	2	2	
3	₹	2	Š	2	2	
3	₹	2	Š	2	2	
	₹	2	þ	2	2	
	₹	2	Š	2	2	
\ \ \	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	
	₹	2	Š	2	2	R F F F F F F F F F F F F F F F F F F F
			Š	2	2	R F R F C R C R C R
			Š	2	2	
			Š	2	2	
	₹		Š	2	2	
			Š	2	2	
			Š	2	2	
			Š	2	2	
			Š	2	2	R FERRING VENTON
			Š	2	2	
			Š	2	2	REPORT OF THE PARTY OF THE PART
			Š	2	2	
			Š	2	2	REPORT OF THE SECOND STATE OF THE SECOND SEC
			Š	2	2	
			Š	2	2	化多环代码 人名英格兰人姓氏
			Š	2	2	REPORT OF A PARTY
						化子子 医牙孔丛 人名英格兰人姓氏格兰
						REPORT OF THE PROPERTY OF THE
			Š			

Question 7 continued	
	(Total for Question 7 is 6 marks)



8.




Figure 1 Figure 2

Figure 1 shows a sketch of a 16 cm tall vase which has a flat circular base with diameter 8 cm and a circular opening of diameter 8 cm at the top.

A student measures the circular cross-section halfway up the vase to be 8cm in diameter.

The student models the shape of the vase by rotating a curve, shown in Figure 2, through 360° about the *x*-axis.

(a) State the value of a that should be used when setting up the model. (1)

Two possible equations are suggested for the curve in the model.

Model A
$$y = a - 2\sin\left(\frac{45}{2}x\right)^{\circ}$$
Model B
$$y = a + \frac{x(x-8)(x+8)}{100}$$

For each model,

- (b) (i) find the distance from the base at which the widest part of the vase occurs,
 - (ii) find the diameter of the vase at this widest point. (7)

The widest part of the vase has diameter 12 cm and is just over 3 cm from the base.

- (c) Using this information and making your reasoning clear, suggest which model is more appropriate.

 (1)
- (d) Using algebraic integration, find the volume for the vase predicted by Model B. You must make your method clear.

 (5)

The student pours water from a full one litre jug into the vase and finds that there is 100 ml left in the jug when the vase is full.

(e) Comment on the suitability of Model B in light of this information.

(1)

Question 8 continued



Question 8 continued

Question 8 continued	



Question 8 continued	
	(Total for Question 8 is 15 marks)
TOTAL FOR CORE PURE MATHEMATICS IS 80 MARKS	