## Wednesday Reading Assessment: Unit 0, Electric Fields

Prof. Jordan C. Hanson

January 24, 2024

## 1 Memory Bank

- $\vec{E} = \frac{kQ}{r^2}\hat{r}$  ... Coulomb field of a charge Q.
- $k = 8.99 \times 10^9 \text{ N C}^{-2} \text{ m}^2$  ... Constant of proportionality for Coulomb field.

## 2 Electric Fields

1. Consider Fig. 1 below. A ring of charge with radius R is situated in the xy-plane. The charge is positive, and it is distributed evenly across the ring. We write  $\Delta q = \lambda R \Delta \theta$ , to mean that there are  $\lambda$  Coulombs per meter along an angle  $\Delta \theta$ . If  $\Delta \theta$  were to extend to  $2\pi$  (all the way around the circle), then the total charge is  $Q = \lambda(2\pi R)$ . (a) By symmetry, where should the electric field be zero? (b) Where would the electric field be infinite?




Figure 1: A ring of charge situated in the xy-plane.

- 2. Consider again Fig. 1. As  $z \to \infty$ , what happens to the field?
  - A: The field-strength increases.
  - B: The field-strength remains constant.
  - C: The field-strength decreases.
  - D: The field-strength is exactly zero.
- 3. Suppose the actual function for the E-field  $\vec{E}(z)$  is

$$\vec{E}(z) = \frac{1}{4\pi\epsilon_0} \frac{qz}{(z^2 + R^2)^{3/2}} \hat{z}$$
 (1)

To see what happens when z is much larger than R, try setting R = 0. What is the result in Eq. 1 if R = 0?

4. Do you recognize the expression? What does the ring resemble if  $R \approx 0$ ?