

INTD 290: Number Systems in pre-Columbian Context

Dr. Jordan Hanson - Whittier College Dept. of Physics and Astronomy

January 29, 2021

1 How to Submit this Assignment

Once you answer the questions, take a picture of your work and convert it to a PDF. Submit the PDF to the assignment link on Moodle.

2 Introduction

For this asynchronous assignment, we will be using something called a Physics Educational Technology simulation, or PhET simulation. For an introduction to this tool, please follow this link to a tutorial video by one of my colleagues:

<https://www.youtube.com/watch?v=m6e2y4feflI&feature=youtu.be>

3 The Simulation

To find this simulation, which teaches us how gravity and planetary orbits work, follow this link:

<https://phet.colorado.edu/en/simulation/gravity-and-orbits>

4 The Basics: circular and elliptical orbits

Instructions:

1. Starting with the link above, press the "to scale" option at the bottom of the screen. Choose the option with the star and planet.
2. Activate the path and grid options at right.
3. Click the play button and allow the planet to rotate through 360 degrees, all the way around the star. You can speed up or slow down the motion, which is just governed by gravity, with the controls.
4. Use the yellow measuring tape tool at right to measure two distances: (a) the distance from the star to the path of the planet on the right, and (b) the distance from the star to the path of the planet on the left. Are they the same number? No
5. What would be true of the numbers if the orbit was perfectly circular?

If the orbit was perfectly circular
the radius would be true.

5 Gravity

Instructions:

Using the controls at right, display the direction of the force of gravity.

What happens to the path of the planet if you deactivate gravity?

If you deactivate gravity the path of the planet drifts away and upward and doesn't stop.

What happens to the force of gravity if you leave it activated, but click and drag the planet farther from the star?

If you click and drag the planet farther from the star, the planet drifts away and upward and doesn't stop.

Display the velocity with the control at right. Reveal what happens if you let the planet follow one orbit, and then pause, and then change the length of the velocity arrow. This corresponds to changing the speed of the planet. (Changing the direction of the arrow changes the direction of the velocity).

After letting the planet follow one orbit and then changing the length of the velocity arrow the planet drifts away and upward and doesn't stop.

6 Kepler's Laws

Instructions:

Now that you can see how to control the system using velocity, force, and distance from the star, try to make an orbit that is nearly circular. Show that the radius of the orbit is almost the same when measured at different places (it should be the same number all the way around for a circle, but this might be challenging).

For your circular orbit, determine what happens if you change the mass of the planet (controls at right). Answer this question: does the rate at which something accelerates downward due to gravity here on Earth depend on its mass? Is it different for planets?

Yes, the rate at which something accelerates downward due to gravity on Earth can depend on its mass.

Yes, this is different for planets

Finally, tweak your orbit so that it is elliptical. Using the ruler and grid, find the area of a triangle swept out by the orbit when it is going faster (nearer to the star). The planet needs some number of days to sweep out this area. Find a different triangle on the other side of the orbit that requires the same number of days. Can you show that these triangles have the same area? This is Kepler's 2nd Law.

Yes, it is possible to show that these triangles have the same area by using Kepler's second law: "If you look at the time it takes for a planet to sweep out an area, if the same areas are equal, then it took the same time to sweep out the area."