

History of Science in Latin America: Unit 3

Jordan Hanson

October 22, 2024

Whittier College Department of Physics and Astronomy

Summary

1. Navigation

- **Navigation with a compass**...longitude and latitude.
- **Navigation with a compass**...calculating the distance to an object, or triangulation

Navigation with a compass: Longitude and Latitude

Longitude and Latitude: a coordinate system for navigation over the Earth's surface.




Figure 1: A position on a sphere can be described by two locations or angles.

Navigation with a compass: Longitude and Latitude

Location on a circle:

$$s = R\theta \quad (1)$$

- s : distance
- R : the radius of the circle
- θ : the angle in *radians*

Suppose an ant is walking along the surface of a ball with radius 10 cm. She travels from 0.0 degrees (the equator) to +90.0 degrees (the top). How far did she walk? (Draw a diagram of the problem).

Navigation with a compass: Longitude and Latitude

That is the basic model of *latitude*. **Latitude** describes how far North or South we are from the equator of the Earth's sphere. The equator corresponds to 0.0 degrees North/South, and the North pole is +90.0 degrees N. The South pole is -90 degrees N or 90.0 degrees South.

- Load Google Maps at your table.
- Locate Oslo, Norway (Christiania in *Last Place on Earth*.
- Single-click on a spot near the city and observe the two numbers that pop up below.
- The *first* of these two numbers is the latitude North. Write down this number.
- Locate Montevideo, Uruguay, and obtain the latitude.
- Calculate the difference between the latitude of the two cities.

Navigation with a compass: Longitude and Latitude



Figure 2: A position on a sphere can be described by two locations or angles.

- Convert the change in latitude to a distance using Equation 1. This is how far *south* Amundsen sailed the *Fram* to resupply in Latin America.
- It does not include the distance *west*.

Navigation with a compass: Longitude and Latitude

Calculating distances with longitude:

$$s = \phi R \cos \theta \quad (2)$$

The purpose of the cosine is to correct for the changing radius of lines of latitude (see Fig. 2).

- s : distance
- R : the radius of the circle
- θ : the latitude angle in *radians*
- ϕ : the longitude angle in *radians*

Repeat the exercise between Oslo and Montevideo, but calculate the difference in longitude to derive the distance travelled south.

Navigation with a compass: Longitude and Latitude

A **nautical mile** is the distance corresponding to $1/60$ of a degree of *latitude* along a constant *longitude*. Why the ratio of $1/60$? One “minute” of latitude is $1/60$ th of one degree, and one “second” of latitude is $1/60$ th of one minute.

Example: If the radius of the Earth is 6371 kilometers, how many meters are in one nautical mile?

Group exercise: what is the distance from Los Angeles to Honolulu in nautical miles?

One knot equals one nautical mile per hour. If the journey from Los Angeles to Honolulu required seven days, what was the average speed in knots?