1st


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
Amazon S3 > Buckets > faraz.s3.rbp
Successfully edited bucket policy.
Block public access (bucket settings)
Edit
Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more
Block all public access
Off
Individual Block Public Access settings for this bucket
Bucket policy
Edit
Delete
The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more
Copy
{
"Version": "2012-10-17",
"Statement": [
{
"Sid": "Statement1",
"Effect": "Allow",
"Principal": "*",
"Action": "s3:GetObject",
"Resource": "arn:aws:s3:::faraz.s3.rbp/*"
}
]
}
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

2nd


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
Amazon S3 > Buckets > faraz.bucket.protection
Successfully edited Object Lock.
Off
Transfer acceleration
Edit
Use an accelerated endpoint for faster data transfers. Learn more
Transfer acceleration
Disabled
Object Lock
Edit
Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. Object Lock works only in versioned buckets.
Learn more
Object Lock
Enabled
Default retention
Automatically protect new objects put into this bucket from being deleted or overwritten.
Enabled
Default retention mode
Governance
Default retention period
1 day
Requester pays
Edit
When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. Learn more
Requester pays
Disabled
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

3.1 program


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
KMS > Customer managed keys
Key Management Service (KMS)
AWS managed keys
Customer managed keys
Custom key stores
AWS CloudHSM key stores
External key stores
Success
Your AWS KMS key was created with alias aws-kms and key ID b7ede543-ea17-42cb-92da-465cf39f1833.
View key
Customer managed keys (3)
Key actions
Create key
Filter keys by properties or tags
Aliases
Key ID
Status
Key type
Key spec
lingokey
00176548-c461-445e-8fa5-ba3...
Pending deletion
Symmetric
SYMMETRIC_DEFAULT
aws-kms
b7ede543-ea17-42cb-92da-465...
Enabled
Symmetric
SYMMETRIC_DEFAULT
deckedKMS
d937a8ca-cd67-49c1-ae2d-bc78...
Pending deletion
Symmetric
SYMMETRIC_DEFAULT
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
Amazon S3 > Buckets > faraz.s3.sse
Successfully edited default encryption. Objects uploaded, modified, or copied into this bucket will inherit this encryption configuration unless otherwise specified.
Tags (0)
Edit
You can use bucket tags to track storage costs and organize buckets. Learn more
Key
Value
No tags associated with this resource.
Default encryption
Edit
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Encryption key ARN
arn:aws:kms:ap-south-1:124355656024:key/b7ede543-ea17-42cb-92da-465cf39f1833
Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. Learn more
Enabled
Intelligent-Tiering Archive configurations (0)
View details
Edit
Delete
Create configuration
Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. Learn more
Find Intelligent-Tiering Archive configurations
Name
Status
Scope
Days until transition to Archive Access t...
Days until transition to Deep Archive A...
No archive configurations
No configurations to display.
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
Amazon S3 > Buckets > faraz.s3.sse
No tags associated with this resource.
Default encryption
Edit
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Bucket Key
When KMS encryption is used to encrypt new objects in this bucket, the bucket key reduces encryption costs by lowering calls to AWS KMS. Learn more
Enabled
Intelligent-Tiering Archive configurations (0)
View details
Edit
Delete
Create configuration
Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. Learn more
Find Intelligent-Tiering Archive configurations
Name
Status
Scope
Days until transition to Archive Access t...
Days until transition to Deep Archive A...
No archive configurations
No configurations to display.
Create configuration
Server access logging
Edit
Log requests for access to your bucket. Use CloudWatch to check the health of your server access logging. Learn more
Server access logging
Disabled
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Amazon S3 > Buckets > faraz.https.only
Successfully edited bucket policy.
The bucket policy, written in JSON, provides access to the objects stored in the bucket. Bucket policies don't apply to objects owned by other accounts. Learn more
Copy
{
"Version": "2012-10-17",
"Statement": [
{
"Sid": "DenyHTTP",
"Effect": "Deny",
"Principal": "*",
"Action": "s3:*",
"Resource": [
"arn:aws:s3:::faraz.https.only/*",
"arn:aws:s3:::faraz.https.only"
],
"Condition": {
"Bool": {
"aws:SecureTransport": "false"
}
}
}
]
}
Object Ownership
Edit
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.
Object Ownership
Bucket owner enforced
ACLs are disabled. All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

4.2


Upload objects - S3 bucket
s3.ap-south-1.amazonaws.com
s3.ap-south-1.amazonaws.com
Key ID: b7ede543-ea17-42
AWS Policy Generator
s3.ap-south-1.amazonaws.com/faraz.https.only/336298.jpg
Connection security for s3.ap-south-1.amazonaws.com
You are securely connected to this site.
Verified by: Amazon
More information
This XML file
ith it. The document tree is shown below.
<Error>
<Code>Access
<Message>Acc
<RequestId>19DCVH2TD7DDD0ZK</RequestId>
<HostId>
uNq/ddJvVMITmivUjIkACqYmUuZM9VqmIRku6wuYo1OIxddZBL3BaQRjCOx/mlrAEPnMNuAcmUL3+3p+ebCwATJgZuMAhXZ2
</HostId>
</Error>


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
EC2 > Security Groups > sg-0873f05d8a0e3eca7 - launch-wizard-8
Inbound security group rules successfully modified on security group (sg-09aefb3be8e144ded | launch-wizard-6)
Details
sg-0873f05d8a0e3eca7 - launch-wizard-8
Actions
Details
Security group name
launch-wizard-8
Security group ID
sg-0873f05d8a0e3eca7
Description
launch-wizard-8 created 2025-11-10T04:47:36.154Z
VPC ID
vpc-0c345d60282d23508
Owner
124355656024
Inbound rules count
2 Permission entries
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing - new
VPC associations - new
Tags
Inbound rules (2)
Manage tags
Edit inbound rules
Search
Name
Security group rule ID
IP version
Type
Protocol
Port range
Source
– sgr-09ae35e8d3bea3ba9 IPv4 HTTPS TCP 443 0.0.0.0/0
– sgr-06d791a3fa48a05de IPv4 SSH TCP 22 0.0.0.0/0
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

f


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
EC2 > Security Groups > sg-0873f05d8a0e3eca7 - launch-wizard-8
Outbound security group rules successfully modified on security group (sg-0873f05d8a0e3eca7 | launch-wizard-8)
Details
sg-0873f05d8a0e3eca7 - launch-wizard-8
Actions
Details
Security group name
launch-wizard-8
Security group ID
sg-0873f05d8a0e3eca7
Description
launch-wizard-8 created 2025-11-10T04:47:36.154Z
VPC ID
vpc-0c345d60282d23508
Owner
124355656024
Inbound rules count
2 Permission entries
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing - new
VPC associations - new
Tags
Outbound rules (1)
Manage tags
Edit outbound rules
Search
Name
Security group rule ID
IP version
Type
Protocol
Port range
Destination
– sgr-03dc545db2d61923d IPv4 All traffic All All 157.50.168.175/32
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


EC2 > Security Groups > sg-09aefb3be8e144ded - launch-wizard-6
Inbound security group rules successfully modified on security group (sg-09aefb3be8e144ded | launch-wizard-6)
Details
sg-09aefb3be8e144ded - launch-wizard-6
Actions
Security group name
launch-wizard-6
Security group ID
sg-09aefb3be8e144ded
Description
launch-wizard-6 created 2025-11-10T04:42:2 2.486Z
VPC ID
vpc-0c345d60282d23508
Owner
124355656024
Inbound rules count
3 Permission entries
Outbound rules count
1 Permission entry
Inbound rules
Outbound rules
Sharing - new
VPC associations - new
Tags
Inbound rules (3)
Manage tags
Edit inbound rules
Name
Security group rule ID
IP version
Type
Protocol
Port range
Source
sgr-0be9af0fa1657ee5f IPv4 HTTPS TCP 443 157.50.168.175/32
sgr-076eef2a139d0075f IPv4 SSH TCP 22 0.0.0.0/0
sgr-0b8df6d652a606b68 IPv4 HTTP TCP 80 157.50.168.175/32

7th


VPC > Network ACLs
Network ACLs (1/3)
Actions
Create network ACL
Name
Network ACL ID
Associated with
Default
VPC ID
Inbound rules count
faraz-ACL acl-021156bf789ecf610 subnet-0a3c0191dd6d8c1cb No vpc-0c345d60282d23508 3 Inbound rules
vpc_albi acl-0848824d8bbc52e28 – No vpc-0c345d60282d23508 3 Inbound rules
– acl-0625c630acc92123d 2 Subnets Yes vpc-0c345d60282d23508 3 Inbound rules
acl-021156bf789ecf610 / faraz-ACL
Details
Inbound rules
Outbound rules
Subnet associations
Tags
Inbound rules (3)
Edit inbound rules
Rule number
Type
Protocol
Port range
Source
Allow/Deny
1 HTTP (80) TCP (6) 80 0.0.0.0/0 Deny
2 HTTPS (443) TCP (6) 443 0.0.0.0/0 Deny
* All traffic All All 0.0.0.0/0 Deny


VPC > Network ACLs > acl-021156bf789ecf610 / faraz-ACL > Edit inbound rules
Edit inbound rules
Inbound rules control the incoming traffic that's allowed to reach the VPC.
Rule number
Type
Protocol
Port range
Source
Allow/Deny
1 HTTP (80) TCP (6) 80 0.0.0.0/0 Deny Remove
2 HTTPS (443) TCP (6) 443 0.0.0.0/0 Deny Remove
* All traffic All All 0.0.0.0/0 Deny
Add new rule
Sort by rule number
Cancel
Preview changes
Save changes


aws
Search
[Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
VPC > Network ACLs
VPC dashboard
AWS Global View
Filter by VPC
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers New
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
Endpoints
Endpoint services
Service networks
Lattice services
Network ACLs (1/3) Info
Find Network ACLs by attribute or tag
Actions
Create network ACL
Name
Network ACL ID
Associated with
Default
VPC ID
Inbound rules count
faraz-ACL
acl-021156bf789ecf610
subnet-0a3c0191dd6d8c1cb
No
vpc-0c345d60282d23508
3 Inbound rules
vpc_albi
acl-0848824d8bbc52e28
–
No
vpc-0c345d60282d23508
3 Inbound rules
–
acl-0625c630acc92123d
2 Subnets
Yes
vpc-0c345d60282d23508
3 Inbound rules
acl-021156bf789ecf610 / faraz-ACL
Details
Inbound rules
Outbound rules
Subnet associations
Tags
Details
Network ACL ID
acl-021156bf789ecf610
Owner
124355656024
Associated with
subnet-0a3c0191dd6d8c1cb
Default
No
VPC ID
vpc-0c345d60282d23508
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


~ : bash — Konsole
New Tab
Split View
Copy
Paste
Find...
fahmed@fedora:~$ nmap -p 80 200-13.204.88.11
Starting Nmap 7.92 (https://nmap.org) at 2025-11-10 10:59 IST
Failed to resolve "200-13.204.88.11".
WARNING: No targets were specified, so 0 hosts scanned.
Nmap done: 0 IP addresses (0 hosts up) scanned in 0.10 seconds
fahmed@fedora:~$ nmap -p 80 13.204.88.11
Starting Nmap 7.92 (https://nmap.org) at 2025-11-10 11:00 IST
Note: Host seems down. If it is really up, but blocking our ping probes, try -Pn
Nmap done: 1 IP address (0 hosts up) scanned in 3.08 seconds
fahmed@fedora:~$ sudo dnf install telnet
Updating and loading repositories:
Repositories loaded.
Package Arch Version Repository Size
Installing:
telnet x86_64 1:0.17-95.fc43 fedora 11 2.4 KiB
Transaction Summary:
Installing: 1 package
Total size of inbound packages is 62 KiB. Need to download 62 KiB.
After this operation, 112 KiB extra will be used (install 112 KiB, remove 0 B).
Is this ok [y/N]: y
[1/1] telnet-1:0.17-95.fc43.x86_64 100% | 23.7 KiB/s | 61.7 KiB | 00m03s
[1/1] Total 100% | 16.0 KiB/s | 61.7 KiB | 00m04s
Running transaction
[1/3] Verify package files 100% | 200.0 B/s | 1.0 B | 00m00s
[2/3] Prepare transaction 100% | 1.0 B/s | 1.0 B | 00m01s
[3/3] Installing telnet-1:0.17-95.fc43.x86_64 100% | 175.3 KiB/s | 113.4 KiB | 00m01s
Complete!
fahmed@fedora:~$ telnet 13.204.88.11:80
telnet: 13.204.88.11:80: Name or service not known
13.204.88.11:80: Unknown host
fahmed@fedora:~$ telnet 13.204.88.11
Trying 13.204.88.11...
^C
fahmed@fedora:~$ telnet 13.204.88.11 80
Trying 13.204.88.11...
telnet: connect to address 13.204.88.11: Connection timed out
fahmed@fedora:~$
11:04 AM
10/11/25

8th


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
EC2 > Instances > Launch an instance
Storage (volumes) Info
Simple
EBS Volumes
Hide details
Volume 1 (AMI Root) : 8 GiB, EBS, General purpose SSD (gp3), 3000 IOPS
Volume 2 (Custom)
Remove
Storage type Info
EBS
Device name - required Info
/dev/sdb
Snapshot Info
Select
Size (GiB) Info
8
Volume type Info
gp3
IOPS Info
3000
Delete on termination Info
No
Encrypted Info
Encrypted
KMS key Info
Select
Throughput Info
125
Volume initialization rate - new, optional Info
Enter a value
Min: 100 MiB/s, Max: 300 MiB/s. Additional charges apply
Free tier eligible customers can get up to 30 GB of EBS General Purpose (SSD) or Magnetic storage
Add new volume
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.9.2...read more
ami-0305d3d91b9f22e84
Virtual server type (instance type)
t2.micro
Firewall (security group)
New security group
Storage (volumes)
2 volume(s) - 16 GiB
Free tier: In your first year of opening an AWS account, you get 750 hours per month of t2.micro instance usage (or t3.micro where t2.micro isn't available) when used with free tier AMIs, 750 hours per month of public IPv4 address usage, 30 GiB of EBS storage, 2 million I/Os, 1 GB of snapshots, and 100 GB of bandwidth to the internet. Data transfer charges are not included as part of the free tier allowance.
Cancel
Launch instance
Preview code
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Asia Pacific (Mumbai)
Account ID: 1243-5565-6024
admin.faraz
EC2 > Instances > i-0ee03097df7d4f7d9
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Instance summary for i-0ee03097df7d4f7d9 (faraz.ebs.volume) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-0ee03097df7d4f7d9
Public IPv4 address
15.207.100.75 | open address
Private IPv4 addresses
172.31.7.89
IPv6 address
–
Instance state
Running
Public DNS
ec2-15-207-100-75.ap-south-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-7-89.ap-south-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-7-89.ap-south-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t2.micro
Elastic IP addresses
–
Auto-assigned IP address
15.207.100.75 [Public IP]
VPC ID
vpc-0c345d60282d23508
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more
IAM Role
–
Subnet ID
subnet-0a3c0191dd6d8c1cb
Auto Scaling Group name
–
IMDSv2
Required
Instance ARN
arn:aws:ec2:ap-south-1:124355656024:instance/i-0ee03097df7d4f7d9
Managed
false
Operator
–
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance details Info
CloudShell
Feedback
Console Mobile App
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


aws
Search
[Alt+S]
Asia Pacific (Mumbai)
Account ID: 7466-6921-2477
Prannesh
Aurora and RDS > Databases
Aurora and RDS
Dashboard
Databases
Query editor
Performance insights
Snapshots
Exports in Amazon S3
Automated backups
Reserved instances
Proxies
Subnet groups
Parameter groups
Option groups
Custom engine versions
Zero-ETL integrations
Databases (3)
Group resources
Modify
Actions
Create database
Filter by databases
DB identifier
Status
Role
Engine
Region ...
Size
database-1
Creating
Regional cluster
Aurora Po...
ap-south-1
database-1-instance-1
Creating
Reader instance
Aurora Po...
ap-south-1c
database-1-instance-1-ap-south-1a
Creating
Reader instance
Aurora Po...
ap-south-1a


aws
Search
[Alt+S]
Asia Pacific (Mumbai)
Account ID: 7466-6921-2477
Prannesh
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Instances (3) Info
Connect
Instance state
Actions
Launch instances
Find Instance by attribute or tag (case-sensitive)
All states
Instance state = running
Clear filters
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
KK-NWTEWORK-ACL
i-0d61abe3977c3cef6
Running
t2.micro
2/2 checks passed
View alarms
KK-SECURITY-RDS
i-0d9e46a8e120fd9d6
Running
t2.micro
Initializing
View alarms
KK-EBS-ENCRYPT
i-0478fdc557363619b
Running
t2.micro
2/2 checks passed
View alarms
Select an instance
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences