

Level0

```
bandit0@bandit:~$ ls
readme
bandit0@bandit:~$ cat readme
boJ9jbbUNNfktd7800psq0ltutMc3MY1
```

Level1

```
bandit1@bandit:~$ cat < -
CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9
```

Level2

```
bandit2@bandit:~$ ls
spaces in this filename
bandit2@bandit:~$ cat 'spaces in this filename'
UmHadQclWmgdLOKQ3YNgjWxGoRMB5lUk
bandit2@bandit:~$ cat /dev/null
```

Level3

```
bandit3@bandit:~/inhere$ cat .hidden
pIwrPrtPN36QITSp3EQaw936yaFoFgAB
bandit3@bandit:~/inhere$
```

Level4

```
bandit4@bandit:~/inhere$ cat < -file07
koReB0KuIDDepwhWk7jZC0RTdopnAYKh
```

Level5

```
bandit5@bandit:~/inhere/maybeh07$ cat .file2
DXjZPULLxYr17uwoI01bNLQbtFenEgo7
```

Level6

```
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs
bandit6@bandit:~$
```

Level7

```
bandit7@bandit:~$ cat data.txt | grep "millionth"
millionth      cvX2JJJa4CFALtqS87jk27qwqGhBM9plV
bandit7@bandit:~$
```

Level8

```
bandit8@bandit:~$ cat data.txt | sort | uniq -u
UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhr
bandit8@bandit:~$
```

Level9

```
data.txt
bandit9@bandit:~$ strings data.txt | grep "="
===== the*2i"4
=:G e
===== password
<I=zsGi
Z)===== is
A=|t&E
Zdb=
c^ LAh=3G
*Sf=s
&===== truKLdjsbJ5g7yyJ2X2R0o3a5HQJFuLk
S=A.H&^
bandit9@bandit:~$
```

Level10

```
bandit10@bandit:~$ cat data.txt
VGhliHBhc3N3b3JkIGlzIElGdWt3S0dzRlc4TU9xM0lSRnFyeEUxaHhUTkViVVBSCg==
bandit10@bandit:~$ base64 -d data.txt
The password is IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR
```

Level11

```
bandit11@bandit:~$ cat data.txt
Gur cnffjbeq vf 5Gr8L4getPEsPk8htqjhRK8XSP6x2RHh
bandit11@bandit:~$ cat data.txt | tr "A-Za-z" "N-ZA-Mn-za-m"
The password is 5Te8Y4drgCRfCx8ugdwuEX8KFC6k2EUu
bandit11@bandit:~$
```

Level12

```
bandit12@bandit:/tmp/Task$ gzip -d me.gz
bandit12@bandit:/tmp/Task$ file me
me: ASCII text
bandit12@bandit:/tmp/Task$ cat me
The password is 8ZjyCRiBWFYkneahHwxCv3wb2a10RpYL
```

Level13

```
bandit13@bandit:~$ ls
sshkey.private
bandit13@bandit:~$ ssh bandit14@localhost -i sshkey.private
Could not create directory '/home/bandit13/.ssh'.
```

Level14

```
bandit14@bandit:~$ ls -l
.  ..  .bash_logout  .bashrc  .profile  .ssh
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
4wcYUJFw0k0XLShLDzztnTBHiqxU3b3e
bandit14@bandit:~$ nc localhost 30000

Wrong! Please enter the correct current password
bandit14@bandit:~$ nc localhost 30000
4wcYUJFw0k0XLShLDzztnTBHiqxU3b3e
Correct!
BfMYroe26WYalil77FoDi9qh59eK5xNr
```

Level15

```
bandit15@bandit:~$ whoami
bandit15
bandit15@bandit:~$
```