

SHUBHI TARAN

CODING CHALLENGE NO 4:



Coding Challenge - Car Rental System – SQL

Instructions

- Coding Challenge submissions should be done through the participants' Github repository, and the link should be shared with trainers and Hexavarsity.

SQL Schema:

- Vehicle Table:**
 - vehicleID (Primary Key)
 - make
 - model
 - year
 - dailyRate
 - status (available, notAvailable)
 - passengerCapacity
 - engineCapacity
- Customer Table:**
 - customerID (Primary Key)
 - firstName
 - lastName
 - email
 - phoneNumber
- Lease Table:**
 - leaseID (Primary Key)
 - vehicleID (Foreign Key referencing Vehicle Table)
 - customerID (Foreign Key referencing Customer Table)
 - startDate
 - endDate
 - type (to distinguish between DailyLease and MonthlyLease)
- Payment Table:**
 - paymentID (Primary Key)
 - leaseID (Foreign Key referencing Lease Table)
 - paymentDate
 - amount

Vehicle Table

carID	make	model	Year	dailyRate	available	passenger Capacity	engineCapacity
1	Toyota	Camry	2022	50.00	1	4	1450
2	Honda	Civic	2023	45.00	1	7	1500
3	Ford	Focus	2022	48.00	0	4	1400
4	Nissan	Altima	2023	52.00	1	7	1200
5	Chevrolet	Malibu	2022	47.00	1	4	1800
6	Hyundai	Sonata	2023	49.00	0	7	1400
7	BMW	3 Series	2023	60.00	1	7	2499



carID	make	model	Year	dailyRate	available	passenger Capacity	engineCapacity
8	Mercedes	C-Class	2022	58.00	1	8	2599
9	Audi	A4	2022	55.00	0	4	2500
10	Lexus	ES	2023	54.00	1	4	2500

Customer Table

customerID	firstName	lastName	email	phoneNumber
1	John	Doe	johndoe@example.com	555-555-5555
2	Jane	Smith	janesmith@example.com	555-123-4567
3	Robert	Johnson	robert@example.com	555-789-1234
4	Sarah	Brown	sarah@example.com	555-456-7890
5	David	Lee	david@example.com	555-987-6543
6	Laura	Hall	laura@example.com	555-234-5678
7	Michael	Davis	michael@example.com	555-876-5432
8	Emma	Wilson	emma@example.com	555-432-1098
9	William	Taylor	william@example.com	555-321-6547
10	Olivia	Adams	olivia@example.com	555-765-4321

Lease Table

leaseID	carID	customerID	startDate	endDate	leaseType
1	1	1	2023-01-01	2023-01-05	Daily
2	2	2	2023-02-15	2023-02-28	Monthly
3	3	3	2023-03-10	2023-03-15	Daily
4	4	4	2023-04-20	2023-04-30	Monthly
5	5	5	2023-05-05	2023-05-10	Daily
6	4	3	2023-06-15	2023-06-30	Monthly
7	7	7	2023-07-01	2023-07-10	Daily
8	8	8	2023-08-12	2023-08-15	Monthly
9	3	3	2023-09-07	2023-09-10	Daily
10	10	10	2023-10-10	2023-10-31	Monthly

Payment Table

paymentID	leaseID	paymentDate	amount
1	1	2023-01-03	200.00
2	2	2023-02-20	1000.00
3	3	2023-03-12	75.00



paymentID	leaseID	paymentDate	amount
4	4	2023-04-25	900.00
5	5	2023-05-07	60.00
6	6	2023-06-18	1200.00
7	7	2023-07-03	40.00
8	8	2023-08-14	1100.00
9	9	2023-09-09	80.00
10	10	2023-10-25	1500.00

QUERIES:

CREATING DATABASE + TABLES AND INSERTING VALUES:

-- coding challenge file 4 shubhi taran

```
CREATE DATABASE CarRental;
```

```
Use CarRental;
```

```
create table vehicle(
```

```
vehicleID int primary key,
```

```
make varchar(50),
```

```
model varchar(50),
```

```
year int,
```

```
dailyrate decimal(10,2),
```

```
status varchar(50),
```

```
passengercapacity int,
```

```
enginecapacity int
```

```
);
```

```
create table customer (
```

```
customerID int primary key,
```

```
firstname varchar(50),
```

```
lastname varchar (50),
```

```
email varchar(50),
```

```
phonenummer varchar(50)
```

```
);
```

```
create table lease (  
    leaseID int primary key,  
    carID int,  
    customerID int,  
    startdate date,  
    enddate date,  
    leasetype varchar(20),  
    foreign key (carID) references vehicle(vehicleID),  
    foreign key (customerID) references customer(customerID)  
);
```

```
create table payment (  
    paymentID int primary key,  
    leaseID int,  
    paymentdate date,  
    amount decimal(10,2),  
    foreign key (leaseID) references lease(leaseID)  
);
```

```
insert into vehicle values  
(1, 'Toyota', 'Camry', 2022, 50.00, 'available', 4, 1450),  
(2, 'Honda', 'Civic', 2023, 45.00, 'available', 7, 1500),  
(3, 'Ford', 'Focus', 2022, 48.00, 'notAvailable', 4, 1400),  
(4, 'Nissan', 'Altima', 2023, 52.00, 'available', 7, 1200),  
(5, 'Chevrolet', 'Malibu', 2022, 47.00, 'available', 4, 1800),  
(6, 'Hyundai', 'Sonata', 2023, 49.00, 'notAvailable', 7, 1400),
```

(7, 'BMW', '3 Series', 2023, 60.00, 'available', 7, 2499),
(8, 'Mercedes', 'C-Class', 2022, 58.00, 'available', 8, 2599),
(9, 'Audi', 'A4', 2022, 55.00, 'notAvailable', 4, 2500),
(10, 'Lexus', 'ES', 2023, 54.00, 'available', 4, 2500);

insert into customer values

(1, 'John', 'Doe', 'johndoe@example.com', '555-555-5555'),
(2, 'Jane', 'Smith', 'janesmith@example.com', '555-123-4567'),
(3, 'Robert', 'Johnson', 'robert@example.com', '555-789-1234'),
(4, 'Sarah', 'Brown', 'sarah@example.com', '555-456-7890'),
(5, 'David', 'Lee', 'david@example.com', '555-987-6543'),
(6, 'Laura', 'Hall', 'laura@example.com', '555-234-5678'),
(7, 'Michael', 'Davis', 'michael@example.com', '555-876-5432'),
(8, 'Emma', 'Wilson', 'emma@example.com', '555-432-1098'),
(9, 'William', 'Taylor', 'william@example.com', '555-321-6547'),
(10, 'Olivia', 'Adams', 'olivia@example.com', '555-765-4321');

insert into lease values

(1, 1, 1, '2023-01-01', '2023-01-05', 'Daily'),
(2, 2, 2, '2023-02-15', '2023-02-28', 'Monthly'),
(3, 3, 3, '2023-03-10', '2023-03-15', 'Daily'),
(4, 4, 4, '2023-04-20', '2023-04-30', 'Monthly'),
(5, 5, 5, '2023-05-05', '2023-05-10', 'Daily'),
(6, 4, 3, '2023-06-15', '2023-06-30', 'Monthly'),
(7, 7, 7, '2023-07-01', '2023-07-10', 'Daily'),
(8, 8, 8, '2023-08-12', '2023-08-15', 'Monthly'),

(9, 3, 3, '2023-09-07', '2023-09-10', 'Daily'),

```
(10, 10, 10, '2023-10-10', '2023-10-31', 'Monthly');
```

insert into payment values

```
(1, 1, '2023-01-03', 200.00),
```

```
(2, 2, '2023-02-20', 1000.00),
```

(3, 3, '2023-03-12', 75.00),

```
(4, 4, '2023-04-25', 900.00),
```

```
(5, 5, '2023-05-07', 60.00),
```

(6, 6, '2023-06-18', 1200.00),

```
(7, 7, '2023-07-03', 40.00),
```

```
(8, 8, '2023-08-14', 1100.00),
```

(9, 9, '2023-09-09', 80.00),

```
(10, 10, '2023-10-25', 1500.00);
```

DISPLAYING TABLES: VEHICLE TABLE

[illegible]

CUSTOMER TABLE:

Result Grid						Filter Rows:	Edit:	Export/Import:	
	customerID	firstname	lastname	email	phonenumber				
▶	1	John	Doe	johndoe@example.com	555-555-5555				
	2	Jane	Smith	janesmith@example.com	555-123-4567				
	3	Robert	Johnson	robert@example.com	555-789-1234				
	4	Sarah	Brown	sarah@example.com	555-456-7890				
	5	David	Lee	david@example.com	555-987-6543				
	6	Laura	Hall	laura@example.com	555-234-5678				
	7	Michael	Davis	michael@example.com	555-876-5432				
	8	Emma	Wilson	emma@example.com	555-432-1098				
	9	William	Taylor	william@example.com	555-321-6547				
	NULL	NULL	NULL	william@example.com	NULL				

LEASE TABLE:

Result Grid							Filter Rows:	Edit:	Export/Import:	
	leaseID	carID	customerID	startdate	enddate	leasetype				
▶	1	1	1	2023-01-01	2023-01-05	Daily				
	2	2	2	2023-02-15	2023-02-28	Monthly				
	3	3	3	2023-03-10	2023-03-15	Daily				
	4	4	4	2023-04-20	2023-04-30	Monthly				
	5	5	5	2023-05-05	2023-05-10	Daily				
	6	4	3	2023-06-15	2023-06-30	Monthly				
	7	7	7	2023-07-01	2023-07-10	Daily				
	8	8	8	2023-08-12	2023-08-15	Monthly				
	9	3	3	2023-09-07	2023-09-10	Daily				

PAYMENT TABLE:

```
95 • select * from payment;
96 • update vehicle
```

	paymentID	leaseID	transactiondate	amount
▶	1	1	2023-01-03	200.00
	2	2	2023-02-20	1000.00
	3	3	2023-03-12	75.00
	4	4	2023-04-25	900.00
	5	5	2023-05-07	60.00
	6	6	2023-06-18	1200.00
	7	7	2023-07-03	40.00
	8	8	2023-08-14	1100.00
	9	9	2023-09-09	80.00

1. Update the daily rate for a Mercedes car to 68.

```
update vehicle
set dailyrate = 68
where make = 'Mercedes';
```

	dailyrate
▶	68.00

2. Delete a specific customer and all associated leases and payments.

```
103 -- 2 deleting a customer n all associated leases and payments
104 • delete from payment
105 where leaseID in
106 (select leaseID from lease where customerID=10);
107 • DELETE FROM lease
108 WHERE customerID = 10;
109 • DELETE FROM customer
110 WHERE customerID = 10;
```

	customerID	firstname	lastname	email	phonenumber
	2	Jane	Smith	janesmith@example.com	555-123-4567
	3	Robert	Johnson	robert@example.com	555-789-1234
	4	Sarah	Brown	sarah@example.com	555-456-7890
	5	David	Lee	david@example.com	555-987-6543
	6	Laura	Hall	laura@example.com	555-234-5678
	7	Michael	Davis	michael@example.com	555-876-5432
	8	Emma	Wilson	emma@example.com	555-432-1098
	9	William	Taylor	william@example.com	555-321-6547
*	NULL	NULL	NULL	NULL	NULL

Result Grid						
Filter Rows:						
	leaseID	carID	customerID	startdate	enddate	leasetype
2	2	2	2	2023-02-15	2023-02-28	Monthly
3	3	3	3	2023-03-10	2023-03-15	Daily
4	4	4	4	2023-04-20	2023-04-30	Monthly
5	5	5	5	2023-05-05	2023-05-10	Daily
6	4	3	3	2023-06-15	2023-06-30	Monthly
7	7	7	7	2023-07-01	2023-07-10	Daily
8	8	8	8	2023-08-12	2023-08-15	Monthly
9	3	3	3	2023-09-07	2023-09-10	Daily
	NULL	NULL	NULL	NULL	NULL	NULL

Result Grid				
Filter Rows:				
	paymentID	leaseID	transactiondate	amount
2	2	2	2023-02-20	1000.00
3	3	3	2023-03-12	75.00
4	4	4	2023-04-25	900.00
5	5	5	2023-05-07	60.00
6	6	6	2023-06-18	1200.00
7	7	7	2023-07-03	40.00
8	8	8	2023-08-14	1100.00
9	9	9	2023-09-09	80.00
	NULL	NULL	NULL	NULL

USING PROCEDURE:

```

DELIMITER //
create procedure DeleteCustNleaseNpaymentsData(in inputCustomerID INT)
BEGIN
delete from payment
where leaseID IN (
select leaseID from lease where customerID=inputCustomerID
);
delete from lease
where customerID = inputCustomerID;

delete from customer
where customerID=inputCustomerID;
END //
DELIMITER ;

```

Result Grid

Filter Rows:				
id				

Edit: Export/Import: Wrap Cell Content: IA

```

274 END //
275 DELIMITER ;
276
277 • CALL DeleteCustNleaseNpaymentsData(3);
278 • select * from payment;

```

Result Grid				
	paymentID	leaseID	txnDate	amount
▶	1	1	2023-01-03	200.00
	2	2	2023-02-20	1000.00
	4	4	2023-04-25	900.00
	5	5	2023-05-07	60.00
	7	7	2023-07-03	40.00

3. Rename the "paymentDate" column in the Payment table to "transactionDate"

```

116 • alter table payment
117   rename column paymentdate to transactiondate;

```

Result Grid				
	paymentID	leaseID	transactiondate	amount

4. Find a specific customer by email.

```

121 -- 4 finding a customer by email
122 • select * from customer
123   where email = 'robert@example.com';
124

```

Result Grid					
	customerID	firstname	lastname	email	phonenumber
▶	3	Robert	Johnson	robert@example.com	555-789-1234
*	NULL	NULL	NULL	NULL	NULL

USING PROCEDURE:

```

247 • select * from payment;
248
249 -- QUERY 4 PROCEDURE FN
250 DELIMITER //
251 • CREATE PROCEDURE GetcustomerByEmail(in inputEmail varchar(50))
252 BEGIN
253 select * from customer
254 where email = inputEmail;
255 END //
256 DELIMITER ;
257
258 • CALL GetcustomerByEmail('sarah@example.com');

```

Result Grid Filter Rows: Export: Wrap Cell Content: IA					
	customerID	firstname	lastname	email	phonenumber
▶ 4	4	Sarah	Brown	sarah@example.com	555-456-7890

5. Get active leases for a specific customer.

```

125 -- 5 getting active lease for a customer
126 • select * from lease
127 where customerID = 3
128 and '2025-04-15' between startdate and enddate;
129 -- output shows null bcz no customer has an active lease
130

```

Result Grid Filter Rows: Edit: Export/Import:						
	leaseID	carID	customerID	startdate	enddate	leasetype
*	NULL	NULL	NULL	NULL	NULL	NULL

6. Find all payments made by a customer with a specific phone number.

```

131 -- 6 all payments made by customer with spcfc phonenumber
132 • select * from payment p
133 join lease l on p.leaseID=l.leaseID
134 join customer c on l.customerID = c.customerID
135 where c.phonenumber = '555-555-5555';
136

```

Result Grid		Filter Rows:		Export:		Wrap Cell Content:		
	paymentID	leaseID	transactiondate	amount	leaseID	carID	customerID	startdat
▶	1	1	2023-01-03	200.00	1	1	1	2023-01-

138

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	leasetype	customerID	firstname	lastname	email	phonenumber
	Daily	1	John	Doe	johndoe@example.com	555-555-5555

7. Calculate the average daily rate of all available cars.

```

136 • select avg(dailyrate)
137 from vehicle
138 where lower(status) = 'available';
139
140 -- using alias

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:






	avg(dailyrate)
	53.714286

8. Find the car with the highest daily rate.

```

145 -- 8 car with highest dailyrate
146 • select * from vehicle
147 where dailyrate = (select max(dailyrate) from vehicle);
148

```

Result Grid				Filter Rows: <input type="text"/>		Edit:   		Export/Import: 	
	vehicleID	make	model	year	dailyrate	status	passengercapacity	engine	
▶	8	Mercedes	C-Class	2022	68.00	available	8	2599	
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	

9. Retrieve all cars leased by a specific customer.

```

149 -- 9 retrieve all cars leased by spcfc customer here we r using
150 • select * from vehicle v
151 join lease l on v.vehicleID = l.carID
152 where l.customerID = 7;
153
154 -- 10 details fo most recent lease

```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	vehicleID	make	model	year	dailyrate	status	passengercapacity	enginecapa
	7	BMW	3 Series	2023	60.00	available	7	2499

10. Find the details of the most recent lease.

```

155 • select * from lease
156 order by startdate desc
157 limit 1;
158
159 -- 11 all payments made in year 2023
160 • select * from payment

```

Result Grid

Filter Rows:

Edit:

Export/Import:

	leaseID	carID	customerID	startdate	enddate	leasetype
▶	9	3	3	2023-09-07	2023-09-10	Daily
✱	NULL	NULL	NULL	NULL	NULL	NULL

11. List all payments made in the year 2023.

```

159 -- 11 all payments made in year 2023
160 • select * from payment
161 where year(transactiondate)=2023;
162 -- if we try 2022 we get op as null as no year is 2022
163 • select * from payment
164 where year(transactiondate)=2022;
165
166 -- 12 customer who have not made any payments

```

Result Grid | Filter Rows: | Edit: | Export/Import:

	paymentID	leaseID	transactiondate	amount
▶	1	1	2023-01-03	200.00
	2	2	2023-02-20	1000.00
	3	3	2023-03-12	75.00
	4	4	2023-04-25	900.00
	5	5	2023-05-07	60.00
	6	6	2023-06-18	1200.00
	7	7	2023-07-03	40.00
	8	8	2023-08-14	1100.00
	9	9	2023-09-09	80.00
*	NULL	NULL	NULL	NULL

```

159 -- 11 all payments made in year 2023
160 • select * from payment
161 where year(transactiondate)=2023;
162 -- if we try 2022 we get op as null as no year is 2022
163 • select * from payment
164 where year(transactiondate)=2022;
165
166 -- 12 customer who have not made any payments

```

Result Grid | Filter Rows: | Edit: | Export/Import:

	paymentID	leaseID	transactiondate	amount
*	NULL	NULL	NULL	NULL

12. Retrieve customers who have not made any payments.

```
171 • select * from customer
172   where customerID not in (
173     select lease.customerID
174     from lease
175     join payment on lease.leaseID=payment.leaseID
176   );
177
178 -- 13 retrieve car details and thier total payments
```

Result Grid

	customerID	firstname	lastname	email	phonenumber
▶	6	Laura	Hall	laura@example.com	555-234-5678
	9	William	Taylor	william@example.com	555-321-6547
⌵	NULL	NULL	NULL	NULL	NULL

13. Retrieve Car Details and Their Total Payments.


```

184 • select v.vehicleID,v.make,v.model,v.year,
185       sum(p.amount) as totalpayment
186 from vehicle v
187 join lease l on v.vehicleID = l.carID
188 join payment p on l.leaseID = p.leaseID
189 group by v.vehicleID, v.make,v.model,v.year;
190
191 -- 14 total payment for each cust
192 • select * from customer;

```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:




	vehideID	make	model	year	totalpayment
▶	1	Toyota	Camry	2022	200.00
	2	Honda	Civic	2023	1000.00
	3	Ford	Focus	2022	155.00
	4	Nissan	Altima	2023	2100.00
	5	Chevrolet	Malibu	2022	60.00
	7	BMW	3 Series	2023	40.00
	8	Mercedes	C-Class	2022	1100.00

14. Calculate Total Payments for Each Customer.

```

196 • select c.customerID,c.firstname,c.lastname,sum(p.amount)
197 from customer c
198 join lease l on c.customerID = l.customerID
199 join payment p on l.leaseID=p.leaseID
200 group by c.customerID, c.firstname, c.lastname;
201
202 -- 15 car detls for each lease
203
204 • select l.leaseID,l.startdate,l.enddate.

```

Result Grid	Filter Rows:	Export:	Wrap Cell Content:
customerID	firstname	lastname	sum(p.amount)
1	John	Doe	200.00
2	Jane	Smith	1000.00
3	Robert	Johnson	1355.00
4	Sarah	Brown	900.00
5	David	Lee	60.00
7	Michael	Davis	40.00
8	Emma	Wilson	1100.00

15. List Car Details for Each Lease.


```

204 • select l.leaseID,l.startdate,l.enddate,
205 v.vehicleID,v.make,v.year,v.model
206 from lease l
207 join vehicle v on l.carID=v.vehicleID;
208
209 -- 16 details of active lease with cust and car info
210 • select l.leaseID,l.startdate,l.enddate,

```

Result Grid		Filter Rows:		Export:		Wrap Cell Content:	
	leaseID	startdate	enddate	vehicleID	make	year	model
▶	1	2023-01-01	2023-01-05	1	Toyota	2022	Camry
	2	2023-02-15	2023-02-28	2	Honda	2023	Civic
	3	2023-03-10	2023-03-15	3	Ford	2022	Focus
	4	2023-04-20	2023-04-30	4	Nissan	2023	Altima
	5	2023-05-05	2023-05-10	5	Chevrolet	2022	Malibu
	6	2023-06-15	2023-06-30	4	Nissan	2023	Altima
	7	2023-07-01	2023-07-10	7	BMW	2023	3 Series
	8	2023-08-12	2023-08-15	8	Mercedes	2022	C-Class
	9	2023-09-07	2023-09-10	3	Ford	2022	Focus

16. Retrieve Details of Active Leases with Customer and Car Information.

Limit to 1000 rows

```

209 -- 16 details of active lease with cust and car info
210 • select l.leaseID,l.startdate,l.enddate,
211      c.firstname,c.lastname,
212      v.make,v.model
213 from lease l
214      join customer c on l.customerID = c.customerID
215      join vehicle v on l.carID = v.vehicleID
216 where curdate() between l.startdate and l.enddate;
217
218 -- 17 customer who spend most on leases
219 • select c.customerID,c.firstname,c.lastname,

```

Result Grid

leaseID	startdate	enddate	firstname	lastname	make	model
---------	-----------	---------	-----------	----------	------	-------

17. Find the Customer Who Has Spent the Most on Leases.

```

218 -- 17 customer who spend most on leases
219 • select c.customerID,c.firstname,c.lastname,
220      sum(p.amount) as totalpayments
221 from customer c
222      join lease l on c.customerID= l.customerID
223      join payment p on l.leaseID=p.leaseID
224 group by c.customerID,c.firstname,c.lastname
225 order by totalpayments desc
226 limit 1;
227

```

Result Grid

customerID	firstname	lastname	totalpayments
3	Robert	Johnson	1355.00

18. List All Cars with Their Current Lease Information.

```
227
228 -- 18 all cars with current lease info
229 • select v.vehicleID,v.make,v.model,v.year,
230      l.leaseID,l.customerID,l.startdate,l.enddate
231 from
232      vehicle v
233 left join lease l on v.vehicleID = l.carID
234 and curdate() between l.startdate and l.enddate;
```

Result Grid		Filter Rows:		Export:	Wrap Cell Content:			
	vehideID	make	model	year	leaseID	customerID	startdate	enddate
▶	1	Toyota	Camry	2022	NULL	NULL	NULL	NULL
	2	Honda	Civic	2023	NULL	NULL	NULL	NULL
	3	Ford	Focus	2022	NULL	NULL	NULL	NULL
	4	Nissan	Altima	2023	NULL	NULL	NULL	NULL
	5	Chevrolet	Malibu	2022	NULL	NULL	NULL	NULL
	6	Hyundai	Sonata	2023	NULL	NULL	NULL	NULL
	7	BMW	3 Series	2023	NULL	NULL	NULL	NULL
	8	Mercedes	C-Class	2022	NULL	NULL	NULL	NULL
	9	Audi	A4	2022	NULL	NULL	NULL	NULL