JYSK STANDARD

General labelling requirements

Scope

This standard describes definitions and general requirements for labeling of products and packaging.

Change-log

Section	Changes
5.4	Heading updated in Table 11 to: Household products, furniture and bedding.
5.4.4	Heading updated to: Household products, furniture and bedding.

Contents

1 Terms and definitions

The terms and definitions in *Table 1* apply for the purpose of this document.

Term	Definition
JYSK languages	*The languages in the listed order according to list in JYSK General Requirements*
Barcode	*A machine-readable code according to* 1.3 *consisting of:* • *EAN13 barcode* • *GTIN number*
Batch number	Identification of the week and year of the final packing. Batch numbers must follow the format *WWYY*: • *WW* is week of final packaging (e.g. "07" for week number 7) • *YY* is the year of final packaging (e.g. "21" for year 2021)
Country of origin	Country in which the product is produced stated in the format: 'Made in X' where X is the country. **Note:** special requirement for the Arabic language see 3.
Handling units	A unit containing one or several *sales units* (or in some cases smaller *handling units*) packaged for distribution. Handling units can be in the form of e.g. cardboard box, a plastic bag or foiled pre-packs.
JYSK Company information*	JYSK company information consists of *Company name*, *Legal address*, *Phone number, Electronic address* and *(VAT) number*: JYSK a/s Soedalsparken 18 DK-8220 Brabrand +45 8939 7500 JYSK.com DK13590400
JYSK UK-importer Information*	UK importer: JYSK Ltd. Biostat House Pepper Road SK7 5BW
JYSK Morocco-importer information*	مستورد من طرف: JYSK المغرب، 49 زنقة أحمد بركات، الطابق الأرضي رقم 3، المعاريف، الدار البيضاء (المغرب) **Note:** The text is available in JYSK Term database. Type "JYSK Morocco importer information" in the Definition field and press enter.
JYSK Switzerland importer information	JYSK GmbH Untere Brühlstraße 4 CH-4800 Zofingen **Note:** Only required for CLP (pictogram and/or hazard/precautionary statements) labeled products. Must be cleared with JYSK C&Q
JYSK Türkiye importer information for food contact materials	**Gıda ile temasa uygundur** İthalatçı: JYSK EV ÜRÜNLERİ PERAKENDE TİCARET ANONİM ŞİRKETİ. Adresi: Cevizli Mah. Tugay Yolu Cad. No: 69 Maltepe Piazza Maltepe/İstanbul. Menşei: [Country of origin in Turkish language] **Note:** Only required for products with intended or foreseeable food contact. Text in "[ ]" must be replaced with the country of origin in Turkish Language. Translation can be found in *JYSK Term database*. Alternative line breaks, see *3.2*.
Material content	Description of main materials in the product. For textile products the material content is the fiber-composition according to *JYSK 4004*
Product dimension	The nominal dimension of product after assembly.
Product name	The name of the product provided by JYSK.
Product number	The reference number of the product in JYSK ERP system. The format of product numbers must comply with *1.1*.
Product type	The type of product according to JYSK terminology (JYSK Term Database).
Purchasing Order number (PO)	The reference number of the order in JYSK ERP system. PO must follow the format stated in the JYSK order. **Note:** Order numbers are 10 digits in the format '45XXXXXXXX'.
Sales Unit	The units (product and packaging) JYSK sell to retail customers. A sales unit may consist of separate components. **Note:** Some sales units also act as *handling units*.

Supplier number	The reference number of the supplier in JYSK ERP system. The format of supplier numbers must comply with *1.2*.
Unit load	A distribution unit containing one or several *Sales units* or several *Handling units* packaged on a load carrier (i.e. pallet or slip-sheet).

Table 1

Note: *Alternative line breaks, see *3.1*.

1.1 JYSK Product number formats

JYSK product number must follow the format stated in *Table 2*.

Applicable region:	Product number format:
Global (Nordic & DBL)	*NNNNNNN/DDDDDDDD*
Nordic only	*NNNNNNN*
Where: • *NNNNNNN* is the *Nordic* product number (7 digits) • *DDDDDDDD* is the *DBL* product number (8 digits)	
Note: JYSK use two product numbers on *global* products due to separate ERP (SAP) systems in Nordic and DBL**.** DBL numbers can only be created after: 1) The PIF has been returned and approved by JYSK. and 2) The product is listed for DBL region. JYSK will not be able to inform the DBL numbers until the day after above has been met.	

Table 2

1.2 JYSK Supplier number format

JYSK supplier number must follow the format stated in *Table 3*.

Applicable region:	Supplier number format:
Global	*NNNNN*

Table 3

1.3 Barcode formats

The supplier must provide the barcode (EAN13 and GTIN).

The barcode must be unique for each product number (i.e. Suppliers must not reuse barcodes).
- For products consisting of several component boxes each component box must have a separate barcode.
- For assorted products, all variants must have the same barcode.

The barcode size must comply with GS1 requirements stated in *Table 4*.

Note: Low print quality or rough surfaces require larger barcodes.

Size factor	EAN-13 Size [mm]			
	Width Incl. Light zone	**Height** (Excl. numbers)	**Light zone** Left	**Light zone** Right
Min: 0,8	29,83	18,28	2,90	1,85
1,0	37,29	22,85	3,63	2,31
Max: 2,0	74,58	45,70	7,26	4,62
Note: Barcode height may be reduced to <u>minimum</u> 15 mm if the packaging size constitutes a technical constraint.				

Table 4 – Barcode sizes

2 Product labelling

JYSK products must contain:

1. *Permanent marking* according to *2.1*.
   - If permanent marking is not practicable, the supplier must confirm an acceptable solution with *JYSK C&Q*.
2. Applicable *specific labelling* according to chapter *5*.

2.1 Permanent marking

Permanent marking is information intended to remain on the product during the entire lifetime. The marking must follow legal requirements and requirements for traceability.

Permanent marking must:

1. Contain information according to *Table 5* applied according one of the application methods stated in *Table 6*.
2. Be adapted (e.g. size, shape and color) to the product in accordance with JYSK guidelines.
3. Remain attached and legible throughout the lifetime of the product when subjected to normal and foreseeable use.
4. The label must be securely attached and not removeable to the external surface of the item, so that it is visible, legible and indelibly to any person inspecting the article.
5. It is permissible to attach the label to the underside of the item, e.g. under a chair.
6. It is permissible to use a self-adhesive label if it meets all requirements.

• **JYSK logo** • **JYSK Company information** • **Product number(s)** according to *1.1* • **Supplier number(s)** according to *1.2* • **Batch number** • **PO number** • **Electronical contact address: JYSK.com** For products marked with CE (See *5.8*): • **JYSK UK-importer information**

Table 5 - Permanent marking information

On a label:	Directly on product:

• Pasted label (See *2.1.1*)
  • Label placement must fulfill the following criteria:
    1. Not visible during regular use of product
    2. Easily locatable if needed
• Included on care label according to *JYSK 4004*
• Included on rating-label/plate
	• Printed or stamped with waterproof ink
	• Etched
	• Branded
	• Moulded
	• Laser engraved

Table 6 – Permanent marking application methods

Permanent labeling is not required for single use products as:

- Paper napkins
- Gift ribbons and wrapping paper
- Disposable cloths
- Cleaning sponges

2.1.1 Pasted label example

Minimum size of label W30 x H15 mm, information must always be readable.

The shape and dimensions of the label can be adjusted to fit the product and area for placement.

Recommended size W40 x H20 mm.

3 Sales unit labelling

Sales units must comply with *JYSK 6201 - Packaging Design Guideline*.

Sales units must contain:
1. Labelling of information according to *Table 7*
   - Texts must be legible (with normal eyesight) from the distance which users need to read them.
2. Applicable *Specific labelling* according to chapter *5*

• **Product number(s)** according to *1.1*
• **Supplier number(s)** according to *1.2*
• **Batch number***
• **PO number***
• **Product name**
• **Product type** in *all JYSK languages*
• **Material content** in *all JYSK languages*
• **Dimension**
• **Barcode** according to *1.3*
• **Country of origin** (English only)**
• **JYSK company information**
• **JYSK UK-importer information**
• **JYSK Morocco-importer information**
• **JYSK Türkiye Information** according to *Table 1*

Table 7 – Information on sales units

*Note: Textile products where the care label with order number and batch number is visible without the need to remove any packaging e.g. a towel, is excepted from requiring batch number and PO number on the sales unit.

**Note: For "made in Turkey", the spelling must be "Türkiye".
The Arabic product description must include "made in [country of origin]" in Arabic language. It must be placed in continuation of the Arabic product description.

Labelling directly on the product that is not part of the *permanent marking* (see *2.1*) must:
1. Be easily removable
2. Not leave marks on the product

3.1 Alternative line breaks importer information

Alternative line breaks to importer information must comply with _Table 8_ – other line breaks are not allowed.

JYSK Company information	JYSK a/s Soedalsparken 18 DK-8220 Brabrand +45 8939 7500 JYSK.com DK13590400	JYSK a/s, Soedalsparken 18 DK-8220 Brabrand, +45 8939 7500 JYSK.com, DK13590400
JYSK UK-importer information	UK importer: JYSK Ltd. Biostat House Pepper Road SK7 5BW	UK importer: JYSK Ltd. Biostat House, Pepper Road SK7 5BW
JYSK Morocco-importer information	مستورد من طرف: JYSK المغرب، 49 زنقة أحمد بركات، الطابق الأرضي رقم 3، المعاريف، الدار البيضاء (المغرب) (Write on one line, using automatic line-breaks fitting to the layout)	مستورد من طرف: JYSK المغرب،49 زنقة أحمد بركات، الطابق الأرضي رقم 3، المعاريف، الدار البيضاء (المغرب)

Table 8 - Alternative line breaks for importer information

3.2 Alternative line breaks for food contact materials

The alternative line break for labelling for food contact materials in _Table 9_ is the minimum line break. Is it approved to make a line break that fits the text better, if possible.

Labelling for food contact materials	**Gıda ile temasa uygundur** İthalatçı: JYSK EV ÜRÜNLERİ PERAKENDE TİCARET ANONİM ŞİRKETİ. Adresi: Cevizli Mah. Tugay Yolu Cad. No: 69 Maltepe Piazza Maltepe/İstanbul. Menşei: [Country of Origin in Turkish language]	**Gıda ile temasa uygundur** İthalatçı: JYSK EV ÜRÜNLERİ PERAKENDE TİCARET ANONİM ŞİRKETİ. Adresi: Cevizli Mah. Tugay Yolu Cad. No: 69 Maltepe Piazza Maltepe/İstanbul. Menşei: [Country of Origin in Turkish language]

_Table 9 - Alternative line break for food contact materials_

4 Handling unit & unit load labelling

Handling unit & unit loads must contain:

1. Labelling of information according to *Table 10* on minimum two adjacent sides
   - The labelling must be uncovered and easily locatable (i.e. not hidden by additional packaging materials)
   - Minimum size of label 150 x 200 mm (The format can be adapted to actual size of handling unit)
2. Applicable *Specific labelling* according to chapter *5*

Example of labelling on two adjacent sides

Order	Header format:	Information
1	JYSK order no.:	*PO number*
2	Batch no.:	*Batch number*
3	JYSK Product Number:	*Product number(s)* according to *1.1* in **Bold text**
4	JYSK product text:	*Product type* and *Product name* in **Bold text**
5	Size/model:	Size/model/type of the product (in English only)
6	Color/material:	In text (in English only) or a color label
7	Quantity:	Number of sales units within the unit
8	Barcode:	Same *barcode* (according to *1.3*) as contained sales unit
9	Gross weight:	Weight of unit including packaging in kg in **Bold text**
• Handling units including a sales display see (*JYSK 6002*) must be marked '**SDP**'		
• Handling units containing smaller handling units must be marked '**MASTERBOX**'		

Table 10 - Information on handling unit and unit loads

JYSK order no.:	4505996348
JYSK batch no.:	0520
JYSK product no.:	**3821010/47303002**
JYSK product text:	**Mirror Sallerup**
Size/model:	Ø55
Color/material:	Natural
Quantity:	4 pcs
Barcode:	5701390478152
Gross weight:	**13,6 kg**

Example of labelling

5 Specific labelling

Suppliers must apply relevant specific labelling according to a contingency approach:

- Labelling required by this standard.
- Labelling required by other JYSK Guidelines or standards.
- Labelling required by legislation.
- Labelling required by harmonized or referenced standards.

5.1 Plastic bags

Plastic bags with an opening perimeter ≥360 mm included in sales units and master bags in handling units, must have a warning printed/attached outside to avoid any risk of suffocation for children.

Note: Additional specific labelling requirements may apply to certain products intended for children!

The warning type must be minimum one of the following:

1. Contain perforation of minimum 1% of the area measured over any 30x30 mm of the bag
2. Warning text
   - The warning text must be framed and well-arranged
   - The warning text must be translated to all languages which are made available as *JYSK 10114*
3. Warning symbol printed directly on the bag
   - Symbol made available as *JYSK 60005*
   - Symbol size WxH: 4x2 cm
   - On bags >50 cm: the symbol must be printed intermitted max distance between symbols 30 cm

Example of 'Plastic bag warning' symbol

5.2 Do not open with a knife

Units having a risk of product-damage if opened with a knife must contain the symbol made available as *JYSK 60001*.

Suppliers must apply the symbol <u>only</u> with preapproval from *JYSK C&Q*.


Example of 'Do not open with a knife' symbol

5.3 Material identification

All packaging components must contain recycling symbols in accordance with *JYSK 6001*.

Symbols are available as *JYSK 60010*.

Examples of recycling labels.

5.4 Info-tri

Suppliers must apply the TRIMAN symbol **integrated with Info-tri** in accordance with _Table 11_.
Info-tri must be applied according to _JYSK 6201_.

Example of TRIMAN symbol

Application	_Packaging_	_Textiles & Household linens_	_Shoes_	_EEE & Batteries_	_Household products, furniture and bedding_ ~~_House articles_~~	_Decorative textiles_	_DIY, gardening products and toys_
Marking location	Must be printed on the _packaging itself_	Care label	Must be integrated with _permanent marking_ (See _2.1_)	Manual (If no physical manual is included the Info-tri must be on the sales unit)	Assembly Instruction (If no physical AI is included the Info-tri must be on the care label or sales unit)	Care label	Assembly Instruction (If no physical AI is included the Info-tri must be on the care label or sales unit)
Apply to but not limited to	Recyclable packaging materials _(One marking per sales packaging)_	Household linens Pillowcases and duvet cover Mattress pads Bathmats	Shoes	Batteries Electronic equipment Battery lamps LED candles	Indoor and Garden Furniture Air mattresses Cushions Mattresses and top mattresses Duvets and pillows	Window dressing (incl. ready-made curtains) Rugs Shower curtains	Parasols and bases Pavilions and gazebos Planters and flower pots Toys
Specifications in	_5.4.1_	_5.4.2_	_5.4.2_	_5.4.3_	_5.4.4_	_5.4.5_	_5.4.6_
Symbol size	The symbol must have a suitable size between 10 and 40 mm. **Note:** The round TRIMAN symbol may have a size of minimum 6 mm if '_technically constrained_' (e.g. packaging of small size), where the box + text then is minimum 11.6 mm high. **Note:** Material symbol and TRIMAN must have the same height, see _6_.						
Symbol color	The color must be 'Monochrome' (Black)						

Table 11 – Application of Info-tri and TRIMAN

5.4.1 Info-tri for Packaging materials

Info-tri for packaging must be made in accordance with _JYSK 65000_ – '_Chapter 03 Marketed in France and abroad_' using the '_templates_' _JYSK 60020_ or _JYSK 60021_ and the '_packaging component silhouettes_' _JYSK 60022_

- '_Packaging component_' and '_Packaging waste stream_' must be represented using '_pictogram only_'
  - For packaging with more than 3 packaging elements suppliers may use text instead of _packaging component silhouettes_

Info-tri with '_pictogram only_'	Info-tri for packaging with ≥3 elements

Graphical examples of Info-tri for packaging materials

Overview of available download Info-tri files for packaging in a standard version and compact version. A(.pdf) B(.ai)

Compact Min 6 mm	Standard 10 mm	
JYSK 60026	JYSK 60027	
JYSK 60028	JYSK 60029	
JYSK 60030	JYSK 60031	
JYSK 60032	JYSK 60033	
JYSK 60034	JYSK 60035	
JYSK 60036	JYSK 60037	
JYSK 60038	JYSK 60039	
JYSK 60040	JYSK 60041	
JYSK 60042	JYSK 60043	
JYSK 60044	JYSK 60045	
JYSK 60046	JYSK 60047	
JYSK 60048	JYSK 60049	
JYSK 60052	JYSK 60053	
JYSK 60054	JYSK 60055	
JYSK 60057	JYSK 60058	

Table 12 - Overview of available download Info-tri files

5.4.2 Info-tri for Textiles, household linens & shoes

Info-tri information for textiles, household linens and shoes must be made in accordance with _JYSK 65002_.

- The '_product category_' must be '_Home textiles_'
  - Rugs, window dressing and shower curtains are categorized as decorative textiles under furniture and bedding, See _Table 11_.
- The info-tri must include the URL link to Ademe's website '_quefairedemesdechets.fr_'
- The labelling must include no additional French texts (besides the link)

Info-tri for textiles, household linens and shoes must be printed on the _care label_.

Graphical example of Info-tri for textiles, household linens and shoes

Overview of available download Info-tri files for packaging in a standard version and compact version. A(.pdf) B(.ai)

Overview of available download Info-tri files for textiles.	
JYSK 60050	

5.4.3 Info-tri for EEE & Batteries

Info-tri for EEE and batteries must be made in accordance with _JYSK 65003_. Using the template _JYSK 60051_

- The symbol (_signage_) must be '_Crossed-out bin_'
- The '_Product concerned, and its additional elements_' must be adapted to the actual product – See examples:

English text (Only for info):	French text (To be applied):
This device is recyclable	Cet appareil se recycle
This device and its accessories are recyclable	Cet appareil et ses accessoires se recyclent
This device and its cord are recyclable	Cet appareil et son cordon se recyclent
This device and its primary batteries are recyclable	Cet appareil et ses piles se recyclent
This device and its secondary batteries are recyclable	Cet appareil et sa batterie se recyclent
This device, its accessories and cords are recyclable	Cet appareil, ses accessoires et cordons se recyclent
This device, its accessories and batterie are recyclable	Cet appareil, ses accessoires et piles se recyclent
This device, its cords and batterie are recyclable	Cet appareil, ses cordons et batterie se recyclent
This device, its accessories, cords, and batterie are recyclable	Cet appareil, ses accessoires, cordons et batterie se recyclent
This device, its accessories, batteries, and cords are recyclable	Cet appareil, ses accessoires et cordons se recyclent

Examples of 'Products concerned'

- Info-tri must include the '_additional information_': '_Points de collecte sur www.quefairedemesdechets.fr_'
- 'Electrical and electronic equipment' (EEE) and 'batteries and accumulators' (B&A) marked with the 'crossed out wheel bin' does not need Info-tri labeling. However, the packaging must always carry the Info-tri symbol.

Info-tri for EEE and/or batteries must be printed either in the _product manual/instruction_ or on the _WEEE-instruction/sheet_.

Example of the template

Example for battery

Graphical examples of Info-tri for EEE & Batteries

5.4.4 Info-tri for Household products, furniture and bedding

Info-tri for Furniture products are made available horizontally as *JYSK 60024* and vertically as *JYSK 60025*.

Graphical element for Info-tri for furniture

5.4.5 Info-tri for Decorative textiles

Info-tri for Decorative textile products are made available horizontally *JYSK 60063* as and vertically as *JYSK 60064*.

Graphical element for Info-tri for decorative textiles

5.4.6 Info-tri for DIY, gardening products and toys

Info-tri for DIY, gardening products and toys are made available horizontally *JYSK 60065* as and vertically as *JYSK 60066*.

Graphical element for Info-tri for DIY, gardening products and toys

5.5 Units with orientation limitations

Units with orientation limitations must contain the symbol made available as _JYSK 60002_.

Suppliers must apply the symbol only with preapproval from _JYSK C&Q_.

Example of symbol

5.6 Heavy units

Sales units and handling units weighing ≥25 kg must contain the symbol made available as _JYSK 60004_.

Applied heavy unit symbols must have size of 100x100 mm.

Suppliers must apply the symbol only with preapproval from _CAM_.

Rationale:
Sales- and handling units weighing ≥25 kg requires approval by JYSK Human Resource due to working environment legislation.
Sales- and handling units exceeding 50 kg can normally not get an approval.

Example of the heavy unit symbol.

5.7 Lithium batteries

Handling units containing Lithium batteries must contain labelling in accordance with _JYSK 4005_.

Labels for download available at _JYSK 60015_, _JYSK 60016_, _JYSK 60017_

Example of labelling

5.8 CE-marking

For products requiring CE-marking the CE-mark must be permanently marked on the product and packaging.

CE-markings must be correctly proportioned and have a height ≥5 mm.

Symbol is made available for download as _JYSK 10071_.

Note: For more information on CE-marking see _JYSK General Requirements_.

5.9 CMim-marking (Morocco Conformity Assessed)

The CMim-marking (Morocco Conformity Assessed) is a Moroccan product marking that must be used for all Electrical Products and Toy products.

For product requiring CMim-marking the CMim-mark must be permanently marked on the product and packaging.

CMim-markings must be correctly proportioned and have a height ≥6 mm.

Symbol is made available for download as _JYSK 10073_.

Notes: For more information on CMim-marking see _JYSK General Requirements_.
Electrical products with UK-plug are not in scope.

5.10 FSC certification

FSC certified products and packaging must be marked with FSC logo and license code.

The use of FSC trademark must follow **_FSC-STD-50-001 V2-1_**.

FSC labels may be used in portrait or landscape formats.

FSC labels must be printed at a size at which all elements are legible.

FSC label text must be in English.

The minimum size for the label must be:

    a) In portrait format: 9 mm in width, recommended min. 17 mm in width.
    b) In landscape format: 6 mm in height, recommended min. 12 mm in height.

Products and Packaging made from FSC certified materials (See required scope in _JYSK General Requirements_) must be labelled with FSC logo and license code in accordance with _Table 13_.

    a) FSC certified products must carry the FSC logo with the license code of the supplier.
    b) FSC certified packaging materials must carry the FSC logo with the license code of the packaging supplier.
      Notes: In case of packaging-materials the license code to be applied will in most cases be _the printer_.
      Application of incorrect license code can critical/costly - FSC Denmark has published the following guide on correct labelling: _FSC Guide_

The FSC logo must always be printed with the license code.
Note: License code are always in the format FSC-CXXXXXX.

The FSC logo must be with '™'
Note: '™' is required instead of '®' because the logo is not a registered trademark in all countries.

Component/material:		Apply packaging FSC-label on the component/material?	Apply product FSC-label on the packaging component/material? *(If product is certified)*
Sales packaging	• Cartons/boxes	Yes	Yes
	• Bellybands • Hangtags • Clamps/U-cards • Header cards • Inserts	Yes If the *product* is FSC-certified: No	
	• Pamphlets • Labels • Stickers	No	
	• Stiffeners	Yes	No
	• Filler materials, corner protectors, honeycomb etc.	No	
Transport packaging	• Handling unit cartons/boxes • Sales displays	Yes	No
	• Filler materials, corner protection, Honeycomb etc. • Cut protection • Carboard tubes • Slip sheets	No	
Instructions & manuals		No	Yes

Table 13 - FSC label to be applied on packaging components/materials

Logos must be placed on the packaging components/materials in accordance with *JYSK 6201*.

5.11 Bulk packing

If there are more than one chair in a box, there must be supplied one assembly instruction (AI) and one separate set of fittings for each chair, to sell only one piece from the box.

The AI must be packed in the bag, either together with the seat or with the backrest, and secured not to fall out.

The fitting bag/box must be fastened to the legs or seat.

JYSK require a clear instruction, showing which parts needed to hand out one complete chair to the customer.

This instruction must be printed on the inside flap of the box, so it becomes visible when opening the box.

Example on how to identify individual part for one complete chair

6 Symbol height requirements

Material symbol (*JYSK 6001*) and TRIMAN (*5.4*) symbols must have the same height, see *Figure 1*.

Figure 1 - Symbol height requirements

7 Checklist for placement of product specific labelling

	Sales unit	Handling unit	Unit load	AI/manual	Care label: Textile, household linens & shoes	Care label: Furniture, Mattresses Homeware and other products	Permanent/ rating label
Info-tri packaging *5.4.1*	Yes, must be on all products	No	No	Yes, on last page only *JYSK 60048* / *JYSK 60049*	-	-	-
Info-tri textiles *5.4.2*	No	No	No	-	Yes	No	-
Info-tri EEE and Batteries *5.4.3*	No (Yes, if no physical manual included)	No	No	Yes	-	-	-
Info-tri furniture *5.4.4*	No (Yes, if no physical AI included)	No	No	Yes	-	No (Yes, if no physical AI included)	No
CE *5.8*	Yes	No	No	Yes	No	No	Yes
CMim *5.9*	Yes	No	No	Yes	No	No	Yes
Material symbol *JYSK 6001*	Yes	Yes	Yes (Slipsheets excluded)	Yes	No	No	No

Table 14 – Product specific labelling