



# CATEGORY STANDARD

## Bed linen and sheets

### Scope

This category standard applies to products within the bed linen and sheets category.

### Change-log

Section	Changes
<a href="#">General</a>	Cleaning and organizing sections.
<a href="#">1.1.1</a>	Updated section of reference and shipment samples.
<a href="#">5</a>	New section added for requirements on Childrens bedlinen.



## Contents

1	General requirements.....	4
1.1	Samples .....	4
1.1.1	Reference and shipment samples.....	4
1.1.2	Photo sample .....	4
1.1.3	Space samples .....	5
1.1.4	Sales-unit paper samples.....	5
1.2	Care label .....	5
1.2.1	Care label materials .....	5
1.2.2	Placement.....	5
1.3	Seams.....	5
1.4	Sewing thread.....	5
1.5	Adult bed linen set sizes .....	6
1.5.1	Store shelf dimensions (EA) .....	7
1.6	Colors and patterns.....	7
2	Textile quality requirements.....	8
3	Construction requirements .....	8
3.1	Duvet covers.....	8
3.1.1	Closing method .....	8
3.2	Pillowcases .....	9
3.2.1	Closing method .....	10
3.2.2	Remnant pillowcases .....	10
3.3	Zipper and openings .....	10
3.4	Buttons closing method .....	11
3.5	Sheets.....	12
3.5.1	Sheet fit criteria .....	12
3.5.2	Fitted sheets .....	12
3.5.3	Envelope sheets .....	13
3.5.4	Valance sheets .....	14
4	Packaging requirements .....	15
4.1	Procedures for artwork .....	15
4.2	Sales unit packaging (without plastic bag) .....	15
4.2.1	Cardboard requirements .....	15
4.2.2	Closing method of bellyband .....	16
4.3	Bed linen and sheet packaging (with plastic bag) .....	16
4.4	Measurements for folded products .....	17
4.5	Measurements for rolled products .....	17
4.6	Source tagging .....	17
4.7	Packing of handling units .....	18



# JYSK 1001

Edition 16 – 2024-02  
[Compliancequality@JYSK.com](mailto:Compliancequality@JYSK.com)

5	Bed linen for children .....	19
5.1	General requirements.....	19
5.1.1	Seams.....	19
5.1.2	Sewing thread.....	19
5.1.3	Zippers for children products.....	20
5.1.4	Care labels on children products .....	21
5.1.5	Children set sizes.....	21
5.1.6	Photo samples:.....	22
5.2	Construction requirements .....	22
5.2.1	Duvet covers.....	22
5.2.2	Pillowcases .....	23
5.3	Packaging requirements .....	24
5.3.1	Sales unit packaging .....	24
5.3.2	Measurements for folded children products .....	24
5.3.3	Packing of handling units .....	24



## 1 General requirements

Bed linen and sheets must comply with [JYSK 4004](#).

Baby/Child/Junior (hereafter children) bed linen must comply with EN 16779-2 and below requirements and requirements in [5](#).

### 1.1 Samples

#### 1.1.1 Reference and shipment samples

The supplier must send a *reference sample* to JYSK HO and await approval from JYSK before initiating first production.

Reference sample must:

- Contain 1 pillowcase and 1 duvet cover.
- The size of reference sample must comply with the size requirements of Table 1 – Photo sample requirements [Table 1](#) regardless the size(s) of the actual product.
- Comply with any agreed specifications.
- Zippers must be in matching color to the cover (see [3.3](#)).

**Note:** Strike-off or lab dip can be received for design or color approval before sending the reference sample. ~~The reference sample may be a strike-off or lab dip.~~

The supplier must send **three** ~~a~~ *shipment sample* to JYSK HO and await approval from JYSK before shipping first-order.

**Note:** If a *shipment sample* is approved it **will may** be regarded as and saved as the new *reference sample*.

#### 1.1.2 Photo sample

Suppliers must send *photo samples* to JYSK HO as soon as possible after reference samples are approved by [CAM](#).

**Note:** remember 'attn:' to [CAM](#).

The size of *photo samples* must comply with the size requirements of [Table 1](#) regardless the size(s) of the actual product.

For bed linen sets the supplier must send complete sets for each type of set represented in the range, **deadline will be shared by CAM**.

Type of product		Number of samples	Size requirement		
Bed linen sets	As applicable:	-	Duvet cover	Pillowcase(s)	Sheet(s)
	SGL	3 sets	140x200	60x63/70	-
	DBL	2 sets	200x220	2 x 60x63/70	-
	DCSS SGL	1 set	140x200	60x63/70	150x250
	DCSS DBL	1 set	200x220	2 x 60x63/70	240x260
	SS SGL	1 set	-	60x63/70	160x240 90x200x25
	SS DBL	1 set	-	2 x 60x63/70	220x260 140x200x25
	Adult size with children design	3 sets	140x200	60x63/70	-
Single pillowcases		1-3	The supplier must send samples in pillowcase sizes: <ul style="list-style-type: none"><li>• 50x70/75</li><li>• 60x63/70</li><li>• 50x90</li></ul> <b>Note:</b> The specific samples needed depend on which countries/sizes the pillowcase is marketed in – Contact <a href="#">CAM</a> for further information.		
Sheets		1	The supplier must send samples in the following sizes: <ul style="list-style-type: none"><li>• Flat: 140x250 or 150x250</li><li>• Fitted: 90x200</li><li>• Envelope: 90x200x6-10</li><li>• Valance: 90x200x45</li></ul>		

**Table 1 – Photo sample requirements**



### 1.1.3 Space samples

For all new products supplier must send 1 kolli space samples. The sample must be SGL size for bed linen, and 90x200xxx cm for sheets.

### 1.1.4 Sales-unit paper samples

For paper materials used in sales-unit packaging, suppliers must send a material sample with a matching technical specification to [CAM](#) and await approval before first use.

## 1.2 Care label

Care labels must comply with [JYSK 4004](#) and [JYSK 6004](#).

### 1.2.1 Care label materials

Care label material must be *taffeta* or *polyester satin* according to agreement with [CAM](#).

### 1.2.2 Placement

Placement of care label must comply [Table 2](#).

Product type	Placement
Duvet covers	The care label must be placed inside the cover in the left side seam (relative to opening) 10±3 cm from the opening end.
Pillowcases	The care label must be placed inside the cover in the left side seam (relative to opening) 5±2 cm from the opening end.
Sheets	The care label must be placed in the left side seam underneath the sheet 10±3 cm from the (foot-) end.

**Table 2 – Placement of care labels**

## 1.3 Seams

Seams must comply with below requirements:

- Seams and stitches must run evenly.
- Seams must not pucker.
- The supplier must ensure correct adjustment of sewing machines to prevent slack and tight stitches.
- Seams must be properly secured with minimum 5 back-stitches in each end.

## 1.4 Sewing thread

Sewing thread must be:

- 100% Polyester.
- Same color as the bed linen.
- Same or better color fastness as the bed linen.
- In the same yarn count in upper- and under-thread.

## 1.5 Adult bed linen set sizes

Bed linen sets must comply with the agreed size according to [Table 3](#).

**Note:** For sheet sets the *drop* on sheets depend on the quality of the set – See [3.5](#).

Designation		Country	Sizes			Product end-number in Nordic
			Duvet cover	Pillowcase(s) (See <a href="#">3.2</a> )	Sheet(s)	
SGL	135x200/80x80	DE	135x200	80x80	-	...20
	140x200/60x63/70	DK / NL / BE / FR	140x200	60x68	-	...00
	140x200/50x70/75	NO / UK / IE / UA / RO / BG / BA / HR / SI / RS	140x200	50x73	-	...80
	140x200/70x80/90	PL / CZ / HU / SK / AT	140x200	70x85	-	...70
	150x210/50x60	SE / FI	150x210	50x60	-	...90
	155x220/50x70/75	IT / ES / PT / GR	155x220	50x73	-	...60
	160x210/65x100	CH	160x210	65x100	-	...40
EXL	140x220/60x63/70	DK / NL / BE	140x200	60x68	-	...01
	140x220/50x70/75	NO / UK / IE / RO / BG / BA / HR / SI / RS	140x220	50x73	-	...81
	140x220/70x80/90	CZ / HU / SK	140x220	70x85	-	...71
TQ	155x220/80x80	DE	155x220	80x80	-	...23
	160x200/2x70x80/90	PL	160x200	70x85	-	...73
	180x200/2x50x70/75	UA / RO / BG	180x200	50x73	-	...83
DBL	200x200/2x50x70/75	UK / IE	200x200	50x73	-	...52
	200x220/2x60x63/70	DK / NL / BE / CH / FR	200x220	60x68	-	...02
	200x220/2x80x80	DE	200x220	80x80	-	...22
	200x220/2x50x60	SE / FI	200x220	50x60	-	...92
	200x220/2x50x70/75	NO / SI / UK / HR / BA / RS / UA / RO / BG / GR / ES	200x220	50x73	-	...82
	200x220/2x70x80/90	PL / CZ / HU / SK / AT	200x220	70x85	-	...72
KING	240x220/2x60x63/70	DK / NL / BE / FR	240x220	60x68	-	...04
	240x220/2x50x70/75	NO / UK / IE / IT / ES / PT / GR	240x220	50x73	-	...84
	240x220/2x50x60	SE / FI	240x220	50x60	-	...94
S.KING	260x240/2x50x70/75	ES / PT	260x240	50x73	-	...65
DCSS SGL	140x200/50x70/75/150x250	UA / RO / BG	140x200	50x73	150x250	...30
DCSS TQ	180x200/2x50x70/75/240x260	RO / BG	180x200	50x73	240x260	...33
DCSS DBL	200x220/2x50x70/75/240x260	UA / RO / BG	200x220	50x73	240x260	...32
SS SGL	160x240/50x70/75/90x200x25	ES / PT / IT / GR	-	50x73	160x240 90x200x25	...13
SS DBL	220x260/2x50x70/75/140x200x25	ES / PT / IT / GR	-	50x73	220x260 140x200x25	...14
SS KING	240x280/2x50x70/75/160x200x25	ES / PT / IT / GR	-	50x73	240x280 160x200x25	...15

**Table 3 – Set sizes**

## 1.5.1 Store shelf dimensions (EA)

'EA' measures are the same as 'store shelf dimensions' in the PIF.

The 'store shelf dimensions (EA)' is a unit measure of a single article.

If changes in the measurements of an article, [CAM](#) must be informed.

Articles in sales display (SDP) must comply with [JYSK 6002](#) and any specific article requirements. For articles in SDP both the SDP measure and the EA measure must be stated in the PIF. The SDP measure must include both the article and the SDP, meaning if the article is higher than the display it must be the total height.

It is important to know how the article should be displayed e.g. upright, laying down, etc.

The following measurements must be stated in the PIF:


- Height: the height of the article.
- Width: the width of the article (the side facing front).
- Depth: the depth of the article and refers to the shelf depth and means the article dimension with face forward.

**Note:** Depth = length

## Measurement examples

Examples of measurements of different products and shapes [Figure 1](#).

**Note:** The examples are only to provide an understanding of how to measure different articles and shapes, and not a full guide to all types of articles.



**Figure 1 – Example of measurements of different products and shapes**

## 1.6 Colors and patterns

All products delivered must match the approved reference samples. Differences between purchasing orders is not accepted.

- Pantone colors must be matched.
- Color variation between for example pillowcase and duvet cover are not allowed.
- Grainline and pattern report must be straight and uniform.

## 2 Textile quality requirements

Products must comply with the quality requirements stated in [Table 4](#).

Requirement Test method according to <a href="#">JYSK 4004</a>			Type of product		
			Duvet covers and Pillowcases	Sheets	
				Woven	Knitted
Size and washing	Size and dimensional Stability to washing and drying	Initial size	+3%/-0%	Flat: +3%/-0%	-
		After washing and drying	+3%/-3%	Flat: +3%/-3%	Must comply with <a href="#">3.5.1</a>
	Washing temperature		≥60°C	≥60°C	
	Tumble drying		Yes	Yes	Yes
Physical	Tensile strength		General: ≥250 N Flannel: ≥200 N	≥250 N	-
	Tear strength		General: ≥8 N Sateen & flannel: ≥7 N	≥8 N	-
	Bursting strength		-	-	≥200 N
	Pilling		General: ≥4 Sateen & flannel: ≥3-4	General: ≥4 Sateen & flannel: ≥3-4	Terry: ≥3 Jersey: ≥3-4
	Skewing		≤2%	≤2%	-
Color fastness	Rubbing	Dry	≥4	≥4	≥4
		Wet	≥3	≥3	≥3
	Light		≥4	≥4	≥4
	Washing	Staining	≥4	≥4	≥4
		Color change	≥4-5	≥4-5	≥4-5
	Perspiration (Acidic)	Staining	≥4	≥4	≥4
		Color change	≥4	≥4	≥4
	Perspiration (Alkaline)	Staining	≥4	≥4	≥4
		Color change	≥4	≥4	≥4
	Water	Staining	≥4	≥4	≥4
		Color change	≥4-5	≥4-5	≥4-5

**Table 4 – Textile quality requirements**

## 3 Construction requirements

### 3.1 Duvet covers

Duvet covers must have the opening centered in the bottom.

Opening sizes on duvet covers must comply with [Table 5](#).

Duvet cover width [cm]		Opening width [cm]
Adult	135 to 140	80
	150 to 160	80-90
	180 to 220	90-100
	240 to 260	120

**Table 5 – Opening sizes on duvet covers**

#### 3.1.1 Closing method

Duvet covers must be closed with zipper in accordance with [3.3](#) except the following:


- Flannel duvet covers must be closed with buttons in accordance with [3.4](#).



### 3.2 Pillowcases

Adult size pillowcases in GOLD quality must be *Oxford pillowcases* with a 2 cm stitched hem on the three top sides, **unless otherwise agreed with [CAM](#)**.

Pillowcase measurements (*W* and *L*) must comply with the principles in [Table 6](#).



**Table 6 – Pillowcase measurement principles**

Pillowcases must have the agreed size according to [Table 7](#).

**Notes:** Sizes highlighted in **bold** occur in adult bed linen sets (See [1.5](#)), the sizes not highlighted in **bold** are pillowcases sold separately.

Width ( <i>W</i> ) [cm]	Length ( <i>L</i> ) [cm]						
	30	40	50	60	65	70	80
40		40x40					
45	30x45						
60		40x60	<b>50x60</b>				
68 (63/70)				<b>60x68</b>			
70				60x70			
73 (70/75)			<b>50x73</b>				
80		40x80		60x80		70x80	<b>80x80</b>
85 (80/90)						<b>70x85</b>	
90			50x90				
100					<b>65x100</b>	70x100	

**Table 7 – Pillowcase sizes**

Box pillowcases must have the agreed size according to [Table 8](#)

Designation	Width ( <i>W</i> ) [cm]	Length ( <i>L</i> ) [cm]	Height [cm]
30x50x10	30	50	10
40x60x10	40	60	10
40x60x11	40	60	11

**Table 8 – Box pillowcases**

### 3.2.1 Closing method

Pillowcases must be closed with zipper in accordance with [3.3](#) except the following:

- *Regular pillowcases* sold separately must be closed with a 20 cm inner flap (hotel closing) on the right side, **unless otherwise specified by [CAM](#)**.
- Flannel pillowcases must be closed with a 20 cm inner flap (hotel closing) in the bottom.

Zipper closing on pillowcases must:

- Be in the center of the bottom of the pillowcase.
- Have a length 10 cm shorter than the pillowcase width.

### 3.2.2 Remnant pillowcases

For remnant pillowcases seasonal designs (e.g. Christmas designs) or branded designs must not be used.

## 3.3 Zipper and openings

Zippers must:

- Be in matching color to the cover.
- Comply with any agreed specifications (e.g. brand or performance standard).
- Zipper openings must contain suitably strong double stitch stops in both ends.
- **Duvet cover sets (except flannel) must be with YKK zipper and bought directly at YKK'S local offices. Remember to use JYSK buying code: 100922.**
- The supplier must ensure that zipper and slider match each other and run smoothly.
- The slider must be without puller.



**Figure 2 - Example of slider without puller**

- The zipper must exceed the stop by 15 – 20 mm.



**Figure 3 - Example of stop**

- PLUS and GOLD products must be made with a flap of 3 cm to cover the zipper.



**Figure 4 - Example of 3 cm flap (PLUS and GOLD)**

- BASIC quality products must contain a slightly covered zipper without flap.



**Figure 5 - Example of lightly covered zipper without flap (BASIC)**

### 3.4 Buttons closing method

Buttons must:

- Be in matching color to the cover or transparent.
- Comply with any agreed specifications (e.g. brand or performance standard).
- Be fastened sufficiently to not fall off when subjected to normal and foreseeable use.
- Be hidden when closed, see below example.



**Figure 6 - Example of duvet cover with hidden button**

### 3.5 Sheets

Sheets must comply with the agreed size according to [Table 9](#).

Type of sheet	Size specification format	Drop (D) [cm]			Suitable for mattress height [cm]	Construction requirements	
Flat sheets	WxL	-			-	-	
Fitted sheets	WxLxD	Terry Jersey	BASIC	30	27	<a href="#">3.5.2</a>	
			PLUS	35	30		
			GOLD				
		Jersey	GOLD	30	28		
		Plain	BASIC	25	22		
				30	26		
			PLUS	35	32		
			GOLD				
Envelope sheets	WxLxD	8			8	<a href="#">3.5.3</a>	
Valance sheets	WxLxD	45			45	<a href="#">3.5.4</a>	
Where: W is the width of the sheet, L is the length of the sheet, D is drop of the sheet							

**Table 9 – Sheet sizes**


Sheet edges must if not otherwise specified be finished with double folded hems of 10±2 mm.

#### 3.5.1 Sheet fit criteria


Sheets must fit neatly and snugly (i.e. not too loose, not too tight) onto a mattress of same nominal dimensions (*length* and *width*) as the sheet and *height* according to [Table 9](#).

#### 3.5.2 Fitted sheets

Fitted sheets in PLUS and GOLD quality must be *square cut*.




**Figure 7 – Example of square cut**



**Figure 8 – Example of square cut, bottom up**


### 3.5.3 Envelope sheets

Envelope sheets must be sewn as a box with a drop (D) of 8 cm.




**Figure 9 – Example of drop on envelope sheet**

The 'drop' on the backside of envelope sheets must be 20 cm.



**Figure 10 – Example of drop on backside of envelope sheet**

GOLD *plain* and *sateen* envelope sheets must have a 25 cm elastic band in all corners.




**Figure 11 - Example of envelope sheet with elastic corners**

### 3.5.4 Valance sheets

Valance sheets must:

- Have drop (D) of 45 cm on two sides and one end - The opposite end must have a 20 cm flap.
- Have frills according to agreement with CAM on 3 sides as below.



**Figure 12 - Example of a valance sheet with frills on 3 sides**

## 4 Packaging requirements

### 4.1 Procedures for artwork

When the solution is available the layout for sales unit packaging is created by JYSK using *IDG* and forwarded to the supplier.

When *IDG* is not available, suppliers must create the artwork layout in accordance with [JYSK 6201](#).

The supplier must proofread the artwork, validate the layout and ensure that all stated information is correct – E.g.: Closing method symbol for covers, material composition, care symbols, OEKO-TEX logo, barcode, batch number, supplier number and product number.

For new artwork supplier must send proofread and validated artwork to [CAM](#) via email and await response before first printing.

**Note:** JYSK does not proofread or approve the artwork – The review procedure of new artwork is however in place out of common interest of ensuring the artwork is correct.

### 4.2 Sales unit packaging (without plastic bag)

Products packaged as sales units without plastic bag must be folded in accordance with [4.4](#) or rolled in accordance with [4.5](#).

The folding method for products without plastic bag must not include display of double facing.

**Note:** Indication of double facing is shown the bellyband illustrations.

The folded or rolled product must be enclosed by a paper bellyband with a height of:

- 150±1 mm for bed linen sets, folded sheets and rolled products.
- 120±1 mm for Single pillowcases.

For folded products the length of bellyband 'sides' must be adapted to the actual product.

The bellyband closure must have an overlap ≥30 mm.



Figure 13 - Example of layout of bellyband for duvet cover set



Figure 14 – Example of folded duvet cover set and rolled sheet

#### 4.2.1 Cardboard requirements

Bellyband material must comply with *sales packaging* requirements according to [JYSK 6001](#).

Stiffener must be *JYSK CB40* according to [JYSK 6001](#).

#### 4.2.2 Closing method of bellyband

The closing method of the bellyband must be double-sided adhesive tape and strengthened with a transparent round sticker.

The sticker must be neatly placed (centered) on the bellyband closing edge.

#### 4.3 Bed linen and sheet packaging (with plastic bag)

Bed linen and sheets packaged with plastic bag must be folded in accordance with [4.4](#) around a stiffener and placed in a plastic bag with a paper insert.

The plastic bag must be fitted to the size of the product and with easy closing - i.e. No tape must be used.

The closure of the bag must be in the top and warning symbol ([JYSK 60005](#)) must be printed on the flap so it is placed over the "empty"/colored space on the back of the layout.


The quality of the plastic bag must be:

- 70 my (0,070mm) clear polypropylene for *BASIC* and *PLUS* products.
- 100 my (0,10mm) LDPE for *GOLD* products.

Warnings on the plastic bag must comply with [JYSK 6101](#).

A bag sample and a matching technical specification must be sent to [CAM](#) for approval before first use.

The cardboard stiffener must be *JYSK CB40* according to [JYSK 6001](#).



**Figure 15 – Example of cardboard stiffener**

Suppliers must use the above directions when folding and cutting inserts for duvet cover sets and sheets.





#### 4.4 Measurements for folded products

Folded products must be folded to match the sales unit dimensions stated in [Table 10](#).

**Note:** The thickness of the sales unit is given by the properties of the folded product.

Type of product	Measurements of sales unit facing (Width x Height) [cm]
Bed linen sets	25x35
Folded sheets	25x35
Single pillowcases	11x25

**Table 10**

Folded products must be folded in a way that ensures a uniform thickness of the sales unit.

The folding method and sales unit facing must be consistent within and between orders.

#### 4.5 Measurements for rolled products

Rolled products must be rolled in a way that ensures a sales unit length of 19 cm.

**Note:** the diameter of the sales unit is given by the properties of the rolled product.

#### 4.6 Source tagging

PLUS and GOLD products must be marked with a source tag in accordance with [JYSK 6003](#).

Suppliers must place the source tag on the stiffener in the location closest possible to the barcode on the packaged sales unit.

**Note:** The source tag placement underneath the barcode of the product enables easy deactivation in the store while being invisible to customers.

## 4.7 Packing of handling units

Bed linen and sheets must be packed as handling units in suitably sized cardboard boxes in accordance with [Table 11](#).

Packing requirements for bedlinen handling units:

- Suppliers must size cardboard boxes to fit the sales units without additional air in the box.
- Folded sales unit must be orientated with the facing upwards within the handling unit.  
 Note: This orientation ensures that the products lie flat and minimizes the risk of deformed sales units.
- Products packed as sales units without plastic bags (see 4.2) must be packed in handling unit with a master bag.
- The cardboard of the cardboard box must be JYSK CB60 according to [JYSK 6001](#).

Product type			Sales unit / Handling unit
Bed linen (See <a href="#">1.5</a> and <a href="#">5.1.5</a> )	JYSK private labels	SGL (Width <155 cm)	6
		SGL (Width ≥155 cm)	4
		EXL	4
		TQ	4
		DBL	3
		KING	3
		S.KING	3
		DCSS SGL	3
		DCSS TQ	3
		DCSS DBL	3
		SS SGL	4
		SS DBL	3
		SS KING	3
PLUS and GOLD Sheets	Flat sheet (Baby/Child/Junior)	12	
	Flat sheet (Adult sizes)	6	
	Fitted sheet (Width <120 cm)	6	
	Fitted sheet (Width ≥120 cm)	4	
	Envelope sheet	6	
	Valance sheet (Width <120 cm)	6	
	Valance sheet (Width ≥120 cm)	4	

**Table 11 – Number of sales units / Handling unit**

Single pillowcases must be packed in *Sales Displays* in accordance with [JYSK 6002](#).

**Note:** A few single pillowcases are packaged without Sales Displays according to agreement with [CAM](#).

The size of the SDP must be:

- Height: 26 cm
- Front height: 7 cm
- Width: 12,5 cm
- Depth: 19 cm



**Figure 16 - Example of SDP with measurement**

## 5 Bed linen for children

### 5.1 General requirements

Bed linen for children must be produced and labelled according to EN 16779-2 and below sections. Few requirements from EN 16779-2 are listed in this chapter however the supplier must ensure conformity with the entire standard hereunder stricter demands for tread, sewing and seams for children bed linen.

Plastic- or rubber print, applications etc. on the duvet cover is not allowed.

Loop labels, sharp edges, pockets or other loose parts in the duvet cover is not allowed.

For all children's bedding, supplier must send a sample with packaging for approval as soon as the layout has been received and the master sample has been approved.

#### 5.1.1 Seams

Seams for children products must comply with [1.3](#) and below:

- Chain stitches are not allowed.

#### 5.1.2 Sewing thread

Sewing thread for children products must comply with [1.4](#) and below:

- Monofilament threads not allowed.
- Maximum length for cut treads shall be 10 mm.

## 5.1.3 Zippers for children products


Zippers must comply with EN 16779-2 and below:

- Be in matching color to the cover.
- Comply with any agreed specifications (e.g. brand or performance standard).
- Duvet cover sets (except flannel) must be with YKK zipper and bought directly at YKK'S local offices.
  - Remember to use JYSK buying code: 100922.
  - Puller item no.: 8034285. Item description: 03 C DA16Q EJ PARTS KENSIN N-ANTI TWIST4.
  - Zipper item no.: 3599627. Item description: 03 CF CHAIN PB12 DYED

**Note:** Use both item no. and item description ordering the zippers to be sure to get the correct items from YKK

- The zipper must exceed the stop by 15 – 20 mm.
- Zipper openings must contain suitably strong tripplle stitch stops in both ends.

**Note:** The thread must not be red, as in [Figure 17](#). This is only to make it more visible on the foto.



**Figure 17 - Example of triple stich**

- Alternatively a "fixed zipper" can be used
  - Item description: CFC-36 DA16Q EJ PB12 GREEN-F KENSIN N-ANTI TB-IPOM TWIST4
- Be made with a flap of 3 cm to cover the zipper.




**Figure 18 - Example of 3 cm flap**

#### 5.1.4 Care labels on children products

Care labels for children products must:

- Not be attached in the form of a loop (loop label) or any other way that may create a loop when the product is used.
- Not have sharp edges.
- Be in a condition that prevents unravelling.
- Be no more than 75 mm in length.
  - Several labels of 75 mm in a bundle are allowed.
- Duvet covers and pillowcases must in addition also have the below information on the care label:
  - QR code with warnings on baby/junior duvet sets
  - Care instructions (including dry cleaning and wet cleaning not allowed) see [JYSK 6004](#).

**Note:** IDG file will be delivered by JYSK



**Figure 19 - Eksample af carelable baby duvet cover set**

### 5.1.5 Children set sizes

Children sets must comply with Table 12.

Designation		Country	Sizes		Product end-number in Nordic
			Duvet cover	Pillowcase (See <a href="#">3.2</a> )	
Baby	65x80/35x40	NO	65x80	35x40	...X1
	70x100/40x45	DK / SE / FI / NL / UK / BE / IE	70x100	40x45	
	80x80/35x40	DE	80x80	35x40	
Child	80x100/35x40	NO	80x100	35x40	...X2
Junior	100x140/40x45	DK / NL / UK / BE / IE	100x140	40x45	...00
	100x140/40x60	NO / DE / AT / CH / FR / ES / IT / PT / PL / CZ / HU / SK / SI / HR / BA / RS / UA / RO / BG / GR	100x140	40x60	...80
	115x135/40x45	SE / FI	115x135	40x45	...90

**Table 12 – Baby/Junior set sizes**

## 5.1.6 Photo samples:

Suppliers must send *photo samples* to JYSK HO as soon as possible after reference samples are approved by [CAM](#)

**Note:** remember 'attn:' to [CAM](#).

The size of *photo samples* must comply with the size requirements of [Table 13](#) regardless the size(s) of the actual product.

Designation		Number of sampels	Sizes	
			Duvet cover	Pillowcase
Baby	SGL	3 sets	70x100	40x45
Child	SGL	1 set	80x100	35x40
Junior	SGL	3 sets	100x140	40x45

**Table 13 – Photo samples children bedding**

## 5.2 Construction requirements

### 5.2.1 Duvet covers

Duvet covers must have an opening centered in the bottom and the opening size must comply with [Table 14](#). The opening must be closed with a zipper. The zipper must comply with [5.1.3](#).

Duvet cover width [cm]		Opening width [cm]
Baby	65 to 80	40
Child	90	50
Junior	100 to 115	60

**Table 14- Opening sizes on children duvet coves**

## 5.2.2 Pillowcases

Pillowcase sizes for children must comply with [Table 15](#).

Width (W) [cm]	Length (L) [cm]		
	35	40	50
40	35x40		
45		40x45	
60		40x60	50x60

**Table 15 - Child pillow case sizes**

The zipper must comply with [5.1.3](#).

Children pillowcases must be closed with a zipper on the right side. The zipper must have the seams on the back side.



**Figure 20 – Example of frontside and backside of children pillowcase, rightside zipper**



## 5.3 Packaging requirements

### 5.3.1 Sales unit packaging

The sales unit must comply with [4.2](#).

The belly band must have a height of:

- 110±1 mm for children products.

Belly bands for childrens bed linen sets must have:

- Cot duvet cover and pillowcase size (width and length of both) on the front of belly band.
- Care instructions must include dry cleaning and wet cleaning not allowed icons as on care label, see [5.1.4](#).
- Mandatory QR code containing following warnings and user instruction in all the JYSK languages:
  - IMPORTANT KEEP FOR FUTURE REFERENCE.
  - Stop using cot duvet cover at the first signs of damage.
  - The stated width and length of this cot duvet cover must match width and length of the cot duvet it is intended for.
  - Baby duvets are recommended for cradles from 40x90 cm. Junior duvets are recommended for cots from 60x120 cm.

**Note:** IDG file will be delivered by JYSK



Figure 21 - Example belly band

### 5.3.2 Measurements for folded children products

Folded products must be folded to match the sales unit dimensions stated in [Table 16](#).

**Note:** The thickness of the sales unit is given by the properties of the folded product.

Type of product	Measurements of sales unit facing (Width x Height) [cm]
Children products	19x29

Table 16 – Measurements for folded children products

### 5.3.3 Packing of handling units

Packing of handling units for children bed linen must comply with [4.7](#).

Bed linen for children must be packed as handling units in suitable sized cardboard boxes in accordance with [Table 17](#).

Product type			Sales unit / Handling unit
Bed linen	JYSK private labels	Children	6
	License	(Regardless of size)	4

Table 17 - Number of sales units / handling units for children bed linen