Biomolecules - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025

Anmol Sharma • Lesson 7 • Jan 19, 2025

Biomolecules

BIOLOGYLIVE

Title: Biomolecules

1. Match the following :

a. Vinblastin	i. Alkaloid
b. Ricin	ii. Polymer
c. Codeine	iii. Drug
d. Gum	iv. Poisionous

(1) a-iii, b-iv, c- ii, d- i

(2) a-i, b-ii, c- iv, d- iii

(3) a-iii, b-iv, c- i, d- ii

(4) a-iv, b-iii, c- i, d- iv

Title: Biomolecules

2. Which of the following are polymeric :

(1) Proteins

(2) Polysaccharides

(3) Nucleic acids

(4) All of these

Title: Biomolecules

3. Given below are two statements :

Statement I : Molecules in the insoluble fraction with exception of lipids are polymeric substane.

Statement-II : Some secondary metabolites have ecological importance.

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

Title: Biomolecules

4. Which of the following is correct according to given diagrammatic representation :



(1) It is a nucleoside present in RNA

(2) It is a nitrogenous base present in DNA

(3) It is a nitrogenous base present in RNA

(4) It is a nitrogenous base present in DNA and RNA

Title: Biomolecules

5. Inulin consist of :

(1) Only glucose

(2) Only fructose

(3) Only maltose

(4) Protein

Title: Biomolecules

6. Which of the following is true :

(1) Polysaccharides are starting part of sugar chain

(2) Cellulose is homopolymer

(3) The starch-I_2, is red in colour

(4) All of these

Title: Biomolecules

7. A β-plated sheet organisation in a polypeptide chain is an example of :

(1) 1° structure

(2) 2° structure

(3) 3° structure

(4) 4° structure

Title: Biomolecules

8. Which of the following is not true :

(1) In B DNA, the number of base pair is 10

(2) The pitch of DNA is 3.4 Å

(3) There are two hydrogen bond between A and T

(4) There are three hydrogen bond between G and C

9. Given below are two statements :

Statement I : The living state is a non equilibrium steady state to be able perform work.

Statement-II : Living state and metabolism are synonymous

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

Title: Biomolecules

10. Choose the type of enzyme involved in the following reaction.

S – G + S' → S + S' – G

(1) Dehydrogenase

(2) Transferase

(3) Hydrolase

(4) Lygase

Title: Biomolecules

11. Find correct matching is/are :

(a) Watson – Crick model = Secondary structure

(b) Pocket of enzyme = 'Active site'

(c) Trypsin = hormone

(1) a and c only

(2) a and b only

(3) a only

(4) a, b and c

12. Zinc is a cofactor for the .... enzyme :

(1) Proteolytic

(2) Transferase

(3) Lyases

(4) Ligases

Title: Biomolecules

13. Chitinous exoskelton of arthrodpods is formed by the polymerisation of :

(1) N – acetyl glucosamine

(2) Lipiglycans

(3) D – Glucosamine

(4) Keraitin sulphate

Title: Biomolecules

14. Given below are two statements :

Statement I : Metabolism provides a mechanism for the production of energy

Statement II : Living organism exist in an equilibrium state.

Choose the correct answer from the options given below.

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

Title: Biomolecules

15. Given below are two statements :

Statement I : Each of metabolic reactions results in transformations of biomolecules

Statement II : Protein with cataytic power are named enzymes

Choose the correct answer from the options given below.

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

Title: Biomolecules

16. In the given graphs which graphs represents, activation energy without enzyme and with enzyme. Choose the correct option :



(1) A = Activation energy with enzyme

(2) B = Activation energy with enzyme

(3) B = Activation energy without enzyme

(4) 1 and 3 both

Title: Biomolecules

17. Which of the following is zwitterion :

(1) $\overset{+}{H_3N}-\underset{}{\overset{\overset{\displaystyle R}{|}}{C}H}-COOH$

(2) $\overset{+}{H_3N}-\overset{\overset{\displaystyle R}{|}}{C}H-COOH^{-}$

(3) $\overset{+}{H_3N}-\overset{\overset{\displaystyle R^{-}}{|}}{C}H-COOH$

(4) $\overset{+}{H_3N}-\overset{\overset{\displaystyle R}{|}}{C}H-COO^{-}$

Title: Biomolecules

18. Prosthetic group is part of an enzyme it is :

(1) Loosely attached organic compound

(2) Tightly attached inorganic compound

(3) Tightly attached organic part

(4) Loosely attached inorganic compound

Title: Biomolecules

19. What are pockets in an enzyme :

(1) Crevices made due to chain criss - crossing in tertiary structure of protein

(2) An active sites of an enzyme

(3) Site where substrates fit

(4) All of these

Title: Biomolecules

20. Match the following column I and column II :

Column I	Column II
a. Acidic amino acid	i. Lysine
b. Aromatic amino acid	ii. Valine
c. Neutral amino acid	iii. Glutamic acid
d. Basic amino acid	iv. Tyrosine

(1) a–iii, b–iv, c–ii, d–i

(2) a–ii, b–iii, c–iv, d–i

(3) a–i, b–iv, c–iii, d–ii

(4) a–iv, b–iii, c–i, d–ii

21. Which one of the following pairs of nitrogenous bases of nucleic acids, is wrongly matched with the category mentioned against it :

(1) Guanine, adenine–purines

(2) Adenine, thymine–purines

(3) Thymine, uracil–pyrimdines

(4) Uracil, cytosine–pyrimidines

Title: Biomolecules

22. Haemoglobin consists of :

(1) 2α and 2β subunits

(2) 3α and 3β subunits

(3) 4α and 4β subunits

(4) 1α and 1β subunits

Title: Biomolecules

23. In a certain process a molecule of glucose converts into lactic acid in skeletal muscle. Can you tell which type of process is this :

(1) Anabolic

(2) Catabolic

(3) Amphibolic

(4) All of these

Title: Biomolecules

24. Almost all enzymes are proteins and are composed of one or several polypeptide chains. However there are a number of cases in which non-protein constituents called as :

(1) Apoenzyme

(2) Co-factor

(3) Allosteric

(4) Holoenzyme

Title: Biomolecules

25. A typical fat molecule is made up of :

(1) One glycerol and one fatty acid molecule

(2) Three glycerol and three fatty acid molecules

(3) Three glycerol molecules and one fatty acid molecule

(4) One glycerol and three fatty acid molecules.

26. Macro molecule chitin is :

(1) Sulphur containing polysaccharide

(2) Simple polysaccharide

(3) Nitrogen containing polysaccharide

(4) Phosphorus containing polysaccharide

27. Which one of the following is a non - reducing carbohydrate :

(1) Maltose

(2) Sucrose

(3) Lactose

(4) Ribose 5 - phosphate

Title: Biomolecules

28. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Molecular weight of lipid do not exceed 800 Da but it come under acid insoluble fraction.

Reason (R) : When we grind tissue cell membrane and other membrane are broken into pieces and form vesicles which are not water soluble.

In the light of the above statements, choose the correct answer from the options given below

(1) Both (A) and (R) are true but (R) is not the correct explanation of (A)

(2) (A) is true but (R) is false

(3) (A) is false but (R) is true

(4) Both (A) and (R) are true and (R) is the correction explanation of (A)

Title: Biomolecules

29. Transition state structure of the substrate formed during an enzymatic reaction is :

(1) Transient and unstable

(2) Permanent and stable

(3) Transient but stable

(4) Permanent but unstable

Title: Biomolecules

30. The reaction is catalysed by



(1) Transferases

(2) Hydrolases

(3) Lyases

(4) Isomerases

31. DNA and RNA are similar in having :

(1) Similar pyrimidines

(2) Similar sugar

(3) Both are polymers of nucleotides

(4) Both are double stranded

32. If Y axis is enzymetic activity shown in the above graph, then X axis can be :



(1) pH

(2) Temperature

(3) Concentration of substrate

(4) Both (1) and (2)

Title: Biomolecules

33. Given below are two statements :

Statement I : Biomolecules which have molecular weight less than one thousand daltion are usually reffered to as micromolecules.

Statement-II : Proteins, nucleic acid, polysacharide and lipids have molecular weight in range of ten thousand daltons and above.

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

Title: Biomolecules

34. The given diagram A and B respectively



(1) Ribose and uracil

(2) Fructose and thymine

(3) Glucose and pyrimidine

(4) Ribose and purine

Title: Biomolecules

35. Which of the following incorrect option :

(1) Adenine, Guanine, Cytosine, Thymine → Nitrogen base

(2) Nitrogen base + Sugar → Nucleoside

(3) Nitrogen base + Sugar + Phosphate → Nucleotide

(4) Nitrogen base + Phosphate → Nucleoside

Title: Biomolecules

36. Non-nitrogenous biomolecules among the following are:

I. Polysaccharides

II. Nucleic acids

III. Proteins

IV. Lipids

(1) I only

(2) I and II only

(3) I and IV only

(4) I, III, and IV

Title: Biomolecules

37. Which one of the following cannot be attributed to glycogen?

(1) Homopolysaccharide

(2) Heteropolysaccharide

(3) Branched chain molecule

(4) Stored in liver and muscle

38. The helical structure of proteins is stabilized by:

(1) Dipeptide bonds

(2) Hydrogen bonds

(3) Ether bonds

(4) Peptide bonds

Title: Biomolecules

39. Match the columns and find out the correct combination:

Column A	Column B
A. Morphine	1. Toxin
B. GLUT-4	2. Drug
C. Curcumin	3. Alkaloid
D. Ricin	4. Sensory receptor
	5. Glucose transport (Protein)

Options:

(1) A-3, B-5, C-2, D-4

(2) A-3, B-5, C-2, D-1

(3) A-2, B-3, C-1, D-4

(4) A-3, B-1, C-2, D-4

40. Oils remain as liquid in winters because:

(1) They have a lower melting point

(2) They contain unsaturated hydrocarbons

(3) They have single carbon-carbon bonds

(4) Both (1) and (2)

41. Which statement regarding enzyme inhibition is correct?

(1) Competitive inhibition occurs when a substrate competes with an enzyme for binding to the inhibitor protein.

(2) Competitive inhibition occurs when the substrate and the inhibitor compete for the active site of the enzyme.

(3) Non-competitive inhibition of an enzyme can be overcome by adding a large amount of substrate.

(4) Non-competitive inhibitors often bind to the enzyme irreversibly.

Title: Biomolecules

42. Match the columns and find out the correct combination:

Protein	Function
A. Insulin	1. Sensory reception
B. Collagen	2. Hormone
C. Receptor	3. Biocatalyst
D. Trypsin	4. Enzyme
	5. Intercellular Ground substance

Options:

(1) A-2, B-5, C-3, D-4

(2) A-2, B-4, C-1, D-5

(3) A-3, B-5, C-1, D-4

(4) A-2, B-5, C-1, D-4

Title: Biomolecules

43. Match the columns and find out the correct combination:

Component	% of total cellular mass
A. Lipids	1.1
B. Nucleic acids	3. 2
C. Protein	3. 5-7
D. Ions	4. 70- 90
	5. 10-15

Options:

(1) A-2, B-5, C-3, D-1

(2) A-2, B-3, C-5, D-1

(3) A-3, B-2, C-5, D-1

(4) A-5, B-2, C-1, D-4

Title: Biomolecules

44. Which one of the following statements is correct with reference to enzymes?

(1) Apoenzyme = Holoenzyme + Coenzyme

(2) Holoenzyme = Apoenzyme + Coenzyme

(3) Coenzyme = Apoenzyme + Holoenzyme

(4) Holoenzyme = Coenzyme + Cofactor

Title: Biomolecules

45. Which of the following are not polymeric?

(1) Nucleic acids

(2) Proteins

(3) Polysaccharides

(4) Lipids

Title: Biomolecules

46. A metal ion required for normal functioning of an enzyme is:

(1) Holoenzyme

(2) Coenzyme

(3) Cofactor

(4) Prosthetic Group

Title: Biomolecules

47. NAD stands for:

(1) Nicotinamide adenosine diphosphate

(2) Nicotine adenosine phosphate

(3) Nicotinamide adenine dinucleotide

(4) None of the above

Title: Biomolecules

48. If 'P' (product) is at a lower level than 'S' (substrate), the reaction is an:

(1) Exothermic reaction

(2) Endothermic reaction

(3) Spontaneous reaction

(4) Both (1) and (3)

Title: Biomolecules

49. Enzymes enhance the rate of reaction by:

(1) Combining with the product

(2) Forming reactant-product complex

(3) Charging the equilibrium of the reaction

(4) Lowering activation energy

Title: Biomolecules

50. The effect of a competitive inhibitor can be reversed by:

(1) Increasing the inhibitor concentration

(2) Decreasing the substrate concentration

(3) Increasing the substrate concentration

(4) The effect is irreversible

Title: Biomolecules

51. Which of the following incorrect option:

(1) Carotenoids and anthocyanin are secondary metabolites.

(2) Carotenoids and anthocyanin → Pigment

(3) Rubber, Gum, Cellulose → Drugs

(4) Rubber, Gum, Cellulose → Polymeric substance

Title: Biomolecules

52. 

This amino acids is :

(1) Glycine

(2) Serine

(3) Alanine

(4) Arginine



Title: Biomolecules

53. Which of the following is not the primary metabolites :

(1) Glucose

(2) Amino acid

(3) Fatty acid

(4) Ricin

Title: Biomolecules

54. Match the column :

Column A	Column B
i- Collagen	a- Hormone
ii- GLUT - 4	b- Inter cellular ground substances
iii- Insulin	c- Sensory receptor
iv- Receptor	d- Enables glucose transport into cells

(1) i-b, ii-d, iii-a, iv-c
(2) i-b, ii-d, iii-c, iv-a
(3) i-d, ii-b, iii-a, iv-c
(4) i-c, ii-a, iii-d, iv-b

55. Which of the following statements is/are correct:

(i) Tertiary structure is neccessary for biological activity of protein

(ii) Nucleic acids exhibit a wide variety of secondary structures

(iii) Haemoglobin is an example of quaternary structure

(iv) In primary structure of protein the first amino acid is called as N–terminal amino acid and the last amino acid is called C–terminal amino acid

(1) ii only
(2) i and iv only
(3) i only
(4) i, ii, iii and iv

Title: Biomolecules

56. Correct for DNA double helical structure of B-DNA:

(a) Helical stair of ascent is – 30^0

(b) Turn of helical strand involve – 10 step

(c) Distance between two successive base pair is – 3.4 A^0

(d) Pitch of helix is – 38 A^0

(1) a, b, c, d (2) Only b, c

(3) Only a, b, d (4) Only c, d

Title: Biomolecules

57. Which one of the following correct statement :

(a) Prosthetic group are organic compound

(b) Proteineous portion of enzyme is called apoenzyme

(c) Zn^{+2} is a co-factor for the proteolytic enzyme carboxypeptidase

(d) NAD and FAD are Co-factor

(1) Only a, b
(2) Only a, d
(3) Only c, d
(4) a, b, c and d

58. Enzyme which catalyses the linking together of two compounds is :

(1) Hydrogenase

(2) Transferase

(3) Ligases

(4) Lyases.

Title: Biomolecules

59. If a living tissue is grinded in trichloroacetic acid in pestle and mortar and then filtered through cheesecloth, the acid soluble portion will come in

(1) Filtrate

(2) Retentate

(3) No acid soluble portion will be there

(4) Both 2 and 3

Title: Biomolecules

60. Which of the following are aromatic amino acids

(a) Tryptophan

(b) Tyrosine

(c) Phenylalanine

(d) Histidine

(1) b and c only

(2) a,b,c only

(3) a and b only

(4) all of these

Title: Biomolecules

61. Palmitic and arachidonic acid have how many carbons including carboxyl carbon

(1) 16,18

(2) 16,20

(3) 15,19

(4) 15,20

62. In lipids glycerol and fatty acids are joined by

(1) Esterification

(2) Glycosidic linkage

(3) Aldehyde

(4) Peptide bond

Title: Biomolecules

63. Phosphate group is attached to nucleoside by

(1) Phosphoester bond

(2) Glycosidic bond

(3) Ether bond

(4) Both 1 and 2

64. Proteins are generally :

(1) Homo polymer

(2) Heteropolymer

(3) Monomer

(4) None of these

65. Source of essential amino acids are

(1) Synthesised in body

(2) Through diet

(3) Both 1 and 2

(4) None of these

Title: Biomolecules

66. "Ramachandran plot" is used to confirm the structure of :

(1) RNA

(2) Proteins

(3) Triachylglycerides

(4) DNA

67. A non-proteinaceous enzyme is

(1) Lysozyme

(2) Ribozyme

(3) Ligase

(4) Deoxyribonuclease.

Title: Biomolecules

68. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Nonprotein constituent called cofactor are bound to enzyme to make the enzyme catalytically active.

Reason (R) : Only co-enzyme serve as cofactor in enzyme catalyzed reaction.

In the light of the above statements, choose the correct answer from the options given below

(1) Both (A) and (R) are true but (R) is not the correct explanation of (A)

(2) (A) is true but (R) is false

(3) (A) is false but (R) is true

(4) Both (A) and (R) are true and (R) is the correction explanation of (A)

Title: Biomolecules

69. Recognise diagram and choose correct option :



(1) A – Secondary	–	Alpha helix
B – Primary	–	Beta plated sheet
(2) A – Secondary	–	Beta plated sheet
B – Tertiary	–	Alpha helix
(3) A – Primary	–	Alpha helix
B – Secondary	–	Beta plated sheet
(4) A – Secondary	–	Alpha helix
B – Secondary	–	Beta plated sheet

Title: Biomolecules

70. Given below are two statements :

Statement I : Each enzyme shows it highest activity at optimum temperature and optimum pH.

Statement-II : Enzyme Isolated from organism who normal live under extremely high temperatures are stable and retain their catalytic power even at high temperature (upto 800C-900C).

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

Title: Biomolecules

71. Amino acids are organic compounds containing an amino group and an acidic group on same ________ carbon

(1) Beta

(2) Alpha

(3) Gamma

(4) Delta

72. Select the option which is not correct with respect to Co-factor.

(1) Catalytic activity is lost when the co-factor is removed from the enzyme

(2) Cofactor play a crucial role in the catalytic activity of the enzyme.

(3) Three kinds of cofactors may be identified prosthetic groups, apoenzymes and metal ions.

(4) Three kinds of cofactors may be identified:prosthetic groups, Co-enzymes and metal ions.

Title: Biomolecules

73. Which of the following represents uridylic acid :

(1) Uracil + Ribose

(2) Uridine + Phosphoric acid

(3) Uracil + Phosphoric acid

(4) Uridine + Ribose + Phosphoric acid

Title: Biomolecules

74. Number of peptide bonds in dipeptide and type of bond between nitrogen bases and sugar of nucleic acid are

(1) Two and N-glycosidic bonds

(2) One and ester bond

(3) One and N-glycosidic bonds

(4) Two and peptide bond

Title: Biomolecules

75. Nicotinamide adenine dinucleotide (NAD) and NADP contain the vitamin niacin are example of

(1) Prosthetic groups

(2) Co-enzymes

(3) Metal ions.

(4) All of these

Title: Biomolecules

76. Which one of the following is incorrect match :

(1) Primary metabolite	– Amino acids
(2) Secondary metabolite	– Cellulose
(3) GLUT–4	– Fight infectious agent
(4) Alkaloids	– Codeine

Title: Biomolecules

77. The number of fatty acid molecule which is present in mono, Di and Triglycerides respectively :

(1) 1, 2, 3

(2) 0, 1, 2

(3) 1, 1, 1

(4) 2, 3, 4

Title: Biomolecules

78. Which of the following is not a protein :

(1) GLUT-4

(2) Collagen

(3) Inulin

(4) Antibody

Title: Biomolecules

79. Which of the following affect the activity of simple enzyme :

(1) Temperature

(2) pH

(3) Substrate concentration

(4) All of these

Title: Biomolecules

80. Few secondary metabolites and their examples are mentioned below. Select the incorrect pair

(1) Alkaloids	-	Morphine, Codeine
(2) Drugs	-	Vinblastin, Curcumin
(3) Toxins	-	Concanavalin A
(4) Essential oils	-	Lemon grass oil

Title: Biomolecules

81. Given below are two statements :

Statement I : Morphine abrin, cellulose Ricin are Secondary metabolite.

Statement-II : We do not at the moment understand the role or function of all 'Secondary metabolite' in Host organism.

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

82. The given structures A,B,C are respectively



(1) Alanine, cholesterol, serine

(2) Glycine, lecithin, serine

(3) Serine, cholestrol, glycine

(4) Alanine,triglyceride, serine

Title: Biomolecules

83. Given below are two statements :

Statement I : Stability is something related to energy status of the molecule or the structure.

Statement II : During the state where substrate is bound to the enzyme active site, a new structure of substrate called transition state structure formed.

Choose the correct answer from the options given below.

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

Title: Biomolecules

84. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Cellulose can not hold I_2.

Reason (R) : Cellulose does not contain complex helices.

In the light of the above statements, choose the correct answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(2) (A) is correct but (R) is not correct

(3) (A) is not correct but (R) is correct

(4) Both (A) and (R) are correct and (R) is the correct explanation of (A)

Title: Biomolecules

85. Given below are two statements :

Statement I : Inorganic compound like sulphate, phosphate etc never seen in acid soluble fraction

Statement II : Carbon and hydrogen is higher in any living organism than in earth's crust

Choose the correct answer from the options given below.

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

86. Enzymes that catalyze the removal of groups from the substrate by mechanisms other than hydrolysis, leaving double bonds, belong to:

(1) Dehydrogenases

(2) Hydrolases

(3) Lyases

(4) Transferases

Title: Biomolecules

87. The class of enzymes present in lysosomes is:

(1) Lyases

(2) Ligases

(3) Hydrolases

(4) Transferases

88. Which one is not a disaccharide?

(1) Lactose

(2) Sucrose

(3) Maltose

(4) Starch

89. Glycosidic bond is formed between:

(1) Carbon and oxygen atoms of two adjacent monosaccharides

(2) Carbon and hydrogen atoms of two adjacent monosaccharides

(3) Hydrogen and oxygen atoms of two adjacent monosaccharides

(4) Two carbon atoms of two adjacent monosaccharides

Title: Biomolecules

90. The bond between the phosphate and hydroxyl group of sugar is called:

(1) Glycosidic bond

(2) Phosphoanhydride bond

(3) Ester bond

(4) Peptide bond

Title: Biomolecules

91. Which of the following groups contain all polysaccharides?

(1) Glycogen, sucrose, and maltose

(2) Sucrose, glucose, and fructose

(3) Maltose, lactose, and fructose

(4) Glycogen, cellulose, and starch

Title: Biomolecules

92. Starch is a polymer of:

(1) Glucose

(2) Fructose

(3) Maltose

(4) Sucrose

Title: Biomolecules

93. Chitin is a polymer of:

(1) N-acetyl muramic acid

(2) N-acetyl gluconic acid

(3) N-acetyl glucosamine

(4) None of the above

Title: Biomolecules

94. Find out the wrongly matched pair:

(1) Primary metabolite — Ribose

(2) Secondary metabolite — Anthocyanin

(3) Protein — Insulin

(4) Cellulose — Heteropolymer

95.Which of the following bond formation is dehydration synthesis?

(1) Peptide bond

(2) Glycosidic bond

(3) Phosphodiester bond

(4) All of the above

96. Inulin is a polymer of:

(1) Glucose

(2) Fructose

(3) Galactose

(4) Sucrose

Title: Biomolecules

97. Which of the following groups represents only primary metabolites?

(1) Glucose, ribose, glycine, alanine, cholesterol

(2) Lecithin, serine, glycerol, palmitic acid, nucleotide

(3) Adenosine, nucleosides, nitrogen bases, adenylic acid, triglyceride

(4) All of the above

Title: Biomolecules

98. A protein is imagined as a line; the left end is represented by the first amino acid, and the right end is represented by the last amino acid. The first and last amino acids are called as:

(1) N-terminal amino acid and C-terminal amino acid, respectively

(2) C-terminal amino acid and N-terminal amino acid, respectively

(3) O-terminal amino acid and C-terminal amino acid, respectively

(4) NH_2-terminal amino acid and COOH-terminal amino acid, respectively

Title: Biomolecules

99. Recognize the figure and find out the correct matching:



(1) (A)—Primary structure; (B)—Secondary structure

(2) (A)—Secondary structure; (B)—Primary structure

(3) (A)—Secondary structure; (B)—Tertiary structure

(4) (A)—Tertiary structure; (B)—Quaternary structure

Title: Biomolecules

100. Peptide bond is formed when:

(1) Carboxyl group of one amino acid reacts with the carboxyl group of the next amino acid

(2) Amino group of one amino acid reacts with the amino group of the next amino acid

(3) Carboxyl group on one amino acid reacts with the amino group of the next amino acid

(4) Amino group on one amino acid reacts with the carboxyl group of the next amino acid

THANK YOU

BIOLOGYLIVE