# ENTHUSE COURSE

## PHASE : MEA,B,D,C,F,G,H,L,M,N,O,P,Q,R,S,U & MEV

## TARGET : PRE-MEDICAL 2025

Test Type : **SRG-MAJOR** Test Pattern : **NEET (UG)**

## TEST DATE : 18-01-2025

## ANSWER KEY

| Q. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| A. | 1 | 3 | 2 | 3 | 4 | 2 | 3 | 2 | 4 | 3 | 3 | 2 | 2 | 3 | 1 | 3 | 3 | 1 | 1 | 1 | 4 | 3 | 1 | 1 | 3 | 1 | 1 | 3 | 1 | 3 |
| Q. | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| A. | 3 | 3 | 4 | 2 | 2 | 2 | 4 | 2 | 4 | 2 | 1 | 3 | 4 | 2 | 2 | 3 | 1 | 1 | 1 | 3 | 3 | 2 | 3 | 4 | 2 | 4 | 1 | 1 | 3 | 3 |
| Q. | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 |
| A. | 3 | 1 | 2 | 4 | 3 | 2 | 3 | 3 | 3 | 2 | 1 | 3 | 4 | 1 | 3 | 1 | 1 | 4 | 3 | 4 | 1 | 3 | 3 | 3 | 2 | 3 | 3 | 3 | 2 | 2 |
| Q. | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 |
| A. | 1 | 2 | 4 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 4 | 3 | 3 | 1 | 4 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 3 | 1 | 4 | 1 | 4 | 3 | 2 | 3 |
| Q. | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | 139 | 140 | 141 | 142 | 143 | 144 | 145 | 146 | 147 | 148 | 149 | 150 |
| A. | 2 | 2 | 3 | 1 | 3 | 1 | 3 | 1 | 3 | 3 | 4 | 2 | 1 | 3 | 4 | 1 | 1 | 3 | 3 | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 |
| Q. | 151 | 152 | 153 | 154 | 155 | 156 | 157 | 158 | 159 | 160 | 161 | 162 | 163 | 164 | 165 | 166 | 167 | 168 | 169 | 170 | 171 | 172 | 173 | 174 | 175 | 176 | 177 | 178 | 179 | 180 |
| A. | 2 | 2 | 4 | 3 | 1 | 3 | 1 | 3 | 2 | 4 | 1 | 4 | 4 | 4 | 3 | 1 | 3 | 4 | 1 | 1 | 1 | 3 | 1 | 4 | 2 | 3 | 3 | 3 | 3 | 1 |
| Q. | 181 | 182 | 183 | 184 | 185 | 186 | 187 | 188 | 189 | 190 | 191 | 192 | 193 | 194 | 195 | 196 | 197 | 198 | 199 | 200 | | | | | | | | | | |
| A. | 3 | 2 | 4 | 4 | 4 | 2 | 1 | 1 | 3 | 2 | 4 | 4 | 3 | 3 | 3 | 4 | 2 | 3 | 3 | 2 | | | | | | | | | | |

## HINT – SHEET

### SUBJECT : PHYSICS

#### SECTION - A

**1. Ans ( 1 )**

$Q_{Total} = 3Q + Q - 2Q = 2Q$ charge on outer

surfaces of first and third plates

$= \frac{2Q}{2} = Q$




**2. Ans ( 3 )**




Max. charge on $C_1 \Rightarrow (\theta_1)_{max} = C_1V_1$
$= 12 \times 10^{-3}$ C

Max. charge on $C_2 \Rightarrow (\theta_2)_{max} = C_2V_2$
$= 8 \times 10^{-3}$ C

So, final max. charge will be according to $C_2$

$$\Rightarrow V_1 = \frac{(Q_2)_{max}}{C_1} = \frac{8 \times 10^{-3}}{2 \times 10^{-6}} = 4KV$$

$\& \ V_2 = 2KV$

$\Rightarrow V_{max} = V_1 + V_2 = 6KV$

**3. Ans ( 2 )**

$$R = \frac{V}{I_g} - G = \frac{20}{0.01} - 20$$

$= 1980\ \Omega$

**4. Ans ( 3 )**




Apply KCL ; $i_1 = i_2 + i_3$

$$\frac{10 - V_P}{10} = \frac{V_P - 6}{20} + \frac{V_P - 5}{30}$$

$\Rightarrow 60 - 6V_P = 3V_P - 18 + 2\,V_P - 10$

$11\,V_P = 88 \Rightarrow V_P = 8$ Volt

**5. Ans ( 4 )**

$$v_d = \frac{I}{Ane} = \frac{20}{10^{-6} \times 10^{29} \times 1.6 \times 10^{-19}}$$
$= 1.25 \times 10^{-3}\ \mathrm{ms^{-1}}$

**6. Ans ( 2 )**

$$B_P = \frac{\mu_0 I}{4\pi r}(\sin\theta_1 + \sin\theta_2)$$

$$B_P = \frac{\mu_0 I}{4\pi(4\ell)} \times 2 \times \frac{3\ell}{5\ell}$$

$$B_P = \frac{3\mu_0 I}{40\pi\ell}.\otimes$$

**7. Ans ( 3 )**

$B_{sol} = \mu_0 nI - \mu_0 nI$

(inner) (outer)

$$= \frac{\mu_0 \times 50 \times 3}{0.1} - \frac{\mu_0 \times 40 \times 3}{0.1} = \frac{\mu_0 \times 3 \times 10}{0.1}$$
$= 12\pi \times 10^{-5}$ T

**8. Ans ( 2 )**

According to following figure $\sin\theta = \dfrac{d}{r}$

also $r = \dfrac{\sqrt{2mE}}{qB} = \dfrac{1}{B}\left(\sqrt{\dfrac{2mV}{q}}\right)$

$$\therefore \sin\theta = 0.5 \times 0.1\sqrt{\frac{1.6 \times 10^{-19}}{2 \times 1.6 \times 10^{-27} \times 500 \times 10^{3}}}$$

$= \dfrac{1}{2} \Rightarrow \theta = 30°$




**9. Ans ( 4 )**

$$\eta = \frac{V_s i_s}{V_p i_p} \times 100 = \frac{11 \times 90}{220 \times 5} = 90\%$$

**10. Ans ( 3 )**

$\dfrac{V^2}{z}\cos\phi = 330$ and $\dfrac{R}{z} = 0.6 \Rightarrow R = 0.6\,z$

$X_L = \sqrt{z^2 - R^2}$

and when power factor = 1

then $X_L = X_C = \dfrac{1}{\omega C}$

**11. Ans ( 3 )**

Here, L = 2H, C = 32μF = $32 \times 10^{-6}$ F, R = 10Ω

$\therefore$ Resonance frequency,

$$\omega_r = \frac{1}{\sqrt{LC}} = \frac{1}{\sqrt{2 \times 32 \times 10^{-6}}} = \frac{10^3}{8}\ \mathrm{rad\,s^{-1}}$$

$$\text{Quality factor} = \frac{\omega_r L}{R} = \frac{10^3 \times 2}{8 \times 10} = 25$$

**12. Ans ( 2 )**

Momentum $P = \dfrac{E}{C}$

$$= \frac{24\frac{W}{Cm^2} \times 50\,cm^2 \times 60\,sec}{3 \times 10^8} = 2.4 \times 10^{-4}\ \text{kg m/s}$$

**13. Ans ( 2 )**

$\delta = i + e - A \Rightarrow A = 45°$ (i = 15°; e = 60°)

**14. Ans ( 3 )**

$$\frac{1}{f} = \left(\frac{3}{2} - 1\right)\left(\frac{1}{20} - \frac{1}{-20}\right) \Rightarrow f = 20\ \text{cm}$$

$$m = \frac{f}{u + f} = \frac{20}{-30 + 20} = -2$$

hi = – 2 × 2 cm = – 4 cm

**15. Ans ( 1 )**

$(\mu_1 - 1)t_1 = (\mu_2 - 1)t_2$

$(1.5 - 1)(1.2 \times 10^{-6}) = (2.5 - 1)(t_2)$

$t_2 = 0.4 \times 10^{-6}$ m

**16. Ans ( 3 )**

$$eV_0 = \frac{1}{2}mv^2_{max}\ ;\ V_0 = \frac{1}{2}\frac{v^2_{max}}{(e/m)}$$

**17. Ans ( 3 )**

$$\lambda = \frac{h}{\sqrt{2m\,qV}}\ ;\ \lambda \propto \frac{1}{\sqrt{mq}}$$

**18. Ans ( 1 )**

Max supply voltage = 10 V

$V_2 = 10$ V, $V_s = 10 - 8 = 2$V

$I_2 = \dfrac{1.6W}{8V} = 0.2$ A, $I_L = \dfrac{8}{10} = 0.8$ A

$I_s = I_2 + I_L = 1A \Rightarrow R_s = \dfrac{V_s}{I_s} = \dfrac{2}{1} = 2\ \Omega$

**19. Ans ( 1 )**

$v = 2n(\ell_2 - \ell_1)$

$= 2 \times 500\ (49.2 - 16) \times 10^{-2} = 332$ m/s

**20. Ans ( 1 )**

Heat gain by B = Heat loss by A

$mS_B(36 - 30) = mS_A(40 - 36)$

$S_A : S_B = 3 : 2$

**21. Ans ( 4 )**

$$V = \frac{2}{9\eta} r^2 (\rho - \sigma) g$$

Here $v_1 = v_2$

$r_1^2(\rho_1 - \sigma) = r_2^2(\rho_2 - \sigma)$

$$\frac{r_1^2}{r_2^2} = \frac{11-2}{8-2} = \frac{3}{2} \Rightarrow \frac{r_1}{r_2} = \sqrt{\frac{3}{2}}$$

**22. Ans ( 3 )**

$$\text{unit vector} \perp \text{ to } \vec{A} \ \& \ \vec{B} = \frac{\vec{A} \times \vec{B}}{|\vec{A} \times \vec{B}|}$$

$$\vec{A} \times \vec{B} = \begin{vmatrix} i & j & k \\ 2 & 2 & -1 \\ 6 & -3 & 2 \end{vmatrix}$$

$= i(4 - 3) - j\ (4 + 6) + k\ (-6 - 12)$

$= \hat{i} - 10\hat{j} - 18\hat{k}$

$$\text{so unit vector} = \frac{\hat{i} - 10\hat{j} - 18\hat{k}}{5\sqrt{17}}$$

**23. Ans ( 1 )**

Dimensional value of

$$G^{\frac{1}{2}} h^{\frac{1}{2}} C^{-\frac{5}{2}} = \sqrt{\frac{Gh}{C^5}} = \sqrt{\frac{(M^{-1}L^3T^{-2})(ML^2T^{-1})}{L^5T^{-5}}}$$

$= \sqrt{T^2} = [T]$

**24. Ans ( 1 )**

Distance travelled in 4 sec

$24 = 4u + \frac{1}{2} a \times 16$ ...(i)

Distance travelled in total 8 sec

$88 = 8u + \frac{1}{2} a \times 64$ ...(ii)

After solving (i) and (ii), we get u=1 m/s.

**25. Ans ( 3 )**

$u = 2\hat{i} + \hat{j}$

$u_x = 2$ ; $u_y = 1$

$y = x \tan\theta - \frac{1}{2} \frac{gx^2}{u_x^2}$ ... (1)

$\tan\theta = \frac{u_y}{u_x} = \frac{1}{2}$

**26. Ans ( 1 )**

(1) N = mg = 600 N

(2) N = m(g + a) = 40(10 + 2) = 480 N

(3) N = m(g − a) = 70(10 − 2) = 560 N

**27. Ans ( 1 )**

$a = \frac{3g}{5} = 6\text{m/sec}^2$

$T = 2a = 12$ N

$S = \frac{1}{2}at^2 = \frac{1}{2}(6)(2)^2 = 12$m

$P = \frac{W}{t} = \frac{TS}{t} = \frac{12 \times 12}{2} = 72$ watt

**28. Ans ( 3 )**

ME = 30 J

$U_B = U_D = 35$ J > 30 J

Hence particle will never reach B and D will oscillate between B and D.

**29. Ans ( 1 )**

$$I = \frac{2}{5}\left(m\left(\frac{R}{2}\right)^2\right) + \left(\frac{2}{5}m\left(\frac{R}{2}\right)^2 + m(2R)^2\right)$$

$$= \frac{2}{5}\frac{mR^2}{4} + \frac{2}{5}\frac{mR^2}{4} + 4MR^2$$

$$= mR^2\left(\frac{1}{10} + \frac{1}{10} + 4\right)$$

$$= mR^2\left(\frac{1}{5} + 4\right) = \frac{21}{5}mR^2$$

**30. Ans ( 3 )**

$T \propto r^{3/2}$

$$\frac{T_2}{T_1} = \left(\frac{r_2}{r_1}\right)^{3/2} \Rightarrow T_2 = \left(\frac{4R}{R}\right)^{3/2} \times 1.4$$

$T_2 = 8\sqrt{2}$ hr

**31. Ans ( 3 )**

By energy conservation

$$\frac{1}{2}F\,\Delta l = \frac{1}{2}mv^2\ ;\ \frac{YA(\Delta\ell)^2}{\ell} = mv^2$$

**32. Ans ( 3 )**

$$K_{eq} = \frac{\ell_1 + \ell_2}{\frac{\ell_1}{K_1} + \frac{\ell_2}{K_2}} = \frac{6.5}{\frac{4}{K} + \frac{2.5}{2K}} = \frac{6.5}{\frac{10.5}{2K}}$$

$$K_{eq} = \frac{130K}{105}$$

From given condition $\frac{130K}{105} = \left(1 + \frac{5}{\alpha}\right)K$

$$\frac{5}{\alpha} = \frac{130}{105} - 1 = \frac{25}{105}$$

$\alpha = 21$

**33. Ans ( 4 )**

$Q \propto \left(T^4 - T_0^4\right)$

$\frac{Q_2}{Q_1} = \frac{(1500)^4 - (500)^4}{(1000)^4 - (500)^4} = \frac{81-1}{16-1} = \frac{80}{15}$

$Q_2 = \frac{16}{3} \times Q_1 = \frac{16}{3} \times 60 = 320W$

**34. Ans ( 2 )**

$\Delta w = P(V_2 - V_1) = 5 \times 10^5 (9-3) \times 10^{-3} = 3000$ J

$du = \frac{P(V_2 - V_1)}{\gamma - 1} = \frac{3000}{\frac{5}{3} - 1} = 4500J$

$\Delta Q = du + \Delta w = 4500 + 3000 = 7500$ J

**35. Ans ( 2 )**

$n_A = 256$

As tuning fork A when sounded with tuning fork B gives four beats, therefore the frequency $n_B$ of tuning fork B is,

$n_B = 256 \pm 4 = 252$ or $260$

When the tuning fork A is slightly loaded with wax, the frequency of A decreases and the difference between two frequencies decreases if

$n_B = 252$

As on sounding beats decreases, hence

$n_B = 252$ Hz.

**SECTION - B**

**36. Ans ( 2 )**

$\phi = \frac{\pi}{3}$ ; $\alpha = \tan^{-1}\left(\frac{1}{2}\tan 60^\circ\right)$

$= \tan^{-1}\left(\frac{\sqrt{3}}{2}\right)$

angle with x-axis

$= \phi + \alpha = \frac{\pi}{3} + \tan^{-1}\left(\frac{\sqrt{3}}{2}\right)$

**37. Ans ( 4 )**

$\varepsilon = -\vec{B}.\frac{d\vec{A}}{dt} = -\vec{B}.(\vec{\ell} \times \vec{v})$

$= -(3\hat{i} + 4\hat{j} + 5\hat{k}).(5\hat{j} \times \hat{i})$

$\varepsilon = 25$ volt

**38. Ans ( 2 )**

$m = \frac{f}{f-u} \Rightarrow -3 = \frac{-24}{-24-u}; +3 = \frac{-24}{-24-u}$

u = 32 cm of 16 cm

**39. Ans ( 4 )**

$V_p = \frac{1240}{560} - 2 = 0.2$ V

$V_q = \frac{1240}{450} - 2.5 = 0.25$ V

$V_r = \frac{1240}{350} - 3 = 0.5$ V

**40. Ans ( 2 )**

$BE = \Delta m.c^2$

**42. Ans ( 3 )**

$a_{avg} = \frac{4.8 + 4.9 + 5.2 + 5.0 + 5.1}{5}$

$= 5.0$

$\overline{\Delta a} = \frac{0.2 + 0.1 + 0.2 + 0.0 + 0.1}{5}$

$= \frac{0.6}{5} = 0.12$

$\therefore$ % error $= \frac{\overline{\Delta a}}{a_{avg}} \times 100$

$= \frac{0.12}{5.0} \times 100 = \frac{12}{5.0} = 2.4\%$

**43. Ans ( 4 )**




$a = \frac{F}{10}$

$f = 0.8 \times 4 \times 10$

$= 32$ N

$32 = 4 \times \frac{F}{10}$

F = 80 N

**44. Ans ( 2 )**

During the collision due to deformation some energy is stored as potential energy

**45. Ans ( 2 )**




$v_1 = \frac{m_1 - m_2}{m_1 + m_2}u_1 = \frac{v_0}{2}$

$v_2 = \frac{2m_1}{m_1 + m_2}u_1 = \frac{v_0}{2}$

$t = \frac{S_{rel}}{V_{rel}} = \frac{2\pi R}{\frac{v_0}{2} + \frac{v_0}{2}} = \frac{2\pi R}{v_0}$

**46. Ans ( 3 )**

For $v \geqslant \sqrt{5g\ell}$,

the bob will complete a vertical circular path

For $v_0 = \sqrt{5g\ell}$

At lowest point, $T - mg = \frac{m}{\ell}(5g\ell) \Rightarrow T = 6mg$

For $v_0 = 3\sqrt{g\ell}$

At highest point, $v^2 = v_0^2 - 4g\ell = 5g\ell$

$T + mg = \frac{m}{\ell}(5g\ell) \Rightarrow T = 4mg$

For $\sqrt{2g\ell} < v < \sqrt{5g\ell}$, the bob will execute projectile motion

For $v < \sqrt{2g\ell}$, the bob oscillates

**47. Ans ( 1 )**

$$\Delta KE = \frac{1}{2}M(2V)^2\left(1+\frac{K^2}{R^2}\right) - \frac{1}{2}MV^2\left(1+\frac{K^2}{R^2}\right)$$

$$= \frac{1}{2}M\left(1+\frac{K^2}{R^2}\right)(4V^2 - V^2)$$

$$= \frac{1}{2}M\left(\frac{3}{2}\right)(3V^2) = \frac{9}{4}MV^2$$

**48. Ans ( 1 )**

$g_{eff} = g - \omega^2 R\cos^2(\lambda)$

$0 = g - \omega^2 R\cos^2(37°)$

$0 = g - \omega^2 R\left[\frac{4}{5}\right]^2$

$g = \omega^2 R\left[\frac{16}{25}\right]$ ; $\omega^2 = \frac{25g}{16R}$ ; $\omega = \frac{5}{4}\sqrt{\frac{g}{R}}$

**49. Ans ( 1 )**

$\frac{1}{2}\rho V_u^2 + P_u = \frac{1}{2}\rho V_L^2 + P_L$

$P_L - P_u = \frac{1}{2}\rho V_u^2 - \frac{1}{2}\rho V_L^2 = \frac{1.3}{2}(70^2 - 60^2)$

$F_{up} = (P_L - P_u)A = \frac{1.3}{2}(70+60)(70-60) \times 2.5$

$= 2.11 \times 10^3$ N

**50. Ans ( 3 )**

We know that KE and PE are equal at $x = \frac{A}{\sqrt{2}}$

for 1st time, for which, $\theta = 45°$




angle covered by particle, $\phi = 45° - 30° = 15°$

$t = \frac{T}{360^\circ} \times 15^\circ = \frac{T}{24} = \frac{\left(\frac{2\pi}{4\pi}\right)}{24} = \frac{1}{48}$ sec

## SUBJECT : CHEMISTRY

### SECTION - A

**62. Ans ( 1 )**

Mwt of $BaSO_4$ = 233 gm

233 gm $BaSO_4$ contain $\longrightarrow$ 32 gm sulphur

0.4813 gm $BaSO_4$ $\longrightarrow \frac{32}{233} \times 0.4813$g sulphur

% sulphur $= \frac{32}{233} \times \frac{0.4813}{0.157} \times 100$

= 42.1 %

**64. Ans ( 4 )**

NCERT XI, Pg. # 94

**65. Ans ( 3 )**

Ionic Character $\propto$ bond Polarity

**68. Ans ( 3 )**

NCERT XII Pg. No. # 123, Part-I

**69. Ans ( 3 )**

NCERT XII Pg. No. # 113, Part-I

**70. Ans ( 2 )**

Cis - $[CrCl_2(OX)_2]^{3-}$ has no plane of symmetry while remaining all three have plane of symmetry.

**71. Ans ( 1 )**

NCERT XII Pg. No. # 132, Part-I

**72. Ans ( 3 )**



Rosy red complex

**74. Ans ( 1 )**

$$CO_2(g) \rightleftharpoons CO_{(g)} + \frac{1}{2}O_{2(g)}$$

| | | | |
|---|---|---|---|
| t=0 | 1 mole | 0 | 0 |
| $t=t_{eq}$ | $(1-\alpha)$ | $\alpha$ | $\alpha/2$ |

$$K = \frac{[CO] \times [O_2]^{1/2}}{[CO_2]}$$

$$= \frac{\alpha \times \left(\frac{\alpha}{2}\right)^{1/2}}{(1-\alpha)} = \frac{\frac{\alpha^{3/2}}{\sqrt{2}}}{(1-\alpha)}$$

$\because 1 >> \alpha \Rightarrow (1-\alpha) \approx 1$

$$K = \frac{\alpha^{3/2}}{\sqrt{2}}$$

80. **Ans ( 4 )**

Orbitals are 4s, 2s, 3p and 3d. Out of these 3d has highest energy.

83. **Ans ( 3 )**

$$T_2 = \left(\frac{V_1}{V_2}\right)^{\gamma-1} \cdot T_1$$

$$T_2 = \left(\frac{1}{32}\right)^{\frac{7}{5}-1} \cdot 600$$

$$T_2 = \frac{1}{4} \times 600 = 150\,K$$

$$\Delta H = nC_P\Delta T$$

$$\Delta H = 1 \times \frac{7}{2}R \times (150 - 600)$$

$$\Delta H = -1575\ R$$

## SECTION - B

91. **Ans ( 1 )**
NCERT XI, Pg. # 90

92. **Ans ( 2 )**
$NF_3$, $H_2O$, $H_2S$, HBr, HCl

93. **Ans ( 4 )**
NCERT XI Pg. No. # 127

94. **Ans ( 2 )**
Heteroleptic complex have two or more types of ligand

95. **Ans ( 1 )**



# SUBJECT : BOTANY

## SECTION - A

101. **Ans ( 4 )**
NCERT XII, Pg. # 23-24

102. **Ans ( 3 )**
NCERT (XII) Page No. # 77

103. **Ans ( 3 )**
NCERT, Pg. # 54

104. **Ans ( 1 )**
Module No. 8 Page. No.115

105. **Ans ( 4 )**
NCERT, Pg. # 90

106. **Ans ( 1 )**
NCERT, Pg # 207, 210

107. **Ans ( 1 )**
NCERT XII Pg : 229

108. **Ans ( 2 )**
NCERT, Pg. # 9

109. **Ans ( 2 )**
NCERT Pg. # 5, 6

110. **Ans ( 3 )**
NCERT Pg. # 56

111. **Ans ( 3 )**
NCERT-XII, Pg. # (E)-57, (H)-64

112. **Ans ( 3 )**
XII NCERT page No. # 117, 121 (E), 128, 133 (H)

113. **Ans ( 3 )**
XII NCERT Page No. # 77, 78

115. **Ans ( 4 )**
NCERT-XII, Pg. # 107, Fig. 6.8

116. **Ans ( 1 )**
NCERT XII, Pg. # 223

117. **Ans ( 4 )**
NCERT-XII, Pg. No. # 230

118. **Ans ( 3 )**
NCERT, Pg. # 196

119. **Ans ( 2 )**
NCERT-XII, Pg. # 237

120. **Ans ( 3 )**
NCERT-XI, Pg. No. # 09

121. **Ans ( 2 )**
Module Pg.# 50

122. **Ans ( 2 )**
NCERT Pg. No. # 18, 27, 29

124. **Ans ( 1 )**
NCERT XI Pg. # 222, 223

125. **Ans ( 3 )**
NCERT XI Page No. 218, 217

126. **Ans ( 1 )**
NCERT Pg. 158

127. **Ans ( 3 )**
NCERT-XI, Pg # 250

128. **Ans ( 1 )**
NCERT, Pg. # 157, 163

129. **Ans ( 3 )**
XI-NCERT Page No. # 74,75

130. **Ans ( 3 )**
NCERT XI Pg : 76, 77

131. **Ans ( 4 )**
NCERT Pg. No. # 6

132. **Ans ( 2 )**
NCERT-XI, Pg. # 91

133. **Ans ( 1 )**
NCERT-XI, Pg. # 75

134. **Ans ( 3 )**
NCERT-XI, Pg. # 89

## SECTION - B

136. **Ans ( 1 )**
NCERT-XII Pg.27

137. **Ans ( 1 )**
NCERT XII Pg. # 61

138. **Ans ( 3 )**
NCERT, Pg. # 89

139. **Ans ( 3 )**
NCERT, Pg. # 212

140. **Ans ( 3 )**
NCERT XII Page No. 219,220

141. **Ans ( 1 )**
NCERT, Pg. # 77, Table

142. **Ans ( 2 )**
NCERT-XII, Pg.# 235

143. **Ans ( 1 )**
NCERT Pg.# 246 (module Pg.# 23)

145. **Ans ( 1 )**
XI-NCERT Page No. # 73

146. **Ans ( 1 )**
NCERT, Pg. # 247

147. **Ans ( 2 )**
NCERT XI, Pg. # 230

148. **Ans ( 1 )**
NCERT XI Pg#230,236

150. **Ans ( 1 )**
NCERT-XI, Pg.#23

# SUBJECT : ZOOLOGY

## SECTION - A

151. **Ans ( 2 )**
NCERT, Pg. # 112

152. **Ans ( 2 )**
NCERT Pg # 49,50,51

153. **Ans ( 4 )**
NCERT Pg. # 41

154. **Ans ( 3 )**
NCERT, Pg. # 39

155. **Ans ( 1 )**
NCERT Pg. # 200

156. **Ans ( 3 )**
NCERT Pg. # 199, 200

157. **Ans ( 1 )**
NCERT Pg. # 202

158. **Ans ( 3 )**
NCERT Pg. # 103

159. **Ans ( 2 )**
NCERT Pg. # 190

160. **Ans ( 4 )**
NCERT Pg. # 212, 213

161. **Ans ( 1 )**
NCERT Pg. # 206

162. **Ans ( 4 )**
NCERT Pg. # 316

163. **Ans ( 4 )**
NCERT Pg. # 46, 240

164. **Ans ( 4 )**
NCERT Pg. # 244, 245

165. **Ans ( 3 )**
NCERT XI$^{th}$ Pg.#337

166. **Ans ( 1 )**
NCERT-XI, Pg#310

167. **Ans ( 3 )**
NCERT, Pg. # 27

168. **Ans ( 4 )**
NCERT Pg. # 35

169. **Ans ( 1 )**
NCERT-XII Pg.47

171. **Ans ( 1 )**
NCERT Pg#139,140

172. **Ans ( 3 )**
NCERT Pg. # 135

174. **Ans ( 4 )**
NCERT Pg. # 117

175. **Ans ( 2 )**
XII NCERT Page. No :- 102

176. **Ans ( 3 )**
NCERT Pg. # 45

178. **Ans ( 3 )**
NCERT-XI, Pg. # 123, 125, 128
Statement A, B & D are correct

179. **Ans ( 3 )**
NCERT Pg. # 99

180. **Ans ( 1 )**
NCERT Pg # 144

181. **Ans ( 3 )**
NCERT Pg. # 112

182. **Ans ( 2 )**
NCERT-XI, Pg. # 106

183. **Ans ( 4 )**
NCERT, Pg. # 165 & 166

## SECTION - B

187. **Ans ( 1 )**
NCERT Page No. 183 (E), 201 (H)

188. **Ans ( 1 )**
NCERT-XII, Pg. # 214

189. **Ans ( 3 )**
NCERT XI Pg. No. # 146

190. **Ans ( 2 )**
NCERT-XII, Pg. # 87

191. **Ans ( 4 )**
NCERT Pg # 163

192. **Ans ( 4 )**
NCERT Pg # 49,50,51

193. **Ans ( 3 )**
NCERT-XII, Pg. # 121

194. **Ans ( 3 )**
NCERT Pg. # 184

195. **Ans ( 3 )**
NCERT Pg. # 209, 211, 212

196. **Ans ( 4 )**
NCERT Pg. No. # 240, 241

197. **Ans ( 2 )**
NCERT Pg. No. # 303

198. **Ans ( 3 )**
NCERT, Pg. # 36, 37

199. **Ans ( 3 )**
NCERT, Pg. # 44, 44, Para 3.2

200. **Ans ( 2 )**
NCERT Pg#141