Excretion - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025

Anmol Sharma • Lesson 15 • Jan 25, 2025

Excretory products and their elimination

BIOLOGYLIVE

All Type of Questions Covered:
1. NCERT Based Statement
2. Numerical Based
3. Graph Based
4. AR BAsed
5. PYQs Included
6. Match the collumn Based

Live this I'm Giving 190+ Live Test For Physics and Chemistry..!!

Physics Schedule: https://docs.google.com/spreadsheets/d/1nt_vs1nne0JnltVS1FTQdThUA-51yEQGwEsmaOoxl3w/edit?usp=sharing
Chemistry Schedule: https://docs.google.com/spreadsheets/d/1CPmBx3HfGHK00xE-o3nWz6XyC8U71RBZq85MxBrE8rA/edit?usp=sharing

Total Test: 190 Live Test

Physics Test: 101 Test
Chemistry Test: 95 Test

Price: Just 499Rs and 190 Live Test
Start Date: 1st Feb 2025

Buy NCERT Nichod Physics and chemistry Live Test: https://unacademy.com/goal/neet-ug/YOTUH/subscribe/KP26IA4RZG?referral_code=BIOLOGYLIVE1

After You Buy Share Invoice on email anmolsharma12385@gmail.com

We will add you in premium group their you get PDF of Every test After Session..!!

Title: Excretory Products and Their Elimination

1. Which of the following is a correct match?

(1) PCT- Brush bordered columnar epithelium

(2) PCT- Brush bordered cuboidal epithelium

(3) GFR- 125 L/min

(4) Renal vein - more urea

Title: Excretory Products and Their Elimination

2. Characteristic shared by urea, uric acid and ammonia are

i. They are nitrogenous wastes.

ii. They need small amount of water for excretion

iii. They are equally toxic

iv. They are secreted in kidney alone

(1) i, iii

(2) i, iv

(3) i, iii, iv

(4) i only

3. Uricotelic mode of passing out nitrogenous waste is found in

(1) Birds and annelids

(2) Amphibians and reptiles

(3) Insects and amphibians

(4) Reptiles and birds

4. Select the total number of excretory organs found in various animals from the following options Protonephridia, nephridia, Hepatic Ceacae, Malpighian tubules, green glands, kidney, Yellow body, fat body, urecose glands.

(1) 4

(2) 5

(3) 6

(4) 7

Title: Excretory Products and Their Elimination

5. Indication of diabetes mellitus is/are

(1) The presence of glucose in urine

(2) The presence of ketone bodies in urine

(3) The presence of amino acid in urine

(4) 1 and 2

6. Vasa recta are minute vessel of peritubular capillaries network, which is

(1) Also known as juxtaglomerular apparatus

(2) Running parallel to loop of Henle

(3) Running parallel to PCT

(4) Running parallel to DCT

Title: Excretory Products and Their Elimination

7. A fall in glomerular filtration rate activates:

(1) Juxtaglomerular cells to release renin

(2) Adrenal cortex to release aldosterone

(3) Adrenal medulla to release adrenaline

(4) Posterior pituitary to release vasopressin -

Title: Excretory Products and Their Elimination

8. Substances like glucose, amino acids, Na^+, etc., in the filtrate are reabsorbed ____ whereas the nitrogenous wastes are absorbed by ____ transport?

(1) passively, passively

(2) actively, passively

(3) passively, actively

(4) actively, actively

Title: Excretory Products and Their Elimination

9. Glomerulus along with Bowman's capsule is called

(1) Renal corpuscle

(2) Malpighian tubule

(3) Malpighian body

(4) 1 and 3

Title: Excretory Products and Their Elimination

10. Statement A : Ammonia produced by metabolism is converted into uric acid in the liver of these animals and released into the blood which is filtered and excreted out by the kidneys.

Statement B : Some amount of ammonia may be retained in the kidney matrix of some of these animals to maintain a desired osmolarity.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

11. Which of the following organisms is/are

1. ammonotelic **2. uricotelic** **3. ureotelic**

(A) Land snails **(B) Bony fishes**

(C) Mammals

(1) 1-C, 2-A, 3- B

(2) 1-A, 2-B, 3- C

(3) 1-B, 2-A, 3- C

(4) Both 1 and 2

Title: Excretory Products and Their Elimination

12. Identify correctly labeled parts in the following diagram?



(1) A- Ureter, B- Urinary bladder, C- Urethra, D- Kidney

(2) A-Kidney, B-Ureter, C-Urinary bladder, D-Urethra

(3) A- Urinary bladder, B- Ureter, C- Kidney, D- Urethra

(4) A- Urethra, B- Kidney, C- Urinary bladder, D- Ureter

13. If loop of Henle were absent from mammalian nephrons, which of the following is to be expected?

(1) There will be no urine formation

(2) The urine will be more dilute

(3) There will be hardly any change in quality and quantity of urine formed

(4) The urine will be more concentrated

14. Match the columns I and II and choose the correct option.

Column I		Column II	
A	PCT	P	Long duct extends from cortex of kidneys to inner medulla
B	Henle's loop	Q	Maintain sodium - potassium balance in blood
C	DCT	R	Maintain pH and ionic balance of body fluids
D	Collecting duct	S	Plays significant role in maintenance of high osmolarity of medullary interstitial fluid

(1) A-R, B-P, C-S, D-Q

(2) A-R, B-S, C-Q, D-P

(3) A-Q, B-P, C-S, D-R

(4) A-R, B-P, C-Q, D-S

Title: Excretory Products and Their Elimination

15. Assertion : Protonephridia or Flame cells in flatworms help in osmoregulation.

Reason : These serve as excretory organs only.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect

16. Assertion : Hilum is a part of human excretory system.

Reason : It is helpful in collection of urine.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect

17. The number of Bowman's capsules in a kidney is equal to the

(1) Number of loop of Henle

(2) Sum of Bowman's capsules and glomeruli

(3) Double the number of nephrons

(4) Sum of PCT and DCT

18. DCT helps in

(1) Conditional reabsorption of Na^+ and water

(2) Selective secretion of H^+ and K^+ and HCO_3^- reabsorption

(3) pH maintenance

(4) All are correct

19. The following substances are the excretory products in animals. Choose the least toxic form among them?

(1) Urea

(2) Uric acid

(3) Ammonia

(4) Carbon dioxide

20. In some of the nephrons, the loop of Henle is very long and runs deep into the medulla

(1) Peritubular nephrons

(2) Medullary nephrons

(3) Juxta-medullary nephrons

(4) Cortical nephrons

21. From the medullary interstitium, urea diffuses into

(1) Medullary collecting ducts

(2) The thick segment of ascending limb of loop of Henle

(3) The thin segment of ascending limb of loop of Henle

(4) Ascending limb of vasa recta

22. Statement A : Many bony fishes, aquatic amphibians and aquatic insects are ammonotelic in nature.

Statement B : Ammonia, as it is not readily soluble, is generally excreted by diffusion across body surfaces or through gill surfaces as ammonium ions.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

23. Which is the correct order for the path taken by urine after it leaves the kidney?



(1) 1, 2, 3 (2) 3, 2, 1

(3) 2, 3, 1 (4) 2, 1, 3

24. NaCl is returned to interstitium by

(1) Ascending limb of Henle's loop

(2) Descending limb of Henle's loop

(3) Ascending limb of vasa recta

(4) Descending limb of vasa recta

25. Reabsorption is minimum in which part of nephron?

(1) PCT

(2) DCT

(3) Collecting duct

(4) Ascending limbs of Henle's loop

26. What happens in micturition reflex?

(1) Contraction of striated muscles of bladder

(2) Contraction of the urethral sphincter

(3) Release of urine

(4) All of them

27. Choose the mismatched part of nephron with its function.

(1) Counter current-Vasa recta and loop of Henle

(2) PCT-Reabsorption of Na^+ and K^+

(3) DCT-Reabsorption of glucose

(4) Loop of Henle-Urine concentration

Title: Excretory Products and Their Elimination

28. Counter-current mechanism helps to maintain a concentration gradient. This gradient helps in

(1) Easy passage of water between the collecting tubule and medulla and so dilute urine is formed

(2) Easy passage of water from collecting tubule to interstitial fluid and thereby concentrating urine

(3) Easy passage to water from medullary interstitial fluid to collecting tubule and there by diluting urine

(4) Easy passage of water from medulla to collecting tubule and there by concentrating urine

Title: Excretory Products and Their Elimination

29. Which of the following does not favour the formation of large quantities of dilute urine?

(1) Alcohol

(2) Caffeine

(3) Renin

(4) Atrial- natriuretic factor

30. Statement A : The renal tubule begins with a double walled cup-like structure called glomerulus, which encloses the Bowman's capsule.

Statement B : Glomerulus along with Bowman's capsule is called renal tubule.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

31. Statement A : Angiotensin II activates the adrenal cortex to release Aldosterone.

Statement B : Aldosterone causes reabsorption of sodium ion and water from the distal parts of the tubule.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

32. Match the columns I and II and choose the correct option.

Column I	Column II
A Ammonotelic animals	P Mammals, marine fishes
B Ureotelic animals	Q Reptiles, birds
C Uricotelic animals	R Aquatic amphibians, aquatic insects

(1) A-P, B-R, C-Q
(2) A-Q, B-P, C-R
(3) A-R, B-P, C-Q
(4) A-P, B-Q, C-R

33. Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?

(1) Uremia and Renal Calculi

(2) Ketonuria and Glycosuria

(3) Renal calculi and Hyperglycaemia

(4) Uremia and Ketonuria

34. Statement A : Inner to the hilum is a broad funnel shaped space called the renal pelvis with projections called calyces.

Statement B : The outer layer of kidney is a tough capsule. Inside the kidney, there are two zones, an outer medulla and an inner cortex.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

35. Which segment helps in the pH maintenance of body fluid?

(1) PCT

(2) DCT

(3) Collecting duct

(4) All

Title: Excretory Products and Their Elimination

36. Which one of the following enables the mammalian kidney to regulate water reabsorption during states of dehydration?

(1) The cells of the tubules detect the osmotic pressure of the blood.

(2) Water is extracted from the glomerular filtrate in the proximal tubules.

(3) The kidney produces a hypotonic urine.

(4) ADH increase the permeability of the DCT and collecting ducts to water.

37. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Kidneys	P	Broad funnel shaped space
B	Renal pelvis	Q	Notch present towards the centre of the inner concave surface of the kidney
C	Hilum	R	Situated between the levels of last thoracic and third lumbar vertebrae
D	Columns of bertini	S	Present between medullary pyramids

(1) A-P, B-R, C-Q, D-P
(2) A-R, B-P, C-Q, D-S
(3) A-S, B-Q, C-R, D-P
(4) A-R, B-Q, C-P, D-S

38. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Cortical nephrons	P	Loop of Henle is very long
B	Juxta medullary nephrons	Q	U-shaped vessel runs parallel to loop of Henle
C	Peritubular capillaries	R	Loop of Henle too short
D	Vasa recta	S	Efferent arteriole emerging from the glomerulus

(1) A-P, B-Q, C-R, D-S

(2) A-P, B-R, C-S, D-Q

(3) A-R, B-P, C-S, D-Q

(4) A-Q, B-R, C-S, D-P

39. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Protonephridia	P	Insects
B	Malpighian tubules	Q	Crustaceans
C	Nephridia	R	Annelids
D	Antennary glands	S	Flatworms

(1) A – R, B – P, C – S, D – Q
(2) A – S, B – P, C – R, D – Q
(3) A – S, B – Q, C – R, D – P
(4) A – S, B – P, C – Q, D – R

40. Match the columns I and II and choose the correct option.

Column I		Column II	
A	PCT	P	Conditional reabsorption of Na^+
B	Ascending limb of Henle's loop	Q	Reabsorption of water only
C	Descending limb of Henle's loop	R	Reabsorption of salts only
D	DCT	S	Reabsorption of ions, water and organic nutrients

(1) A-Q, B-P, C-S, D-R

(2) A-Q, B-P, C-R, D-S

(3) A-P, B-S, C-Q, D-R

(4) A-S, B-R, C-Q, D-P

41. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Reabsorption of glucose, Na^+, amino acids	P	Passively in the initial segments of nephron
B	Reabsorption of nitrogenous wastes	Q	Active transport
C	Reabsorption of water	R	Passive transport

(1) A-Q, B-R, C-P

(2) A-P, B-R, C-Q

(3) A-R, B-Q, C-P

(4) A-R, B-P, C-Q

42. Match the columns I and II and choose the correct option.

	Column I		Column II
A	Glomerulus	P	Highly coiled network
B	Bowman's capsule	Q	Glomerulus along with Bowman's capsule
C	Malpighian body	R	Double walled cup-like Structure
D	PCT	S	Tuft of capillaries formed by the afferent arteriole

(1) A-P, B-S, C-Q, D-R
(2) A-Q, B-P, C-R, D-S
(3) A-P, B-S, C-R, D-Q
(4) A-S, B-R, C-Q, D-P

43. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Counter current mechanism	P	Nearly four times concentrated than the initial filtrate formed
B	Kidneys can produce urine	Q	Henle's loop and vasa recta
C	Concentration gradient	R	Mainly caused by NaCl and urea

(1) A-Q, B-P, C-R
(2) A-R, B-Q, C-P
(3) A-Q, B-R, C-P
(4) A-P, B-Q, C-R

44. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Delivers blood to the kidney	P	Proximal convoluted tubule
B	Carries urine to pelvis	Q	Ascending and descending limb
C	Collects nitrogenous waste from Bowman's capsule	R	Collecting duct
D	Loop of Henle	S	Renal artery

(1) A-S, B-R, C-P, D-Q

(2) A-P, B-S, C-Q, D-R

(3) A-Q, B-S, C-P, D-R

(4) A-S, B-Q, C-P, D-R

45. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Bowman's capsule	P	Renal artery
B	Contains more CO_2 and less urea	Q	Regulates amount of water excreted
C	Anti-diuretic hormone	R	Renal vein
D	Contains more urea	S	Glomerulus

(1) A-P, B-R, C-Q, D-S

(2) A-Q, B-P, C-R, D-S

(3) A-Q, B-R, C-S, D-P

(4) A-S, B-R, C-Q, D-P

46. Match the terms given in Column I with their physiological processes given in Column II and choose the correct answer

Column I		Column II	
A	Proximal convoluted	1	Formation of tubule concentrated urine
B	Distal convoluted	2	Filtration of blood tubule
C	Henle's loop	3	Reabsorption of 70-80% of electrolytes
D	Counter current	4	Ionic balance mechanism
E	Renal corpuscle	5	Maintenance of concentration gradient in medulla

(1) A – 3, B – 5, C – 4, D – 2, E – 1
(2) A – 3, B – 4, C – 1, D – 5, E – 2
(3) A – 1, B – 3, C – 2, D – 5, E – 4
(4) A – 3, B – 1, C – 4, D – 5, E – 2

47. Match the items in column I with those in column II.

Column I		Column II	
A	Nephritis	P	Diabetes mellitus
B	Uremia	Q	Renal calculi
C	Oxalate crystals	R	Dialysis
D	Ketone bodies	S	Glomerulus

(1) A – R, B – S, C – Q, D – P

(2) A – S, B – R, C – Q, D – P

(3) A – Q, B – P, C – S, D – R

(4) A – P, B – Q, C – R, D – S

Title: Excretory Products and Their Elimination

48. Different types of excretory structures and animals are given below. Match them appropriately and mark the correct answer from among those given:

Column I		Column II	
A	Protonephridia	P	Prawn
B	Nephridia	Q	Cockroach
C	Malphigian tubules	R	Earthworm
D	Green gland or Antennal gland	S	Flatworms

(1) D-P, C-Q, B-R, A-S

(2) B-P, D-Q, A-R, C-S

(3) D-P, C-Q, A-R, B-S

(4) B-P, C-Q, A-R, D-S

49. Match the columns I and II and choose the correct option.

Column I		Column II	
A	A fall in GFR can activate	P	180 L/ per day
B	Volume of filtrate formed	Q	Renal tubules
C	Amount of urine released	R	JG cells to release renin
D	Tubular reabsorption	S	1.5 L

(1) A-S, B-Q, C-R, D-P
(2) A-S, B-P, C-Q, D-R
(3) A-R, B-P, C-S, D-Q
(4) A-P, B-Q, C-R, D-S

50. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Osmoreceptors	P	Releases vasopressin
B	Hypothalamus	Q	Activates adrenal cortex to release Aldosterone
C	Juxtaglomerular cells	R	Activated by changes in blood volume and ionic concentration
D	Angiotensin-II	S	Release renin

(1) A-R, B-P, C-Q, D-S

(2) A-Q, B-P, C-R, D-S

(3) A-R, B-P, C-S, D-Q

(4) A-Q, B-R, C-P, D-S



51. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Podocytes	P	125 ml/min
B	GFR	Q	1100-1200 ml/min
C	Blood filtered by kidneys per minute	R	Special sensitive region formed by cellular modifications in DCT and afferent arteriole
D	Juxta Glomerular apparatus	S	Form filtration slits

(1) A-Q, B-R, C-P, D-S
(2) A-P, B-Q, C-R, D-S
(3) A-R, B-S, C-Q, D-P
(4) A-S, B-P, C-Q, D-R

Title: Excretory Products and Their Elimination

52. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Stretch receptors	P	Micturition
B	CNS passes motor messages	Q	Light yellow colour, pH= 6
C	Release of urine	R	Present on the wall of urinary bladder
D	Urine	S	To initiate contraction of smooth muscles of the bladder

(1) A-P, B-R, C-Q, D-S
(2) A-Q, B-P, C-R, D-S
(3) A-R, B-P, C-S, D-Q
(4) A-R, B-S, C-P, D-Q

53. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Lungs	P	Watery fluid containing NaCl, urea
B	Liver	Q	Remove large amounts of CO_2
C	Sweat gland	R	Eliminate sterols, hydrocarbons and waxes through sebum
D	Sebaceous gland	S	Secretes bilirubin and biliverdin

(1) A-Q, B-S, C-P, D-R

(2) A-Q, B-S, C-R, D-P

(3) A-S, B-Q, C-P, D-R

(4) A-P, B-R, C-S, D-Q

Title: Excretory Products and Their Elimination

54. Match the items given in Column I with those in Column II and select the correct option given below:

Column I		Column II	
A	Glycosuria	1	Accumulation of uric acid in joints
B	Gout	2	Mass of crystalized salts within the kidney
C	Renal calculi	3	Inflammation in glomeruli
D	Glomerulonephritis	4	Presence of glucose in urine

(1) A-2, B-3, C-1, D-4

(2) A-1, B-2, C-3, D-4

(3) A-3, B-2, C-4, D-1

(4) A-4, B-1, C-2, D-3

55. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Micturition	P	Slightly acidic and has characteristic odour
B	Indicator of diabetic mellitus	Q	25-30 gm per day
C	Amount of urea excreted	R	Glycosuria and ketonuria
D	Urine	S	Release of urine

(1) A-S, B-R, C-Q, D-P

(2) A-Q, B-P, C-R, D-S

(3) A-Q, B-R, C-S, D-P

(4) A-P, B-R, C-Q, D-S

56. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Atria of heart	P	Release renin
B	Adrenal cortex	Q	Release ANF
C	JG cells of kidney	R	Release aldosteron

(1) A-P, B-Q, C-R

(2) A-Q, B-P, C-R

(3) A-Q, B-R, C-P

(4) A-R, B-Q, C-P

Title: Excretory Products and Their Elimination

57. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Uremia	P	Insoluble mass of crystallized salts of oxalates
B	Renal calculi	Q	Accumulation of urea in blood
C	Glomerulo-nephritis	R	Inflammation of glomeruli of kidney

(1) A-Q, B-R, C-P

(2) A-Q, B-P, C-R

(3) A-R, B-Q, C-P

(4) A-P, B-R, C-Q

58. Match the items given in Column I with those in Column II and select the correct option given below:

Column I		Column II	
A	Ultrafiltration	1	Henle's loop
B	Concentration of urine	2	Ureter
C	Transport of urine	3	Urinary bladder
D	Storage of urine	4	Malphighian corpuscle
		5	Proximal convoluted tubule

(1) A-5, B-4, C-1, D-2
(2) A-4, B-1, C-2, D-3
(3) A-4, B-5, C-2, D-3
(4) A-5, B-4, C-1, D-3

59. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Ultra filtration	P	Henle's Loop
B	Concentration of urine	Q	Urinary bladder
C	Transport of urine	R	Ureter
D	Storage of urine	S	Malpighian body

(1) A-P, B-R, C-Q, D-S

(2) A-Q, B-P, C-R, D-S

(3) A-Q, B-R, C-S, D-P

(4) A-S, B-P, C-R, D-Q

60. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Aldosterone	P	Cause vasodilation of blood vessels
B	Anti-diuretic hormone	Q	Causes reabsorption of Na^+ and water from DCT
C	Renin	R	Prevent diuresis
D	Atrial Natriuretic Factor	S	Converts Angiotensinogen to Angiotensin-I

(1) A-R, B-S, C-Q, D-P

(2) A-Q, B-R, C-S, D-P

(3) A-P, B-R, C-S, D-Q

(4) A-Q, B-P, C-S, D-R

61. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Malpighian corpuscle, PCT and DCT	P	Dips into the medulla
B	Loop of Henle	Q	Situated in cortical region
C	Collecting duct	R	U-shaped vessel
D	Vasa recta	S	Open into the renal pelvis

(1) A-P, B-Q, C-S, D-R
(2) A-Q, B-P, C-S, D-R
(3) A-S, B-R, C-Q, D-P
(4) A-S, B-R, C-P, D-Q

62. Match the columns I and II and choose the correct option.

Column I		Column II	
A	Cortex	P	1200 $mOsmolL^{-1}$
B	Outer medulla	Q	600 $mOsmolL^{-1}$
C	Inner medulla	R	300 $mOsmolL^{-1}$

(1) A-R, B-P, C-Q

(2) A-P, B-Q, C-R

(3) A-R, B-Q, C-P

(4) A-P, B-R, C-Q

63. The given diagram is of nephron. Which part is called as Malpighian body in nephron?



(1) B + A

(2) A + D

(3) C + D

(4) B + C

64. The given diagram shows the reabsorption and secretion process of urine formation. 70 – 80% of electrolytes and water are reabsorbed by which segments?



(1) A- DCT

(2) A-PCT

(3) B- Henle's loop

(4) C- DCT

Title: Excretory Products and Their Elimination

65. Given diagram showing nephron structure. Identify the labeled (A-D) parts?



(1) A-Afferent arteriole, B-Glomerulus, C-Bowman's capsule, D-Efferent arteriole

(2) A- Glomerulus, B- Bowman's capsule, C- Efferent arteriole, D- Afferent arteriole

(3) A- Bowman's capsule, B- Glomerulus, C- Afferent arteriole, D- Efferent arteriole

(4) A-Efferent arteriole, B-Afferent arteriole, CGlomerulus, D- Bowman's capsule

66. The given diagram shows the reabsorption and secretion process of urine formation. Which molecules are actively reabsorbed in tubular segments?



(1) Nitrogenous wastes

(2) Water

(3) Glucose, amino acids, Na^+

(4) Both 1 and 3

67. Identify the given diagram in the question?



(1) Nitrogenous wastes

(2) Water

(3) Glucose, amino acids, Na+

(4) Both 1 and 3

68. The given diagram is of renal corpuscle. Name the labeled parts A-D?

(1) A-Afferent arteriole, B-Bowman's capsule, C-Efferent arteriole, D-PCT

(2) A-Bowman's capsule, B-PCT, C-Afferent arteriole, DEfferent arteriole

(3) A- Efferent arteriole, B-Bowman's capsule, C- PCT, DAfferent arteriole

(4) A-PCT, B-Afferent arteriole, C-Efferent arteriole, DBowman's capsule



69. The given figure shows the longitudinal section of kidney with few structures labelled as I, II, III & IV identify renal vein in the given figure.



(1) I

(2) II

(3) III

(4) IV

Title: Excretory Products and Their Elimination

70. Carefully observe the given figure and select the correct option?



I. In humans, the excretory system consists of a pair of kidneys, a pair of ureter, a urinary bladder and a urethra.

II. Kidneys are reddish brown, bean shaped structures between the levels of last thoracic and third lumbar vertebra close to the dorsal inner wall of the abdominal cavity.

III. The pineal gland is located on the head of kidney.

IV. Each kidney has nearly one million complex tubular structures called neurons.

(1) I, III, IV only (2) I, II, III only

(3) I, II only (4) All are correct

71. The diagram is showing mechanism of concentration of filtrate. Identify A and B in the diagram?

(1) A- Vasa recta, B- cortex

(2) A- Nephron, B- Vasa recta

(3) A-Cortex, B- Medulla

(4) A- Vasa recta, B- Nephron



72. The nephron shown in the picture given below is a



(1) Cortical nephron because the loop of Henle is very short

(2) Juxtamedullary nephron because vasa recta are welldeveloped

(3) Cortical nephron because vasa recta are poorly developed

(4) Juxtamedullary nephron because Malpighian corpuscle is present

73. Given diagram is longitudinal section of kidney. Identify the labeled (A-D) parts?



(1) A-Cortex, B-Renal capsule, C-Renal column, DMedullary pyramids

(2) A-Renal column, B-Medullary pyramids, C- Renal capsule, D- Cortex

(3) A-Medullary pyramids, B-Renal column, C- Cortex, DRenal capsule

(4) A-Renal capsule, B-Cortex, C-Medullary pyramids, DRenal column

Title: Excretory Products and Their Elimination

74. Assertion: Haemodialysis is used to clean the excretory products generated from the blood.

Reason : Dialysing fluid has same composition as that of plasma except nitrogenous wastes.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect

Title: Excretory Products and Their Elimination

75. Assertion : Conditional reabsorption of Na+ and water takes place in distal convoluted tubule (DCT).

Reason : The DCT allows passive absorption of Na^+ and active absorption of Cl^- along with water.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect

Title: Excretory Products and Their Elimination

76. Assertion: Diabetes insipidus is marked by excessive urination and too much thirst of water.

Reason : Anti-diuretic hormone (ADH) is secreted by the posterior lobe of pituitary gland.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect

Title: Excretory Products and Their Elimination

77. Assertion : The stretch receptors on the wall of urinary bladder do not signal the CNS when the urinary bladder fills with urine.

Reason : Micturition is a in voluntary process.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect

Title: Excretory Products and Their Elimination

78. Statement A : Reptiles, birds, land snails and insects excrete nitrogenous wastes as uric acid in the form of pellet or paste with a minimum loss of water and uricotelic animals.

Statement B : Kidneys play important role in excretion of ammonium ions.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

79. Statement A : Sweat produced by the sweat glands is a watery fluid containing NaCl, small amounts of uric acid, lactic acid.

Statement B : Sebaceous glands eliminate certain substances like sterols, hydrocarbons and waxes through sebum.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

80. Statement A : Nephridia are the tubular excretory structures of earthworms and other annelids.

Statement B : Nephridia help to remove nitrogenous wastes and do not maintain fluid and ionic balance.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

81. Statement A : Malfunctioning of kidneys can lead to accumulation of urea in blood, a condition called uremia.

Statement B : Haemodialysis is a process in which urea can be removed from the kidney of uremia patients.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

82. Statement A : The flow of filtrate in the two limbs of Henle's loop is in opposite directions and thus forms a counter current.

Statement B : The proximity between the Henle's loop and vasa recta, as well as the counter current in them help in maintaining an increasing osmolarity towards the inner medullary interstitium.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

83. Statement A : An increase in blood flow to the atria of the heart can cause the release of Atrial Natriuretic Factor (ANF).

Statement B : ANF can cause vasodilation and thereby decrease the blood pressure.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

84. Statement A : Glomerulus is a tuft of capillaries formed by the efferent arteriole- a fine branch of renal artery.

Statement B : Blood from the glomerulus is carried away by an efferent arteriole.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

85. Statement A : An adult human excretes on average 2-2.5 litres of urine per day.

Statement B : The urine formed is a light yellow coloured watery fluid which is slightly acidic and has a characteristic odour.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

86. Statement A : Animals accumulate ammonia, urea, uric acid, carbon dioxide, water and ions like Na+, K+, Cl− , phosphate, sulphate etc either by metabolic activities or by other means like excess ingestion.

Statement B : Ammonia, urea and uric acid are the major forms of nitrogenous wastes excreted by the animals.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

Title: Excretory Products and Their Elimination

87. Statement A : The renal tubule continues further to form a highly coiled network - proximal convoluted tubule (PCT)

Statement B : A hairpin shaped Henle's loop is the next part of the renal tubule which has a descending and an ascending limb.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.

88. Which of the following segment allows the passage of small amount of urea into medullary interstitium to keep up the osmolarity?

(1) Collecting duct

(2) DCT

(3) Loop of henle

(4) All are correct

89. Henle's loop of nephron plays a significant role in maitaining a high osmolarity in

(1) Interestrial fluid of hilum

(2) Medullary interstitial fluid

(3) Cortex interstitial fluid

(4) All of the above

Title: Excretory Products and Their Elimination

90. The characteristic that is shared by urea, uric acid and ammonia is/are:

A. They are nitrogenous wastes

B. They all need very large amount of , water for excretion

C. They are all equally toxic

D. They are produced in the kidneys

(1) A and D

(2) A, C and D

(3) A only

(4) A and C

Title: Excretory Products and Their Elimination

91. The projections of renal pelvis are called

(1) hilus

(2) calyces

(3) medullary pyramids

(4) renal columns

92. Select the correct matching.

(1) PCT → Proximal Conducting Tube

(2) GFR → Glomerular Filtration Ratio

(3) DCT → Distal Convoluted Tubule

(4) JGA → Juxtaglomerular Action

93. Atrial natriuretic factor (ANF) is released in response to the increase in blood volume and blood pressure. Which of the followings is not the function of ANF?

(1) It stimulates aldosterone secretion.

(2) It causes vasodilation

(3) It decreases blood pressure

(4) It acts as a counter check on reninangiotensinaldosterone system

Title: Excretory Products and Their Elimination

94. Which one of the following is not a part of a renal pyramid?

(1) Loops of Henle

(2) Vasa recta

(3) Convoluted tubules

(4) Collecting ducts

Title: Excretory Products and Their Elimination

95. In annelids like earthworm, excretory organs are

(1) Kidneys

(2) Malpighian tubules

(3) Green glands

(4) Nephridia

96. Which of the following statement is not correct with respect to human kidney?

(1) The peripheral region is called cortex and central region is medulla.

(2) Malpighian capsules are present in the cortex region.

(3) Blood enters glomerulus through efferent arterioles.

(4) The concave part of kidney is called hilus.

Title: Excretory Products and Their Elimination

97. Nitrogenous waste is eliminated through

(1) Kidney

(2) Sweat gland

(3) Saliva

(4) All of these

98. ANF mechanism checks on

(1) Oxytocin-renin mechanism

(2) Counter-current mechanims

(3) Renin-angiotensin mechanism

(4) Oxytocin-angiotensin mechanism

99. Presence of glucose and ketone bodies in urine is called

(1) Glycosuria and ketonuria

(2) Glucosuria and ketonuria

(3) Glycosuria and ketonemia

(4) Diabetes and ketonuria

Title: Excretory Products and Their Elimination

100. Angiotensin-II increases the glomerular blood pressure and GFR as it is a/an

(1) Osmoregulator

(2) Vasodilator

(3) Vasoconstrictor

(4) None of there

THANK YOU

BIOLOGYLIVE