Plant Growth and Development - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025

Anmol Sharma • Lesson 8 • Jan 22, 2025

unacademy

Plant Growth and Development

BIOLOGYLIVE

Title: Plant Growth and Development

1. Given below are two statements :

Statement I :

Auxins are generally produced by growing apices of stem and roots.

Statement-II :

Auxin control Xylem differentiation and help in cell division.

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

Title: Plant Growth and Development

unacademy

2. Given below are two statements :

Statement I :

Epthephon promotes female flower in cucumbers thereby increasing yeild

Statement-II :

Ethephon hastens fruit repening in tomato and apples and accelerates abscission in flowers and fruits.

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

BIOLOGYLIVE

Title: Plant Growth and Development

3. How many functions are associated with cytokinins

(a) Formation of roots

(b) Delay leaf senescence

(c) Widely used to kill dicot weeds

(d) Causes apical dominance

(1) Two

(2) Four

(3) Three

(4) One

Title: Plant Growth and Development

4. Identify the plant :



(1) Juvenile and Adult of larkspur

(2) Juvenile and Adult of Buttercup

(3) Terrestrial and water habitats of buttercup

(4) 1 and 2 Both

5. Redifferentiated cells include

(1) Vascular cambium

(2) Formation of secondary cortex

(3) Phellogen

(4) Intercalary meristem

BIOLOGYLIVE

Title: Plant Growth and Development

6. Which of the following hormones plays an important role in seed development, maturation and dormancy

(1) ABA

(2) GA_3

(3) Auxins

(4) Cytokinins

BIOLOGYLIVE

Title: Plant Growth and Development

7. The form of growth wherein new cells are always being added to the plant body by the activity of the meristem is called the

(1) Closed form of growth.

(2) Open form of growth.

(3) Determinate form of growth.

(4) Restricted form of growth.

Title: Plant Growth and Development

8. Growth is measured in terms of its length in case of

(1) Apical shoot differentiation

(2) Pollen tube formation

(3) Division of cambium cells

(4) Growth in grith

Title: Plant Growth and Development

9. Increased vacuolation, cell enlargement and new cell wall deposition are the characteristics of the cells in the phase

(1) Cell division zone

(2) Elongation zone

(3) Maturation zone

(4) Growth in thickness

Title: Plant Growth and Development

10. The simplest expression of arithmetic growth is exemplified by a root elongating at a constant rate, cuvre from this kind of growth is

(1) Sigmoid curve

(2) Linear curve

(3) Parabolic curve

(4) Parallel curve

Title: Plant Growth and Development

11. A meristematic cell after loosing the capacity of division, acquire again, the phenomenon is called

(1) Differentiation

(2) Dedifferentiation

(3) Redifferentiation

(4) None of these

Title: Plant Growth and Development

12. It takes very long time for pineapple plants to produce flower. Which combination of hormone can be applied to artificially induce flowering in pineapple plants throughout the year to increase:

(1) Auxin and ethylene

(2) Gibberellin and cytokinin

(3) Gibberellin and abscisic acid

(4) Auxin and abscisic acid

unacademy

Title: Plant Growth and Development

13. Match the column I with column II :

Column I	Column II
a. Extrinsic factors	i. Temperature
b. Intrinsic factors	ii. Genetic factor
	iii. Light
	iv. Plant growth regulator

(1) a – i, iv b – ii, iii
(2) a – i, iii , iv b – ii
(3) a – i, iii b – ii, iv
(4) a – ii b – i, iii, iv

BIOLOGYLIVE

Title: Plant Growth and Development

14. In most higher plants, the growing apical bud inhibits the growth of the lateral buds, this phenomenon known as

(1) Lateral dominance

(2) Parthenocarpy

(3) Apical dominance

(4) Lodging

Title: Plant Growth and Development

15. Match the following :

Column-I	Column-II
(a) Auxin	(i) Promote senescence of leaves and flowers
(b) Ethylene	(ii) Bolting
(c) Gibberellin	(iii) Inhibition of seed germination
(d) Abscisic acid	(iv) Prevent fruit drop

(1) a-iv, b-i, c-ii, d-iii
(2) a-i, b-iv, c-iii, d-ii
(3) a-iv, b-ii, c-iii, d-i
(4) a-iii, b-ii, c-i, d-iv

Title: Plant Growth and Development

16. In some plants the leaves of Juvenile plants are different in shape from those in mature plants. This is the heterophily due to phase of life and seen in:

(1) Cotton, coriander and larkspur

(2) Buttercup and larkspur

(3) Buttercup only

(4) Cotton, cariander and buttercup

unacademy

Title: Plant Growth and Development

17. Exponential growth can be expressed as :

(1) $W_1 = W_0 e^{rt}$

(2) $W_0 = Wte^{rt}$

(3) $W_t = W_0 eD^{rt}$

(4) $L_t = L_0 + rt$

BIOLOGYLIVE

Title: Plant Growth and Development

18. Growth is measured by a variety of parameters some of which are :

(1) Increase in fresh weight

(2) Increase in dry weight

(3) Increase in length, area, volume and also cell number.

(4) All of the above

Title: Plant Growth and Development

19. Auxin was isolated by :

(1) Skoog and Miller

(2) F. W Went

(3) Chares Darwin

(4) Darwin

Title: Plant Growth and Development

20. According to given figure which of the following is correct option :



(1) Represent sigmoid growth

(2) Represent linear growth

(3) Can be express as W1 = W0 ert

(4) 1 and 3 Both

Title: Plant Growth and Development

21. Which of the following is correct option

(i) Decapitation usually results in the growth of lateral buds

(ii) Decapitation is widely used for tea plantations

(iii) Decapitation is widely used for hedge-making

(iv) Auxin induce parthenocarpy in tomato

(v) Rapid growth in apical bud take place due to auxin

(1) i, ii and iii only (2) i, ii and iv only

(3) i, ii and v only (4) All of these

22. Which of the following is correct option :

(i) Auxin help to initiate rooting in stem cutting

(ii) Ethylene promotes root growth

(iii) Ethylene promotes root hair formation

(iv) IAA and IBA are natural auxin

(1) i, ii and iii only

(2) i and ii only

(3) i, iii and iv only

(4) All of these

23. To speed up the malting process in brewing industry which PGR is used :

(1) IAA

(2) Cytokinin

(3) Gibberellin

(4) Ethylene.

BIOLOGYLIVE

Title: Plant Growth and Development

24. Respiratory climactic effect is shown by which PGR:

(1) Abscisic acid

(2) Auxin

(3) Gibberellin

(4) Ethylene

25. In most situation ABA acts antagonistic to :

(1) Ethylene

(2) Cytokinin

(3) Gibberellic acid

(4) IAA.

Title: Plant Growth and Development

26. Constantly dividing cell both at root apex and shoot apex is represent the ...... :

(1) Meristematic phase of growth

(2) Elongation phase of growth

(3) Maturation phase of grwoth

(4) All of these

27. Cells in a watermelon may increase in size by upto:

(1) 2,000 times

(2) 3,00,000 times

(3) 3,50,000 times

(4) 2,50,000 times

BIOLOGYLIVE

Title: Plant Growth and Development

28. Select the incorrect statement :

(1) The increased growth perunit time is termed as growth rate.

(2) Growth is expressed in increase in cell number.

(3) Arithmatic growth rate plot a linear curve and it expressed as $L_t = L_0 - rt$.

(4) None of these

Title: Plant Growth and Development

29. Cells derived from root apical and shoot apical meristem and cambium differentiate and mature to perform specific functions :

(1) Dedifferentiation

(2) Differentiation

(3) Redifferentation

(4) Dedefination.

Title: Plant Growth and Development

30. N^6 - furfurylamino purine is :

(1) Guanine derivative

(2) Adenine derivative

(3) A stress hormone

(4) A terpene

BIOLOGYLIVE

31. Developing embryo shows :

(1) Geometric growth

(2) Arithmetic growth

(3) Logistic growth

(4) Both (1) and (2)

Title: Plant Growth and Development

32. Match the following columns :

Column-I	Column-II
a. Plant growth promoters	i. Auxin
b. Plant growth inhibitor	ii. Gibberellin
	iii. Abscisic acid
	iv. Cytokinin

(1) a-i, ii, iii, b-iv (2) a-iv, b-i, ii, iii

(3) a-iii, b-i, ii, iv (4) a-i, ii, iv, b-iii

unacademy
BIOLOGYLIVE

Title: Plant Growth and Development

33. How many of the following auxins are obtained from plants :

IAA, IBA, NAA, 2.4-D

(1) 1

(2) 2

(3) 3

(4) 4

unacademy

Title: Plant Growth and Development

34. Match the plant hormones given in column I with their function/other name given in column II and choose the correct combination.

Column-I (plant hormone)	Column -II (Function/other name)
a. Zeatin	I. Flowering hormone
b. Florigen	II. Synthetic auxin
c. IBA	III. Cytokinin
d. NAA	IV. Natural auxin

(1) a - III, b - IV, c - I, d – II

(2) a - II, b -I, c - IV, d - III

(3) a - I, b - II, c - III, d – IV

(4) a - III, b - I, c - IV, d - II

BIOLOGYLIVE

Title: Plant Growth and Development

35. Which of the following represents the correct sequence of the development process in a plant cell:

(1) Cell division → Elongation → Senescence → Maturation

(2) Meristematic cell → Maturation → Elongation → Death

(3) Cell division → Elongation → Maturation → Plasmatic growth

(4) Cell division → Differentiation → Maturation → Senescence

Title: Plant Growth and Development

36. Removal of apical (terminal) bud of a flowering plant leads to :

(1) Formation of new apical buds.

(2) Formation of adventitious roots on the cut side.

(3) Early flowering (or stopping of floral growth).

(4) Promotion of lateral branches.

Title: Plant Growth and Development

37. Mayr was awarded by the Balzan Prize and crafford Prize in

(1) 1994 and 1983 respectively

(2) 1983 and 1999 respectively

(3) 1999 and 1983 respectively

(4) 1883 and 1994 respectively

38. Bryophytes are called amphibians of the plant kingdom because :

(1) These plants can survive only in water

(2) These plants are mainly aquatic but depend on soil for seed dispersal

(3) These plants can live in soil but are dependent on water for sexual reproduction

(4) These plants can live in soil but are dependent on water for vegetative reproduction.

BIOLOGYLIVE

39. Refer to the given figure and select the correct option:

	A	B	C
(1)	Stipe	Holdfast	Frond
(2)	Frond	Stipe	Holdfast
(3)	Holdfast	Frond	Stipe
(4)	Frond	Holdfast	Stipe



40. Which of the following statement is incorrect with regarding to phylum porifera :

(1) The body is supported by a skeleton made up of spicules or spongin fibres

(2) Fertilisation is external and development is indirect

(3) Sponges have a water transport or canal system

(4) Choanocytes or collar cells line the spongocoel and the canals

Title: Plant Growth and Development

41. Root modified for respiration in rhizophora is :

(1) Tap root

(2) Adventitious roots

(3) Prop root

(4) Fibrous root

42. Prop roots are :

(1) Tap roots

(2) Adventitious roots

(3) Secondary roots

(4) All of these

BIOLOGYLIVE

43. A marine cartilaginous fish that has poison sting is:

(1) *Scolidon*

(2) *Pristis*

(3) *Torpedo*

(4) *Trygon*

BIOLOGYLIVE

Title: Plant Growth and Development

44. Given below are two statements :

Statement I : Cell plate represents the middle lamella between the walls of two adjacents plant cells

Statement-II : At the time of karyokinesis, organelles like mitochondria and plastids get distributed between the daughter cells

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

45. Given below are two statements :

Statement I : Cytokinesis in plant cell takes place by cell-plate formation

Statement-II : Cytokinesis in animal cells by furrowing and is centripetal.

Choose the correct answer from the option given below:

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct

46. 

This amino acids is :

(1) Glycine

(2) Alanine

(3) Serine

(4) Arginine



47. Golgi apparatus were observed by Camillo Golgi in 1898. Which of the following is wrong statement regarding it :

(1) Diameter of cisternae is 0.5 μm to 1.0 μm

(2) The golgi cisternae are concentrically arranged near the mitochondria

(3) Golgi apparatus a site of formation of glycoprotein and glycolipid

(4) Both 1 and 2

unacademy

Title: Plant Growth and Development

48. A segment of DNA has 50 adenine and 100 cytosine bases. The total number of nucleotides and hydrogen bonds present in the segment

(1) 200, 200

(2) 300, 400

(3) 150, 400

(4) 400, 500

BIOLOGYLIVE

49. Interkinesis is followed by prophase II, it is

(1) A much simpler prophase than prophase I.

(2) As much complex as prophase I

(3) As similar as prophase I

(4) With twice time replication of DNA

50. Select the option which is not correct with respect to Co-factor.

(1) Catalytic activity is lost when the co-factor is removed from the enzyme

(2) Cofactor play a crucial role in the catalytic activity of the enzyme.

(3) Three kinds of cofactors may be identified: prosthetic groups, apoenzymes and metal ions.

(4) Three kinds of cofactors may be identified: prosthetic groups, Co-enzymes and metal ions.

Title: Plant Growth and Development

51. Which of the following is correct about *Nereis* :

(1) Aquatic, Dioecious, with parapodia

(2) Aquatic, Monoecious, with parapodia

(3) Terestrial, Dioecious, with suckers

(4) Terrestrial, Monoecious

Title: Plant Growth and Development

52. Plant responses to wound and stress of biotic and abiotic origin is caused by :

(1) Auxins

(2) Gibberellins

(3) Cytokinins

(4) Abscisic acid

BIOLOGYLIVE

Title: Plant Growth and Development

53. Which of the following is incorrect :

(1) Development is the sum of growth and differentiation

(2) Growth is accompanied by catabolic process only

(3) Plant cell has cell wall having cellulose and plasmodesmetal connection

(4) A sigmoid curve is a characteristic of living organism growing in a natural environment

54. Which of the following option is correct for gibberellin :

(1) Bolting harmone

(2) It also controls xylem differentiation and helps in cell division.

(3) It helps overcome the apical dominance.

(4) It helps seed to withstand desiccation.

BIOLOGYLIVE

Title: Plant Growth and Development

55. N6-furfuryl amino purine, 2, 4-dichlorophenoxy acetic acid and indole-3 acetic acid are examples respectively for :

(1) Synthetic auxin, kinetin and natural auxin.

(2) Gibberellin, natural auxin and kinetin.

(3) Natural auxin, kinetin and synthetic auxin.

(4) Kinetin, synthetic auxin and natural auxin

Title: Plant Growth and Development

56. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : 2,4-D widely used to kill monocotyledonous weeds.

Reason (R) : 2,4-D does not affect mature monocotyledonous plant.

choose the correct answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(2) (A) is correct but (R) is not correct

(3) (A) is not correct but (R) is correct

(4) Both (A) and (R) are correct and (R) is the correct explanation of (A)

Title: Plant Growth and Development

57. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Heterophylly in cotton, coriander and buttercup is called plasticity.

Reason (R) : In cotton, coriander and buttercup the leaves of the juvenile plant are different in shape from those in mature plants.

choose the correct answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(2) (A) is correct but (R) is not correct

(3) (A) is not correct but (R) is correct

(4) Both (A) and (R) are correct and (R) is the correct explanation of (A)

Title: Plant Growth and Development

58. In following given diagram which plant shows heterophilly:



(1) Cotton

(2) Coriandar

(3) Buttercup

(4) All of these

59. Given below are two statements :

Statement I : Sigmoid curve is a characteristic of living organism growing in natural environment.

Statement II : In geometric growth, following mitotic cell division only one daughter cell continues to divide.

Choose the correct answer from the options given below.

(1) Both Statement I and Statement II are incorrect

(2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both, Statement I and Statement II are correct

Title: Plant Growth and Development

60. Growth of root in elongating at a constant rate can be expressed as :

(1) $L_t = L_0 + rt$

(2) $W_1 = L_0 + W_0e^{rt}$

(3) $L_t = L_0 + L_0rt$

(4) $W_T = W_0e^{rt}$

Title: Plant Growth and Development

61. Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop.

(1) Gibberellin (2) Ethylene

(3) Abscisic acid (4) Cytokinin

unacademy

Title: Plant Growth and Development

62. In the given diagram, identify the type of growth phase in A and B and choose a correct option accordingly :



(1) A-Arithmetic phase ; B-Geometric phase

(2) A-Arithmetic phase ; B-Arithmetic phase

(3) A-Geometric phase ; B-Geometric phase

(4) A-Geometric phase ; B-Arithmetic phase

BIOLOGYLIVE

Title: Plant Growth and Development

63. Given below are four statement (a-d) regarding growth regulators, and mark the option :

(a) Auxins promote flowering e.g. in pineapples

(b) GA_3 is used to speed up the malting process in brewing industry

(c) Cytokinins help to promote the apical dominance

(d) Ethephon hastens fruit ripening in tomatoes and apples

(1) a, b, c correct and d incorrect

(2) a, b correct and c, d incorrect

(3) a, b, d correct and c incorrect

(4) a, b, c, d correct

Title: Plant Growth and Development

64. Mark the correct one option with respect to ethylene

(1) Inhibits senescence and abscission of leaves

(2) Deley fruit ripening.

(3) Enhances the respiration

(4) Makes the seed and bud dormant

unacademy

Title: Plant Growth and Development

65. Match List I with List II and select the correct answer using the codes given below the lists -

List I	List II
A. Increase in wall elongation	(i) Gibberellins
B. Bolting and flowering	(ii) Auxins
C. Cell division	(iii) Abscisic acid
D. Dormancy	(iv) Cytokinins

Codes :

(1) ii i iii iv (2) ii i iv iii (3) i ii iv iii (4) i ii iii iv



BIOLOGYLIVE

66. According to given figure which of the following is correct option :



(1) Represent sigmoid growth

(2) Represent linear growth

(3) Can be express as $L_t = L_0 - rt$

(4) 2 and 3 Both

Title: Plant Growth and Development

67. What would be expected to happen if you cut the shoot tips of tea

(1) Inhibition of flowering

(2) Promotion of horizontal growth of shoot

(3) Growth of lateral buds promotes

(4) Inhibits growth of lateral buds

unacademy

Title: Plant Growth and Development

68. Choose the odd one w.r.t. function performed by following hormones.

Cytokinin	ABA
(1) Chloroplast formation	Destruction of chlorophyll
(2) Delay senescence	Promote senescence
(3) Induce dormancy	Induce vivipairy
(4) Stomatal opening	Stomatal closure

BIOLOGYLIVE

Title: Plant Growth and Development

69. Which of the following do not fall under triple response of ethylene

(1) Inhibition of internodal elongation

(2) Swelling of the axis

(3) Fruit response

(4) Horizontal growth of seedling

BIOLOGYLIVE

Title: Plant Growth and Development

70. Find the odd one with respect to functions of gibberellins.

(1) To overcome genetic dwarfism

(2) Stem elongation in 'rosette' plants

(3) Stimulate activation of α-amylase in embryo

(4) Increase the length of stem in sugarcane

71. Auxin promote flowering in pineapples but help to prevent

(1) Leaf drop of older mature leaves

(2) Xylem differentiation

(3) Apical bud formation

(4) Fruit drop at early stage

72. Terpenoid origin can be attributed to

(1) GA and cytokinin

(2) GA

(3) Cytokinin and auxin

(4) ABA and cytokinin

Title: Plant Growth and Development

73. Discovery of first cytokinin is from autoclaved DNA of

(1) Plant

(2) Fish

(3) Endosperm cell

(4) Human

Title: Plant Growth and Development

74. Auxins have been used extensively in agricultural and horticultural practices, which of the following physiological role cannot be attributed to auxin

(1) Initiate rooting in stem cuttings

(2) Apical dominance

(3) Bushy habit in tea plants

(4) Parthenocarpy

BIOLOGYLIVE

75. Redifferentiated cells include

(1) Vascular cambium

(2) Formation of secondary cortex

(3) Phellogen

(4) Intercalary meristem

Title: Plant Growth and Development

76. Growth is one of the most fundamental and conspicuous characteristics of a living being, that also is:

(1) An irreversible phenomenon

(2) A quantitative aspect

(3) Not observed in unicellular organisms

(4) Both (1) & (2)

77. Match the incorrect of the following

(1) 17,500 new cells	i) maize spadix inflorescence
(2) 3,50,000 times	ii) watermelon may increase in size
(3) Meristematic phase	iii) Cell wall thin
(4) Increase in surface	iv) Dorsoventral Leaf area

Title: Plant Growth and Development

78. Growth is measured in terms of its length in case of :

(1) Apical shoot differentiation

(2) Pollen tube formation

(3) Division of cambium cells

(4) Growth in grith

Title: Plant Growth and Development

79. Meristems that cause the increase in the girth of the organs in which they are active. This is known as

(1) Secondary growth of the plant

(2) Primary growth of plants

(3) Apical growth of plant

(4) Growth in length

Title: Plant Growth and Development

80. In the following leaves growth, which one shows relative higher growth rate



(1) Leaf A (2) Leaf B

(3) Neither A nor B

(4) Both of these showing absolute growth rate

Title: Plant Growth and Development

81. A meristematic cell after loosing the capacity of division, acquire again, the phenomenon is called

(1) Differentiation

(2) Dedifferentiation

(3) Redifferentiation

(4) None of these

82. How many of the following are formed after the process of redifferentiation.

Primary xylem, Cork cambium, Phellem, Secondary phloem, Secondary cortex, Vascular cambium

(1) One

(2) Two

(3) Three

(4) Four

unacademy

Title: Plant Growth and Development

83. Occurrence of two different kind of leaf at two different stage of life is called

(1) Anisophilly

(2) Heterophylly

(3) Microphilly

(4) Macrophilly

BIOLOGYLIVE

Title: Plant Growth and Development

84. Identify the A,B and C :

(1) A – Epicotyl hook, B – Cotyledons , C – Hypocotyl

(2) A – Cotyledons, B – Epicotyl hook , C – Hypocotyl

(3) A – Hypocotyl , B – Cotyledons , C – Epicotyl

(4) A – Seed coat, B – Cotyledons , C – Hypocotyl



Title: Plant Growth and Development

85. Auxin was isolated by F. W. Went from the tip of coleoptile of

(1) Banana seedling

(2) Oat seedling

(3) Maize seedling

(4) Potato seedling

86. Monkey, gorilla and gibbon are included in order:

(1) Primata

(2) Diptera

(3) Hominidae

(4) Muscidae

87. Regarding *Colletotrichum* which of the given information is not correct :

(1) Only asexual or vegetative reproduction

(2) Conidia are asexual spores in them

(3) Mycelium unbranched & aseptate

(4) 1 and 2

88. Find out correct option regarding bryophytes :

(1) The sex organs are multicellular

(2) *Sphagnum*, a moss provide peat used as packing material

(3) Mosses along with lichens are the first organisms to colonise rocks and hence, are of great ecological importance.

(4) All of the above.

Title: Plant Growth and Development

89. Which one of the following is a correct statement:

(1) Antheridia and archegonia are absent in pteridophytes

(2) Precursor of seed habit can be traced in pteridophytes

(3) Pteridophytes gametophytes has a protonema and leafy stage

(4) In gymnosperms, female gametophyte is free living

90. Algal cell wall consists of :

(1) Cellulose

(2) Galactans

(3) Mannans and minerals like, $CaCO_3$

(4) All of these

BIOLOGYLIVE

Title: Plant Growth and Development

91. The formation of interfascicular cambium in plants is due to:-

(1) Non-differentiation

(2) Re-differentiation

(3) Differentiation

(4) De-differentiation

BIOLOGYLIVE

unacademy

Title: Plant Growth and Development

92. Match the following

Column I	Column II
a Auxin	(i) Root hair formation
b Cytokinin	(ii) Seed development
c Ethylene	(iii) Xylem differentiation
d ABA	(iv) Nutrient mobilisationn

(1) a(iv), b(ii) c(iii), d(i)

(2) a(ii), b(iii), c(i), d(iv)

(3) a(i), b(ii), c(ii), d(iv)

(4) a(iii), b(iv), c(i), d(ii)

BIOLOGYLIVE

93. Auxin is used by gardeners to prepare weed-free lawns. But no damage is caused to grass as auxin

(1) promotes abscission of mature leaves only.

(2) does not affect mature monocotyledonous plants.

(3) can help in cell division in grasses, to produce growth.

(4) promotes apical dominance

Title: Plant Growth and Development

94. Match List-I with List-II

List-I	List-II
A. Ethylene	I. Increase length of stem
B. Cytokinins	II. Promotion of senescence and abscission
C. ABA	III. Delaying leaf senescence
D. Gibberellins	IV. Inhibition of seed germination

Choose the correct answer from the options given below:

(1) A-III, B-I, C-IV, D-II

(2) A-II, B-III, C-IV, D-I

(3) A-IV, B-II, C-I, D-III

(4) A-III, B-IV, C-I, D-II

Title: Plant Growth and Development

95. Match the following (Column I with Column II)

Column I	Column II
a. Ethephon	(i) GA
b. Terpene	(ii) Ethylene
c. Zeath	(iii) Natural auxin
d. IAA	(iv) Cytokinin

(1) a(ii) b(i) c(iii) d(iv)

(2) a(ii), b(i) c(iv) d(iii)

(3) a(iv) b(ii) c(iii) d(iv)

(4) a(i) b(ii) c(iii) d(iv)

Title: Plant Growth and Development

96. Match the following (Column I with Column II)

Column I	Column II
a. Weedicide	(i) GA_3
b. Bolting	(ii) Cytokinin
c. Thinning of cotton	(iii) Ethylene
d. Lateral shoot growth	(iv) 2,4-D

(1) a(iii) b(ii) c(iv) d(i)

(2) a(iv) b(i) c(iii) d(ii)

(3) a(iv) b(i) c(ii) d(iii)

(4) a(iv) b(ii) c(iii) d(i)

Title: Plant Growth and Development

97. Which of the following is difficult to measure directly?

(1) Increase in protoplasm content

(2) Increase in surface area

(3) Increase in dry weight

(4) Increase in volume

BIOLOGYLIVE

Title: Plant Growth and Development

98. Tracheids do not collapse under extreme tension due to the presence of

(1) Strong, elastic lignocellulosic secondary cell wall

(2) Thick, cellulosic primary cell wall

(3) Thin, elastic, cellulosic primary cell wall

(4) Thick, hard suberised secondary cell wall

Title: Plant Growth and Development

99. Heterophylly means

(1) The appearance of different forms of leaves on the same plant species

(2) The appearance of same form of leaves on different plants

(3) The appearance of same form of flowers on different plants

(4) The appearance of different forms of fruits on the same plant

unacademy

Title: Plant Growth and Development

100. Consider the following statements and state True (T) or False (F).

A. Light, temperature and nutrition affect the plant growth.

B. Growth is an irreversible permanent increase in living organism.

C. In plants, meristems are the site of growth.

	A	B	C
(1)	T	T	F
(2)	F	T	T
(3)	T	F	T
(4)	T	T	T

BIOLOGYLIVE

unacademy

THANK YOU

BIOLOGYLIVE