

MALVACEAE

Mal

Clothes

Chinese-Lady

↓
Malvaceae

↓
Cotton

↓
China-Rose

↓
Lady-finger

* **FOOD** — Ladyfinger

* **CLOTHING** — Cotton

* **CATTLE-FEED** — Cotton (seed)

* **ORNAMENTAL** — China rose

ASTERACEAE/COMPOSITAE

Sasural

Genda

Lettuce

↓
Sunflower

↓
Genda
(Marigold)

↓
Lettuce

- * **ORNAMENTALS** — Sunflower, Marigold
- * **OILS** — Sunflower
- * **DYES** — Sunflower, Marigold
- * **FOOD** — Lettuce

POACEAE / GRAMINEAE



- * **FOOD** — Wheat, Rice, Corn, Barley, Ragi, Jowar (Sorghum), Bajra (pearl millet)
- * **FODDER** — Almost all
- * **SUGAR** — Sugarcane
- * **AROMATIC** — Lemon-grass
- * **BUILDING MATERIAL** — Bamboo
- * **ALCOHOLS & BEVERAGES** — Barley, Corn, S.cane

SEED

ENDOSPERMIC



MONOCOTS
(Poaceae)

NON-ENDOSPERMIC



DICOTS
(Malvaceae
Compositae)

FRUIT

MALVACEAE



Capsule

POACEAE



Caryopsis

COMPOSITAE



Cypsela

PLACENTATION

MALVACEAE



Axile

ASTERACEAE



Basal


POACEAE



Basal

AESTIVATION

CALYX



COROLLA



INFLORESCENCE

MALVACEAE



Cymose

POACEAE



Spike of
Spikelets

ASTERACEAE




Capitulum


Br - Bracteate
 EBr - Ebracteate
 ♂ - Male
 ♀ - Female
 ♂♀ - Bisexual
 ⊕ - Actinomorphic
 % - Zygomorphic

K - Calyx 'p'
 C - Corolla
 A - Androecium
 G - Gynoecium
G - Superior-Ovary
G - Inferior-Ovary
 C A - Fusion

MALVACEAE: ⊕ ♂♀ $K_{(5)}$ $C_{(5)}$ A_{∞} $\underline{G}_{(2-\infty)}$




POACEAE: Br % ♀ P_2 A_3 $\bar{G}_1$




RAY: % ♀ K_{pappus} $C_{(5)}$ A_0 $\bar{G}_{(2)}$

DISC: ⊕ ♀ K_{pappus} $C_{(5)}$ $A_{(5)}$ $\bar{G}_{(2)}$



**Ray
Floret**



**Disc
Floret**