

LEADER & ACHIEVER COURSE

PHASE : ALL ENTHUSE, MLA, B, K, M, P, Q, R & MAZA, B, C, D, E, F, G, H, L, M, N, O, P, Q, R, U, V, MAPA, MAPB, MAAW, MAAX, MAAY, MAAZ, MSP, LAKSHYA

TARGET : PRE-MEDICAL 2025

Test Type : SRG-MAJOR

Test Pattern : NEET (UG)

TEST DATE : 07-04-2025

ANSWER KEY

Q.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
A.	4	2	2	4	3	2	1	3	1	3	2	1	2	1	2	4	3	3	3	1	1	4	2	3	1	3	4	3	2	2
Q.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
A.	3	2	4	1	4	2	2	3	4	2	2	3	1	3	4	3	4	4	3	4	3	4	3	3	1	3	1	2	4	1
Q.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
A.	4	2	2	1	2	3	3	3	3	3	4	4	4	2	2	4	1	2	3	4	1	1	1	3	4	1	4	2	3	3
Q.	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
A.	3	4	1	2	2	1	4	2	2	4	4	3	4	2	4	4	3	4	3	3	3	3	4	4	2	4	3	2	2	3
Q.	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
A.	4	4	2	4	2	3	2	1	2	1	2	2	3	2	3	2	2	4	3	1	3	3	2	4	2	4	1	2	3	4
Q.	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
A.	2	3	4	4	2	3	3	4	2	1	3	4	2	1	3	2	3	4	3	2	2	1	1	4	4	1	3	3	4	2

HINT - SHEET

1. Ans (4)

$$\rho = v^x g^y \lambda^z$$

$$[ML^{-3}] = [LT^{-1}]^x [LT^{-2}]^y [L]^z$$

$$[ML^{-3}] = [L^{x+y+z} T^{-x-2y}]$$

$$\Rightarrow x + y + z = -3 \rightarrow (1)$$

$$-x - 2y = 0 \rightarrow (2)$$

We cannot get any unique solution from above equation.

Hence, $\rho = v^x g^y \lambda^z$ is not possible.

2. Ans (2)

$$g = \frac{4\pi^2 \ell}{T^2} \Rightarrow \frac{\Delta g}{g} \times 100 = \frac{\Delta \ell}{\ell} \times 100 + \frac{2\Delta T}{T} \times 100$$

$$\Rightarrow \frac{\Delta g}{g} \times 100 = \frac{0.1}{50} \times 100 + \frac{2 \times 1}{200} \times 100 = 1.2\%$$

$$= \frac{6}{5}\%$$

3. Ans (2)

$$1 \text{ MSD} = 0.2 \text{ cm} = 2 \text{ mm}$$

$$1 \text{ VSD} = \frac{16}{20} \text{ MSD}$$

$$LC = 1 \text{ MSD} - 1 \text{ VSD}$$

$$= 2 \left[1 - \frac{16}{20} \right] = \frac{2 \times 4}{20} = 0.4 \text{ mm}$$

4. Ans (4)

$$LC = \frac{P}{N} = \frac{0.5}{100} = 0.005 \text{ mm}$$

$$1 \text{ MSD} = \text{Pitch} = 0.5 \text{ mm}$$

$$\text{Correct Reading} = \text{MSR} + \text{CSR} - \text{Zero error}$$

$$= (3 \times 0.5) + 85 \times 0.005 - (-40 \times 0.005)$$

$$= (1.500 + 0.425 + 0.200) \text{ mm}$$

$$= 2.125 \text{ mm}$$

5. Ans (3)

$$a = \frac{3}{4}x$$


$$\int_0^v v dv = \int_0^4 \frac{3}{4} x dx$$

$$\frac{v^2}{2} = \frac{3}{4} \left[\frac{x^2}{2} \right]_0^4$$

$$v^2 = 12$$

$$v = 2\sqrt{3} \text{ m/s}$$

6. Ans (2)



$$\vec{v}_r = 2\hat{i} - 2\hat{j}$$


$$\vec{v}_m = 4\hat{i}$$

$$\vec{v}_{rm} = \vec{v}_r - \vec{v}_m$$

$$= -2\hat{i} - 2\hat{j}$$

$$v_{rm} = 2\sqrt{2} \text{ m/s}$$

7. Ans (1)



$$\sin \theta = \frac{6}{10} = \frac{3}{5}$$

$$\theta = 37^\circ$$

$$t = \frac{d}{10 \cos \theta} = \frac{24m}{10 \times \frac{4}{5}} = 3 \text{ sec}$$

8. Ans (3)

For collision


$$(u_y)_A = (u_y)_B$$

$$\frac{3u}{5} = 50 \sin 53^\circ$$

$$u = \frac{200}{3} \text{ m/s}$$

9. Ans (1)

Telegram: @NEETxNOAH




10. Ans (3)

$$a = \frac{\Delta v}{\Delta t} = \frac{\sqrt{2g \times 2.5} + \sqrt{2g(10)}}{0.01}$$

$$a = \frac{5\sqrt{2} + 10\sqrt{2}}{0.01} = \frac{15\sqrt{2}}{0.01} = 2100 \text{ m/s}^2$$

11. Ans (2)




$$\frac{F}{2} = \mu N$$

$$\frac{F}{2} = 0.5 \left[10 - \frac{F\sqrt{3}}{2} \right]$$

$$2F = 20 - F\sqrt{3}$$

$$F = \frac{20}{2 + \sqrt{3}} = 5.36 \text{ N}$$

12. Ans (1)



$$F_c = \sqrt{N^2 + f^2}$$

$$F_c = mg$$

13. Ans (2)

NCERT Pg. # 99

$$\vec{v}_{CM} = \frac{3(t+1)\hat{j} + 2(t^2\hat{i})}{3+2}$$

$$\vec{a}_{CM} = \frac{d\vec{v}_{CM}}{dt} = \frac{3\hat{j} + 4t\hat{i}}{5}$$

$$\vec{F}_{net} = m\vec{a}_{CM} = 5 \left(\frac{4t\hat{i} + 3\hat{j}}{5} \right)$$

$$\text{at } t = 1 \text{ s, } \vec{F}_{net} = (4\hat{i} + 3\hat{j})$$

$$F_{net} = \sqrt{4^2 + 3^2} = 5N$$

14. Ans (1)


NCERT Pg. # 100

Both (A) and (R) are correct and (R) is correct explanation of (A).


15. Ans (2)

NCERT Page no. # 84

1st collision between A and B



2nd collision between B and C




$$e = 1 = \frac{v_2 - v_1}{v} \Rightarrow v_2 - v_1 = v \quad \dots(1)$$

$$\text{C.O.M} \Rightarrow mv = 4mv_2 + mv_1 \Rightarrow 4v_2 + v_1 = v \quad \dots(2)$$

Solving (1) and (2)

$$v_2 = 0.4V ; v_1 = -0.6V$$

3rd collision between B and A



∴ Final velocity of A is 0.6 V towards left

16. Ans (4)

$$\tau = mgr_{Lar}$$

$$= \frac{1}{10} \times 10 \times 100 \frac{4}{5} \times 2$$

$$= 160 \text{ N-m}$$

17. Ans (3)

$$\mu_{min} = \frac{\tan \theta}{\left(1 + \frac{K^2}{R^2}\right)}$$

$$\mu_{min} = \frac{\tan \theta}{1+2} = \frac{\tan \theta}{3}$$

18. Ans (3)

$$v_e = \sqrt{2gR} \Rightarrow \frac{v_A}{v_B} = \sqrt{\frac{g_A}{g_B} \times \frac{R_A}{R_B}} = \sqrt{x \times r}$$

$$\therefore \frac{v_A}{v_B} = \sqrt{rx}$$

19. Ans (3)

$$V_0 = \sqrt{\frac{GM}{r}} \Rightarrow V_0 \propto \frac{1}{\sqrt{r}}$$

$$\frac{V_1}{V_2} = \sqrt{\frac{r_2}{r_1}}$$

$$\frac{V}{V_2} = \sqrt{\frac{4R}{R}}, V_2 = \frac{V}{2}$$

20. Ans (1)

upthrust = weight

$$\Rightarrow Th. = mg$$

$$\Rightarrow v_{in} \rho_w g = mg$$

$$\Rightarrow \rho_w g = 6g \quad \dots(A)$$

$$\text{and } (M+6)g = V \rho_w g \quad \dots(B)$$

from equation (A) and (B)

$$(M+6)g = 18g$$

$$\Rightarrow M = 12 \text{ kg}$$

21. Ans (1)

In flow volume = outflow volume

$$\Rightarrow \frac{0.74}{60} = (\pi \times 4 \times 10^{-4}) \times \sqrt{2gh}$$

$$\Rightarrow \sqrt{2gh} = \frac{74 \times 100}{240\pi}$$

$$\Rightarrow \sqrt{2gh} = \frac{740}{24\pi}$$

$$\Rightarrow 2gh = \frac{740 \times 740}{24 \times 24 \times 10} (\pi^2 = 10)$$

$$\Rightarrow h = \frac{74 \times 74}{2 \times 24 \times 24} \Rightarrow h \approx 4.8\text{m}$$

22. Ans (4)

$$B = -\frac{\Delta P}{\frac{\Delta V}{V}}$$

where $\Delta P = \rho_L gh$

$$\text{and } \frac{\Delta V}{V} = \frac{-0.1}{100} = -1 \times 10^{-3}$$

$$B = \frac{-1 \times 10^3 \times 10 \times 200}{-1 \times 10^{-3}}$$

$$B = 2 \times 10^9 \text{ N/m}^2$$

23. Ans (2)

$$PV = nRT$$

$$P \left(\frac{M}{\rho} \right) = \left(\frac{M}{M_w} \right) RT$$

$$P = \frac{\rho RT}{M_w} \Rightarrow \rho = \left(\frac{M_w}{RT} \right) P$$

$$\text{Slope} = \frac{M_w}{RT} \Rightarrow \text{Slope} \propto \frac{1}{T}$$

$$\therefore T_2 > T_1$$

24. Ans (3)

at constant pressure,

$$V \propto T$$

$$\Rightarrow \frac{V_1}{V_2} = \frac{T_1}{T_2} \Rightarrow \frac{150}{V_2} = \frac{(27+273)}{(-23+273)}$$

$$\Rightarrow \frac{150}{V_2} = \frac{300}{250} \Rightarrow V_2 = \frac{250}{300} \times 150$$

$$\Rightarrow V_2 = 125 \text{ ml}$$


25. Ans (1)

Telegram: @NEETxNOAH

$$t = \frac{P_t - P_0}{P_{100} - P_0} \times 100 = \frac{100 - 80}{90 - 80} \times 100$$

$$= 200^\circ\text{C}$$


26. Ans (3)



$$\therefore Q_1 = ms\Delta T$$

$$= 10(0.5) 20 = 100 \text{ Cal}$$

$$Q_2 = mL = 10(80) = 800 \text{ Cal}$$



$$Q_3 = ms\Delta T$$

$$= 10(1) (10)$$

$$= 100 \text{ Cal}$$

$$\therefore Q_1 + Q_2 > Q_3 \rightarrow \text{whole ice will not melt}$$

100 Cal is used by ice to increase temperature from

-20°C to 0°C .

$\therefore$ Final content is 10 g ice and 10 g water at 0°C

27. Ans (4)

$$R \propto 546^4 - 273^4$$

$$R' \propto 1092^4 - 273^4$$

$$\frac{R}{R'} = \frac{15}{255} = \frac{3}{51}$$

$$R' = \frac{51}{3} R$$

28. Ans (3)

NCERT Pg. # 263

$$\text{K.E.} = \frac{1}{2} m \omega^2 a^2 = 8 \times 10^{-3}$$

$$\omega = 4 \text{ rad/s}$$

$$\therefore y = 0.1 \sin(4t + \phi)$$

$$\therefore y = 0.1 \sin\left(4t + \frac{\pi}{4}\right)$$

29. Ans (2)


NCERT Pg. # 292

$$100 = \frac{V}{4\ell_C} \Rightarrow \ell_C = \frac{V}{400} = \frac{330}{400} = 0.825 \text{ m}$$

$$200 = \frac{V}{2\ell_O} \Rightarrow \ell_O = \frac{V}{400} = \frac{330}{400} = 0.825 \text{ m}$$

Different frequencies of C.O.P. will be 100 Hz, 300 Hz, 500 Hz etc. and different frequencies of O.O.P. are 200 Hz, 400 Hz, 600 Hz etc. i.e. none of them matches with each other.

30. Ans (2)



31. Ans (3)

At 25 cm, there will be antinode, so wire will vibrate in two loops.

$$n = \frac{2}{2\ell} \sqrt{\frac{T \times \ell}{M}} = \sqrt{\frac{T}{M\ell}} = \sqrt{\frac{20}{5 \times 10^{-4} \times 1}} = \sqrt{4 \times 10^4} \text{ Hz}$$

$$n = 200 \text{ Hz}$$

32. Ans (2)

Frequency of open organ pipe in n^{th} overtone is

$$f_1 = (n+1) \frac{V}{2\ell}$$

Frequency of closed organ pipe in n^{th} overtone is

$$f_2 = (2n+1) \frac{V}{4\ell}$$

$$\frac{f_1}{f_2} = \frac{2(n+1)}{(2n+1)}$$

33. Ans (4)

$$U = 8x^2 - 4x$$

$$\therefore F = -\frac{dU}{dx} = -16x + 4$$

$$F = 0 \Rightarrow x = \frac{1}{4} = 0.25 \text{ (M.P.)}$$

$$\& K = 16$$

$$\therefore \omega = \sqrt{\frac{K}{M}} = \sqrt{\frac{16}{1}} = 4 \text{ rad/sec}$$

$$T = \frac{2\pi}{\omega} = \frac{\pi}{2} \text{ sec}$$

34. Ans (1)

$$a = -\omega^2 x = \omega^2 A \sin \omega t \text{ (As per } a-t \text{ graph)}$$

$$\text{and at M.P. } a=0, V = V_{\text{max}}$$

$$\text{at extreme position, } V = 0$$

35. Ans (4)

Time period of spring pendulum does not depend on gravity.

36. Ans (2)

For Adiabatic process

$$PV^\gamma = \text{constant} \quad \gamma_{\text{monoatomic}} = \frac{5}{3}$$

$$PV^{\frac{5}{3}} = \text{constant}$$

$$\frac{\Delta P}{P} + \frac{5}{3} \frac{\Delta V}{V} = 0$$

$$\frac{\Delta P}{P} \times 100 = -\frac{5}{3} \left(\frac{\Delta V}{V} \times 100 \right)$$

$$= -\frac{5}{3} (2.4\%)$$

$$= -4.0\% = \text{decrease by } 4\%$$

37. Ans (2)

In isobaric process for neon (monoatomic) gas

$$Q = dU + W$$

$$dU = \frac{3}{2} nR\Delta T, W = nR\Delta T$$

$$Q = \frac{5}{2} nR\Delta T$$

$$\frac{Q}{W} = \frac{5}{2}$$

38. Ans (3)

$$\text{Required workdone} = mgh$$

$$= 5 \times 10 \times 0.8$$

$$= 40 \text{ J}$$

39. Ans (4)

By WET :-

$$w_g + w_{air} = \Delta KE = \frac{1}{2} m V^2 - 0$$

$$mgh + w_{air} = \frac{1}{2} m (0.6\sqrt{gh})^2$$

$$mgh + w_{air} \Rightarrow 0.18 mgh$$

$$w_{air} = -0.82 mgh$$

40. Ans (2)

$$P = \frac{w}{t} = \frac{mg H_{max}}{T/2} = \frac{mg \frac{u_y^2}{2g}}{\frac{u_y}{g}}$$

$$P = \frac{mg(v_0 \sin \alpha)}{2}$$

41. Ans (2)

$$(4g)x = mg(2)$$

$$2x = m$$

42. Ans (3)

$$n_1 + n_2 = n$$

$$P_1 V_1 + P_2 V_2 = PV$$


$$\left(\frac{4T}{r_1}\right) \left(\frac{4}{3}\pi r_1^3\right) + \left(\frac{4T}{r_2}\right) \left(\frac{4}{3}\pi r_2^3\right)$$

$$= \left(\frac{4T}{r}\right) \left(\frac{4}{3}\pi r^3\right)$$

$$r = \sqrt{r_1^2 + r_2^2}$$

44. Ans (3)

$$M = 5\text{kg}, r = 1\text{m}$$



$$F_C = \frac{mV^2}{r} = \frac{5 \times (4)^2}{(1)} = 80\text{N}$$

$$W = mg \cos \theta = 5 \times 9.8 \cos \theta = 49 \cos \theta$$

$$T = \frac{mv^2}{r} + mg \cos \theta$$

$$31 = 80 + 49 \cos \theta$$

$$\cos \theta = \frac{31 - 80}{49} = -\frac{49}{49} = -1$$

$$\theta = 180^\circ$$

45. Ans (4)

Telegram: @NEETxNOAH


For no friction condition,

$$V = \sqrt{Rg \tan \theta}$$

$$V = \sqrt{10 \times 10 \times \tan 45^\circ}$$

$$V = 10 \text{ m/sec}$$

46. Ans (3)



phthalaldehyde/benzene-1, 2-dicarbaldehyde

Acetanilide $\Rightarrow$ N-phenylethanamide

Phenetole $\Rightarrow$ ethoxybenzene

Acrolein $\Rightarrow$ prop-2-enal

49. Ans (3)

NCERT Pg. No. # 353

51. Ans (3)

For tautomerism - α -Hydrogen or allylic H-must be present bridge head hydrogen does not take part in tautomerism.

53. Ans (3)



NCERT 11th P.No. 39

54. Ans (3)




forms allyl cation and so


reacts fastest by S_N1 mechanism



57. Ans (1)



62. Ans (2)



$$\frac{(2x)^2}{(0.5-x)^2} = 49$$

$$\frac{2x}{0.5-x} = 7$$

$$2x = 3.5 - 7x$$

$$9x = 3.5$$

$$x = \frac{3.5}{9} = 0.388$$

$$[\text{HI}] = \frac{2x}{V} = \frac{0.388 \times 2}{20} = 0.039$$

64. Ans (1)


$$(1) (\text{Ag}^+) (0.1) = 5 \times 10^{-13}$$

$$(2) (\text{Ag}^+) (0.1) = 1.8 \times 10^{-10}$$

$$(3) (\text{Ag}^+)^2 (0.1) = 8.1 \times 10^{-12}$$

$$(4) (\text{Ag}^+)^3 (0.1) = 1 \times 10^{-22}$$

65. Ans (2)



$$0.2 \times 30 \quad 0.1 \times 20$$

$$4\text{mma} \quad \times \quad 2\text{mma}$$



This is acidic buffer

$$\text{pH} = \text{pK}_a + \log \frac{S}{A} = 4.74 + \log \frac{2}{4}$$


$$\text{pH} = 4.44$$

$$\text{pOH} = 9.56$$

66. Ans (3)




$$\Delta H = x_1 + \frac{1}{2}x_2 - 2x_3$$



$$(3) = 2 - 1$$

68. Ans (3)



69. Ans (3)


$$(A) n = \frac{22}{44} = 0.5 \quad \text{C}_3\text{H}_8 + 5\text{O}_2 \rightarrow 3\text{CO}_2 + 4\text{H}_2\text{O}$$

$$(B) n = \frac{7.8}{78} = 0.1 \quad \text{C}_6\text{H}_6 + 7.5\text{O}_2 \rightarrow 6\text{CO}_2 + 3\text{H}_2\text{O}$$

$$(C) n = \frac{30}{30} = 1 \quad \text{C}_2\text{H}_6 + 3.5\text{O}_2 \rightarrow 2\text{CO}_2 + 3\text{H}_2\text{O}$$

$$(D) n = \frac{48}{16} = 3 \quad \text{CH}_4 + 2\text{O}_2 \rightarrow \text{CO}_2 + 2\text{H}_2\text{O}$$

71. Ans (4)



$$\rightarrow \Delta S^0 = S_P - S_R$$

$$= 2 \times 40 - 20 = 60 \text{ J/mol}$$

$$\Delta H = \Delta E + \Delta n_g RT = -8 + 1 \times \frac{25}{3} \times \frac{300}{1000}$$

$$= -5.5 \text{ KJ/mol}$$

$$\Delta G = \Delta H - T\Delta S = -5.5 - \frac{300 \times 60}{1000} = -23.5 \text{ mol}$$

$$\ln k_p = -\frac{\Delta G^0}{RT} = \frac{-[23.5] \times 1000}{\frac{25}{3} \times 300} = 9.4$$

74. Ans (2)

Volume % = mole % = pressure %

$$P_{N_2O_4} = \frac{20}{100} \times 5 = 1$$

$$P_{NO_2} = 4$$

$$K_p = \frac{P_{NO_2}}{P_{N_2O_4}} = 16$$

$$\Delta G^\circ = -2.303 RT \log K_p$$

$$= -2.303 \times \frac{25}{3} \times 300 \log K_p$$

$$= -2.303 \times \frac{25 \times 300}{3 \times 1000} \log 4^2$$

$$= -6.9 \text{ kJ}$$

75. Ans (2)

$$(a) 2\pi r = n\lambda$$

$$\lambda = \frac{2\pi r}{n} = \frac{2\pi a_0}{n} \frac{n^2}{z} = 2\pi a_0 \times 2$$

$$(b) \text{circumference} = 2\pi r = 2\pi a_0 \times 9 = 18\pi a_0$$

$$(c) m v = \frac{nh}{2\pi r} = \frac{nh}{2\pi a_0 n^2} = \frac{h}{4\pi a_0}$$

(d) correct

76. Ans (4)

$$P = 3, Q = 3$$

77. Ans (1)

NCERT Pg. #131

80. Ans (4)

NCERT Pg. # 102

81. Ans (1)

NCERT Pg. # 108

82. Ans (1)

NCERT, Pg. # 115

83. Ans (1)

NCERT, Pg. # 91

84. Ans (3)

Correct order of radius – $Al^{+3} < Mg^{+2} < Al < Mg$

87. Ans (4)

Telegram: @NEETxNOAH

$$\text{Lattice energy } (U_0) \propto \frac{|z^+| \cdot |z^-|}{r_0}$$

88. Ans (2)

NCERT-XI, Pg # 105, Part-I

89. Ans (3)

NCERT XI Pg # 314

90. Ans (3)

$$\Delta_{eg}H = -A_e - \frac{5}{2}RT$$

91. Ans (3)

NCERT (XI) Pg # 9

92. Ans (4)

NCERT-XI, Pg. No. # 09

93. Ans (1)

NCERT XI Pg. # 9

94. Ans (2)

NCERT XI Pg. No. # 15

95. Ans (2)

NCERT-XI, Pg. # 21

96. Ans (1)

NCERT Pg # 22

97. Ans (4)

NCERT Pg #11

98. Ans (2)

NCERT Pg.#32.

99. Ans (2)

NCERT XI Pg. # 30

100. Ans (4)

NCERT Pg. # 32

101. Ans (4)

NCERT Pg. # 30

102. Ans (3)

NCERT, Pg. # 64

103. Ans (4)

NCERT Pg # 123

104. **Ans (2)**
NCERT Pg # 121
105. **Ans (4)**
NCERT Pg # 123
106. **Ans (4)**
NCERT Pg # 122
107. **Ans (3)**
NCERT Pg # 122
108. **Ans (4)**
NCERT Pg. # 122
109. **Ans (3)**
NCERT Pg. # 126
110. **Ans (3)**
NCERT Pg. # 122
111. **Ans (3)**
NCERT XI Pg # 126
112. **Ans (3)**
NCERT, Pg. # 127
113. **Ans (4)**
NCERT Pg. No. # 127
114. **Ans (4)**
NCERT Pg. # 107
115. **Ans (2)**
NCERT XI Pg # 110
116. **Ans (4)**
NCERT, Pg. # 105, 112
117. **Ans (3)**
NCERT, Pg. # 109
118. **Ans (2)**
NCERT, Pg. # 106
119. **Ans (2)**
NCERT Pg # 116
120. **Ans (3)**
NCERT Pg. # 112, 118

121. **Ans (4)**
NCERT Pg # 149
122. **Ans (4)**
NCERT Pg. # 214
123. **Ans (2)**
NCERT XI Pg. No. # 142
124. **Ans (4)**
NCERT XI Pg. No. # 149, 150
126. **Ans (3)**
NCERT, Pg. # 142
127. **Ans (2)**
NCERT Pg # 159, 160
128. **Ans (1)**
NCERT XI Pg. No. # 157
129. **Ans (2)**
NCERT, Pg. # 157
130. **Ans (1)**
NCERT, Pg. # 158
131. **Ans (2)**
NCERT, Pg. # 159
132. **Ans (2)**
NCERT XI Pg. No. # 175, 176, 177
133. **Ans (3)**
NCERT Pg. No. # 172
134. **Ans (2)**
NCERT XI Pg. No. # 176, 177
135. **Ans (3)**
NCERT XI Pg. No. # 177
136. **Ans (2)**
NCERT-XI, Pg. # 52, Para (4.2.5)
137. **Ans (2)**
NCERT-XI, Pg. # 52, Para (4.2.5)
138. **Ans (4)**
NCERT Pg.# 37

139. **Ans (3)**
NCERT Page No. 43
140. **Ans (1)**
NCERT Pg. # 54
141. **Ans (3)**
NCERT # 58
142. **Ans (3)**
NCERT Pg. # 47
143. **Ans (2)**
NCERT, Pg. # 49-51
144. **Ans (4)**
Module
145. **Ans (2)**
Module
146. **Ans (4)**
Module-4, Pg. No. # 101
147. **Ans (1)**
Page No. 101
148. **Ans (2)**
Module
149. **Ans (3)**
Module
150. **Ans (4)**
NCERT Pg # 111
151. **Ans (2)**
NCERT-XI, Pg. # 156
152. **Ans (3)**
NCERT Pg. # 116-118
153. **Ans (4)**
NCERT Pg. # 80, 81
154. **Ans (4)**
NCERT Pg. # 82
155. **Ans (2)**
NCERT Pg. No. # 116
156. **Ans (3)**
NCERT Pg. # 186

157. **Ans (3)** **Telegram: @NEETxNOAH**
NCERT Pg. No. # 189, 190
158. **Ans (4)**
NCERT Pg. # 187
159. **Ans (2)**
NCERT Pg. # 190
160. **Ans (1)**
NCERT Pg. # 194
161. **Ans (3)**
NCERT Pg. # 198
162. **Ans (4)**
NCERT Pg. # 197
163. **Ans (2)**
NCERT Pg. # 202
164. **Ans (1)**
NCERT XI Page No. # 298
165. **Ans (3)**
NCERT Pg. # 213
166. **Ans (2)**
NCERT, Pg. # 208
167. **Ans (3)**
NCERT, Pg. # 208
168. **Ans (4)**
NCERT Pg. # 317
169. **Ans (3)**
NCERT Pg. # 317
170. **Ans (2)**
NCERT Pg. No. # 321
171. **Ans (2)**
NCERT, Pg. # 318
172. **Ans (1)**
NCERT Pg. # 317
173. **Ans (1)**
NCERT XI # 240
174. **Ans (4)**
NCERT Pg # 335, 22.2.7

175. Ans (4)

NCERT 332

176. Ans (1)

NCERT (XI) Pg. # 335 ; NCERT (XI) Pg. # 297

177. Ans (3)

NCERT Page # 333, Para-2

178. Ans (3)

NCERT XI Pg. # 312

179. Ans (4)NCERT (XIth) Pg. # 302**180. Ans (2)**

NCERT XI, Pg. # 307