

LEADER & ACHIEVER TEST SERIES / JOINT PACKAGE COURSE (AIOT)

TARGET : PRE MEDICAL 2025

Test Type : MAJOR

Test Pattern : NEET (UG)

TEST DATE : 06-04-2025

ANSWER KEY

Q.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
A.	1	2	3	1	1	2	1	3	1	2	4	2	1	4	4	3	4	3	4	4	2	1	3	3	1	4	2	1	2	2
Q.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
A.	1	4	2	3	4	3	1	2	4	1	2	2	1	2	2	3	3	2	1	1	4	3	2	2	1	2	4	2	1	2
Q.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
A.	4	1	1	2	2	1	4	2	3	4	3	4	2	1	3	3	3	2	1	4	2	3	1	2	3	3	4	3	1	4
Q.	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
A.	1	2	3	4	2	1	4	2	4	3	4	1	3	3	3	3	1	4	3	4	2	4	3	4	3	4	1	3	3	4
Q.	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
A.	3	1	4	3	3	3	1	2	2	1	3	3	2	3	3	2	4	4	1	2	3	3	2	3	1	2	1	4	2	4
Q.	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
A.	4	4	3	1	3	4	3	1	2	2	2	3	4	2	3	3	2	4	3	4	1	1	3	1	3	3	4	1	4	1

HINT - SHEET


1. Ans (1)

When electron beam of 12.75 eV is incident over H-gaseous.

Energy of H-atoms will be

$$= -13.6 + 12.75 = -0.85 \text{ eV,}$$

Which corresponds to $n=4$ excited state



Clearly, emitted radiation lies in lyman series (A, B and C)

few emissions are is Balmer series (D and E). One of them ($n=4$ to $n=3$) lies in paschen series (F).

2. Ans (2)

$$BE = [(3 M_H + 4 M_n) - M_{Li}] \times 931 \text{ MeV}$$

$$Be = [(3 \times 1.007825 + 4 \times 1.008665)$$

$$- 7.016005] \times 931 \text{ MeV}$$

$$= 39.2 \text{ MeV}$$

3. Ans (3)

$$\lambda = \frac{h}{\sqrt{2mqV}}$$

4. Ans (1)

$$248 \text{ nm} = (1240/248) \text{ eV} = 5 \text{ eV}$$

$$310 \text{ nm} = (1240/310) \text{ eV} = 4 \text{ eV}$$

$$\frac{K.E_1}{K.E_2} = \frac{4}{1} = \frac{5 \text{ eV} - W}{4 \text{ eV} - W}$$

$$\Rightarrow 16 - 4W = 5 - W \Rightarrow 11 = 3W$$

$$\Rightarrow W = \frac{11}{3} = 3.67 \text{ eV} \cong 3.7 \text{ eV}$$

5. Ans (1)

$$P = \frac{E}{C} = \frac{1 \times 10^6 \times 1.6 \times 10^{-19}}{3 \times 10^8}$$

$$= 0.53 \times 10^{-21} \text{ kg ms}^{-1}$$

7. Ans (1)

$$\frac{100}{R_{eq}} = \frac{200}{40} \Rightarrow R_{eq} = 20 \Omega$$

$$R_{eq} = \frac{R \times 100}{100 + R} = 20 \Omega \Rightarrow R = 25 \Omega$$

8. Ans (3)

Here, $P = 100 \text{ W}$, $V = 230 \text{ V}$

Let R be resistance of the filament of the bulb.

Now, electric power, $P = Vi = \frac{V^2}{R}$

Therefore, $R = \frac{V^2}{P} = \frac{(230)^2}{100} = 529 \Omega$

When the voltage drops to 115 V , heat and light energy produced by the bulb in 20 min is given by

$$W = V it = \frac{V^2}{R} t = \frac{(115)^2}{529} \times 20 \times 60 = 30000 \text{ J}$$

9. Ans (1)

$t = 0$, $L \rightarrow$ open CKT

$$I_0 = \frac{E}{R + 20} = \frac{2}{10 + 20} = \frac{1}{15} \text{ A}$$

$t = \infty$, $L \rightarrow$ conductor [short circuit]

$$I_\infty = \frac{E}{20} = \frac{2}{20} = \frac{1}{10} \text{ A}$$

10. Ans (2)

$$W = \frac{1}{2} CV_2^2 - \frac{1}{2} CV_1^2 = \frac{1}{2} C(900 - 225)$$

$$C = \frac{2}{675} \text{ W}$$

Now in 2nd case

$$\frac{1}{2} C [(60)^2 - (30)^2] = \frac{1}{2} C [3600 - 900]$$

$$= \frac{1}{2} \cdot \frac{2}{675} \text{ W} [2700] = 4 \text{ W}$$

11. Ans (4)

$$G = \frac{RS}{R - S} = \frac{(4900)(98)}{4900 - 98} = 100 \Omega$$

Full scale current

$$I_g = \frac{E}{R + G} = \frac{5}{4900 + 100} = 1 \text{ mA}$$


F.O.M.

$$= \frac{\text{current}}{\text{Deflection (or Division)}} = \frac{1 \text{ mA}}{20} = 50 \mu\text{A/div}$$

12. Ans (2)

$$d_{\text{app.}} = \frac{d_{\text{ac}}}{\mu}$$

$$d_{\text{app.}} = 2 + \frac{3}{\mu} = 4.0 \text{ cm} \Rightarrow \mu = \frac{3}{2}$$



13. Ans (1)

For eye piece

$$u_e = ?$$

$$v_e = -25$$

$$f_e = 6.25$$

$$\text{using } \frac{1}{v} - \frac{1}{u} = \frac{1}{f}$$

$$\text{then, } u_e = -5 \text{ cm}$$

$$v_0 = L - |u_e| = 10 \text{ cm}$$

For objective

$$f_0 = 2 \text{ cm}$$

$$u_0 = ?$$

$$\text{Using } \frac{1}{v} - \frac{1}{u} = \frac{1}{f}$$

$$u_0 = -2.5 \text{ cm}$$

14. Ans (4)

$$\frac{f_w}{f_a} = \frac{(a\mu_g - 1)}{(w\mu_g - 1)}$$

$$\Rightarrow \frac{f_w}{f_a} = \frac{(1.5 - 1)}{\left(\frac{1.5 \times 3}{4} - 1\right)} \Rightarrow f_w = 32 \text{ cm}$$

15. Ans (4)

$$-5 = \frac{f}{f - u}$$

$$-5 = \frac{-60}{-60 - u} \Rightarrow u = -72 \text{ cm}$$

16. Ans (3)

$$E = \frac{KQx}{(R^2 + x^2)^{3/2}} = \frac{KQ\sqrt{8}R}{(9R^2)^{3/2}} = \frac{\sqrt{8} KQ}{27 R^2}$$

$$= \frac{2\sqrt{2} KQ}{27 R^2}$$


17. Ans (4)

$$W = -q (V_F - V_I)$$

Where $V_F = 0$

$$V_I = 8 \times \frac{kq}{\left(\frac{\sqrt{3}}{2} a\right)} = \frac{16 kq}{\sqrt{3} a}$$

18. Ans (3)



Path of proton will be helix

$$r = \frac{mv \sin 30^\circ}{qB}$$

$$r = \frac{1.67 \times 10^{-27} \times 2 \times 10^6 \times \frac{1}{2}}{1.6 \times 10^{-19} \times 0.104}$$

$$r = 0.1 \text{ m}$$

$$T = \frac{2\pi m}{qB} = \frac{2\pi \times 1.67 \times 10^{-27}}{1.6 \times 10^{-19} \times 0.104}$$

$$T = 2\pi \times 10^{-7} \text{ sec.}$$

19. Ans (4)

(e) τ is zero. [$\because$ Angle between plane of loop and direction of magnetic field is 90°] stable equilibrium.

(f) τ is zero, yet equilibrium is not stable.

Resultant force is zero in each case.

20. Ans (4)

Force on SR and PQ are equal but opposite so their net force will be zero. Force between two parallel conductors carrying currents I_1 and I_2 .

$$F = \frac{\mu_0}{2\pi} \frac{I_1 I_2 \ell}{r}$$

where, r = distance between two parallel conductors

$$F_{PS} = \frac{10^{-7} \times 2 \times 20 \times 20 \times 15 \times 10^{-2}}{2 \times 10^{-2}} = 6 \times 10^{-4} \text{ N}$$

$$F_{QR} = \frac{10^{-7} \times 2 \times 20 \times 20 \times 15 \times 10^{-2}}{12 \times 10^{-2}} = 1 \times 10^{-4} \text{ N}$$

N

$$\therefore F_{\text{net}} = F_{PS} - F_{QR}$$

$$= 6 \times 10^{-4} - 1 \times 10^{-4} = 5 \times 10^{-4} \text{ N.}$$

21. Ans (2)


$$P = V_{\text{rm}} I_{\text{rm}} \cos \theta$$

$$1500 = 250 \times 10 \cos \theta$$

$$\therefore \cos \theta = \frac{15}{25} = \frac{3}{5} \Rightarrow \sin \theta = \frac{4}{5}$$

$$\therefore I_{\text{wattless}} = I \sin \theta$$

$$= 10 \times \frac{4}{5} = 8 \text{ A}$$



22. Ans (1)

$$\text{Intensity, } I = \frac{1}{2} \epsilon v E_p^2$$

$$v = \frac{1}{\sqrt{\mu \epsilon}} = \frac{1}{\sqrt{(4\mu_0)(\epsilon_0)}} = \frac{c}{2}$$

$$I = \frac{1}{2} \epsilon_0 \left(\frac{c}{2}\right) E_p^2 = \frac{1}{2} \times 8.8 \times 10^{-12} \times \left(\frac{3 \times 10^8}{2}\right)^2 (50)^2$$

$$I = 1.65 \text{ W/m}^2$$


23. Ans (3)

$$n_e n_h = n_i^2$$

$$\text{where } n_e = \frac{1}{10^6} \times 5 \times 10^{22} \times 10^6 \text{ m}^{-3}$$

$$n_i = 1.5 \times 10^{16} \text{ m}^{-3}$$

24. Ans (3)



$$Y = (A + B) \cdot (A \cdot B)$$


$$= (A + B) \cdot (\bar{A} + \bar{B})$$

$$Y = A \cdot \bar{B} + \bar{A} \cdot B \quad (\text{XOR})$$

25. Ans (1)

$$T = \mu v^2 = 1.3 \times 10^{-4} \times (30)^2 \approx 0.12$$

26. Ans (4)



$$f \propto \frac{1}{\ell}$$

$$\frac{f+4}{f-4} = \frac{31}{30}$$

$$\Rightarrow 30f + 120 = 31f - 124$$

$$f = 244 \text{ Hz}$$

27. Ans (2)

$$[E] = [M]^x [L]^y [F]^z = [M]^x [L]^y [T^{-1}]^z$$

$$[M^1 L^2 T^{-2}] = [M^x] [L^y] [T^{-z}]$$

$$x = 1, y = 2, z = 2$$

$$\Rightarrow x + y + z = 5$$

28. Ans (1)

In addition and subtraction, see minimum decimal point.

29. Ans (2)

$$mg = Kx_0$$

$$\frac{m}{K} = \frac{x_0}{g} = \frac{0.2}{10}$$

$$T = 2\pi\sqrt{\frac{m}{K}} = 2\pi\sqrt{\frac{0.2}{10}} = 2\sqrt{\frac{2}{10}}$$

$$\left\{ T = \frac{2}{\sqrt{5}} \text{ sec} \right\}$$


30. Ans (2)

$$S = \left(\frac{u+v}{2} \right) t$$

$$200 = \left(\frac{20+80}{2} \right) t$$

$$t = 4 \text{ sec}$$

31. Ans (1)



$$V_y = -gt \Rightarrow V_y = -100$$

$$V_x = 500$$

$$\tan \theta = \frac{V_y}{V_x} = \frac{100}{500} \Rightarrow \theta = \tan^{-1} \frac{1}{5}$$

32. Ans (4)

$$(V_{\text{rms}})_{\text{O}_2} = (V_{\text{rms}})_{\text{H}_2}$$

$$\frac{T_{\text{O}_2}}{M_{\text{WO}_2}} = \frac{T_{\text{H}_2}}{M_{\text{WH}_2}}$$

$$T_{\text{O}_2} = \frac{20 \times 32}{2}$$

$$T_{\text{O}_2} = 320 \text{ K}$$

$$T_{\text{O}_2} = 47^\circ \text{C}$$

33. Ans (2)

At 0°C reading of scale is 25 cm.

At 20°C , the reading is correct, means the rod length < 25 cm on actual scale (at 20°C).

steel 25 cm 0°C

wood

25 cm 20°C
steel

34. Ans (3)

In conical pendulum, about vertical axis net torque is zero and hence angular momentum remains conserved.

35. Ans (4)

$$\frac{94-86}{2} = K \left(\frac{94+86}{2} - 20 \right) \dots (i)$$

$$\frac{71-69}{t} = K \left(\frac{71+69}{2} - 20 \right) \dots (ii)$$

Dividing (i) by (ii), we get

$$t = \frac{7}{10} \text{ min} = 42 \text{ sec}$$

36. Ans (3)

$$Q = W + \Delta U \quad [W = \frac{Q}{4}]$$

$$Q = \frac{Q}{4} + \Delta U \quad (C = \text{Molar specific heat})$$

$$\Delta U = \frac{3Q}{4} \Rightarrow \mu C_v \Delta T = \frac{3}{4} \mu C \Delta T \Rightarrow C_v = \frac{3}{4} C$$

$$C = \frac{4}{3} C_v = \frac{4}{3} \left(\frac{f}{2} R \right) \quad [\text{For diatomic gas, } f = 5]$$

$$C = \frac{4}{3} \times \frac{5}{2} R = \frac{10}{3} R$$

37. Ans (1)

$$W = \frac{mg\ell}{2n^2}$$

$$n = \frac{5}{2}$$

$$W = \frac{2mg\ell}{25}$$

38. Ans (2)

$$\ell \phi = R \cdot \theta$$

$$\phi = \frac{(1)(0.8)}{200} = 0.004 \text{ rad}$$

39. Ans (4)

NCERT-XI, Pg. # 263


$$F_A \leftarrow F_C \sin 45^\circ = \frac{F_C}{\sqrt{2}} = \frac{2F_A}{\sqrt{2}} = \sqrt{2} F_A$$

$$F_C \cos 45^\circ = \frac{F_C}{\sqrt{2}} = \sqrt{2} F_A$$


It means resultant shape of meniscus is convex
angle of contact is obtuse liquid will not wet glass

$$h = \frac{2T \cos \theta}{R \rho g} = \frac{2T(-ve)}{R \rho g} = -ve$$

means liquid will descend in capillary.



40. Ans (1)



By equilibrium of mass m , $T' = mg$... (i)

By equilibrium of mass $2m$, $T = 2mg + T'$... (ii)

From (i) and (ii), $T = 2mg + mg = 3mg$... (iii)

When the string is cut :

For mass m :

$$F_{\text{net}} = ma_m \Rightarrow mg = ma_m \Rightarrow a_m = g \text{ (down wards)}$$

For mass $2m$:

$$F_{\text{net}} = 2ma_{2m} \Rightarrow T - 2mg = 2m a_{2m}$$

$$\Rightarrow 3mg - 2mg = 2ma_{2m} \Rightarrow a_{2m} = \frac{g}{2} \text{ (up wards)}$$

41. Ans (2)


$$F = \frac{GM \cdot M}{d^2} = \frac{GM^2}{d^2}, F' = \frac{G \frac{M}{2} \cdot \frac{3M}{2}}{\left(\frac{d}{2}\right)^2}$$

$$F' = \frac{3GM}{d^2} = 3F$$

Gravitational force does not depend on medium

42. Ans (2)

Crossing with critical speed at top most point.




when string is horizontal,

$$(v')^2 = v^2 + 2(g)(R) \Rightarrow (v')^2 = gR + 2gR = 3gR$$

$$a_c = \frac{(v')^2}{R} = \frac{3gR}{R} = 3g$$

43. Ans (1)



Before collision


$$\text{by COLM, } m(u) + 0 = m(v) + m(2v)$$

$$\Rightarrow u = 3v \text{ (1)}$$

$$e = \left| \frac{\vec{v}_2 - \vec{v}_1}{\vec{u}_1 - \vec{u}_2} \right| \Rightarrow e = \frac{2v - v}{u - 0} = \frac{v}{u} = \frac{v}{3v}$$

$$\Rightarrow e = \frac{1}{3}$$

44. Ans (2)



By $\tau_{\text{net}} = 0$

$$10g(33) = mg(5)$$

$$m = 66 \text{ gm}$$

45. Ans (2)

$$\rho = \frac{m}{V} = \frac{\pi}{2 \times \frac{4}{3}\pi(0.5)^3}$$

$$= \frac{3}{8} \times \frac{1}{0.125} = 3 \text{ gm/cc}$$


$$\text{Now } \eta = \frac{2}{9} \frac{r^2(\rho - \sigma)}{V_T} g \left[V_T = \frac{S}{t} \right]$$

$$= \frac{2}{9} \frac{(0.25)^2(3 - 1.2)(980)(5)}{50} = 9.8 \text{ poise}$$

46. Ans (3)


Fact.

48. Ans (2)



isopropyl acetate $\rightarrow$ common name

50. Ans (1)



51. **Ans (4)**

Carbonyl group can be reduced to alkane by HI/P, Zn-Hg/HCl or $\text{NH}_2\text{-NH}_2\text{OH}^\ominus$ ethylene glycol.


52. **Ans (3)**

Heat of hydrogenation $\propto \frac{1}{\text{stability}}$

56. **Ans (2)**

Fact

60. **Ans (2)**



61. **Ans (4)**

PCl_5 is a reactive molecule because $\text{P}-\text{Cl}_{(\text{axial})}$ is weaker than $\text{P}-\text{Cl}_{(\text{equatorial})}$.

66. **Ans (1)**

Basic Radicals Group Number

B. Cu^{+2} II

A. Al^{+3} III

D. Co^{+2} IV

C. Ba^{+2} V

E. Mg^{+2} VI

Ans. (1) B, A, D, C, E

68. **Ans (2)**

MnF_4 is stable but MnF_7 is non-existing.

$\rightarrow$ 'O' forms multiple bonds so Mn with oxygen is possible eq. Mn_2O_7 , MnO_4^{+7}

71. **Ans (3)**

Monodentate ligands do not show chelation.

73. **Ans (2)**

$\text{Fe}_4[\text{Fe}(\text{CN})_6]_3$

Prussian blue only one type of ligand is present.

77. **Ans (3)**

$$\text{ROR} = \frac{(\text{ROD})_A}{3} = \frac{(\text{ROD})_B}{2} = (\text{ROA})_C$$

78. **Ans (2)**

$$\begin{aligned} \text{Specific conductance } (\kappa) &= \frac{1}{R} \times \frac{\ell}{A} \\ &= \frac{0.02}{50 \times 0.0004} = 1 \text{ Sm}^{-1} \end{aligned}$$

82. **Ans (3)**

$$\begin{aligned} Y_A &= \frac{X_A P_A^\circ}{X_A P_A^\circ + X_B P_B^\circ} \\ &= \frac{1}{1 + \frac{X_B P_B^\circ}{X_A P_A^\circ}} = \frac{1}{1 + \frac{2}{1} \times \frac{2}{1}} = \frac{1}{5} = 0.2 \end{aligned}$$

84. **Ans (2)**

$$2\pi r_n = n\lambda \Rightarrow 2\pi \times 0.53 \frac{n^2}{z} = n\lambda$$






$$\lambda = 2\pi \times 0.53 \times \frac{n}{z}$$

$$E_{\text{sep}} = 3.4 = 13.6 \frac{z^2}{n^2}$$

$$\Rightarrow \frac{n}{z} = 2$$

$$\lambda = 2\pi \times 0.53 \times 2 = 6.66 \text{ \AA}$$

88. **Ans (3)**



$$x = 6, y = 10, z = 22$$

90. **Ans (4)**

$$W = -10(5.2 - 4.2) = -10 \text{ atm L} = -1013 \text{ J}$$

91. **Ans (1)**

New NCERT Page #75

92. **Ans (2)**

NCERT Page #72

93. **Ans (3)**

NCERT 73, 74 Figure 6.3(a)

Note : Sunflower root is tetrahedral.

94. **Ans (4)**

NCERT 11th Page #160

95. **Ans (2)**

NCERT 11th Page #159

97. **Ans (4)**

NCERT 11th Page #118

98. **Ans (2)**

NCERT XI Page #32

99. **Ans (4)**

NCERT XI Page # 27, 28

100. **Ans (3)**

NCERT XI Page #33

101. **Ans (4)**

NCERT XI Page #5, 7, 9

102. **Ans (1)**

NCERT XI Page #14, 16, 18, 21

- | | |
|--|--|
| <p>103. Ans (3)
NCERT XII Page #195, 196(E)
NCERT XII Page #213, 214(H)</p> <p>104. Ans (3)
NCERT XII Page #197-202 (E)
NCERT XII Page #216-220 (H)</p> <p>105. Ans (3)
NCERT XII Page #199, 200 (E)
NCERT XII Page #218, 219 (H)</p> <p>106. Ans (3)
NCERT XII Page # 192, 195, 196 (E)
NCERT XII Page # 210, 211, 214 (H)</p> <p>107. Ans (1)
NCERT 12th Page #96, 97, 98 (E)
NCERT 12th Page #89, 90, 91 (H)</p> <p>108. Ans (4)
NCERT Page# 90</p> <p>109. Ans (3)
NCERT 12th Page #98,99 (E)</p> <p>110. Ans (4)
NCERT 12th Page #100, 101 (E)</p> <p>111. Ans (2)
NCERT 12th Page #97, 72 (E)
NCERT 12th Page #79, 80,107 (H)</p> <p>112. Ans (4)
NCERT 12th Page #94, 95 (E)</p> <p>113. Ans (3)
NCERT 12th Page #83, 98, 106 (E)</p> <p>114. Ans (4)
NCERT XI Page #170</p> <p>115. Ans (3)
NCERT XI Page #176, 173</p> <p>116. Ans (4)
NCERT XI Page #63-65</p> <p>117. Ans (1)
Old NCERT XI Page #79</p> <p>118. Ans (3)
From new families</p> <p>119. Ans (3)
NCERT 11th Page #135</p> <p>120. Ans (4)
NCERT 11th Page #146</p> | <p>121. Ans (3)
NCERT 11th Page #142,145,148,150</p> <p>122. Ans (1)
NCERT Page # 18</p> <p>123. Ans (4)
NCERT Page #22</p> <p>124. Ans (3)
NCERT Pg. # 9,20</p> <p>125. Ans (3)
NCERT Page #56</p> <p>126. Ans (3)
NCERT Page #61</p> <p>127. Ans (1)
NCERT Page #57</p> <p>128. Ans (2)
NCERT Page #62</p> <p>129. Ans (2)
NCERT Page #157</p> <p>130. Ans (1)
NCERT Page #205</p> <p>131. Ans (3)
NCERT Page #209</p> <p>132. Ans (3)
NCERT Page #205</p> <p>133. Ans (2)
NCERT Page #217</p> <p>134. Ans (3)
NCERT Page #217</p> <p>135. Ans (3)
NCERT Page #217</p> <p>136. Ans (2)
NCERT Pg. # 236</p> <p>137. Ans (4)
NCERT Pg. # 232,233</p> <p>138. Ans (4)
NCERT Pg. # 34</p> <p>139. Ans (1)
NCERT, Pg. # 38</p> <p>140. Ans (2)
NCERT, Pg. # 44</p> <p>141. Ans (3)
NCERT, Pg. # 44</p> |
|--|--|

142. **Ans (3)**
NCERT, Pg. # 112
143. **Ans (2)**
NCERT, Pg. # 113
144. **Ans (3)**
NCERT, Pg. # (E)-245, (H)-245
145. **Ans (1)**
NCERT, Pg. # (E)-246, (H)-246
146. **Ans (2)**
NCERT, Pg. # (E)-243, (H)-243
147. **Ans (1)**
NCERT, Pg. # (E)-205, (H)-206
148. **Ans (4)**
NCERT, Pg. # (E)-209, (H)-209
149. **Ans (2)**
NCERT, Pg. # 225 (New)
150. **Ans (4)**
NCERT, Pg. # 144
151. **Ans (4)**
NCERT, Pg. # 148,151,144
152. **Ans (4)**
NCERT-XII, Pg. # 135,136,137,138
153. **Ans (3)**
NCERT-XII, Pg. # 136
154. **Ans (1)**
NCERT-XII, Pg. # 130,131
155. **Ans (3)**
NCERT-XII, Pg. # 146
156. **Ans (4)**
NCERT, Pg. # 88
157. **Ans (3)**
NCERT, Pg. # (E)-94, (H)-95
158. **Ans (1)**
NCERT, Pg. # 95
159. **Ans (2)**
NCERT, Pg. # 101
160. **Ans (2)**
NCERT, Pg. # 129
161. **Ans (2)**
NCERT, Pg. # 120,121,122,124

162. **Ans (3)**
NCERT, Pg. # 95
163. **Ans (4)**
Old NCERT, Pg. # 101
164. **Ans (2)**
Old NCERT, Pg. # 101
165. **Ans (3)**
Old NCERT, Pg. # 112
166. **Ans (3)**
NCERT Pg. # 187
167. **Ans (2)**
NCERT Pg. # 189
168. **Ans (4)**
NCERT Pg. # 38, 39
169. **Ans (3)**
NCERT Pg. # 47
170. **Ans (4)**
NCERT Pg. # 50
171. **Ans (1)**
NCERT Pg. # 201
172. **Ans (1)**
NCERT Pg. # 196
173. **Ans (3)**
NCERT 12th Page #165
174. **Ans (1)**
NCERT 12th Page no #171
175. **Ans (3)**
NCERT 12th Page # 165,166
176. **Ans (3)**
NCERT 12th Page #168
177. **Ans (4)**
NCERT 12th Page #170
178. **Ans (1)**
NCERT 12th Page #180
179. **Ans (4)**
NCERT 12th Page #182
180. **Ans (1)**
NCERT 12th Page # 179, 180, 181, 182, 168