


Morphology of FP + Anatomy of FP - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025



→ 10-12 Q PDF
Sheet ⇒

Morphology of Flowering Plants & Anatomy of Flowering Plants



BIOLOGYLIVE

Title: Morphology of flowering Plants & Anatomy of flowering Plants

1. Given below are two statements one is labelled as Assertion (A) and the other is labelled as Reason (R)

रिप्रायनस

✓ Assertion (A) : In mustard, chinarose and brinjal superior ovary present ✓

✓ Reason (R) : In Epigynous flower gynoecium occupies the lowest position while other part of flower arises above the ovary ✓

In the light of the above statements, choose the correct answer from the options given below :

- ✓ (1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (2) (A) is correct but (R) is not correct
- (3) (A) is not correct but (R) is correct
- (4) Both (A) and (R) are correct and (R) is the correct explanation of (A)



Title: Morphology of flowering Plants & Anatomy of flowering Plants

2. Match the following column I and column II : 2025

Column-I

a. Valvate

b. Twisted

c. Imbricate

d. Vaxillary

Column-II

i. *Pea*

ii. *Cotton*

iii. *Gulmohar*

iv. *Calotropis*

✓ (1) a-iv, b-ii, c-iii, d-i

(2) a-iv, b-iii, c-ii, d-i

(3) a-i, b-ii, c-iv, d-iii

(4) a-ii, b-iv, c-iii, d-i



Title: Morphology of flowering Plants & Anatomy of flowering Plants

3. Match the following column I and column II :

1.1.1.1.1.1mp

Column-I

a. Marginal

b. Axil

c. Parietal

d. Free - central

e. Basal

Column-II

i. Lemon

ii. Pea

iii. Primrose

iv. Argemone

v. Marigold

(1) a-i, b-ii, c-iii, d-iv, e-v

(2) a-v, b-iv, c-iii, d-ii, e-i

✓ (3) a-ii, b-i, c-iv, d-iii, e-v

(4) a-ii, b-i, c-v, d-iii, e-iv



Title: Morphology of flowering Plants & Anatomy of flowering Plants

4. Stem modified into flattened and fleshy structures are known as :

- (1) Phyllode = leaf modified
- ✓(2) Phylloclade = stem modified
- (3) Tuber
- (4) All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

5. Match the following columns

Column-I

a. Tap root

b. Fibrous root

c. Adventitious root

d. Prop root

Column-II

i. Monstera

ii. Guava

iii. Banyan

iv. Wheat

☒ (1) a-ii, b-iv, c-i, d-iii

(3) a-ii, b-iii, c-i, d-iv

(2) a-i, b-ii, c-iii, d-iv

(4) a-iii, b-i, c-ii, d-iv



Title: Morphology of flowering Plants & Anatomy of flowering Plants

6. In the given following statements, select the correct statements

- ✓ (a) A number of leaflets are present on a common axis, the rachis, which represent the midrib of the leaf in pinnately compound leaf
- ✓ (b) The leaf base may become swollen is pulvinus in some leguminous plants
- ✗ (c) Supporting roots coming out of the lower nodes of the stem called stilt roots in Banyan and Rhizophora ✗ *Sugar cane and maize*
- (d) Axillary buds of stems may also get modified into woody, straight pointed thorns as in Citrus and *Bougainvillea* ✓

- (1) a, b, c, d are correct
- ✗ (2) a, b, d are correct
- (3) b, c, d are correct
- (4) a, c, d are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

7. Match the following column I & column II

Column-I

a. Stem tendril

b. Thorns

c. Underground stem

d. Stilt root

Column-II

i. Maize

ii. *Bougainvillea*

iii. Watermelon

iv. *Colocasia*

✓ (1) a-iii, b-ii, c-iv, d-i

(3) a-i, b-ii, c-iii, d-iv

(2) a-iv, b-ii, c-i, d-iii

(4) a-iii, b-ii, c-i, d-iv



Title: Morphology of flowering Plants & Anatomy of flowering Plants

8. Select the correct match :

Family

Fruit

(i) Brassicaceae →

Siliques

Practical

(ii) Fabaceae →

Legume

(iii) Malvaceae →

capsule or schizocarps

(1) (i) and (ii) only

(2) (ii) and (iii) only

(3) (i) only

✓ (4) All are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

9. Which of these belong to the family Malvaceae

v.v.v.v.v. Imp

(i) Lady Finger ✓

(ii) Cotton ✓

(iii) Petunia

(iv) *Colchicum autumnale*

(v) *Asparagus*

(vi) Chilli

(1) (i), (ii), (iii), (iv)

✓ (2) (i) & (ii) only

(3) (i), (ii), (v), (vi)

(4) (i) & (iv) only



Title: Morphology of flowering Plants & Anatomy of flowering Plants

r) Leaf modification


10. Phyllode (petiole modified) is present in :

- ✓ (1) Australian Acacia
- (2) *Opuntia*
- (3) *Asparagus*
- (4) *Euphorbia*



Title: Morphology of flowering Plants & Anatomy of flowering Plants

11. The following diagrams represent the types of aestivation in corolla. Identify the correct combination of labelling.



- (1) A-Valvate, B- Twisted, C-Vexillary, D-Imbricate
- (2) A-Valvate, B-Vexillary, C- Twisted, D-Imbricate
- (3) A-Valvate, B-Imbricate, C- Twisted, D-Vexillary
- ✓ (4) A-Valvate, B- Twisted, C-Imbricate, D-Vexillary



Title: Morphology of flowering Plants & Anatomy of flowering Plants

→ Respiration.

12. Pneumatophores show which of the following type of growth :

- (1) Positive geotropic
- ✓ (2) Negative geotropic
- (3) Geotropic neutral
- (4) Diageotropic



Title: Morphology of flowering Plants & Anatomy of flowering Plants

13. Given below are two statements :

✓ **Statement I :** In parietal placentation, the ovule develop on the inner wall of ovary.

✗ **Statement II :** When stamens are attached to parianth they are epipetalous as in lily.

↳ *epiphyllous*

In the light of the above statements, choose the correct answer from the options given below

(1) Both Statement I and Statement II are incorrect

✓ (2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct.



Title: Morphology of flowering Plants & Anatomy of flowering Plants

14. Given below are two statements :

X Statement I : In pinnately compound leaf, ^{→ neem} leaflet are present on a common axis, the rachis and it found in silk cotton. ^{Palamitely.}

✓ Statement-II: In compound leaf, lamina is divided into number of leaflet.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- ✓ (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

15. Find the correct matching of the following

- | | |
|---------------------------|-----------------------|
| (A) Marginal placentation | (i) Sunflower |
| (B) Parietal placentation | (ii) Gram |
| (C) Axile placentation | (iii) <i>Mustard</i> |
| (D) Basal placentation | (iv) <i>Chinarose</i> |

- ✓ (1) A-ii, B-iii, C-iv, D-i
(2) A-ii, B-iv, C-iii, D-i
(3) A-iv, B-ii, C-i, D-iii
(4) A-ii, B-iii, C-i, D-iv



Title: Morphology of flowering Plants & Anatomy of flowering Plants

16. Match the following column I and column II : 2025

Column -I

Column -II

- | | | |
|------------------|---|-----------------|
| a. Epipetalous | → | i. Brinjal |
| b. Epiphyllous | → | ii. Lilly |
| c. Monodelphous | → | iii. China rose |
| d. Diadelphous | → | iv. Pea |
| e. Polyadelphous | → | v. Citrus |

(1) a-v, b-iv, c-iii, d-ii, e-i

(2) a-i, b-iii, c-ii, d-iv, e-v

☒ (3) a-i, b-ii, c-iii, d-iv, e-v

(4) a-iv, b-v, c-iii, d-i, e-ii



Title: Morphology of flowering Plants & Anatomy of flowering Plants

17. Find out the correct statements

- a. The roots which store food in Turnip are modified tap roots ✓
- b. Stems of maize & sugarcane have stilt roots coming out from upper nodes lower
- c. In *Monstera*, roots arise from parts other than radicle = nod. ✓
- d. *Colocasia* has organ of perennation ✓

(1) c, d

✓ (2) a, c, d


(3) b, c, d

(4) a, b



Title: Morphology of flowering Plants & Anatomy of flowering Plants

18. In following diagram placentation represent :-



- ✓(1) A-Axile, B-Free central, C – in marigold
- (2) A-Axile, B-Free central, C – in Primrose×
- (3) A-Free central, B-Axile, C – in *Dianthus*
- (4) A-Free central, B-Parietal, C – in pea



Title: Morphology of flowering Plants & Anatomy of flowering Plants

19. Which of the following is/are correct :

- (1) Anatomy of seed plant by Katherine Esau was published in ~~1954~~ 1960
- (2) Dr. Esau's plant anatomy published in ~~1960~~ 1954
- ✓ (3) Katherine Esau reported that the Curly top virus spreads through a plant via the food conducting tissue
↓
phloem
- (4) All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

20. Which among the following statement regarding 'Leaf' is incorrect :

(a) These are lateral generally flattened structure borne on stem ✓

(b) It originates from shoot axillary ~~parenchyma~~ meristem X

(c) These are arranged ~~basipetally~~ acropetal

(d) The leaf is attached to stem by lamina → leaf base

(1) a, b and c

✓(2) b, c, and d

(3) a, c, and d

(4) a, b and d



Title: Morphology of flowering Plants & Anatomy of flowering Plants

21. A typical flower has four different kind of whorl, arranged successively on the swollen end of the stalk called :

- ✓ (1) Receptacle
- (2) Carpel
- (3) Pedicel = *single stalk flower.*
- (4) Calyx



Title: Morphology of flowering Plants & Anatomy of flowering Plants

V.V.V.V. Imp

22. Which among the following statement is false with respect to drupe :

monocarpeous

- ✓ (1) They develop from ~~multicarpellary~~ superior ovary
- (2) These are single seeded
- (3) Mango and coconut are drupe
- (4) Mesocarp of coconut is fibrous



Title: Morphology of flowering Plants & Anatomy of flowering Plants

23. What is correct about ovary of Dianthus : Free central

- (1) Ovules are present on central axis and septa present
- (2) Ovules are present on periphery & septa absent
- ✓ (3) Ovules are present on central axis & septa absent
- (4) Ovary contains one ovule only



Title: Morphology of flowering Plants & Anatomy of flowering Plants

24. Apocarpous condition is found in

- (1) Lotus & tomato
- (2) Tomato & rose
- (3) Mustards tomato
- (4) Lotus & rose



Title: Morphology of flowering Plants & Anatomy of flowering Plants

25. Which among the following is described as reduced leaf found at the base of the pedicel :

- (1) Rachis
- (2) Rachilla
- ✓ (3) Bract
- (4) Sepal



Title: Morphology of flowering Plants & Anatomy of flowering Plants

26. Match the following Column I and II V.V. Imp

Column -I

Column-II

a. Hypogynous $\longrightarrow$ i. Mustard

b. Perigynous $\longrightarrow$ ii. Peach

c. Epigynous $\longrightarrow$ iii. Guava

(1) a-iii, b-ii, c-i

(2) a-ii, b-iii, c-i

(3) a-i, b-iii, c-ii

✓ (4) a-i, b-ii, c-iii



Title: Morphology of flowering Plants & Anatomy of flowering Plants

27. The covering of radicle in monocot seed is known as : V.V.Imp

- (1) Coleoptile = plumule

- ✓ (2) Coleorhiza

- ### (3) Testa

- #### (4) Tegmen



Title: Morphology of flowering Plants & Anatomy of flowering Plants

28. *Alstonia* is known for :

- (1) Alternante phyllotaxy
- (2) Tendrils
- (3) Phyllode
- (4) Whorled phyllotaxy ✓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

29. Select the correct match :

(i) Chilli	–	Actinomorphic flower ✓✓
(ii) Canna	–	Asymmetric flower ✓✓
(iii) <i>Trifolium</i>	–	Zygomorphic flower ✓✓
(iv) <i>Cassia</i>	–	Asymmetric flower x zygomorphic

- ✓ (1) (i), (ii) & (iii) only
(2) (i) and (iii) only
(3) (ii) and (iv) only
(4) (ii), (iii) and (iv) only



Title: Morphology of flowering Plants & Anatomy of flowering Plants

30. Androecium is composed of stamens, which have pollen sacs, producing pollen grains. However, some stamens do not produce pollen grains are :

- (1) Diadelphous
- (2) Adnate
- (3) Adelphous
- (4) Staminode



Title: Morphology of flowering Plants & Anatomy of flowering Plants

31. In a cereal grain the single cotyledon of embryo is represented by : ²⁰²⁵

- ✓ (1) Scutellum
- (2) Aleurone layer
- (3) Endosperm
- (4) Coleorhiza



Title: Morphology of flowering Plants & Anatomy of flowering Plants

Imp
32. In dicots, radicle elongates to form :

- (1) Primary root
- (2) Tap root ✓
- (3) Adventitious root
- (4) Both 1 and 2 ✓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

33. Axillary buds which develop into tendrils are found in:

- (1) Cucumber ✓
- (2) Pumpkins ✓
- (3) Grapevine ✓
- (4) All of these ✓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

34. In which leaf base expands into a sheath covering the stem partially or wholly :

(1) Leguminous plants = swollen

(2) Solanaceae

✓ (3) Monocotyledons

(4) Cucurbitaceae



Title: Morphology of flowering Plants & Anatomy of flowering Plants

35. Given below are two statements :

- ✓ Statement I : Actinomorphic flower can be divided in to two equal halves by any radial plane passing through the centre.
- ✓ Statement-II: Asymmetric flower cannot be divided in to two similar half by any vertical plane passing through the centre.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- ✓ (4) Both Statement I and Statement II are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

36. How many matching are correct :

(a) <i>Fucus</i>	–	Oogamous ✓✓
(b) <i>Eudorina</i>	–	Isogamous Anisogam
(c) <i>Ulothrix</i>	–	Anisogamous Isogam
(d) <i>Spirogyra</i>	–	<u>Isogamous</u> ✓✓

(1) One

✓(2) Two

(3) Three

(4) Four



Title: Morphology of flowering Plants & Anatomy of flowering Plants

V.V. Imp

37. How many matching are correct :

a. *Pinus* – Male cone ✓

b. *Cycas* – ~~Female cone~~ megasporephyll

c. *Pinus* – Female cone ✓

d. *Cycas* – Male cone ✓

(1) Two

✓ (2) Three

(3) Four

(4) One



Title: Morphology of flowering Plants & Anatomy of flowering Plants

38. According to circulatory system how many matching are incorrect :-

- | | | |
|--|---|-----------------------------|
| (a) Open type | – | In <i>Anopheles</i> ✓ |
| (b) Close type | – | In <i>Pheretima</i> ✓ |
| (c) ^{close}
Open type | – | In <i>Nereis</i> ✓ X |
| (d) Close type | – | In <u><i>Neophron</i></u> ✓ |

- | | |
|------------------|----------|
| ✓ (1) <u>One</u> | (2) Two |
| (3) Three | (4) Four |



Title: Morphology of flowering Plants & Anatomy of flowering Plants

39. How many matching is/are correct

- | | | |
|---------------------|---|-------------------|
| a. Acoelomates | – | Platyhelminthes ✓ |
| b. Pseudocoelomates | – | Aschelminthes ✓ |
| c. Coelomate | – | Coelenterata => ✗ |
| d. Coelomate | – | Porifera => ✗ |

(1) One

✓(2) Two

(3) Three

(4) Four



Title: Morphology of flowering Plants & Anatomy of flowering Plants

1.1m2

40. Given below are two statements :

Statement I : In twisted aestivation, one margin of sepals or petals overlaps that of the next one and soon. ✓

Statement-II: In imbricate aestivation, margins of sepals or petals overlap on another but not in any particular direction. ✓


Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- ✓ (4) Both Statement I and Statement II are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

41. Identify the figure and choose correct option



✓ (a) Dicotyledonous seed, example - gram ✓

(b) Monocotyledonous seed, example - maize

✓ (c) Generally non- albuminous ✓

(d) Generally endospermic

(1) Only b, d correct

(2) Only a, d correct

(3) Only b, c correct

✓ (4) Only a, c correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

42. Which is floral formula of family brassicaceae :

(1) $\oplus \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_{2+2} C_4 A_{2+4} \underline{G}_{(2)}$

(2) $\% \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_5 C_5 A_{\infty} \underline{G}_{(2)}$

(3) $\oplus \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_4 C_{2+4} A_{2+4} \underline{G}_{(2)}$

(4) $\% \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_5 C_{2+4} A_{\infty} \underline{G}_{(2)}$

↓
Mustard



Title: Morphology of flowering Plants & Anatomy of flowering Plants

43. Keel is characteristic of the flowers of :

- ✓ (1) Bean
- (2) Gulmohur
- (3) *Cassia*
- (4) *Calotropis*



Title: Morphology of flowering Plants & Anatomy of flowering Plants

44. Which statement is true among the following :

(a) When the stamens are united into more than two bundles this condition is seen in Citrus. →

Lotus and Rose

✗ (b) When more than one carpel is present it can be free as in tomato. ✗

(c) Petiole in Australian acacia expands become green and synthesised food. ✓

(d) Irregular symmetry present in canna ✓

(1) a, b and c

(2) b, c and d

(3) Only b

✓ (4) a, c and d



Title: Morphology of flowering Plants & Anatomy of flowering Plants

45. ^{11.11.1m?} Select the correct statement about mustard :

- i. Alternate phyllotaxy ✓
- ii. Superior ovary ✓
- iii. Tetradynamous stamen ✓ ^{→ Brassica.}
- iv. Variation in length of filament
- v. ^{Syncarp} ~~Apocarpous~~ ovary X

(1) Only iii

(2) Only ii, iii and v

✓ (3) Only i, ii, iii and iv

(4) All are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

46. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

✓ Assertion (A) : Both apical and intercalary meristems are primary meristems.

✓ Reason (R) : They appear early in life of plant and contributes to the formation of primary plant body.

In the light of the above statements, choose the correct answer from the options given below

(1) Both (A) and (R) are true but (R) is not the correct explanation of (A)

(2) (A) is true but (R) is false

(3) (A) is false but (R) is true

✓ (4) Both (A) and (R) are true and (R) is the correct explanation of (A)



Title: Morphology of flowering Plants & Anatomy of flowering Plants

47. Simple tissue that don't contain chloroplasts :

(1) Parenchyma

(2) Collenchyma

✓ (3) Sclerenchyma → Dead

(4) Xylem → complex



Title: Morphology of flowering Plants & Anatomy of flowering Plants

48. Which of the following is not an element of ["]xylem["] in gymnosperms

(1) Sieve tube → phloem

✓ (2) Vessels

(3) Xylem fibres

(4) Xylem parenchyma



Title: Morphology of flowering Plants & Anatomy of flowering Plants

49. Suberin layer is found in :

- (1) Conjunctive tissue
 - (2) Pericycle
 - (3) Hypodermis
 - (4) Innermost layer of cortex of root
- endodermis



50. Intercalary meristems are :

- (1) Present in grasses ✓
- (2) Primary meristem ✓
- (3) Secondary meristem
- (4) Both 1 and 2 ✓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

51. Given below are two statements :

- ☒ Statement I : In dicotyledonous leaf axially placed palisade parenchyma is made up of elongated cells which are arranged only vertically.
- ☒ Statement-II: In monocotyledonous leaf mesophyll is not differentiated into palisade and spongy parenchyma.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- ☒ (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

52. Starch sheath is a endodermis which rich starch

2025

grains found in :

(1) Monocot root

(2) Dicot root

✓✓ (3) Dicot stem

(4) Monocot stem



Title: Morphology of flowering Plants & Anatomy of flowering Plants

53. Vascular bundle is conjoint, open and with endarch protoxylem found in :

(1) Monocot root

(2) Dicot root $\rightarrow$ exarch

✓ (3) Dicot stem

(4) Monocot stem

2023



Title: Morphology of flowering Plants & Anatomy of flowering Plants

54. Which of the following structure constitute stele :

- (1) Pericycle ✓
- (2) Vascular bundles ✓
- (3) Pith ✓
- (4) All of these ✓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

55. The pith is small or inconspicuous in :

(1) Monocot root

✓(2) Dicot root

(3) Dicot stem

(4) Monocot stem



Title: Morphology of flowering Plants & Anatomy of flowering Plants

56. Select the incorrect statement from the followings:

- ✓✓ (1) Open conjoint, collateral or bicollateral vascular bundles found in monocot stem ✗
- (2) All the tissues on the innerside of the endodermis such as pericycle, vascular bundles and pith in dicot root constitute the stele
- (3) Polyarch vascular bundles found in monocot root
- (4) Phloem parenchyma is absent in monocot stem



Title: Morphology of flowering Plants & Anatomy of flowering Plants

57. Match the following columns :

- | | | |
|---------------------------|--|----------------------------------|
| a. <u>Vessel</u> | | i. Tapering ends |
| b. Tracheids | | ii. <u>Large central cavity</u> |
| c. <u>Sclereids</u> | | iii. Special parenchymatous cell |
| d. <u>Companion cells</u> | | iv. Very narrow cavity |

2025

(1) a-iii, b-i, c-iv, d-ii

✓ (2) a-ii, b-i, c-iv, d-iii

(3) a-i, b-ii, c-iv, d-iii

(4) a-iv, b-iii, c-ii, d-i



Title: Morphology of flowering Plants & Anatomy of flowering Plants


58. Identify A, B, C and D in the following diagrams:

(1) A-Xylem, B-Phloem, C-Collenchyma and D-Companion cells

✓ (2) A-Collenchyma, B-Xylem, C-Sclerenchyma and D- Lumen

(3) A-Collenchyma, B-Sclerenchyma, C-Xylem and D-Companion cells

(4) A-Companion cells, B-Phloem, C-Perenchyma and D-Lumen



Title: Morphology of flowering Plants & Anatomy of flowering Plants

59. Given below are two statements :

Statement I : Trichomes in the shoot system are usually unicellular ~~x~~ ^{multicellular 202s}

Statement-II : Trichomes may be branched or unbranched

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- ✓ (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

60. Apical meristems produce :

- (1) Secondary tissue
- (2) Permanent tissue
- (3) Primary tissue
- (4) Both 2 & 3



Title: Morphology of flowering Plants & Anatomy of flowering Plants

61. Read the statements given below carefully and find out the correct ones ∴

a. Bast fibres are made of sclerenchymatous cells ✓

b. Bast fibres are unbranched & with pointed apex

c. Epidermal cells are perenchymatous with small amount of cytoplasm ✓

d. Functions of companion cells are controlled by nucleus of the sieve tubes ✗

✓ (1) a, b, c only

(2) a, b only

(3) a, b, c, d

(4) c, d only



Title: Morphology of flowering Plants & Anatomy of flowering Plants

62. The pith is large and well developed in :

- ✓ (1) Monocot root
- (2) Dicot root
- (3) Monocot stem
- (4) None



Title: Morphology of flowering Plants & Anatomy of flowering Plants

V.V.Imp

63. Casparian bands (strips) are characteristic feature of :

- (1) Epidermis
- (2) Epiblema
- (3) Exodermis
- (4) Endodermis



Title: Morphology of flowering Plants & Anatomy of flowering Plants

64. The xylem in which protoxylem lies towards the centre (pith) and metaxylem lies towards the periphery is called :

- ✓ (1) Endarch = Stem
- (2) Exarch = Root
- (3) Mesarch
- (4) All of these




65. Examples of lateral meristem :

- (1) Fascicular vascular cambium
- (2) Interfascicular cambium
- (3) Cork-cambium
- (4) ☒ All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

66. In the given figure A and B are :



- (1) A – Parenchyma, B – Epidermis, C – Ground tissue
- (2) A – Endodermis, B – Parenchyma, C – Pith
- (3) A – Parenchyma, B – Phloem, C – Ground tissue
- ✓ (4) A – Parenchyma, B – Pericycle, C – Pith



Title: Morphology of flowering Plants & Anatomy of flowering Plants

67. The parenchymatous cells which lie between the xylem and the phloem are called :

- ✓ (1) Conjunctive tissue
- (2) Casparian strips
- (3) Cambium
- (4) Albuminous cells



Title: Morphology of flowering Plants & Anatomy of flowering Plants

68. One of the following is absent in the monocots :

- ✓ (1) Cambium → 2^o growth
- (2) Companion cells
- (3) Sieve tubes
- (4) Phloem



69. Sclerenchymatous hypodermis is characteristics of :

(1) Dicot stem = collenchymatous

✓ (2) Monocot stem

(3) Monocot as well as dicot stem

(4) Hydrophytes



Title: Morphology of flowering Plants & Anatomy of flowering Plants

70. Which of the following is a part of the epidermal tissue system :

- (1) Epidermal cells ✓
- (2) Stomata ✓
- (3) Trichomes ✓
- (4) All of these ✓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

71. In monocot leaf which type of guard cell present:

- (1) Bean shape
- ✓ (2) Dumb-bell shaped
- (3) Kidney shape
- (4) All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

72. Read the following statements and choose correct answer : 2025

(i) First formed primary xylem elements are called Protoxylem ✓

(ii) The later formed primary xylem is called Metaxylem ✓

(iii) In stem the Protoxylem lies towards the Periphery x → endarch

(iv) In roots the Protoxylem lies towards centre x

☒ (1) i, ii correct and iii, iv incorrect

(2) i, iii correct and ii, iv incorrect

(3) iii, iv correct and i, ii incorrect

(4) i, ii, iii, iv correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

73. Type of meristems occur in grasses and regenerate parts removed by the grazing herbivores is :

- (1) Apical meristems
- (2) Lateral meristems
- ✓ (3) Intercalary meristem
- (4) None is correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

74. Trichomes in shoot system are :

- (1) Rarely multicellular
- ✓ (2) Usually multicellular
- (3) Usually unicellular
- (4) Always unicellular



75. What constitutes the ground tissue of a plant :

(1) All tissues including epidermis and vascular bundle

✓ (2) All tissue except outermost covering of plant and
vascular bundles

↓
epidermis

(3) Xylem, phloem and pith

(4) Phloem and mesophyll



Title: Morphology of flowering Plants & Anatomy of flowering Plants

76. Protophloem & metaphloem have :

- ✓ (1) Narrow & bigger sieve tubes respectively
- (2) Bigger & narrow sieve tubes respectively
- (3) Both have bigger sieve tubes
- (4) Both have narrow sieve tubes

V.V.Imp 2025



Title: Morphology of flowering Plants & Anatomy of flowering Plants

77. Find the correct statements from the statements given below-(about dorsiventral leaf): 2025

✓ (a) Size of the vascular bundle in leaves depends on the size of the veins

(b) Vascular bundle are surrounded by ^{thick} ~~thin~~ walled bundle sheath cells ✗

(c) The veins vary in thickness in the reticulate venation of dicot leaves ✓

^{Adaxial} (d) ~~Abaxially~~ placed palisade parenchyma in dicot leaf is made up of elongated cells

(1) Only a, b

(2) Only b, c

(3) Only b, c, d

✓ (4) Only a, c



Title: Morphology of flowering Plants & Anatomy of flowering Plants

78. Companion cells are closely associated with :

- (1) Trichomes
- (2) Guard cells
- ✓ (3) Sieve elements
- (4) Vessel elements



Title: Morphology of flowering Plants & Anatomy of flowering Plants

79. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Radial vascular bundles present in roots.

Reason (R) : Xylem and phloem with in a vascular bundle are arranged in an altimate manner on different radii.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both (A) and (R) are true but (R) is not the correct explanation of (A)
- (2) (A) is true but (R) is false
- (3) (A) is false but (R) is true
- ☒ (4) Both (A) and (R) are true and (R) is the correction explanation of (A)

4 clas
• P.K - 100
• A.K - 100
• M. - 100
• A. - 100
10AM

Title: Morphology of flowering Plants & Anatomy of flowering Plants

80. The xylem in which protoxylem lies towards periphery and metaxylem lies towards the centre.

Such arrangement of primary xylem is called :

(1) Endarch

✓ (2) Exarch


(3) Mesarch

(4) All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

81. In given figure A and B are :



A → Subsidiary cell

B → Guard

- (1) A – Epidermal cell, B – Guard cell
- (2) A – Subsidiary cell , B – Stomatal pore
- (3) A – Guard cell, B – Subsidiary cell
- (4) A – Subsidiary cell, B – Guard cell



Title: Morphology of flowering Plants & Anatomy of flowering Plants

82. Hypodermis of dicotyledonous plants is made up of :

(1) Sclerenchyma

✓ (2) Collenchyma

(3) Parenchyma

(4) Companion cells



Title: Morphology of flowering Plants & Anatomy of flowering Plants

83. Elongated or tube-like cells with thick and lignified walls and tapering ends is a character of :

- ✓ (1) Tracheids
- (2) Vessels
- (3) Xylem fibre
- (4) Xylem parenchyma



Title: Morphology of flowering Plants & Anatomy of flowering Plants

84. Which of the following is made up of dead cells:

(1) Xylem parenchyma

(2) Collenchyma

✓ (3) Phloem fibre

(4) Phloem



Title: Morphology of flowering Plants & Anatomy of flowering Plants

85. In which character a monocot root differs from a dicot root :

- (1) Open vascular bundles
- (2) Scattered vascular bundles
- ✓ (3) Large pith
- (4) Radial vascular bundles


↓
pith ↑

↓
pith ↓



Title: Morphology of flowering Plants & Anatomy of flowering Plants

86. According to given figure which of the following is correct :



- (1) A – Absent in most of monocots
- (2) B – Absent in monocot
- (3) B – Absent in Gymnosperm ✓
- ✓ (4) 1 and 3 both



87. Semilunar patches of sclerenchyma are found in

- ✓ (1) Dicot stem
- (2) Dicot root
- (3) Monocot root
- (4) All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

88. The food material produced in leaves is conducted through the plant with the help of :

(1) Xylem

✓ (2) Phloem

(3) Collenchyma


(4) Sclerenchyma



Title: Morphology of flowering Plants & Anatomy of flowering Plants

* 2025

89. Match the following

- | | | |
|----------------|--|------------------------|
| a. Lycopsida |  | i) <i>Dryopteris</i> |
| b. Pteropsida |  | ii) <i>Selaginella</i> |
| c. Sphenopsida |  | iii) <i>Psilotum</i> |
| d. Psilopsida |  | iv) <i>Equisetum</i> |

(1) a(ii), b(iv), c(i), d(iii)

(2) a(i), b(iv), c(ii), d(iii)

 (3) a(ii), b(i), c(iv), d(iii)

(4) a(ii), b(iii), c(iv), d(i)



Title: Morphology of flowering Plants & Anatomy of flowering Plants

90. Match the column I and column II and choose correct option:

Column I

a. *Nostoc*

b. Methanogen

c. Mycoplasma

d. Heterotrophic bacteria

Column II

i. Biogas

ii. Heterocysts

iii. Lack of cell wall

iv. Antibiotic

(1) a-iv, b-ii, c-iii, d-i ✓ (2) a-ii, b-i, c-iii, d-iv

(3) a-i, b-iii, c-iv, d-i (4) a-i, b-ii, c-iv, d-ii



Title: Morphology of flowering Plants & Anatomy of flowering Plants

91. How many matching are correct :

- | | | |
|-----------------------|---|------------------------------------|
| (a) <i>Marchantia</i> | – | Gemma cup ✓ |
| (b) <i>Funaria</i> | – | <u>Biflagellate antherozoids</u> ✓ |
| (c) Gymnosperm | – | <u>Heterosporous</u> ✓ |
| (d) <i>Cedrus</i> | – | <u>Branched stem</u> ✓ |

(1) One

(2) Two

(3) Three

✓ (4) Four



Title: Morphology of flowering Plants & Anatomy of flowering Plants

92. Given below are two statements :

✓ **Statement I :** Most member of chlorophyceae have one or more storage bodies called pyrenoids.

Chloroplast

✗ **Statement II :** Pyrenoids are located in Mitochondria.

In the light of the above statements, choose the correct answer from the options given below

(1) Both Statement I and Statement II are incorrect

✓ (2) Statement I is correct but Statement II is incorrect

(3) Statement I is incorrect but Statement II is correct

(4) Both Statement I and Statement II are correct.



93. Which of the following is incorrect for dueteromycetes :

- (1) The Mycelium is septate and branched
- ✓ (2) ^{Some} ~~Most member~~ are saprophytes and parasite
- (3) Commonly known as imperfect fungi
- (4) Asexually reproduce by the formation of conidia



Title: Morphology of flowering Plants & Anatomy of flowering Plants

94. Which of the following is correct :

- ✓ (1) The RNA of viroid was of low molecular weight ✓
- (2) In 1971 T.O. Diener discovered a new infectious agent called ~~prions~~ ✗
- (3) Prions cause potato spinde tuber diseases ✗
- (4) All of these



Title: Morphology of flowering Plants & Anatomy of flowering Plants

95. Given below are two statements :

Statement I : Bacteria reproduce mainly by fission

Statement II : The vast majority of bacteria are heterotrophs.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



Title: Morphology of flowering Plants & Anatomy of flowering Plants

96. How many matching are correct :

- | | | |
|-----------------------------|---|----------------|
| a. <i>Musca domestica</i> | – | Insecta ✓ |
| b. <i>Triticum aestivum</i> | – | Poales ✓ |
| c. <i>Solanum nigrum</i> | – | Polymoniales ✓ |
| d. <i>Panthera leo</i> | – | Carnivora ✓ |

(1) 3	✓ (2) 4
(3) 1	(4) 2



Title: Morphology of flowering Plants & Anatomy of flowering Plants

97. How many matching are correct

(a) Diploblastic – Mesoderm present ✗

(b) Triploblastic – Mesoderm absent ✗

(c) Coelomate – Mesoderm present ✓

(d) Coelentrata – Mesoglea present ✓

(1) One

✓ (2) Two

(3) Three

(4) Four



Title: Morphology of flowering Plants & Anatomy of flowering Plants

98. How many matching are correct :

- | | | |
|--------------------|---|--------------------------|
| a. Hermaphrodite | – | <u>Porifera</u> ✓ |
| b. Unisexual | – | <u>Aschelminthes</u> ✓ |
| c. Bioluminescence | – | <u>Ctenophora</u> ✓ |
| d. Bisexual | – | <u>Platyhelminthes</u> ✓ |

- (1) One
- (2) Two
- (3) Three
- (4) ☒ Four



Title: Morphology of flowering Plants & Anatomy of flowering Plants

99. Recognise the given figure and find out correct statement for it.:

- (i) It is a member of ~~Rhodophyceae~~ Brown
- (ii) Oogamous type reproduction occur. ✓
- (iii) Diplontic life cycle present ✓
- (iv) It posses chlorophyll a and c as major pigment.



Fucus

- (1) (i), (ii) are correct
- ✓ (2) (ii), (iii), (iv) are correct
- (3) (i), (iii), (iv) are correct
- (4) (i), (ii), (iii), (iv) are correct



Title: Morphology of flowering Plants & Anatomy of flowering Plants

100. Read the given name carefully

Ustilago, Puccinia, Neurospora, Claviceps, Alternaria, Trichoderma. ✓ ✓

How many fungi is/are imperfect

(1) 3

✓ (2) 2

(3) 1

(4) 5



THANK YOU



BIOLOGYLIVE

Pich
NIERT

Thank you

