

Plant Kingdom + Animal Kingdom - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025




Mentor
1:1
⇒

Plant Kingdom and Animal Kingdom



BIOLOGYLIVE





CRACK NEET 2025

Plant Kingdom and Animal Kingdom

By : Anmol Sharma Sir

Title: Plant Kingdom and Animal Kingdom

1. In liverworts asexual reproduction takes place by the formation of specialised structures called

- | | |
|---------------|------------------|
| (1) Gemmae | (2) Sporangia |
| (3) Zoospores | (4) Both 1 and 2 |

2. Match the following

- | | |
|--------------------------------|---------------------------------|
| a. Lycopside | i) <i>Dryopteris</i> |
| b. Pteropsida | ii) <i>Selaginella</i> |
| c. Sphenopsida | iii) <i>Psilotum</i> |
| d. Psilopsida | iv) <i>Equisetum</i> |
| (1) a(ii), b(iv), c(i), d(iii) | (2) a(i), b(iv), c(ii), d(iii) |
| (3) a(ii), b(i), c(iv), d(iii) | (4) a(iii), b(iii), c(iv), d(i) |

3. Diplontic life cycle is present in

- | | |
|---------------------|-----------------------|
| (a) <i>Cycas</i> | (b) <i>Eucalyptus</i> |
| (c) <i>Funaria</i> | (d) <i>Dictyota</i> |
| (e) <i>Adiantum</i> | |
| (1) b,c,d | (2) c,d |
| (3) c,e | (4) a, b |

4. Characteristic of angiosperms which distinguish them from gymnosperms

- (1) Seeds covered by ovary
- (2) Zygote and triploid endosperm formed after double fertilization
- (3) The pollen grains and ovules are developed in specialised structures called flower
- (4) All of the above

5. Given below are two statements :

Statement I :

Fusion between one large, non motile, static female gamete and a smaller motile male gamete is called oogamous.

Statement II :

Atleast half of total carbondioxide fixation on Earth is carried out by algae through photosynthesis.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct

6. Given below are two statements :

Statement I :

In Rhodophyceae food is stored as complex carbohydrate in the form of manitol.

Statement II :

Manitol starch is very similar to amylopectin and glycogen in structure.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct


7. Conifers are adapted to tolerate extreme environmental conditions because of :

- (1) Broad hardy leaves
- (2) Superficial stomata
- (3) Thick cuticle
- (4) Presence of vessels.

8. Which of the following is incorrectly matched :

- (1) *Ectocarpus* – Fucoxanthin
- (2) *Ulothrix* – Mannitol
- (3) *Porphyra* – Floridean starch
- (4) *Volvox* – Starch

9. Identify the given figures of algae and select the correct option :



- (1) A – *Chlamydomonas*, B – *Chara*, C – *Volvox*
- (2) A – *Volvox*, B – *Ulothrix*, C – *Laminaria*
- (3) A – *Chara*, B – *Laminaria*, C – *Volvox*
- (4) A – *Porphyra*, B – *Polsiphonia*, C – *Fucus*

10. Read the following statement and choose correct option

- (i) In chlorophyceae stored food is starch
- (ii) Anisogamous type reproduction present in *Eudorina*
- (iii) *Volvox* is filamentous algae
- (iv) In Bryophyte antheridium produce biflagellated antherozoids.

Handwritten notes on the right side of the page:

Ind $\rightarrow$ I $\rightarrow$ Y

1000 $\div$ Thu = P.K.10

1000 $\div$ Friday = P.K.10

10am

Title: Plant Kingdom and Animal Kingdom

- (1) Only i, ii correct (2) Only iii, iv correct
(3) Only i, ii, iv correct (4) i, ii, iii, iv correct

11. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

Assertion (A) :

Genera *Selaginella* and *Salvinia* are known as heterosporous.

Reason (R) :

They produce two kinds of spores, macro (large) and micro (small).

In the light of the above statements, choose the correct answer from the options given below :

- (1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
(2) (A) is correct but (R) is not correct
(3) (A) is not correct but (R) is correct
(4) Both (A) and (R) are correct and (R) is the correct explanation of (A)

12. In Algae algin and carrageen are obtained from which type of algae respectively

- (1) Marine brown and red algae
(2) Marine red algae and brown algae
(3) Fresh water brown algae and marine red algae
(4) Fresh water red algae and brown algae

13. Match the following columns :

Column I (Reproduction type)	Column II (Characteristics)
A. Isogamous	1. Fusion between male (small) and female gamete (large)
B. Anisogamous	2. Both gametes are dissimilar in size
C. Oogamous	3. Both gametes are similar in size and non-motile

Codes :

- | | |
|-----------|-----------|
| A B C | A B C |
| (1) 3 2 1 | (2) 1 2 3 |
| (3) 2 1 3 | (4) 3 1 2 |

14. Match the following columns :

Column I	Column II
----------	-----------

- (Products)
A. Algin
B. Carrageen
C. Agar
D. Protein supplement

Codes :

- | |
|-------------|
| A B C D |
| (1) 1 4 3 2 |
| (3) 4 3 2 1 |

- (Algae)
1. Chlorella
2. Gracilaria
3. Red algae
4. Brown algae

- | |
|-------------|
| A B C D |
| (2) 2 1 4 3 |
| (4) 3 2 1 4 |

15. Zygotic and sporic meiosis takes place in :

- (1) *Spirogyra* and moss respectively
(2) Bryophytes and *Dryopteris* respectively
(3) *Cycas* and *Pinus* respectively
(4) *Chlamydomonas* and *spirogyra* respectively

16. Given below are two statements :

Statement I :

Isogamous type reproduction present in *Eudorina*

Statement II :

In Bryophyte antheridium produce multiflagellated antherozoids.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
(2) Statement I is correct but Statement II is incorrect
(3) Statement I is incorrect but Statement II is correct
(4) Both Statement I and Statement II are correct.

17. *Chlorella* is a

- (a) Multicellular algae
(b) Unicellular algae
(c) Protein rich algae
(d) Used as food supplement

- (1) Only a and d (2) Only a and c
(3) Only b and d (4) Only b, c and d

18. In class rhodophyceae sexual reproduction is of which type

- (1) Isogamous (2) Anisogamous
(3) Oogamous (4) All of these

19. Gamete of Brown algae have flagella at which position

- (1) Lateral (2) Apical
(3) Basal (4) Both 1 and 2

Title: Plant Kingdom and Animal Kingdom

20. Which of the following statements is correct :

- (1) Ovules are not enclosed by ovary wall in gymnosperms.
- (2) *Selaginella* is heterosporous, while *salvinia* is homosporous.
- (3) Horsetails are gymnosperms.
- (4) Stems are usually unbranched in both *Cycas* and *Cedrus*.

21. Select the mismatch :

- (1) *Cycas* – Dioecious
- (2) *Salvinia* – Heterosporous
- (3) *Equisetum* – Homosporous
- (4) *Pinus* – Dioecious

22. Floridean starch is the stored food in

- a. *Fucus*
- b. *Volvox*
- c. *Chara*
- d. *Polysiphonia*

- (1) a, d
- (2) c, b
- (3) d
- (4) a, b

23. In pteridophytes prothallus develop from

- (1) Holdfast
- (2) Spores
- (3) Sporophyte
- (4) Microsporangia

24. Bryophytes have

- (1) Archegonia
- (2) Thalloid haploid body
- (3) Dominant gametophytic and parasitic sporophytic phase
- (4) All the above

25. In chlorophyceae the rigid cell wall is made up of :

- (1) Inner layer of cellulose
- (2) Outer layer of pectose
- (3) Both 1 and 2
- (4) r- phycoerythrin

26. Branched stem is present in :

- (1) *Pinus*
- (2) *Cedrus*
- (3) *Cycas*
- (4) Both 1 and 2

27. Which of the following is a mismatch

- a. *Polytrichum* - Moss
- b. *Polysiphonia* - algae
- c. *Pteris* - Lycopside
- d. Rice - monocotyledonae

- (1) a,d
- (2) b,c
- (3) Only a
- (4) Only c


28. Female gametophyte in pinus is

- (1) Unicellular
- (2) Multicellular

(3) Bears 2 or more archegonia

(4) Both 2 and 3

29. Identify A, B and C in the following figure and choose the correct option :



- (1) A – Strobilus , B – Node, C – Leaves
- (2) A – Strobilus , B – Node, C – Branch
- (3) A – Sporophyll, B – Node , C – Internode
- (4) A – Sporophyll, B – Internode, C – Node

30. Match the following column I and column II :

Column I	Column II
(Common name)	(Flagellar number)
A. Green Algae	i. Absent
B. Brown Algae	ii. 2, Unequal, lateral
C. Red Algae	iii. 2,8, Equal, apical
(1) A – iii, B – ii, C – i	(2) A – i, B – ii, C – iii
(3) A – ii, B – iii, C – i	(4) A – iii, B – i, C – ii

31. In Gymnosperms ovule develops into

- (1) gametophyte
- (2) seed
- (3) fruit
- (4) embryo

32. A structure absent in Angiosperms is

- (1) Gemma
- (2) Pistil
- (3) Microgametophyte
- (4) Megagametophyte

33. Which one of the following is an example of chlorophyllous thallophyte

- (1) *Pisum*
- (2) *Spirogyra*
- (3) *Adiantum*
- (4) *Gnetum*

34. In which of the following groups all the organisms contain chlorophyll 'c'

- (1) *Cedrus*, *Chondrus*, *Volvox*, *Chlorella*
- (2) *Macrocystis*, *Spirogyra*, *Polysiphonia*, *Chara*
- (3) *Chlamydomonas*, *Dictyota*, *Ulothrix*, *Gelidium*
- (4) *Dictyota*, *Fucus*, *Sargassum*, *Laminaria*

35. Read the following statements regarding *Marchantia*

Title: Plant Kingdom and Animal Kingdom

- a. Is unisexual
- b. Has antheridiophore and archegoniophore
- c. Foot and seta in its sporophyte absent
- d. Is heterosporous in nature

Which of these statements are correct

- (1) a and b
- (2) c and d
- (3) a, b and c
- (4) b and c

36. Read the following statements

- i. In phaeophyceae flagella are 2 - 8 in number, equal in size and apical in position
- ii. In chlorophyceae the flagella are eight in number, unequal in size and lateral in position
- iii. The leaves in pteridophyta are microphylls as in *Selaginella* or macrophylls as in ferns

Which of these are correct

- (1) i, ii & iii
- (2) ii & iii
- (3) Only iii
- (4) i & iii

37. Natural classification system took under consideration which features :

- (1) External features, anatomy, embryology only
- (2) Morphology, embryology, phytochemistry only
- (3) Ultra structure, anatomy, embryology, phytochemistry only
- (4) External features, ultra structure, anatomy, embryology, phytochemistry.

38. Space travellers used following as food supplements :

- (1) *Spirulina* and *chara*
- (2) *Chara* and *volvox*
- (3) *Volvox* and *fucus*
- (4) *Spirulina* and *chlorella*

39. Match the following :

- | | |
|---|-----------------------|
| Column-I | Column-II |
| a. <i>Chlamydomonas</i> | i. Filamentous algae |
| b. <i>Volvox</i> | ii. Unicellular algae |
| c. <i>Ulothrix</i> and <i>Spirogyra</i> | iii. Colonial algae |

- (1) a-iii, b-i, c-ii
- (2) a-ii, b-iii, c-i
- (3) a-iii, b-ii, c-i
- (4) a-i, b-ii, c-iii

40. Which of the following is correctly matched

- (1) Green algae – *Volvox*, *chara*
- (2) Brown algae – *Laminaria*, *Dictyota*
- (3) Red algae – *Porphyra*,

Polysiphonia

(4) All of these

41. Which of the following is not correctly matched

- (1) Diplontic life cycle – All seed bearing plants
- (2) Haplo-diplontic life cycle – Bryophytes & Pteridophytes
- (3) Haplontic life cycle – *Volvox*, *spirogyra*
- (4) None of these

42. In which kingdom cell wall are absent :

- (1) Animalia
- (2) Fungi
- (3) Plantae
- (4) Monera

43. Which of the following group show most extensive metabolic diversity :

- (1) Fungi
- (2) Bacteria
- (3) Protista
- (4) Animalia

44. The infectious abnormally folded protein are called

- (1) Rions
- (2) Prions
- (3) Trions
- (4) Viroids

45. An infectious agent which are similar in size to the viruses

- (1) Viroids
- (2) Bacteria
- (3) Prions
- (4) Mycoplasma

46. What is the family of man :

- (1) Hominidae
- (2) Felidae
- (3) Mammalia
- (4) Chordata.

47. Match the following groups :

- | | |
|---------------------------------|---------------------------------|
| Group I | Group II |
| (a) Algae | i- <i>Sphagnum</i> |
| (b) Liverwort | ii- <i>Selaginella</i> |
| (c) Moss | iii- <i>Sequoia</i> |
| (d) Pteridophyte | iv- <i>Porphyra</i> |
| (e) Gymnosperm | v- <i>Marchantia</i> |
| (1) a-iv, b-v, c-i, d-ii, e-iii | (2) a-v, b-iv, c-i, d-ii, e-iii |
| (3) a-i, b-v, c-ii, d-iii, e-iv | (4) a-iv, b-i, c-iii, d-v, e-ii |

48. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

Assertion (A) :

The word systematics is derived from the Latin word 'systema' which means systematic arrangement of organisms.

Reason (R) :

Title: Plant Kingdom and Animal Kingdom

The plant families like Convolvulaceae and Solanaceae are included in the order Sapindales, which is mainly based on the floral characters.

In the light of the above statements, choose the correct answer from the options given below :

- (1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
 (2) (A) is correct but (R) is not correct
 (3) (A) is not correct but (R) is correct
 (4) Both (A) and (R) are correct and (R) is the correct explanation of (A)

49. Which of the following are asexual reproductive structure in fungi

- (1) Zoospore (2) Conidia
 (3) Sporangiospores (4) All

50. Which of the following is a correct match of algal class with its characteristic reserve food :

- (1) Chlorophyceae – Starch
 (2) Phaeophyceae – Mannitol, laminarin
 (3) Rhodophyceae – Floridean starch
 (4) All of these

51. Match the following columns:

Column I (Parts/organs)	Column II (Functions)
A. Statocysts	1. Radiating plates
B. Radula	2. Respiratory function
C. Gills	3. Organs of balance
D. Tentacles	4. Sensory organs
	5. Organs of feeding

Codes :

- | | |
|-------------|-------------|
| A B C D | A B C D |
| (1) 4 1 3 6 | (2) 3 5 2 4 |
| (3) 4 1 5 6 | (4) 2 3 5 4 |

52. Here two basic body forms of cnidarians are given :



- (1) A and B are free-swimming forms
 (2) A and B are sessile form

- (3) A produce B asexually and B form the 'A' sexually
 (4) B produce A asexually and A form the 'B' sexually

53. Match the following columns :

Column I (Specialised cell or part)	Column II (Animal phylum)
A. Choanocytes	1. Platyhelminthes
B. Cnidoblasts	2. Ctenophora
C. Flame cells	3. Porifera
D. Nephridia	4. Coelenterata
E. Comb Plates	5. Annelida

Codes :

- | | |
|---------------|---------------|
| A B C D E | A B C D E |
| (1) 2 1 4 5 3 | (2) 2 4 1 5 3 |
| (3) 5 4 3 2 4 | (4) 3 4 1 5 2 |

54. Given below are two statements :

Statement I :

In Echinodermata water vascular system present which help in locomotion, capture and transport of food and respiration.

Statement II :

In *Scoliodon* notochord is persistent through out life.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
 (2) Statement I is correct but Statement II is incorrect
 (3) Statement I is incorrect but Statement II is correct
 (4) Both, Statement I and Statement II are correct

55. The space between hump and mantle is called mantle cavity in whichA..... are present:

- (1) A – foot
 (2) A – feather like gills
 (3) A – Radula
 (4) A – Eyes

56. Read the following statement and choose correct option:

- (i) Cyclostomes are marine but migrate for spawning to fresh water.
 (ii) Cyclostomes have 6–15 pairs of gill slits for respiration.
 (iii) In aves oil gland present at the base of tail
 (iv) In aves hind limbs are modified into wings.

Title: Plant Kingdom and Animal Kingdom

- (1) Only (i),(ii) are correct
 (2) Only (ii), (iii), (iv) are correct
 (3) Only (i), (ii),(iii) are correct
 (4) (i),(ii), (iii), (iv) are correct

57. Which one of the following matching are correct :

- | | | |
|----------------------|---|-------------|
| (1) <i>Polyp</i> | – | Jelly fish |
| (2) <i>Gorgonia</i> | – | Sea pen |
| (3) <i>Pennatula</i> | – | Sea fan |
| (4) <i>Meandrina</i> | – | Brain coral |

58. Match the following columns :

- | | |
|--------------------|-----------------|
| Column-I | Column-II |
| a. <i>Ascaris</i> | i. King crab |
| b. <i>Gorgonia</i> | ii. Sea lily |
| c. <i>Limulus</i> | iii. Round worm |
| d. <i>Antedon</i> | iv. Sea fan |

- (1) a-iii, b-i, c-iv, d-ii
 (2) a-iii, b-ii, c-i, d-iv
 (3) a-iv, b-iii, c-ii, d-i
 (4) a-iii, b-iv, c-i, d-ii

59. Match the following columns :

- | | |
|-----------------------|-----------------------|
| Column-I | Column-II |
| a. <i>Pristis</i> | i. Electric organ |
| b. <i>Trygon</i> | ii. Flying fish |
| c. <i>Carcharodon</i> | iii. Saw fish |
| d. <i>Torpedo</i> | iv. Great white shark |
| e. <i>Exocoetus</i> | v. sting ray |

- (1) a-iii, b-v, c-iv, d-ii, e-i
 (2) a-iii, b-v, c-iv, d-i, e-ii
 (3) a-iv, b-iii, c-i, d-v, e-ii
 (4) a-iii, b-i, c-ii, d-iv, e-v

60. Which is a correct matching set :

- | | |
|---------------|-----------------------------|
| Column I | Column II |
| a. Metamerism | i. Canal system constituent |
| b. Spongocoel | ii. Leech |
| c. Acoelomate | iii. <i>Apis</i> |
| d. Honey bee | iv. Platyhelminthes |

- (1) a-ii, b-i, c-iv, d-iii
 (2) a-i, b-ii, c-iii, d-iv
 (3) a-i, b-iii, c-ii, d-iv
 (4) a-iv, b-iii, c-ii, d-i

61. Which is the correct matching set :

- | | |
|-------------------|---------------------------|
| Column – I | Column – II |
| (a) Compound eye | (i) Arthropoda |
| (b) Stomochord | (ii) Mollusca |
| (c) Gills | (iii) <i>Saccoglossus</i> |
| (d) Mantle cavity | (iv) <i>Pisces</i> |
- (1) a-ii, b-iii, c-iv, d-i
 (2) a-i, b-iii, c-iv, d-ii
 (3) a-i, b-ii, c-iv, d-iii
 (4) a-i, b-iv, c-iii, d-ii

62. How many animals among following have jointed appendages :

Bombyx, Apis, Limulus, Sepia, Octopus, Earthworm

- (1) 3
 (2) 4
 (3) 5
 (4) 6

63. Given below are two statements :

Statement I :

Platyhelminthes are hermaphrodite and fertilisation is internal occur.

Statement II :

Sponges are exclusively marine and mostly are asymmetrical.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
 (2) Statement I is correct but Statement II is incorrect
 (3) Statement I is incorrect but Statement II is correct
 (4) Both, Statement I and Statement II are correct

64. Notochord is derived from :

- (1) Ectoderm
 (2) Mesoderm
 (3) Endoderm
 (4) Both 1 and 3

65. Match the following columns :

- | | |
|---------------------|----------------|
| Column I | Column II |
| (Cnidarian) | (Common names) |
| A. <i>Pennatula</i> | 1. Brain coral |
| B. <i>Meandrina</i> | 2. Sea fan |
| C. <i>Gorgonia</i> | 3. Sea pen |
| D. <i>Adamsia</i> | 4. Sea anemone |
| A B C D | A B C D |

- (1) 3 1 2 4
 (2) 1 3 2 4
 (3) 2 4 1 3
 (4) 2 3 4 1

66. Match the following columns :

- | | |
|----------|-----------|
| Column I | Column II |
|----------|-----------|

Title: Plant Kingdom and Animal Kingdom

(Common name) (Scientific names)

arthropods)

- | | |
|---------------|--------------------|
| A. Honeybee | 1. <i>Aedes</i> |
| B. Mosquito | 2. <i>Apis</i> |
| C. Lac insect | 3. <i>Laccifer</i> |
| D. Silkworm | 4. <i>Bombyx</i> |

A B C D

- | | |
|-------------|-------------|
| (1) 1 2 3 4 | (2) 3 1 2 4 |
| (3) 2 1 3 4 | (4) 4 1 3 2 |

67. Given below are two statements :

Statement I :

In chondrichthyes Notochord persistent through life.

Statement II :

In Aves respiration occurs by lungs and air sacs connected to lungs supplement respiration.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct

68. Match the column I with column II and choose correct option:

Column I	Column II
A. Viviparous Vertebrate	(i) <i>Scoliodon</i>
B. Oviparous Vertebrate	(ii) <i>Labeo</i>
C. Flying vertebrate	(iii) <i>Pteropus</i>
	(iv) <i>Macropus</i>
	(v) <i>Neophron</i>

- (1) A - i, ii, B - iii, v, C - iii, v
- (2) A - i, iii, iv B - ii, v, C - iii, v
- (3) A - iii, iv, B - i, ii, v, C - iv
- (4) A - iii, iv B - v, C - iii, iv, v

69. How many of the following organism is not hermaphrodite

sponge, cockroach, leech, earthworm, tape worm

- (1) One
- (2) Two
- (3) Three
- (4) All of these

70. Given below are two statements :

Statement I :

In Cephalochordates notochord is present only in larval tail.

Statement II :

In urochordates notochord extends from head to tail and persists throughout life.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct

71. In phylum porifera, water transport is helpful in

- (1) Food gathering
- (2) Respiratory exchange
- (3) Removal of waste
- (4) All of these

72. Match the following columns

Column-A	Column-B
(a) <i>Columba</i>	i. Vulture
(b) <i>Psittacula</i>	ii. Penguin
(c) <i>Aptenodytes</i>	iii. Parrot
(d) <i>Neophron</i>	iv. Pigeon

- (1) a-i, b-ii, c-iii, d-iv (2) a-iii, b-iv, c-i, d-ii
- (3) a-iv, b-iii, c-ii, d-i (4) a-ii, b-i, c-iv, d-iii

73. Match the following column:

Column-I	Column-II
A. <i>Bufo</i>	i. Frog
B. <i>Hyla</i>	ii. Tree frog
C. <i>Ichthyophis</i>	iii. Toad
D. <i>Rana</i>	iv. Limbless amphibia

- (1) A-i, B-ii, C-iii, D-iv
- (2) A-iii, B-i, C-ii, D-iv
- (3) A-iii, B-ii, C-iv, D-i
- (4) A-iv, B-iii, C-ii, D-i

74. Choose the correct statement about the phylum chordata:

- (1) The presence of notochord a ventral hollow nerve cord & paired pharyngeal gill slits
- (2) All vertebrates are chordates but all chordates are not vertebrates

Title: Plant Kingdom and Animal Kingdom

(3) All member of subphylum vertebrata possess notochord during the adult period

(4) The notochord is replaced by a cartilaginous or bony vertebral column in the embryonic period

75. Which one of the following is not a characteristics of phylum annelida :

- (1) Ventral nerve cord
- (2) Pseudocoelomate
- (3) Closed circulatory system
- (4) Segmentation

76. Which one of the following kinds of animals are triploblastic:

- (1) *Ascaris*
- (2) Ctenophores
- (3) *Pennatula*
- (4) Sponges

77. Select the correct statements for amphibia :

- (1) They have eyelids
- (2) Tympanum represent the ear
- (3) They are viviparous
- (4) 1 and 2 both

78. Choose the economically important insects :

- (1) Honey bee
- (2) Silkworm
- (3) Lac insect
- (4) All of these

79. Match the following:

Column-I	Column-II
A. <i>Hippocampus</i>	i. Fighting fish
B. <i>Beta</i>	ii. Sea horse
C. <i>Clarias</i>	iii. Rohu
D. <i>Labeo</i>	iv. Magur

- (1) A-ii; B-i; C-iv; D-iii
- (2) A-iii; B-i; C-iv; D-ii
- (3) A-i; B-ii; C-iv; D-iii
- (4) A-i; B-iv; C-ii; D-iii

80. Malpighian tubules are :

- (1) Excretory organ of arthropoda
- (2) Excretory organ of annelids
- (3) Respiratory organ of insects
- (4) Respiratory organ of annelids

81. Select the correct statements with reference to sponge:

a. These are primitive multicellular animals and have cellular level of organization

b. Sponges have a water canal system

c. Sponges reproduce sexually by fragmentation and asexually by formation of gametes

d. Choanocytes or collar cells line the spongocoel and the canals

- (1) a, b & c
- (2) a & b
- (3) a, b & d
- (4) only c

82. Match column I with column II and select the correct option :

Column-I	Column-II
A. Wings	i. Reptiles
B. Operculum	ii. Chondrichthyes
C. Scutes	iii. Birds
D. Cartilaginous endoskeleton	iv. Osteichthyes

- (1) A-iii, B-iv, C-i, D-ii
- (2) A-i, B-ii, C-iv, D-iii
- (3) A-iv, B-i, C-i, D-ii
- (4) A-iii, B-ii, C-iv, D-i

83. How many statements are incorrect with respect to class reptilia

- (A) Creeping or crawling mode of locomotion
- (B) They are mostly terrestrial animal
- (C) They have external ear opening
- (D) Snakes and lizard shed their scales as skin cast
- (E) Limbs when present are two pairs
- (F) Heart is usually four chambered but three chambered in crocodile
- (G) They are Homoiotherms

- (1) A, B, C, D, G
- (2) A, B, D, E
- (3) A, C, E, F
- (4) Only C, F and G

84. Given below are two statements :

Statement I :

Bioluminescence is well marked in ctenophores

Statement II :

Feather like gills are present in molluscs which help in respiration and excretion.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.

Title: Plant Kingdom and Animal Kingdom

85. Which is the correct matching set :

Column-I	Column-II
a. <i>Pinctada</i>	i. Tusk shell
b. <i>Sepia</i>	ii. Devil fish
c. <i>Dentalium</i>	iii. Pearl oyster
d. <i>Octopus</i>	iv. Cuttle fish
(1) a-iii, b-iv, c-i, d-ii	(2) a-i, b-ii, c-iii, d-iv
(3) a-i, b-iii, c-ii, d-iv	(4) a-iv, b-ii, c-iii, d-i

86. Which one of the following pair of animals are jawless

- (1) Hagfish, *petromyzon*
- (2) Lamprey, *myxine*
- (3) Hagfish, Fighting fish
- (4) Two of the above are correct

87. In the given below example, How many animals in which two chambered heart occurs :

Dog fish, Saw fish, Flying fish,
Hyla, Bufo, Salamandra, Clarias

- (1) 4
- (2) 3
- (3) 2
- (4) 5

88. The radial symmetry occurs in which phylum

- a. Coelenterata
- b. Ctenophora
- c. Adult antedon
- d. Chordata

- (1) a, b, c
- (2) b, c, d
- (3) a, b, c, d
- (4) Only a, b

89. Match the following columns :

Column I	Column II
(Scientific names)	(Common names)
A. <i>Ancylostoma</i>	1. Hook worm
B. <i>Wuchereria</i>	2. Filaria worm
C. <i>Ascaris</i>	3. Roundworm
D. <i>Fasciola</i>	4. Liver fluke
	5. Flatworms

Codes :

A B C D	A B C D
(1) 1 4 3 5	(2) 2 5 1 3
(3) 4 1 5 3	(4) 1 2 3 4

90. Match the following columns.

Column I	Column II
----------	-----------

(Scientific names)

- A. *Branchiostoma*
- B. *Petromyzon*
- C. *Trygon*
- D. *Myxine*

(Common names)

1. Hagfish
2. Lamprey
3. Sting ray
4. Ascidia
5. Amphioxus

Codes

A B C D	A B C D
(1) 1 5 2 4	(2) 3 1 2 5
(3) 5 4 1 2	(4) 5 2 3 1

91. Funaria plant body is attached to the substratum by

- (1) Rhizoids
- (2) Stripe
- (3) Holdfast
- (4) Root

92. In *cycas*

- (1) Male cones and megasporophylls are borne on same trees
- (2) Male cones and magasporophylls are borne on different trees
- (3) May be on same or different trees
- (4) Both 1 and 2


93. Which of the following is not a member of phylum porifera

- (1) *Sycon*
- (2) *Sea Anemon*
- (3) *Euspongia*
- (4) *Spongilla*

94. In how many groups Aristotle divided animals on the basis of presence/absence of RBC?

- (1) 1
- (2) 2
- (3) 3
- (4) 4

95. Examine the figures A, B and C. In which one of the four options about the animals (poriferans) are correct?



- (1) A - *Sycon*, B - *Euspongia*, C - *Spongilla*
- (2) A - *Euspongia*, B - *Spongilla*, C - *Sycon*
- (3) A - *Spongilla*, B - *Sycon*, C - *Euspongia*
- (4) A - *Euspongia*, B - *Sycon*, C - *Spongilla*

Title: Plant Kingdom and Animal Kingdom

96. An undifferentiated layer Mesoglea is present in :

- | | |
|------------------|-------------------|
| (1) Mollusca | (2) Echinodermata |
| (3) Coelenterata | (4) Porifera |

97. In the given below example how many are dioecious animals :

Leech, Earthworm, Hookworm, Fasciola, Tapeworm, Nereis

- | | |
|-------|-------|
| (1) 3 | (2) 4 |
| (3) 2 | (4) 1 |

98. Following features belong to

- A. Complete lacking of cell wall
- B. Anaerobic
- C. Smallest living cell
- D. Many of them are pathogenic to plants and animals

- | | |
|------------------|----------------|
| (1) Chrysophytes | (2) Prions |
| (3) Viroids | (4) Mycoplasma |

99. Order Carnivora includes family:

- | | |
|------------------|-------------|
| (1) Felidae | (2) Canidae |
| (3) 1 and 2 both | (4) None |

100. Which of the following organism form water bloom in polluted water body:

- | | |
|---------------------------|----------------------|
| (1) <i>Albugo candida</i> | (2) Archaeobacteria |
| (3) Cynobacteria | (4) <i>Gonyaulax</i> |

Anmol Sharma Sir

Anmol Sharma Sir

Anmol Sharma Sir

Anmol Sharma Sir

Anmol Sharma Sir

(1) Gemmae → Green
→ multicellular
→ asexual buds

(2) Sporangia

- (1) Gemmae
- (2) Sporangia
- (3) Zoospores
- (4) Both 1 and 2



V.V.V.V.IMP | 2025 |

2. Match the following :-

- | | | |
|----------------|---|------------------------|
| a. Lycopsidea | → | i) <i>Dryopteris</i> |
| b. Pteropsida | → | ii) <i>Selaginella</i> |
| c. Sphenopsida | → | iii) <i>Psilotum</i> |
| d. Psilopsida | → | iv) <i>Equisetum</i> |

(1) a(ii), b(iv), c(i), d(iii)

(2) a(i), b(iv), c(ii), d(iii)

✓ (3) a(ii), b(i), c(iv), d(iii)

(4) a(ii), b(iii), c(iv), d(i)



→ Seed bearing plant.

3. Diplontic life cycle is present in :-

- ✓ (a) *Cycas* ✓ (b) *Eucalyptus*
↳ fucus ↓
(c) *Funaria* × algae (d) *Dictyota* ×
(e) *Adiantum* ×

(1) b,c,d

(2) c,d

(3) c,e

✓ (4) a, b



4. Characteristic of angiosperms which ["]distiniguish ["]them from gymnosperms :-

- (1) Seeds covered by ovary = angiosp.
- (2) Zygote and triploid endosperm formed after double fertilization = angion
- (3) The pollen grains and ovules are developed in specialised structures called flower ✓
- ✓ (4) All of the above



~~11. Imp~~
5. Given below are two statements :

Statement I :

Fusion between one large, non motile, static female gamete and a smaller motile male gamete is called oogamous.

Statement II :

Atleast half of total carbondioxide fixation on Earth is carried out by algae through photosynthesis.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- ✓ (4) Both, Statement I and Statement II are correct



⑥ Given below are two statements :

Statement I :

In Rhodophyceae food is stored as complex carbohydrate in the form of manitol.

Floridan starch

X

Statement II :

Manitol starch is very similar to amylopectin and glycogen in structure. X

→ Brown algae.

Choose the correct answer from the options given below

- ✓ (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct



7. Conifers are adapted to tolerate extreme environmental conditions because of :-

(1) Broad hardy leaves

(2) Superficial stomata

✓ (3) Thick cuticle

(4) Presence of vessels.



8. Which of the following is incorrectly matched :

(1) *Ectocarpus* – Fucoxanthin ✓


✓ (2) *Ulothrix* – ~~Mannitol~~ starch. (green algae)

(3) *Porphyra* – Floridean starch

(4) *Volvox* – Starch



9. Identify the given figures of algae and select the correct option :



(1) A – *Chlamydomonas*, B – *Chara*, C– *Volvox*

✓ (2) A – *Volvox*, B – *Ulothrix*, C– *Laminaria*

(3) A – *Chara*, B – *Laminaria*, C– *Volvox*

(4) A – *Porphyra*, B – *Polsiphonia*, C– *Fucus*



10. Read the following statement and choose correct option :-

(i) In chlorophyceae stored food is starch ✓

(ii) Anisogamous type reproduction present in Eudorina ✓

(iii) ^{colonial} Volvox is filamentous algae ✗

(iv) In Bryophyte antheridium produce biflagellated antherozoids. ✓

(1) Only i, ii correct

(2) Only iii, iv correct

(3) Only i, ii, iv correct ✓

(4) i, ii, iii, iv correct



11. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

✓ **Assertion (A)** : Genera Selagenella and Salvinia are known as heterosporous.

✓ **Reason (R)** : They produce two kinds of spores, macro (large) and micro (small).

In the light of the above statements, choose the correct answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

(2) (A) is correct but (R) is not correct

(3) (A) is not correct but (R) is correct

✓ (4) Both (A) and (R) are correct and (R) is the correct explanation of (A)



2028

M. Brown

12. In Algae algin and carrageen are obtained from which type of algae respectively :-

L Red

MB = Algin

- ✓ (1) Marine brown and red algae =
- (2) Marine red algae and brown algae
- (3) Fresh water brown algae and marine red algae
- (4) Fresh water red algae and brown algae



13. Match the following columns :

Column I (Reproduction type)

Column II (Characteristics)

A. Isogamous

B. Anisogamous

C. Oogamous

1. Fusion between male (small) and female gamete (large)

2. Both gametes are dissimilar in size

3. Both gametes are similar in size and non-motile

Codes :

A B C

☒ (1) 3 2 1

(3) 2 1 3

A B C

(2) 1 2 3

(4) 3 1 2



14. Match the following columns :

Column I (Products)

Column II (Algae)

A. Algin

B. Carrageen

C. Agar

D. Protein supplement

1. Chlorella

2. Gracilaria

3. Red algae

4. Brown algae

Codes :

A B C D

(1) 1 4 3 2

☒ (3) 4 3 2 1

A B C D

(2) 2 1 4 3

(4) 3 2 1 4



15 Zygotic and sporic meiosis takes place in : Exemplar

- ✓ (1) Spirogyra and moss respectively
- (2) Bryophytes and Dryopteris respectively
- (3) Cycas and Pinus respectively
- (4) Chlamydomonas and spirogyra respectively



16. Given below are two statements :

Statement I : Isogamous type reproduction present in Eudorina ^{→ Amoeba} X

Statement II : In Bryophyte antheridium produce ~~multiflagellated~~ ^{biflagellated} antherozoids. X

In the light of the above statements, choose the correct answer from the options given below

- ✓ (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



17. *Chlorella* is a :-

(a) Multicellular algae ✗

(b) Unicellular algae ✓✓

(c) Protein rich algae ✓✓

(d) Used as food supplement ✓✓

(1) Only a and d

(2) Only a and c

(3) Only b and d

✓✓ (4) Only b, c and d



18. In ²⁰²⁵ class rhodophyceae sexual reproduction is of which type

(1) Isogamous

(2) Anisogamous

✓ (3) Oogamous = non-motile

(4) All of these



19. Gamete of Brown algae have flagella at which position

V.V.Imp

☒ (1) Lateral

(2) Apical = Green algae

(3) Basal

(4) Both 1 and 2



20. Which of the following statements is correct :

- (1) Ovules are not enclosed by ovary wall in gymnosperms. ✓
- (2) *Selaginella* is heterosporous, while *salvinia* is homosporous. ✗
- (3) Horsetails are gymnosperms. ✗
- (4) Stems are usually unbranched in both Cycas and *Cedrus*.



21. Select the mismatch :

- (1) *Cycas* – Dioecious
- (2) *Salvinia* – Heterosporous
- (3) *Equisetum* – Homosporous
- ✓ (4) *Pinus* – ~~Dioecious~~ Monocious



→ Red algae

22. Floridean starch is the stored food in :-

a. *Fucus*

b. *Volvox*

c. *Chara*

✓ d. *Polysiphonia*

(1) a, d

(2) c, b

(3) ✓ d

(4) a, b



V.V.I.M? 23. In pteridophytes prothallus develop from

(1) Holdfast

✓ (2) Spores

(3) Sporophyte

(4) Microsporangia



24. Bryophytes have :-

- (1) Archegonia ✓
- (2) Thalloid haploid body ✓
- (3) Dominant gametophytic and parasitic sporophytic phase
- ✓ (4) All the above



25. In chlorophyceae the rigid cell wall is made up of :

(1) Inner layer of cellulose ✓

(2) Outer layer of pectose ✓

✓(3) Both 1 and 2

(4) r- phycoerythrin



26. Branched stem is present in :

(1) *Pinus* ✓

(2) *Cedrus* ✓

(3) *Cycas* = unbranched

✓ (4) Both 1 and 2



27 Which of the following is a mismatch :-

a. *Polytrichum* - Moss ✓

b. *Polysiphonia* - algae ✓

c. ["]*Pteris* - Lycopsida pterispiden x

d. Rice - monocotyledonae

(1) a,d

(2) b,c

(3) Only a

✓ (4) Only c



28. Female gametophyte in pinus is :-


- (1) Unicellular ✗
- (2) Multicellular ✓
- (3) Bears 2 or more archegonia ✓
- (4) Both 2 and 3 ✓



v.v. Imp

29. Identify A, B and C in the following figure and choose the correct option :

- (1) A – Strobilus , B – Node, C – Leaves
- ✓ (2) A – Strobilus , B – Node, C – Branch
- (3) A – Sporophyll, B – Node , C – Internode
- (4) A – Sporophyll, B – Internode, C – Node



30. Match the following column I and column II :

Column I

(Common name)

A. Green Algae

B. Brown Algae

C. Red Algae

Column II

(Flagellar number)

i. Absent

ii. 2, Unequal, lateral

iii. 2, 8, Equal, apical

✓ (1) A – iii, B – ii, C – i

(2) A – i, B – ii, C – iii

(3) A – ii, B – iii, C – i

(4) A – iii, B – i, C – ii



31. In Gymnosperms ovule develops into

(1) gametophyte

✓ (2) seed

(3) fruit

(4) embryo



32. A structure absent in Angiosperms is

- ✓ (1) Gemma
- (2) Pistil
- (3) Microgametophyte
- (4) Megagametophyte



33. Which one of the following is an example of chlorophyllous thallophyte :

(1) *Pisum*

✓ (2) *Spirogyra* ←

(3) *Adiantum*

(4) *Gnetum*



2025

34. In which of the following groups all the organisms contain chlorophyll 'c' → Brown

(1) Cedrus, Chondrus, Volvox, Chlorella

(2) Macrocystis, Spirogyra, Polysiphonia, Chara

(3) Chlamydomonas, Dictyota, Ulothrix, Gelidium

✓ (4) Dictyota, Fucus, Sargassum, Laminaria = Brown



35. Read the following statements regarding Marchantia :-

a. Is unisexual ✓

b. Has antheridiophore and archegoniophore

c. Foot and seta in its sporophyte absent ✗

d. Is heterosporous in nature ✗

Which of these statements are correct

✓ (1) a and b

(2) c and d

(3) a, b and c

(4) b and c

↓
liverworts



36. Read the following statements :-

- i. In phaeophyceae flagella are 2 - 8 in number, equal in size and lateral ~~apical~~ in ~~x~~ position Brown
- ii. In chlorophyceae the flagella are 2, 8, ~~eight~~ in number, unequal in size and lateral in position ~~x~~
- iii. The leaves in pteridophyta are microphylls as in Selaginella or macrophylls as in ferns ✓

Which of these are correct

(1) i, ii & iii

(2) ii & iii

✓ (3) Only iii

(4) i & iii



37. Natural classification system took under consideration which features :

- (1) External features, anatomy, embryology only
- (2) Morphology, embryology, phytochemistry only
- (3) Ultra structure, anatomy, embryology,
phytochemistry only
- ✓ (4) External features, ultra structure, anatomy,
embryology, phytochemistry.



38. Space travellers used following as food supplements :

- (1) *Spirullina* and *chara*
- (2) *Chara* and *volvox*
- (3) *Volvox* and *fucus*
- ✓ (4) *Spirullina* and *chlorella*



39. Match the following :

Column-I

a. *Chlamydomonas*

b. *Volvox*

c. *Ulothrix* and

Spirogyra

Column-II

i. Filamentous algae

ii. Unicellular algae

iii. Colonial algae

(1) a-iii, b-i, c-ii

(3) a-iii, b-ii, c-i

✓ (2) a-ii, b-iii, c-i

(4) a-i, b-ii, c-iii



40. Which of the following is correctly matched

- (1) Green algae – Volvox, chara ✓
- (2) Brown algae – Laminaria, Dictyota ✓
- (3) Red algae – Porphyra, Polysiphonia ✓
- (4) ✓ All of these



41. Which of the following is not correctly matched :-

- (1) Diplontic life cycle – All seed bearing plants
- (2) Haplo-diplontic life cycle – Bryophytes & Pteridophytes
- (3) Haplontic life cycle – Volvox, spirogyra (algae)
- ✓ (4) None of these



42. In which kingdom cell wall are absent :

- ✓ (1) Animalia
- (2) Fungi
- (3) Plantae
- (4) Monera



43. Which of the following group show most extensive metabolic diversity :

(1) Fungi

✓ (2) Bacteria

(3) Protista

(4) Animalia



44. The Infectious abnormally folded protein are called :-

(1) Rions

✓ (2) Prions = virus

(3) Trions

(4) Viroids



45. An infectious agent which are similar in size to the viruses

(1) Viroids

(2) Bacteria

✓ (3) Prions ↗

(4) Mycoplasma



46. What is the family of man :

- ✓ (1) Hominidae ↗
- (2) Felidae
- (3) Mammalia
- (4) Chordata.



47. Match the following groups :

Group I

(a) Algae

(b) Liverwort

(c) Moss

(d) Pteridophyte

(e) Gymnosperm

Group II

i- *Sphagnum*

ii- *Selaginella*

iii- *Sequoia*

iv- *Porphyra*

v- *Marchantia*

~~(1)~~ a-iv, b-v, c-i, d-ii, e-iii

(3) a-i, b-v, c-ii, d-iii, e-iv

(2) a-v, b-iv, c-i, d-ii, e-iii

(4) a-iv, b-i, c-iii, d-v, e-ii



48. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

✓ **Assertion (A)** : The word systematics is derived from the Latin word 'systema' which means systematic arrangement of organisms.

✗ **Reason (R)** : The plant families like Convolvulaceae and Solanaceae are included in the order Sapindales, which is mainly based on the floral characters. ✗

In the light of the above statements, choose the correct answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)

✓ (2) (A) is correct but (R) is not correct

(3) (A) is not correct but (R) is correct

(4) Both (A) and (R) are correct and (R) is the correct explanation of (A)



49. Which of the following are asexual reproductive structure in fungi :-

- (1) Zoospore ✓
- (2) Conidia ✓
- (3) Sporangiospores ✓
- (4) All ✓



50. Which of the following is a correct match of algal class with its characteristic reserve food :

- (1) Chlorophyceae – Starch ✓
- (2) Phaeophyceae – Mannitol, laminarin ✓
- (3) Rhodophyceae – Floridean starch ✓
- (4) ✓ All of these



51. Match the following columns:

Column I

(Parts/organs)

A. Statocysts

B. Radula

C. Gills

D. Tentacles

Column II

(Functions)

1. Radiating plates

2. Respiratory function

3. Organs of balance

4. Sensory organs

5. Organs of feeding

Codes :

(1) 4 1 3 6


(3) 4 1 5 6

✓(2) 3 5 2 4

(4) 2 3 5 4



52. Here two basic body forms of cniderians are given :



- (1) A and B are free-swimming forms
- (2) A and B are sessile form
- (3) A produce B asexually and B form the 'A' sexually
- ✓ (4) B produce A asexually and A form the 'B' sexually



53. Match the following columns :

Column I

(Specialised cell or part)

A. Choanocytes

B. Cnidoblasts

C. Flame cells

D. Nephridia

E. Comb Plates

Codes :

A B C D E

(1) 2 1 4 5 3

(3) 5 4 3 2 4

Column II

(Animal phylum)

1. Platyhelminthes

2. Ctenophora

3. Porifera

4. Coelenterata

5. Annelida

A B C D E

(2) 2 4 1 5 3

☒ (4) 3 4 1 5 2



water canal = Spongel.

54. Given below are two statements :

✓ Statement I : In Echinodermata "water vascular system" present which help in locomotion, capture and transport of food and respiration.

✓ Statement II : In Scoliodon notochord is persistent through out life.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- ✓ (4) Both, Statement I and Statement II are correct



55. The space between hump and mantle is called mantle cavity in whichA..... are present:

(1) A – foot

☒ (2) A – feather like gills

(3) A – Radula

(4) A – Eyes



56. Read the following statement and choose correct option:

(i) Cyclostomes are marine but migrate for spawning to fresh water. ✓

(ii) Cyclostomes have 6–15 pairs of gill slits for respiration. ✓

(iii) In aves oil gland present at the base of tail. ✓

(iv) In aves ^{Fuze.} hind limbs are modified into wings. ✗

(1) Only (i),(ii) are correct

(2) Only (ii), (iii), (iv) are correct

✓ (3) Only (i), (ii), (iii) are correct

(4) (i),(ii), (iii), (iv) are correct



57. Which one of the following matching are correct :

- | | |
|---------------------------|----------------------|
| (1) <i>Polyp</i> | – Jelly fish |
| (2) <i>Gorgonia</i> | – Sea pen ✗ |
| (3) <i>Pennatula</i> | – Sea fan ✗ |
| (4) <i>Meandrina</i>
✓ | – <u>Brain coral</u> |



58. Match the following columns :

Column-I

a. *Ascaris*

b. *Gorgonia*

c. *Limulus*

d. *Antedon*

Column-II

i. King crab

ii. Sea lily

iii. Round worm

iv. Sea fan

(1) a-iii, b-i, c-iv, d-ii

(3) a-iv, b-iii, c-ii, d-i

(2) a-iii, b-ii, c-i, d-iv

(4) a-iii, b-iv, c-i, d-ii



59. Match the following columns :

Column-I

a. *Pristis*

b. *Trygon*

c. *Carcharodon*

d. *Torpedo*

e. *Exocoetus*

Column-II

i. Electric organ

ii. Flying fish

iii. Saw fish

iv. Great white shark

v. sting ray

(1) a-iii, b-v, c-iv, d-ii, e-i

(3) a-iv, b-iii, c-i, d-v, e-ii

✓ (2) a-iii, b-v, c-iv, d-i, e-ii

(4) a-iii, b-i, c-ii, d-iv, e-v



60. Which is a correct matching set :

Column I

a. Metamerism

b. Spongocoel

c. Acoelomate

d. Honey bee

Column II

i. Canal system
constituent

ii. Leech

iii. *Apis*

iv. Platyhelminthes

☒ (1) a-ii, b-i, c-iv, d-iii

(3) a-i, b-iii, c-ii, d-iv

(2) a-i, b-ii, c-iii, d-iv

(4) a-iv, b-iii, c-ii, d-i



61. Which is the correct matching set :

Column – I

Column – II

(a) Compound eye —→ (i) Arthropoda

(b) Stomochord (ii) Mollusca

(c) Gills (iii) *Saccoglossus*

(d) Mantle cavity (iv) *Pisces*

(1) a-ii, b-iii, c-iv, d-i

✓ (2) a-i, b-iii, c-iv, d-ii

(3) a-i, b-ii, c-iv, d-iii

(4) a-i, b-iv, c-iii, d-ii



62. How many animals among following have jointed appendages :

Bombyx, Apis, Limulus, [Sepia, Octopus, Earthworm]^x

✓ (1) 3 ↪

(2) 4

(3) 5

(4) 6



63 Given below are two statements :

Statement I : Platyhelminthes are hermaphrodite and fertilisation is internal occur. ✓

Statement II : Sponges are exclusively marine and mostly are asymmetrical.
✗ Generally

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- ✓ (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct



64. Notochord is derived from :

(1) Ectoderm

✓ (2) Mesoderm

(3) Endoderm

(4) Both 1 and 3



65. Match the following columns :

Column I

(Cnidarian)

A. *Pennatula*

B. *Meandrina*

C. *Gorgonia*

D. *Adamsia*

A B C D

☒ (1) 3 1 2 4

(3) 2 4 1 3

Column II

(Common names)

1. Brain coral

2. Sea fan

3. Sea pen

4. Sea anemone

A B C D

(2) 1 3 2 4

(4) 2 3 4 1



66. Match the following columns :

Column I

Column II

(Common name arthropods)

(Scientific names)

A. Honeybee

1. *Aedes*

B. Mosquito

2. *Apis*

C. Lac insect

3. *Laccifer*

D. Silkworm

4. *Bombyx*

A B C D

(1) 1 2 3 4

(2) 3 1 2 4

☒ (3) 2 1 3 4

(4) 4 1 3 2



67. Given below are two statements :

Statement I : In chondrichthyes Notochord persistant throught life. ✓

Statement II : In Aves respiration occur by lungs and airsacs connected to lungs suppliment respiration.

Choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) ✓ Both, Statement I and Statement II are correct




68. Match the column I with column II and choose correct option:

Column I

Column II

Exemplar

- | | |
|--------------------------|-----------------------|
| A. Viviparous Vertebrate | (i) <i>Scoliodon</i> |
| B. Oviparous Vertibrates | (ii) <i>Labeo</i> |
| C. Flying vertebrate | (iii) <i>Pteropus</i> |
| | (iv) <i>Macropus</i> |
| | (v) <i>Neophron</i> |
- 

(1) A - i, ii, B - ii, v, C - iii, v

(3) A - iii, iv, B - i, ii, v, C - iv

✓ (2) A - i, iii, iv B - ii, v, C - iii, v

(4) A - iii, iv B - v, C - iii, iv, v



69. How many of the following organism is not hermaphrodite
sponge, cockroach, leech, earthworm, tape worm

↓
unisexual

- ✓ (1) One
- (2) Two
- (3) Three
- (4) All of these



70. Given below are two statements :

Statement I : In ^{un chord.} Cephalochordates notochord is present only in larval tail.

Statement II : In urochordates notochord extends from head to tail and persist throughout life. ^{cephal}

Choose the correct answer from the options given below

- ✓ (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both, Statement I and Statement II are correct



71. In phylum porifera, water transport is helpful in

- (1) Food gathering ✓
- (2) Respiratory exchange ✓
- (3) Removal of waste ✓
- (4) All of these ✓



72. Match the following columns :-

Column-A

(a) Columba

(b) Psittacula

(c) Aptenodytes

(d) Neophron

Column-B

i. Vulture

ii. Penguin

iii. Parrot

iv. Pigeon

(1) a-i, b-ii, c-iii, d-iv

(3) a-iv, b-iii, c-ii, d-i

(2) a-iii, b-iv, c-i, d-ii

(4) a-ii, b-i, c-iv, d-iii



73. Match the following column: v.v. imp?

Column-I

A. *Bufo*

B. *Hyla*

C. *Ichthyophis*

D. *Rana*

Column-II

i. Frog

ii. Tree frog

iii. Toad

iv. Limbless amphibia

(1) A-i, B-ii, C-iii, D-iv

(3) A-iii, B-ii, C-iv, D-i

(2) A-iii, B-i, C-ii, D-iv

(4) A-iv, B-iii, C-ii, D-i



✓✓✓✓✓✓✓✓
74. Choose the correct statement about the phylum chordata:

- (1) The presence of notochord a ventral hollow nerve cord & paired pharyngeal gill slits
- ✓ (2) All vertebrates are chordates but all chordates are not vertebrates
- (3) All member of subphylum vertebrata possess notochord during the adult period
- (4) The notochord is replaced by a cartilaginous or bony vertebral column in the embryonic period



75. Which one of the following is not a characteristics of phylum annelida :

(1) Ventral nerve cord

✓ (2) ~~Pseudocoelomate~~ coelomate

(3) Closed circulatory system

(4) Segmentation



76. Which one of the following kinds of animals are triploblastic:

✓ (1) *Ascaris*

(2) Ctenophores

(3) Pennatula

(4) Sponges

} Diplo



77. Select the correct statements for amphibia :

- (1) They have eyelids ✓
- (2) Tympanum represent the ear ✓
- (3) They are ~~viviparous~~ oviparous
- (4) ✓ 1 and 2 both



78. Choose the economically important insects :

- (1) Honey bee ✓
- (2) Silkworm ✓
- (3) Lac insect ✓
- (4) All of these ✓



79. Match the following:

Column-I

A. *Hippocampus*

B. *Beta*

C. *Clarias*

D. *Labeo*

Column-II

i. Fighting fish

ii. Sea horse

iii. Rohu

iv. Magur

✓ (1) A-ii; B-i; C-iv; D-iii

(3) A-i; B-ii; C-iv; D-iii

(2) A-iii; B-i; C-iv; D-ii

(4) A-i; B-iv; C-ii; D-iii



80. Malpighian tubules are :

- ✓ (1) Excretory organ of arthropoda
- (2) Excretory organ of annelids
- (3) Respiratory organ of insects
- (4) Respiratory organ of annelids



81. Select the correct statements with reference to sponge:

✓ a. These are primitive multicellular animals and have cellular level of organization

✓ b. Sponges have a water canal system ×

c. Sponges reproduce sexually by fragmentation and asexually by formation of gametes

✓ d. Choanocytes or collar cells line the spongocoel and the canals

(1) a, b & c

(2) a & b

✓ (3) a, b & d

(4) only c



82. Match column I with column II and select the correct option :

Column –I

A. Wings

B. Operculum

C. Scutes

D. Cartilaginous endoskeleton

Column–II

i. Reptiles

ii. Chondrichthyes

iii. Birds

iv. Osteichthyes

(1) A–iii, B–iv, C–i, D–ii (2) A–i, B–ii, C–iv, D–iii

(3) A–iv, B–i, C–i, D–ii (4) A–iii, B–ii, C–iv, D–i



83. How many statements are incorrect with respect to class reptilia

(A) Creeping or crawling mode of locomotion ✓

(B) They are mostly terrestrial animal ✓

(C) They have external ear opening ✗

(D) Snakes and lizard shed their scales as skin cast ✓

(E) Limbs when present are two pairs

(F) Heart is usually four chambered but three chambered in crocodile ✗

(G) They are Homoiotherms ✗

(1) A, B, C, D, G

(2) A, B, D, E

(3) A, C, E, F

✓ (4) Only C, F and G



84. Given below are two statements :

Statement I : Bioluminescence is well marked in ctenophores

Statement II : Feather like gills are present in molluscs which help in respiration and excretion.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



85. Which is the correct matching set :

Column-I

a. *Pinctada*

b. *Sepia*

c. *Dentalium*

d. *Octopus*

Column-II

i. Tusk shell

ii. Devil fish

iii. Pearl oyster

iv. Cuttle fish

✓ (1) a-iii, b-iv, c-i, d-ii

(3) a-i, b-iii, c-ii, d-iv

(2) a-i, b-ii, c-iii, d-iv

(4) a-iv, b-ii, c-iii, d-i



86. Which one of the following pair of animals are jawless

- ✓ (1) Hagfish, *petromyzon*
- ✓ (2) Lamprey, *myxine* → Beta
- (3) Hagfish, Fighting fish x
- ✓ (4) Two of the above are correct

MH
my Ray



87. In the given below example, How many animals in which two chambered heart occurs :

Dog fish, Saw fish, Flying fish,

[Hyla, Bufo, Salamandra], Clarias

- ✓ (1) 4 ↓
 3 chamb. (2) 3
(3) 2 (4) 5



88. The radial symmetry occurs in which phylum

a. Coelenterata

b. Ctenophora

c. Adult antedon → Echinoderms

d. Chordata

✓ (1) a, b, c

(2) b, c, d

(3) a, b, c, d

(4) Only a, b



89. Match the following columns :

Column I

(Scientific names)

A. *Ancylostoma* →

B. *Wuchereria* →

C. *Ascaris* →

D. *Fasciola* →

Column II

(Common names)

1. Hook worm

2. Filaria worm

3. Roundworm

4. Liver fluke

5. Flatworms

Codes :

A B C D

(1) 1 4 3 5

(3) 4 1 5 3

A B C D

(2) 2 5 1 3

✓ (4) 1 2 3 4



90. Match the following columns.

Column I

(Scientific names)

A. *Branchiostoma*

B. *Petromyzon*

C. *Trygon*

D. *Myxine*

Column II

(Common names)

1. Hagfish

2. Lamprey

3. Sting ray

4. Ascidia

5. Amphioxus

Codes

A B C D

(1) 1 5 2 4

(3) 5 4 1 2

A B C D

(2) 3 1 2 5

(4) 5 2 3 1



91. Funaria plant body is attached to the substratum by

- ✓ (1) Rhizoids
- (2) Stripe
- (3) Holdfast ✗
- (4) Root



92. In *cycas*

- (1) Male cones and megasporophylls are borne on same trees
- ✓ (2) Male cones and megasporophylls are borne on different trees
- (3) May be on same or different trees
- (4) Both 1 and 2



93. Which of the following is not a member of phylum
porifera

(1) *Sycon*

✓ (2) *Sea Anemon* =

(3) *Euspongia*

(4) *Spongilla*



94. In how many groups Aristotle divided animals on the basis of presence/absence of RBC?

(1) 1


✓ (2) 2

(3) 3

(4) 4



95. Examine the figures A, B and C. In which one of the four options about the animals (poriferans) are correct?



- (1) A - Sycon, B - Euspongia, C - Spongilla
(2) A - Euspongia, B - Spongilla, C - Sycon
(3) A - Spongilla, B - Sycon, C - Euspongia
(4) A - Euspongia, B - Sycon, C - Spongilla



96. An undifferentiated layer Mesoglea is present in :

- (1) Mollusca
- (2) Echinodermata
- ✓ (3) Coelenterata
- (4) Porifera

↓
Diploblastic



97. In the given below example how many are
dioecious animals :

Leech, Earthworm, Hookworm, Fasciola,
Tapeworm, Nereis

(1) 3

(2) 4

✓ (3) 2

(4) 1

Dioecious



98. Following features belong to :-

A. Complete lacking of cell wall

B. Anaerobic

C. Smallest living cell

D. Many of them are pathogenic to plants and animals

(1) Chrysophytes

(2) Prions

(3) Viroids

✓ (4) Mycoplasma



99. Order Carnivora includes family:

- (1) Felidae ✓
- (2) Canidae ✓
- ✓ (3) 1 and 2 both
- (4) None



100. Which of the following organism form water bloom in polluted water body:

(1) *Albugo candida*

(2) Archaeobacteria

✓ (3) Cynobacteria

(4) *Gonyaulax*



THANK YOU



BIOLOGYLIVE

. silly mistake

