

Reproductive Health - 100MCQs

NCERT Nichod : Biology Practice Series NEET 2025



- 8AM - molecular basis
- 3rd → 2PM - Principle

Good evening



Audible?



Ready




Reproductive

Health - 100 MCBs



BIOLOGYLIVE



^{v. Imp}
① Which of the following is not correctly matched :-

- (1) Genital warts- Viral disease
- ✓ (2) Chlamydiasis- ^{Bacterial} ~~Protozoan~~ disease
- (3) Candidiasis- fungal disease
- (4) Syphilis- bacterial disease



2. The contraceptive 'SAHELI' :

(1) Is an IUD ~~x~~

✓ (2) Blocks estrogen receptors in the uterus, preventing eggs from getting implanted

(3) Increases the concentration of estrogen and prevents ovulation in females

(4) Is a post-coital contraceptive



3. Statement A : Condoms are barriers made of ^{Thin}thick rubber/latex sheath ~~×~~ 2015
Statement B : "Diaphragms, cervical caps and vaults" are barrier methods which prevent conceptions by blocking entry of sperms through cervix. They are reusable. ✓✓

(1) Statement A is correct but Statement B is incorrect.

✓(2) Statement A is incorrect but Statement B is correct.

(3) Both statements are correct.

(4) Both Statements are incorrect.



4. Infertility is the relative state of failure to conceive after how many year/years of sexual life without contraception?

(1) One

(2) Three

✓✓ (3) Two

(4) Four



5) According to WHO, reproductive health means a total well-being in all aspects of reproduction like.

- ✓ (1) Physical, Emotional, Behavioral, Social
- (2) Physical, Mental health, Sexual Habits, Healthy body
- (3) Physical, Mental, Behavioral, Development of sexual organs
- (4) Physical, Mental, Emotional, Social



6. Family planning programme was introduced in

(1) 1960

(2) 1961

(3) 1950

✓ (4) 1951



7. One of the following causes population explosion:

- ✓ (1) Decrease in death rate, maternal mortality rate and infant mortality rate
- (2) Decrease in death rate and increase in maternal mortality rate
- (3) Decrease in infant mortality rate and increase in death rate
- (4) Decrease in infant mortality rate and decrease in the number of people in reproductive age



8. Which of the following methods prevents conception by just blocking gamete transport?

- ✓ (1) Surgical methods
- (2) Oral contraceptives
- (3) Implants
- (4) Natural methods



2025

9. Identify the correct statements about lactational amenorrhea.

I. Ovulation does not occur during the lactational period. ✓

II. Side effects are huge. ✗

III. Chances of the failure of contraception are almost nil ✗
up to six years following parturition.

IV. It is a natural method of contraception. ✓

V. It increases phagocytosis of sperms. ✗

(1) I, III, II and V

(2) All except II

✓ (3) I, IV

(4) All of these



10. The function of copper ions in copper releasing IUD's is :

2023

- (1) They inhibit gametogenesis
- (2) They make uterus unsuitable for implantation
- (3) They inhibit ovulation
- ✓ (4) They suppress sperm motility and fertilizing capacity of sperms



11. Select the correct match from the given option.

(1) Non-Medicated IUDs- Multiload 375

✓ (2) Saheli - Contains a non-steroidal preparation

(3) Lactational - Presence of amenorrhea menstruation

(4) Diaphragms, - Cover the cervix cervical caps,
vaults after the coitus is done



12. Sterilisation techniques are generally full proof methods of contraception with least side effects. Yet, this is the last option for the couples because:

- i. It is almost irreversible ✓
- ii. Of the misconception that it will increase sexual urge ✗
- iii. It is a surgical procedure ✓
- iv. It block semen and ova passage in male and female. ✓

Choose the correct option:

- | | |
|---------------|---------------------|
| (1) i and iii | (2) ii and iii |
| (3) ii and iv | ✓ (4) i, iii and iv |



13. The technique advised by a doctor to overcome the problem of infertility :

(1) RCH

(2) MTP

(3) RTI

(4) ART



14. Choose the correct statement v. Imp

I. According to the WHO, reproductive health is total well being in the physical, social, emotional and behavioural aspects of reproduction. ✓

II. According to the WHO, reproductive health is total well being in the physical, social and emotional aspects of reproduction. ✗

III. A reproductively healthy society has people with physically and functionally normal reproductive organs. ✓

IV. A reproductively healthy societies have abnormal sex-related emotional and behavioural interactions. ✗

(1) I, II and III

(2) II and IV

✓ (3) I and III

(4) I only



✓
15. Statement A : Copper-T is an effective contraceptive device in human females.

" ✓
Statement B : Copper-T prevents passage of sperms from vagina upwards into the fallopian tubes. "

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

✓~~(3)~~ Both statements are correct.

(4) Both Statements are incorrect.



16. How many of the following are emergency
contraceptives, if used with in 72 hours of coitus.

Condoms^x, Implants^y, IUDS^②, Progestogen - estrogen^①
combination, Lactational amenorrhoea^x

(1) 1

✓ (2) 2

(3) 3

(4) 4



17. Which of the following statements are correct about cervical caps?

A. Barrier method of contraception ✓

B. Protect the user from contracting STDs ✓ X condoms

C. They are reusable ✓

D. Prevent sperm from meeting ovum ✓

(1) B, C and D only

✓ (2) A, C and D only

(3) A, B and D only

(4) A, B, C and D



18. In-vitro fertilization is a technique that involves transfer of which one of the following into the fallopian tube :-

- (1) Embryo of 32 cell stage
- (2) Embryo only, upto 8 cell stage
- ✓ (3) Either zygote or early embryo upto 8 cell stage
- (4) Zygote only



19. Progestasert and LNG-20 are2025

- (1) Implants
- (2) Copper releasing IUDs
- (3) Non-medicated IUDs
- (4) Hormone releasing IUDs



20. Mark the incorrect statement

- (1) Marriageable age for male and female is respectively 21 and 18 years
- (2) According to the 2011 census report, the population growth rate was less than 2 per cent
- (3) The problem of infertility in India lies most often in male-~~female~~ partner
- (4) An ideal contraceptive should be reversible



21. Select the correct statement from the following.

- ☒ (1) Sexually transmitted infections may often be asymptomatic in females
- (2) Surgical methods of contraception prevent gamete formation
- (3) All sexually transmitted diseases are completely curable
- (4) The reason for infertility can be physiological but not psychological





22. CDRI stands for

- (1) Central Drug Refund Institute
- (2) Central Drug Related Institute
- ✓ (3) Central Drug Research Institute
- (4) Children Development Research Institute




23. The process that involves semen without sperms

- ✓ (1) X - vasectomy
- (2) X - Tubectomy
- (3) Y - Vasectomy
- (4) Y - Tubectomy




24. What is the figure given below showing in particular?

- (1) Gestation
- (2) Uterine cancer
- ✓ (3) Tubectomy
- (4) Vasectomy



25. The following structure is placed inside



→ Cu-I

(1) Cervix


✓ (2) Uterus

(3) Fallopian tube

(4) Ovary



26. Given is a diagram of FRS with a medical condition. Identify.




- ✓✓ (1) Ectopic pregnancy
- (2) Tubal blockage
- (3) Normal pregnancy
- (4) Fallopian tube anomaly



27. Refer to the given figure of human female reproductive system where P, Q, R and S are the locations that are affected by different birth control measures.

Which of the following is incorrect regarding this?



- (1) Birth control measures effective at ^S prevents fertilisation by blocking the entry of sperms. ✓
- ✓ (2) Birth control measures effective at ^Q could be a diaphragm or a vault cap. ✗
- (3) Birth control measures effective at ^P inhibits ovulation and implantation. ✓
- (4) Birth control measures effective at ^R is surgical and reversibility is very poor. ✓



28. The following figure shows the uterine tubes of four women (A, B, C and D).
Out of them fertilization is possible in which two women at present?

A - Partial blockage ✓

B - Complete blockage ✗

C - Partial blockage ✓


D - Cut and tied ✗

(1) A and B


✓ (2) A and C

(3) B and C

(4) B and D



29. Identify the contraceptive device.



(1) LNG-20

☒ (2) Norplant / *Implant*

(3) Copper-T

(4) Diaphragm



1. Imp?
30 Match column I and column II.

Column I

A Condoms

B Vaults

C Diaphragms

Column II

P Used by females

Q Used by malesR Made of rubber

S Made of Latex

(1) A - Q,R; B - P,R; C - P,R

(2) A - Q,S; B - Q,R; C - Q,R

~~(3) A - Q,S; B - P,R; C - P,R~~

(4) A - P,S; B - Q,R; C - P,R



31. Match the Column-I with Column-II.

Column I		Column II	
A	Periodic Abstinence	P	No menstrual cycle due to breast feeding
B	Lactational Amenorrhoea	Q	Removal of penis from vagina
C	Withdrawal	R	Abstain from <u>coitus</u> from day 10-17 of the menstrual cycle

(1) A – R, B – Q, C – P

(2) A – Q, B – R, C – P

(3) A – P, B – Q, C – R

☒ (4) A – R, B – P, C – Q



32. Match the following Column I with Column II. Select the code for the correct answer from the options given below

Column I		Column II	
A	Surgical methods	P	Condom
B	Barrier methods	Q	Pills
C	Natural methods	R	Tubectomy
D	Chemical methods	S	Lactational amenorrhea

- (1) A – R, B – P, C – S, D – Q
(2) A – R, B – S, C – P, D – Q
(3) A – S, B – R, C – Q, D – P
(4) A – Q, B – P, C – R, D – S



33. Match the contraceptive methods given under Column I (Contraceptive Method) with their examples given under Column II (Examples). Select the correct choice from those given below:

Column I		Column II	
A	Chemical	P	Tubectomy & Vasectomy
B	IUDs	Q	Copper T & Loop
C	Barriers	R	Condom & Cervical cap
D	Sterilization	S	<u>Spermicidal Jelly & Foam</u>
		T	Coitus interruptus and calender method

- ~~(1)~~ A – S; B – Q; C – R; D – P
(2) A – S; B – T; C – Q; D – R
(3) A – P; B – R; C – Q; D – T
(4) A – S; B – Q; C – T; D – P



34 Match Column I with Column II

Choose the correct answer from the option given below:

Column I		Column II	
A	Non-medicated IUD	P	Multiload 375
B	Copper releasing IUD	Q	Progestogens
C	Hormone releasing IUD	R	Lippes loop
D	Implants	S	LNG-20

2025

- (1) A – R, B – P, C – Q, D – S
(2) A – P, B – R, C – S, D – Q
(3) A – S, B – P, C – Q, D – R
(4) A – R, B – P, C – S, D – Q



35. Match Column - I with Column - II with respect to methods of contraception and their respective actions. Choose the correct answer from the options given below:

Column I		Column II	
a	Diaphragm	1	Inhibit <u>ovulation</u> and <u>implantation</u>
b	Contraceptive <u>pills</u>	2	Increase phagocytosis of sperm within uterus
c	Intra uterine <u>devices</u>	3	Absence of devices menstrual cycle and ovulation following parturition
d	Lactational	4	They cover the <u>cervix</u> Amenorrhea <u>blocking the entry</u> of <u>sperms</u>

~~(1)~~ a-4, b-1, c-2, d-3

(2) a-2, b-4, c-1, d-3

(3) a-3, b-2, c-1, d-4

(4) a-4, b-1, c-3, d-2








36. Match the following columns based on the figures given

(1) A - P; B - R; C - Q; D - S; E - T

✓ (2) A - P; B - Q; C - R; D - S; E - T

(3) A - P; B - Q; C - S; D - R; E - T

(4) A - T; B - Q; C - R; D - S; E - P

Column I	Column II
A. Barriers <u> </u>	P.  Male condom Female condom
B. Intra uterine devices <u> </u>	Q. 
C. Oral contraceptives <u> </u>	R. 
D. Injectables <u> </u>	S. 
E. Surgical methods (Sterilization) <u> </u>	T.  tubal ligation (TL) vasectomy



37. The popular growth in India showed the following growth. Match the columns.

Column I

A. 1947

B. 2000

C. May 2011

Column II

P. 350 million

Q. 1.2 billion

R. Billion

(1) A – R, B – P, C – Q

✓ (3) A – P, B – R, C – Q

(2) A – Q, B – R, C – P

(4) A – Q, B – P, C – R



38. Match the column-I with Column-II

2013

Column I		Column II	
A	Non-medicated IUD's	P	Multiload 375
B	Copper releasing	Q	LNG - 20
C	Hormone releasing	R	Lippes loop
		S	Cu-7
		T	Progestasert

(1) A - Q; B - S,P; C - R,T

✓ (2) A - R; B - S,P; C - Q,T

(3) A - R; B - P,Q; C - S,T

(4) A - R; B - P,T; C - Q,R



39. Match the columns.

Column I		Column II	
A	Slogan	P	21 years
B	Marriageable age of girls	Q	Hum do hamare do
C	Marriageable age of boys	R	18 years
D	Incentives	S	Small families

(1) A – R, B – P, C – Q, D – S

✓(2) A – Q, B – R, C – P, D – S

(3) A – P, B – R, C – Q, D – S

(4) A – Q, B – P, C – R, D – S



40. Match the column-I with column-II.

V. Imp

Column I		Column II	
A	Transfer of <u>ovum</u> collected from <u>a donar</u> →	P	Gametes fallopian transfer
B	Semen introduced into <u>vagina directly</u> →	Q	Intrauterine transfer
C	Embryo with <u>8</u> blastomeres →	R	Artificial insemination
D	Sperm is directly injected into ovum →	S	Intra cytoplasmic sperm iniecton

(1) A – R, B – P, C – Q, D – S

(2) A – Q, B – R, C – P, D – S

✓ (3) A – P, B – R, C – Q, D – S

(4) A – Q, B – P, C – R, D – S



41. Match column I and II and find the correct answer.

Column I		Column II	
A	Barrier device	P	Saheli
B	Sterilization	Q	Condom, <u>diaphragm</u>
C	IUD's	R	Cu-T
D	Pills	S	Tubectomy

(1) A-Q, B-P, C-R, D-S

(2) A-R, B-S, C-P, D-Q

☒ (3) A-Q, B-S, C-R, D-P

(4) A-S, B-Q, C-P, D-R



42. Match the columns.

Column I		Column II	
A	Barrier methods	P	Prevent ovulation
B	Intra uterine devices	Q	Diaphragm
C	Oral contraceptive pills	R	Increase phagocytosis of sperms, suppress sperm motility and fertilizing capacity of sperms
D	Tubectomy	S	Contraception due to breast feeding
E	Lactational amenorrhoea	T	Prevent fertilization

(1) A – R, B – P, C – Q, D – T, E – S

(3) A – S, B – R, C – P, D – T, E – Q

✓ (2) A – Q, B – R, C – P, D – T, E – S

(4) A – Q, B – T, C – P, D – R, E – S



43. Find correct match

Column I

A Copper – T

B Vasectomy

C Pills

D Nirodh

Column II

P Hormonal method

Q Intrauterine method

R Permanent method

S Temporary method

(1) A – R, B – P, C – Q, D – S

(3) A – P, B – R, C – Q, D – S

✓ (2) A – Q, B – R, C – P, D – S

(4) A – Q, B – P, C – R, D – S



44. Match List - I with List - II

Choose the correct answer from the options given below.

Column I		Column II	
a	Vaults <u>→</u>	1	Entry of <u>sperm</u> through cervix is blocked
b	IUDs <u>→</u>	2	Removal of a part of the vasa deferens
c	Vasectomy <u>→</u>	3	Phagocytosis of <u>sperms</u> within the <u>uterus</u>
d	Tubectomy <u>→</u>	4	Removal of a part of the <u>fallopian</u> tube

2025

(1) a - 4, b - 2, c - 1, d - 3

☒ (2) a - 1, b - 3, c - 2, d - 4

(3) a - 2, b - 4, c - 3, d - 1

(4) a - 3, b - 1, c - 4, d - 2



45. Match Column I with Column II.

Choose the correct answer from the options given below:

Column I

A Vasectomy

B Coitus interruptus

C Cervical caps

D Saheli

Column II

P Oral method

Q Barrier method

R Surgical method


S Natural method

(1) A-R, B-P, C-S, D-Q

(3) A-Q, B-R, C-P, D-S

☒ (2) A-R, B-S, C-Q, D-P

(4) A-S, B-Q, C-P, D-R



46. Identify the wrong statements :-

- I. Pills and hormone releasing IUDs make cervix hostile to sperms ✓
- II. The mode of action of implants is similar to that of pills ✓
- III. Vasectomy prevents conception ✓
- IV. Tubectomy blocks ovulation ✗

✓ (1) IV

(2) I, III

(3) III, IV

(4) II, IV



2025

47. Statement A : According to the 2011 census report, the population growth rate was less than 2 %, i.e., 20/1000/year, a rate at which our population could increase rapidly.

Statement B : The world population which was around 2 billion (2000 million) in 1900 rocketed to about 6 billions by 2000.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



✓
48. Statement A : Intra uterine devices (IUD) are very effective contraceptive method.

✗
Statement B : IUD allow sperms to enter the uterus.

- ✓(1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



49. Following statements are given regarding MTP. Choose the correct options given below:

✓ I. MTPs are also essential in certain cases where continuation of the pregnancy could be harmful or even fatal either to the mother or to the foetus or both

II. MTPs are always safe ✗

III. MTPs are always surgical ✗

✓ IV. Government of India legalised MTP in 1971

(1) II and III

(2) II and IV

✓ (3) I and IV

(4) I and II



50. Identify the correct statements.

I. There are many side effects of tubectomy and vasectomy. ✗

II. Purpose of tubectomy is to prevent egg and sperm fusion. ✓

III. The most important component of the oral contraceptive pills is progesterone. ✓

IV. Contraceptive oral pills help in birth control by preventing ovulation. ✓

(1) I, II and III

(2) I and II

✓ (3) III, IV and II

(4) II and IV



51. Statement A : Reproductive and child healthcare programme is for reproduction related areas. ✓

Statement B : It deals with creating awareness among ^{reproductive} various financial related aspects. ✗

- ✓ (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



52. Statement A : In India, there is rapid decline in infant mortality rate and MMR.

Statement B : Creating awareness among people about various reproduction related aspects and providing facilities and support for building up a reproductively healthy society are the major tasks under these programmes.

(1) Statement A is correct but Statement B is incorrect.

(2) Statement A is incorrect but Statement B is correct.

✓ (3) Both statements are correct.

(4) Both Statements are incorrect.



53. These statements are given regarding MTP. Choose which one is the correct option. :-

I. Are generally advised during first trimester ✓

II. Are used as contraceptive method ✗

III. Are always surgical ✗

IV. Require an assistance of qualified medical personnel

(1) I and III

(2) II and III

✓ (3) I and IV

(4) III and IV



54. The following factors indicate improved reproductive health of the society. Choose the correct option.

A. Better detection and cure of disease ✓

B. Better post-natal care ✓

C. Medically assisted deliveries ✓

D. Increased MMR ↓

Select the code for the correct answer from the options given below.

(1) B, C and D only

✓ (2) A, B and C only

(3) A, C and D only

(4) A, B and D only



55. What is the popular name of IVF

(1) GIFT

(2) Tubectomy

✓ (3) Test tube baby

(4) Amniocentesis



56. Medical assistance and care to people is required in reproduction related problems like

- (1) Pregnancy, Delivery ✓
- (2) STDs, Abortions ✓
- (3) Contraception, Menstrual problems, Infertility ✓
- ✓ (4) All of them



57. Which of the following is hormone releasing IUD?

- ✓ (1) LNG-20 ↪ 4
- (2) Multiload-375
- (3) Lippes loop
- (4) Cu-7



58. An individual undergoes sterilization process in which a small incision was done on 'X' and a part of vas deferens is removed or tied up. Identify 'X' and the intervention of this surgical process.

- (1) 'X' - Fallopian tube; Prevent ovulation and implantation.
- (2) 'X' - Testes; Prevent conception by blocking sperm entry.
- (3) 'X' - Epididymis; Inhibit maturation of sperm and its transport.
- ✓ (4) 'X' - Scrotum; Gamete transport is blocked and thereby prevents conception.



59. What is the main factor affecting the population growth?

- (1) Increase in health care facilities ✓
- (2) Better quality of life. ✓
- ~~(3) Both 1 & 2~~
- (4) Industrialization



60. Reproductive health is related to

- (1) Physical fitness ✓
- (2) Emotional compatibility ✓
- (3) Behavioral inter-relationships ✓
- ✓ (4) All the above



61. Assertion : In India, there is rapid decline in infant mortality rate and MMR. ↓ RCH
Reason : In India, more and more attention is being given to programs. ↑

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

☒ (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect



62. Choose the correct statement regarding the ZIFT procedure:

(1) Ova collected from a female donor are transferred to the fallopian tube to facilitate zygote formation.

(2) Zygote is collected from a female donor and transferred to the fallopian tube ✗

(3) Ova from donor and sperms are collected fertilized invitro and are transferred to fallopian tube.

(4) Ova collected from a female donor and transferrerd to the uterus

95th Q.



63. Lactational amenorrhea - what is not true?

- (1) A natural method of contraception
- ✓ (2) OCPs have to be used at this time ✗
- (3) Method effective up to maximum 6 months
- (4) Side effects nil; chances of failure high



64. The main difference between GIFT and ZIFT is that 2025

(1) In ZIFT, fertilization takes place in vivo

(2) ~~GIFT~~ ^{2IFT} involves in vitro fertilization followed by embryo transfer

(3) ZIFT involves intrauterine insemination

(4) In GIFT, fertilization takes place in vivo



65. MTPs are harmful to mother and foetus during _____ trimester of pregnancy.

(1) 1st

(2) 3rd → still birth

✓ (3) 2nd ✓

(4) Unrelated



66. Misuse of amniocentesis has led to the misuse of _____

(1) STD

☒ (2) MTP

(3) RTI

(4) RCH



67. Statutory ban has been laid on _____ to check female foeticide.

(1) Ultrasonography ✗

✓ (2) Amniocentesis

(3) CT scan

(4) X-ray



68. Choose the correct option with respect to contraceptives

i. Breast cancer is a possible ill effect of using contraceptives ✓

ii. Some give an additional benefit of protecting the user from contracting STDs ✓

iii. Diaphragms are reusable ✓

iv. Multiload 375 suppresses sperm motility and fertilizing capacity of sperms ✓

v. Progestasert increases cervical mucus secretion

(1) i, ii

(2) i, ii, iv

(3) i, iii, iv

✓ (4) i, ii, iii, iv, v



69. India's population crossed 1 billion in

(1) Dec. 1999

(2) May 2001

(3) Dec. 1991

✓ (4) May 2000



70. Which of the following is incorrect regarding STDs?

(1) STDs are reported to be very high among persons in the age group of 15-24 years.

(2) Females infected with STDs may often be asymptomatic and hence remain undetected for long.

(3) STDs can lead to complications like pelvic inflammatory diseases and ectopic pregnancy

✓ (4) Patients with STDs should report to quacks for early detection of disease.



71. Assertion : Copper-T is an effective contraceptive device in human females.

Reason : Copper-T prevents passage of sperms from vagina upwards into the fallopian tubes.

- ✓ (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



72. Which of the following is not a natural/ traditional contraceptive method?

- (1) Coitus interruptus
- (2) Periodic abstinence
- (3) Lactational amenorrhea
- (4) ☒ Vaults



73. Given below are some examples of sexually transmitted diseases. Identify the one or more which specifically affect the sex organs.

I. AIDS ✗

✓ II. Syphilis

III. Gonorrhea ✓

IV. Genital warts ✓

(1) I only

(2) I, II only

✓ (3) II, III, IV only

(4) All of these



74. Emergency contraceptives are effective if used within:

- ✓(1) 72hrs of coitus
- (2) 72hrs of ovulation
- (3) 72hrs of menstruation
- (4) 72hrs of implantation



75. For a pregnancy of 20 weeks, what is true according to Medical Termination of Pregnancy Amendment Act 2017?

- (1) Opinion of only one registered medical practitioner is required to allow the MTP
- (2) Opinion of a three registered medical practitioner is required if pregnancy is a result of rape
- ✓ (3) Opinion of two registered medical practitioners is required to allow the MTP
- (4) Opinion of only one registered medical practitioner is required if mother is mentally unsound.



76. Select the option including all sexually transmitted diseases.

- (1) Gonorrhoea, Malaria, Genital herpes ✗
- (2) AIDS, Malaria, Filaria ✗
- (3) Cancer, AIDS, Syphilis ✗
- (4) ✓✓ Gonorrhoea, Syphilis, Genital herpes



77. From the sexually transmitted diseases mentioned below, identify the one which does not specifically affect the sex organs:

(1) Syphilis

✓(2) AIDS ✓

(3) Gonorrhea

(4) Genital warts



78. Test tube baby can be described scientifically as

(1) IVF followed by GIFT

(2) ET followed by ZIFT

✓✓ (3) IVF followed by ET

(4) ET followed by IVF

2025



79. Fill in the blanks

Year	Population of India (in million)	Population of world (in million)
1990	280	<u>A</u> <u>2000</u>
1947	<u>B</u> <u>350</u>	2600
2000	<u>C</u> <u>1000</u>	<u>D</u> <u>6000</u>
2016	<u>E</u> <u>1300</u>	<u>F</u> <u>7000</u>

(1) A – 3500, B – 200, C – 1000, D – 6000, E – 1300, F – 7000

✓ (2) A – 2000, B – 350, C – 1000, D – 6000, E – 1300, F – 7000

(3) A – 7000, B – 200, C – 1000, D – 6000, E – 1300, F – 3500

(4) A – 3500, B – 1300, C – 1000, D – 6000, E – 200, F – 7000



80. Given below are four methods (A-D) and their modes of action (P-S) in achieving contraception. Select their correct matching from the four options that follow

- | | |
|---------------|-------------------------------------|
| (A) The pill | (P) Prevents sperms reaching cervix |
| (B) Condom | (Q) Prevents <u>implantation</u> * |
| (C) Vasectomy | (R) Prevents <u>ovulation</u> * |
| (D) Copper T | (S) Semen contains no sperms |
- Note: Red handwritten lines show incorrect matches: (A) to (Q), (B) to (R), and (C) to (S). A red bracket groups (Q) and (R) with asterisks indicating they are incorrect.*

(1) A – R, B – S, C – P, D – Q

✓ (2) A – R, B – P, C – S, D – Q

(3) A – Q, B – R, C – P, D – S

(4) A – S, B – P, C – Q, D – R



81. Which one of the following is indicative of improved reproductive health of the society?

i. Better awareness about sex related matters ✓

ii. Increased number of medically assisted deliveries ✓

iii. Better post-natal care ✓

~~x~~ iv. ^{due.} Increased maternal and infant mortality rates ✓ y

~~x~~ v. [↑] Decreased number of couples with small families ✓ x

vi. Better detection and cure of STDs ✓

vii. Overall increased medical facilities for all sex related problems

(1) i, iii, iv and vii

(2) i, v and vi

(3) i, ii, iv, v and vi

✓ (4) i, ii, iii, vi and vii



82. Cu^{++} ions released from copper-releasing intra uterine devices

↓ Hormone Rel

- (1) Make uterus unsuitable for implantation
- (2) Increase phagocytosis of sperms
- ✓ (3) Suppress sperm motility ✓
- (4) Prevent ovulation



83. Which of the following statement is incorrect regarding the medical termination of pregnancy (MTP)?

- (1) These help in getting rid of unwanted pregnancies. ✓
- (2) These help in aborting the pregnancies which may be harmful to either mother or foetus or both. ✓
- (3) Gets rid of pregnancy resulted due to failure of contraceptive. ✓
- (4) ~~None of these~~



84. According to the 2011 census report, the population growth rate was

2015

- (1) More than 2 per cent, i.e., $> 20/1000/\text{year}$.
- ✓ (2) Less than 2 per cent, i.e., $< 20/1000/\text{year}$.
- (3) Less than 20 per cent, i.e., $< 200/1000/\text{year}$.
- (4) None of them



85. Diseases or infections which are transmitted through sexual contact are called

- (1) Reproductive tract infections (RTI) ✓
- (2) Venereal diseases (VD) ✓
- (3) Sexually transmitted diseases (STDs) ✓
- ✓ (4) All of the above



86. Early symptoms of most of the STDs are :-
- i. Itching ✓
 - ii. Fluid discharge ✓
 - iii. Slight pain ✓
 - iv. Swelling ✓
 - v. Pelvic inflammatory disease (PID) ✓ → h.c.t.v

(1) i, ii and iv

(2) i, ii and iii

✓ (3) i, ii, iii, iv

(4) All of the above



87. Fill in the blanks

Oral contraceptive pills have to be taken daily for a period of ²¹___A___ starting preferably within the first ⁵___B___ of menstrual cycle. After a gap of ⁷___C___ days (during which menstruation occurs) it has to be repeated in the same pattern till the female desires to prevent contraception.

- ✓(1) A - 21 days; B - 5 days; C - 7 days
- (2) A - 28 days; B - 7 days; C - 5 days
- (3) A - 28 days; B - 5 days; C - 7 days
- (4) A - 22 days; B - 7 days; C - 5 days



88. _____ is a popular brand of condom for males.

(1) Mala-N

✓ (2) 'Nirodh'

(3) 'Nishakt'

(4) Mala-D



89. Ectopic pregnancies are referred to as

- ✓ (1) Implantation of embryo at site other than uterus
- (2) Implantation of defective embryo in the uterus
- (3) Pregnancies terminated due to hormonal imbalance
- (4) Pregnancies with genetic abnormality



90. Veneral diseases can spread through: -

- (i) Using sterile needles ✗
- (ii) Transfusion of blood from infected person ✓
- (iii) Infected mother to foetus ✓
- (iv) Kissing ✗
- (v) Inheritance ✗

Choose the correct answer from the options given below.

- | | |
|------------------------------|-------------------------------|
| (1) (i), (ii) and (iii) only | (2) (ii), (iii) and (iv) only |
| ✓ (3) (ii) and (iii) only | (4) (i) and (iii) only |



91. Which of the following contraceptive methods do involve a role of hormone?

- ✓ (1) Lactational amenorrhea, Pills Emergency contraceptives. ^{PRL} ^{P-E}
- (2) Barrier method, Lactational amenorrhea, Pills. ^X
- (3) CuT, Pills, Emergency contraceptives. ^X
- (4) Pills, Emergency contraceptives, Barrier methods. ^X



92. Oral contraceptive pills have to be taken for contraception continuously for a period of _____ days.

(1) 7

✓ (2) 21

(3) 24

(4) 28



93. CuT, LNG – 20 and Cu7 are examples of

- (1) Contraceptive pills
- (2) Monoclonal antibodies
- (3) Surgical methods of sterilization
- (4) Intrauterine devices



94. Lippe's loop prevents pregnancy because :-

- (1) It increases the phagocytosis of the sperm within the uterus
- (2) It increases thickness of cervical mucus and retards the entry of sperm into the uterus
- (3) It prevents ovulation by inhibiting the secretion of
- (4) It suppresses the motility and fertilizing capacity of the sperm



95. Choose the correct statement regarding the ZIFT procedure:

(1) Ova collected from a female donor are transferred to the fallopian tube to facilitate zygote formation. ✗

✓ (2) Zygote is collected from a female donor and transferred to the fallopian tube ✓

(3) Zygote is collected from a female donor and transferred to the uterus

(4) Ova collected from a female donor and transferred to the uterus



96. Assertion : In ability to conceive or produce children even after 2 years of unprotected sexual cohabitation is infertility.

Reason : Invitro fertilization followed by transfer of embryo into the female genital tract is 'Test tube baby' programme.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

✓(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect



97 What is true about "Saheli"?

i. Developed at the CDRI, Lucknow ✓✓

iii. "Once-a-week" pill ✓✓

v. High contraceptive value ✓✓

vii. Low contraceptive value ✗

ii. Contains a steroidal preparation ✗

iv. Many sides effects ✗

vi. Very few side effects ✓✓

✓(1) i, iii, v, vi

(2) i, ii, v, vi

(3) i, iii, iv, v

(4) i, ii, iii, iv, v



98. The transfer of zygote or early embryo (up to 8 blastomeres) into fallopian tube is called ZIFT.

(1) ICSI

✓ (2) ZIFT

(3) GIFT

(4) IUT



99. Embryo with more than 16 blastomeres formed due to in vitro fertilization is transferred into

(1) Cervix

✓ (2) Uterus ✓

(3) Fallopian tube

(4) Fimbriae

WOMB



100. Read the Assertion and Reason carefully to mark the correct options given below:

Assertion : Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme

Reason : Ban on amniocentesis checks increasing menace of female foeticide.

- (1) Both Assertion and Reason are true and Reason is the correct explanation of Assertion.
- (2) Both Assertion and Reason are true and R is NOT the correct explanation of Assertion
- (3) Assertion is true but Reason is false.
- (4) Assertion is false but Reason is true.



THANK YOU



anmol Shar ma biology



Thank You

Sam

molecular Biology
at 'nh