

100 MCQs on Additional Topic NEET 2025

NCERT Nichod : Biology Practice Series NEET 2025



1. The virus of dengue fever is transmitted by bite of

- (1) Anopheles mosquito
- (2) Aedes aegypti
- (3) Culex mosquito
- (4) Any of above



2. Incubation period of dengue fever is :

- (1) 1 day
- (2) 1 year
- (3) 5 to 10 year
- (4) 3 to 8 days



3. Dengue is caused by :

- (1) Female Anopheles
- (2) Female Aedes
- (3) Male Anopheles
- (4) All the above.



4. A mosquito borne viral disease is

- (1) Malaria
- (2) Dengue
- (3) Filariasis
- (4) Kala-azar



5. Chikungunya virus is spread between people by *Aedes aegypti* they mainly bite during the

- (1) Only Night Time
- (2) Only Day Time
- (3) Morning only two hours
- (4) Evening only two hours



6. When the anthers are free but the filament of stamens are united into single bundle, such an androecium is called:

- (1) Adelphous
- (2) Monadelphous
- (3) Diadelphous
- (4) Polyadelphous



7. Cotton, Wheat, Paddy, Mustard and Cauliflower belong to how many genera:

- (1) Five
- (2) Four
- (3) Three
- (4) Two

▲ 6 • Asked by Ananya

sir pls yeh btado

132. What would be DNA content (x), number of chromosomes (y) in the microspore if at G_2 phase, meiocyte possess 20pg of DNA and 20 chromosomes?

(1) $x = 5, y = 10$

(2) $x = 10, y = 20$

(3) $x = 5, y = 20$

(4) $x = 10, y = 10$



8. Tetradsynamous stamens are found in :

- (1) Cruciferae
- (2) Graminae
- (3) Poaceae
- (4) Compositae



9. How we diagnose Chikungunya disease

- (1) By testing the blood for viral RNA Using PCR
- (2) By testing antibodies to the virus.
- (3) Both 1 and 2 are correct
- (4) Widal test



10. People with Chikungunya also frequently experience

(1) Headache and back pain

(2) Nausea and fatigue

(3) Rash, with reddening and sometimes small bumps on the palms

(4) All of these



11. IUCN stands for :

- (1) International Union for Conservation of New Plant
- (2) Indian Union for Conservation of Nature
- (3) International Union for Conservation of Nature
- (4) Italian Union for Conservation of Nature



12. Head quarter of IUCN is situated at :

(1) USA

(2) Deharadun India

(3) Morges, Switzerland

(4) Phillipines



13. Red Data Book or red list was initiated in year :

- (1) 1963
- (2) 1993
- (3) 2000
- (4) 2001



14. World Conservation Union maintains :

- (1) Red Data Book
- (2) Blue List
- (3) Red List
- (4) Both (1) and (3)



15. The taxon has been completely eliminated or died out from earth is and comes under:

- (1) Dodo and Extinct From Mauritius
- (2) Dodo and Extinct in wild
- (3) Parrot and Endangered
- (4) Sea cow and Vulnerable



16. What is the purpose of preparation of red list is

- (1) Provide awareness to the degree of threat to biodiversity
- (2) Provide global index of decline biodiversity
- (3) Preparing conservation priority and help in conservation
- (4) All of these



17. Modern Synthetic Theory of Evolution designated by

- (1) Huxley
- (2) Darwin
- (3) Lamarck
- (4) Mendel



18. The greatest drawback of Darwin's Theory was

- (1) Ignored heredity and variation
- (2) Selection of new species
- (3) Variation found in finches
- (4) Explanation of adaptive radiation



19. Application of Mendelian genetics to Darwin's natural selection was comes under the

- (1) Mutation
- (2) Population genetics and evolution
- (3) Enormous fertility
- (4) Variation according to environmental changes



20. Modern Theory of Organic evolution is

- (1) Darwinism
- (2) Lamarckism
- (3) Mutation
- (4) Synthetic theory



21. Frequency of mutated gene in a population is expected to increase if the phenotype of that gene is :

- (1) Dominated
- (2) Selected
- (3) Recessive
- (4) Neither dominated nor recessive



22. What is the Red Data Book :

- (1) Novel
- (2) Endangered Species List
- (3) Weather Report
- (4) Comic Book



23. Which organization is responsible for publishing the Red Data Book globally :

- (1) UNESCO
- (2) Greenpeace
- (3) IUCN
- (4) WWF



24. What does the Red Data Book primarily focus on :

- (1) Economic Data
- (2) Climate Change
- (3) Conservation Status of Species
- (4) Human Population Trends



25. Which color category in the Red Data Book indicates the highest level of threat to a species :

- (1) Green
- (2) Yellow
- (3) Red
- (4) Blue



26. What does "CR" stand for in the Red Data Book :

- (1) Critical Risk
- (2) Conservation Required
- (3) Critically Endangered
- (4) Current Research



27. The Red Data Book is a tool used to assess the risk of what happening to a species :

- (1) Extinction
- (2) Overpopulation
- (3) Genetic Mutation
- (4) Climate Change



28. Which of the following is not a category used in the Red Data Book to classify species :

- (1) Near Threatened
- (2) Vulnerable
- (3) Extremely Rare
- (4) Least Concern



29. The Red Data Book is important for guiding efforts in what field :

- (1) Agriculture
- (2) Space Exploration
- (3) Conservation
- (4) Technology



30. Which region does the Red Data Book address :

- (1) Only Europe
- (2) Only Asia
- (3) Global
- (4) Only North America



31. What is the main purpose of the Red Data Book :

- (1) Entertainment
- (2) To identify endangered species
- (3) Political Analysis
- (4) Sports Statistics



32. What is another name for the Modern Synthetic Theory of Evolution :

- (1) Lamarckism
- (2) Darwinism
- (3) Neo-Darwinism
- (4) Catastrophism



33. Which of the following is a key component of the Modern Synthetic Theory :

- (1) Inheritance of acquired traits
- (2) Punctuated equilibrium
- (3) Mutation and natural selection
- (4) Catastrophic events



34. Who played a crucial role in combining Mendelian genetics with natural selection to form the Modern Synthetic Theory :

- (1) Charles Darwin
- (2) Gregor Mendel
- (3) Thomas Malthus
- (4) Julian Huxley



35. Genetic variation in a population primarily arises from :

- (1) Natural selection
- (2) Genetic drift
- (3) Mutation
- (4) Migration



36. What is the role of natural selection in the Modern Synthetic Theory :

- (1) Creation of genetic variation
- (2) Preservation of favorable traits
- (3) Random genetic changes
- (4) Genetic drift



37. Which term refers to the differential survival and reproduction of organisms based on their traits:

- (1) Genetic drift
- (2) Fitness
- (3) Mutation
- (4) Gene flow



38. Assertion: Modern Synthetic Theory, also known as the Modern Synthesis, integrates Darwinian evolution with Mendelian genetics.

Reason: This synthesis occurred in the early 20th century, unifying natural selection and genetic inheritance as the mechanisms driving evolution. Choose the correct option:

- (1) Both assertion and reason are true, and the reason is the correct explanation of the assertion.
- (2) Both assertion and reason are true, but the reason is not the correct explanation of the assertion.
- (3) Assertion is true, but the reason is false.
- (4) Both assertion and reason are false



39. What is the primary source of new alleles in a population according to the Modern Synthetic Theory :

- (1) Genetic drift
- (2) Mutation
- (3) Gene flow
- (4) Genetic recombination



40. Which process contributes to genetic variation by the exchange of genes between different populations :

- (1) Genetic drift
- (2) Mutation
- (3) Gene flow
- (4) Genetic recombination



41. Cotton belongs to family

- (1) Ranunculaceae
- (2) Compositae
- (3) Cruciferae
- (4) Malvaceae



42. Brassica, Raphanus, Turnip are members of following family –

- (1) Compositae
- (2) Cucurbitaceae
- (3) Cruciferae
- (4) Poaceae.



43. Lowering of blood platelets help in –

- (1) Malaria
- (2) Tetanus
- (3) Dengue
- (4) Leprosy



44. *Hibiscus esculents* and *Althea rosea* belongs to the family-

- (1) Solanaceae
- (2) Cucurbitaceae
- (3) Malvaceae
- (4) Cruciferae



45. Colour coding system given by IUCN to identify the current position of organism into a given category, which of the following is mismatched.

- | | |
|-----------|-----------------------|
| (1) Black | Extinct |
| (2) Red | Endangered species |
| (3) Green | Species out of danger |
| (4) Grey | Vulnerable |



46. Parietal placentation is found in –

- (1) *Brassica compestris* (Cruciferae)
- (2) *Alium cepa* (Liliaceae)
- (3) *Solanum nigrum* (Solanaceae)
- (4) *Gossypium* (Malvaceae)



47. Vulnerable, Endangered and Extinct in wild species are comes under the

- (1) Rare species
- (2) Lower risk species
- (3) Data indelicient species
- (4) Threatened species



48. Amber colour explains

- (1) Extinct species
- (2) Endangered
- (3) Vulnerable species
- (4) Insufficient data for species



49. What is the criteria for IUCN

- (1) Geographical range
- (2) Population decline range
- (3) Small restricted population size
- (4) All of these are correct



50. Red list has how many categories of species

- (1) Five
- (2) Six
- (3) Seven
- (4) Nine



51. Virus which causes dengue fever is

- (1) Mosquito borne ribo-virus
- (2) Cattle borne deoxyribo-virus
- (3) Mosquito borne deoxyribo-virus
- (4) A kind of bacteria



52. Assertion: Dengue and chikungunya are both viral diseases transmitted by mosquitoes.

Reason: The *Aedes aegypti* mosquito serves as a vector for both Dengue and Chikungunya viruses.

Choose the correct option:

- (1) Both assertion and reason are true, and the reason is the correct explanation of the assertion.
- (2) Both assertion and reason are true, but the reason is not the correct explanation of the assertion.
- (3) Assertion is true, but the reason is false.
- (4) Both assertion and reason are false



53. The disease accompanied by conjunctivitis is :

- (1) Dengue
- (2) Chikangunia
- (3) Dysentry
- (4) Diphtheria



54. Patient develop arthritis symptoms in which of the following disease

- (1) Dengue
- (2) Chikangunia
- (3) Malaria
- (4) Pneumonia



55. Examine the following diagram of a cruciferae leaf:



What is the venation pattern of the leaf :

- (1) Parrallel
- (2) Palmate
- (3) Pinnate
- (4) Reticulate



56. Which of the following is not a characteristic of the cruciferae family :

- (1) Compound leaves
- (2) Four sepals
- (3) Six stamens
- (4) Flowers in racemes



57. The Cruciferae family is economically important primarily for :

- (1) Ornamental plants
- (2) Medicinal plants
- (3) Vegetable crops
- (4) Timber production



58. Which leaf arrangement is most common in the Cruciferae family :

- (1) Opposite
- (2) Whorled
- (3) Alternate
- (4) Rosette



59. Cruciferae family is Also known as:

- (1) Mustard Family
- (2) Grass Family
- (3) Sunflower Family
- (4) None of these

Valentine's Week

- 7 Feb: Rose day (Rs.80/- for 🌹)
 - 8 Feb: Propose day (Rs.500/- for 💍)
 - 9 Feb: Chocolate day (Rs.300/- for 🍫)
 - 10 Feb: Teddy day (Rs.1500/- for 🧸)
 - 11 Feb: Promise day (Rs. 1000/- for lunch)
 - 12 Feb: Hug day (Rs.1500/- for hangout)
 - 13 Feb: Kiss day (Rs.3000/- for oyo)
 - 14 Feb: Valentine day (Rs.4000/- for dinner)
- Congratulations singles !!
- You just saved Rs.11880/- 😎



60. Fruit of cruciferae is:

- (1) Berry
- (2) Capsule
- (3) Silique
- (4) Drupe



61. Which of the following is a member of the Cruciferae family :

- (1) Tomato
- (2) Cabbage
- (3) Potato
- (4) Apple



62. Which characteristic flower structure is typical of the Cruciferae family :

- (1) Bilateral symmetry
- (2) Four petals in a cross shape
- (3) Clustered inflorescences
- (4) Tubular flowers

**63. Endangered Species are:**

- (1) Species at a very high risk of extinction in the wild
- (2) Species likely to become endangered if factors threatening them persist
- (3) Species close to qualifying for Vulnerable status
- (4) Species with a low risk of extinction



64. The compositae family is known for its economic importance in :

- (1) Timber production
- (2) Ornamental plants
- (3) Cereal crops
- (4) Legume production



65. Which of the following is a medicinal plant from the compositae family :

- (1) Neem
- (2) Coneflower
- (3) Aloe vera
- (4) Lavender



66. In compositae, the calyx is often modified into a structure called :

- (1) Aril
- (2) Pappus
- (3) Spadix
- (4) Bract



67. Which of these is a characteristic feature of the compositae family :

- (1) Bilateral symmetry
- (2) Presence of milky sap
- (3) Composite inflorescences
- (4) Tendrils



68. What is the fruit commonly found in the compositae family :

- (1) Berry
- (2) Drupe
- (3) Cypsella
- (4) Capsule



69. Which of the following is not a member of the compositae family :

- (1) Marigold
- (2) Rose
- (3) Dandelion
- (4) Chrysanthemum



70. What is the main feature of the leaves in the compositae family :

- (1) They are always compound
- (2) They have parallel venation
- (3) They are mostly alternate and simple
- (4) They are always needle-like



71. Which part of compositae flowers is typically modified into ray florets :

- (1) Sepals
- (2) Petals
- (3) Stamens
- (4) Carpels



72. What is the characteristic inflorescence type in the compositae family :

- (1) Spike
- (2) Umbel
- (3) Capitulum
- (4) Raceme




73. Which family does sunflower belong to :

- (1) Rosaceae
- (2) Liliaceae
- (3) Compositae
- (4) Solanaceae



74. Three floral diagrams are given here. Their respective families are assigned in the answer key. Find out the families to which diagrams belong to:



- (1) A – Liliaceae, B – Asteraceae, C – Solanaceae
- (2) A – Asteraceae, B – Solanaceae, C – Brassicaceae
- (3) A – Asteraceae , B – Solanaceae, C – Asteraceae
- (4) A – Poaceae , B – Solanaceae, C – Asteraceae



75. In the Graminae family, the floral formula represents a superior ovary and a single carpel. What is the G1 in the formula indicative of :

- (1) Single petal
- (2) Single Ovary
- (3) Single style
- (4) Single sepal



76. The Brassicaceae family includes several economically important crops, including all of the following except :

- (1) Cabbage
- (2) Mustard
- (3) Sunflower
- (4) Radish



77. Which family is characterised by a floral formula that includes

$K(4)C(4)A(6)G(2)$:

(1) Brassicaceae

(2) Malvaceae

(3) Poaceae

(4) Asteraceae



78. What type of fruit is typically found in the Poaceae family, commonly referred to as a grain :

- (1) Capsule
- (2) Achene
- (3) Legume
- (4) Caryopsis



79. Which family is known for its unique inflorescence structure called a "capitulum" composed of numerous small flowers surrounded by modified leaves called bracts :

- (1) Brassicaceae
- (2) Malvaceae
- (3) Poaceae
- (4) Asteraceae



80. In the Brassicaceae family, what is the typical arrangement of petals in the corolla that gives it the family's common name :

- (1) Fused into a tube
- (2) Arranged in a cross-like pattern
- (3) Separated and actinomorphic
- (4) Reduced and inconspicuous



81. Cruciferae Family Have:

- (1) Four-petaled flowers and mustard family
- (2) Composite flowers with disc and ray florets
- (3) Grasses important for food crops
- (4) Mucilaginous sap and hibiscus-like flowers



82. Cruciferae is now called :

- (1) Brassicaceae
- (2) Fabaceae
- (3) Asteraceae
- (4) Apiaceae



83. A member of compositae having only tubular florets :

- (1) Chrysanthemum
- (2) Tagetus
- (3) Dahlia
- (4) Ageratum



84. A malvaceous plant without epicalyx in flower :

(1) Sida

(2) Malvestrum

(3) Hibiscus

(4) Gossypium



85. Each spikelet bears a central stalk called :

- (1) Rachis
- (2) Rachilla
- (3) Peduncle
- (4) Pedicel



86. Maize grain is :

- (1) A seed
- (2) A fruit
- (3) It is neither a seed nor a fruit
- (4) It is a flower bud



87. Cotton fibres are rich in cellulose and used commercially belongs to family:

- (1) Cruciferae
- (2) Malvaceae
- (3) Solanaceae
- (4) Graminae



88. Cereals and pulses are respectively obtained from:

- (1) Gramineae and Leguminosae
- (2) Solanaceae and Gramineae
- (3) Solanaceae and Leguminosae
- (4) Cruciferae and Liliaceae



89. Which of the following family have marginal placentation :

- (1) Liliaceae
- (2) Leguminosae
- (3) Cruciferae
- (4) Solanaceae



90. The placentation in Leguminosae is :

- (1) Axile
- (2) Parietal
- (3) Free-central
- (4) Marginal



91. Calyx is often modified into a pappus in :

- (1) Malvaaceae
- (2) Compositae
- (3) Caealpinioideae
- (4) Liliaceae



92. Bracts enclosing a cluster of flowers are known as:

- (1) Bracteate
- (2) Involucre
- (3) Petaloid
- (4) Polysepalous




93. An unisexual flower is one which has :

- (1) Only androecium or gynoecium
- (2) Both gynoecium and androecium
- (3) Corolla only
- (4) Calyx and corolla, both




94. Which is correct floral formula of pea flower:


1.




2.



3.



4.





95. Point out the correct floral formulae Cruciferae:

(1) $\oplus \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_{4 \text{ or } 5} C_{4 \text{ or } 5} A_{\infty} \underline{G_1}$

(2) $\oplus \begin{array}{c} \text{♂} \\ \text{♀} \end{array} P_{3+3} A_{3+3} \underline{G_{(3)}}$

(3) $\oplus \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_{(5)} C_{1+2+(2)} A_{1+(9)} \underline{G_1}$

(4) $\oplus \begin{array}{c} \text{♂} \\ \text{♀} \end{array} K_{2+2} C_{\times 4} A_{2+4} \underline{G_{(2)}}$



96. Basal placentation is found in :

- (1) Compositae
- (2) Cruciferae
- (3) Malvaceae
- (4) Solanaceae



97. Capitulum inflorescence with involucre of bracts having ray florets and disc florets is found in:

- (1) Compositae
- (2) Cruciferae
- (3) Graminae
- (4) Solanaceae



98. Zygomorphic flowers with descending imbricate aestivation is the characteristic feature of the family:

- (1) Papilionatae
- (2) Malvaceae
- (3) Mimosoideae
- (4) Ranunculaceae



99. Presence of epicalyx and monadelphous condition of stamens is characteristic feature of the family :

- (1) Liliaceae
- (2) Malvaceae
- (3) Leguminosae
- (4) Solanaceae



100. Tetramerous flowers having bicarpellary, syncarpous ovary which is unilocular in the beginning but becomes bilocular later, owing to the formation of false septum called replum are the salient features of the family :

- (1) Leguminosae
- (2) Malvaceae
- (3) Solanaceae
- (4) Cruciferae