

Biodiversity and Conservation - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025




unacademy

Biodiversity and Conservation




BIOLOGYLIVE





Best Free NEET Syllabus Tracker



AI Syllabus Tracker



AI Test Score Tracker



AI Medical college Predictor



Detailed Progress Report



AI Generated Flashcard



Distraction Free Youtube

Track Syllabus Now

www.neettracker.live

Made with ❤️ by Anmol Sharma

1. Match Column I with Column II

Choose the correct answer from the options given below:

Column I		Column II	
A	Robert May	P	Species-Area relationship
B	Alexander von Humboldt	Q	Long term ecosystem experiment using out door plots
C	Paul Ehrlich	R	Global species diversity at about 7 million
D	David Tilman	S	Rivet popper hypothesis

- (1) A – Q, B – R, C – P, D – S
- (2) A – R, B – P, C – S, D – Q
- (3) A – P, B – R, C – Q, D – S
- (4) A – R, B – S, C – Q, D – P



2. Which of the following is the most important cause for animals and plants being driven to extinction?

- (1) Habitat loss and fragmentation
- (2) Drought and floods
- (3) Economic exploitation
- (4) Alien species invasion



3. It is hard to believe that there are nearly____ species of orchids.

- (1) 1000
- (2) 1,00,000
- (3) 2,00,000
- (4) 20,000



4. Which one of the following has the highest number of species in nature?

- (1) Angiosperms
- (2) Fungi
- (3) Insects
- (4) Birds



5. Assertion : Biodiversity is not uniform throughout the world

Reason : Biodiversity increases as we move from equator to polar region

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect.




6. Where was the World Summit on Sustainable development held?

- (1) South Africa
- (2) USA
- (3) South America
- (4) UK



7. Identify 1 and 2 in the following

- (1) 1 - Vertebrata 2 - Insects
- (2) 1 - Invertebrata 2 - Mollusca
- (3) 1 - Invertebrata 2 - Crustaceans
- (4) 1 - Vertebrata 2 - Crustaceans



8. Statement A : The diversity of plants and animals is uniform throughout the world.

Statement B : In general, species diversity decreases as we move away from the equator towards the poles.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



9. Statement A : India, with much of its land area in the tropical latitudes, has more than 1,200 species of birds.

Statement B : A forest in a tropical region like Equador has up to 12 times as many species of vascular plants as a forest of equal area in a temperate region like the Midwest of the USA.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



10. Which one of the following is not included under in situ conservation?

- (1) National park
- (2) Botanical garden
- (3) Sanctuary
- (4) Biosphere reserve



11. Match the columns I and II.

Column I		Column II	
A	World summit	P	Rio de Janeiro
B	The Earth summit	Q	<i>Ex situ</i> Conservation
C	Zoological parks	R	Johannesburg, South Africa
D	Hotspots	S	<i>In situ</i> conservation

(1) A – R, B – P, C – Q, D – S

(2) A – S, B – R, C – P, D – Q

(3) A – P, B – R, C – Q, D – S

(4) A – Q, B – P, C – R, D – S



12. Amongst the animal groups given below, which one appears to be more vulnerable to extinction?

- (1) Insects
- (2) Mammals
- (3) Amphibians
- (4) Reptiles




13. Match the following.

Column I		Column II	
A	Alexander Von Humboldt	P	Rivet
B	David Tilman	Q	Species area relationship
C	Paul Enhrlich	R	Popularized term 'Biodiversity'
D	Edward Wilson	S	Out door plot experiment

- (1) A – Q, B – S, C – P, D – R
(2) A – Q, B – R, C – P, D – S
(3) A – S, B – Q, C – P, D – R
(4) A – Q, B – S, C – R, D – P



14. Identify A and B respectively



- (1) Species richness and Area
- (2) Species diversity and area
- (3) Area and species richness
- (4) Area and species diversity



15. Statement A : The species-area relationships among the entire continents, the Z values in the range of 0.6 to 1.2 .

Statement B : The species-area relationship of mammals in the tropical forests of different continents, the slope is found to be 1.15 .

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



16. Statement A : Scientists estimate that in rain forests there might be at least two million insect species waiting to be discovered and named.

Statement B : Tropical regions subjected to frequent glaciations in the past, temperate latitudes have remained relatively undisturbed for millions of years

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



17. The relationship between the species richness and the area for a wide variety of taxa appears as

- (1) Straight line
- (2) Sigmoid curve
- (3) Zig zag line
- (4) Rectangular hyperbola



18. Tropics to (23.5°N to 23.5°S) have ____ species as compared to temperate or polar regions.

- (1) Less
- (2) Equal
- (3) More
- (4) None of these



19. In the species-area relationship, 'Z' represents

- (1) Regression coefficient
- (2) Species coefficient
- (3) Species richness
- (4) None of the above



20. The relation between species richness and area is described on a logarithmic scale by the equation _____

**Where S = Species richness, A = area, Z = Slope of the line (regression co-efficient),
C = Y - intercept**

(1) $\log S = \log C + z \log A$

(2) $\log S = z \log A$

(3) $\log C = \log S + z \log A$

(4) $\log S = \log C$



21. Species diversity increase as one proceeds from

- (1) High altitude to low altitude and high latitude to low latitude.
- (2) Low altitude to high altitude and high latitude to low latitude.
- (3) Low altitude to high altitude and low latitude to high latitude.
- (4) High altitude to low altitude and low latitude to high latitude.



22. Statement A : With very few exceptions, tropics (latitudinal range of to 23.5°N to 23.5°S) harbour more species than temperate or polar areas.

Statement B : New York at 41°N has 205 species of birds.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



23. From equator towards the poles biodiversity

- (1) Decreases
- (2) Increases
- (3) Remains same
- (4) First decreases then increases



24. Alexander Von Humbolt described for the first time:

- (1) Laws of limiting factor
- (2) Species area relationships
- (3) Population Growth equation
- (4) Ecological Biodiversity



25. Statement A : Speciation is generally a function of time.

Statement B : Constant environments promote niche specialisation and lead to a greater species diversity.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



**26. New York at 41°N has ____ Greenland at 71°N only ____
species and**

- (1) 56,105
- (2) 105,56
- (3) 1400,56
- (4) 1200,56



27. Statement A : The great German naturalist and geographer Alexander von Humboldt

observed that within a region species richness increased with increasing explored area, without any limit.

Statement B : The relation between species richness and area for a wide variety of taxa (angiosperm plants, birds, bats, freshwater fishes) turns out to be a rectangular hyperbola.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



28. How many times the tropical areas have vascular plants than the temperate areas have?

- (1) 10
- (2) 50
- (3) 3
- (4) 65



29. Match the columns I and II with respect to the country and the number of birds found there.

Column I		Column II	
A	Colombia	P	1,400 species of birds
B	India	Q	105 species
C	New York	R	1,200 species
D	Greenland	S	56 species

- (1) A – R, B – P, C – Q, D – S
- (2) A – S, B – R, C – P, D – Q
- (3) A – P, B – R, C – Q, D – S
- (4) A – Q, B – P, C – R, D – S



30. In the species-area relationship, 'S' represents

- (1) Species richness
- (2) Slope of the line
- (3) Species -genus
- (4) Species extinct



31. Identify the incorrect statement

I. Speciation is generally a function of time

II. Tropical environment is less seasonal, relatively more constant and predictable

III. Solar energy contributes to high productivity

IV Temperate regions have remained relatively undisturbed for millions of years

(1) I, II, III, IV

(2) II, III

(3) Only IV

(4) III, IV



32. Match the columns I and II about the number of organism found in Amazonian rain forest.

Column I		Column II	
A	40,000	P	Mammals
B	1,300	Q	Reptiles
C	427	R	Birds
D	378	S	Plants

- (1) A – R, B – P, C – Q, D – S
- (2) A – S, B – R, C – P, D – Q
- (3) A – P, B – R, C – Q, D – S
- (4) A – Q, B – P, C – R, D – S



33. For frugivorous birds and mammals in the tropical forests of different continents. Z (slope of the line/regression coefficient) is found to be

- (1) 1.15
- (2) 1
- (3) 0.2
- (4) 0.1



34. Statement A : Greenland at 71°N only 56 species of birds.

**Statement B : Colombia located near the equator has
nearly 1,400 species of birds**

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



35. Tropical regions show greatest level of species richness because

A. Tropical latitudes have remained relatively undisturbed for millions of years, hence more time was available for species diversification.

B. Tropical environments are more seasonal.

C. More solar energy is available in tropics.

D. Constant environments promote niche specialization.

E. Tropical environments are constant and predictable.

choose the correct answer from the options given below.

(1) A, C, D and E only

(2) A and B only

(3) A, B and E only

(4) A, B and D only




36. Approximate number of species of mammals in Amazon forest

- (1) 900
- (2) 600
- (3) 427
- (4) 300



37. Alexander von Humboldt observed that, within a region species richness ____ with increasing explored area.

- (1) Remains same
- (2) Decreased
- (3) Increased
- (4) Decreased up to a limit



38. Match the columns I and II.

Column I		Column II	
A	Colombia	P	71°N
B	New York	Q	Near the equator
C	Greenland	R	41°N

- (1) A – R, B – P, C – Q
- (2) A – Q, B – R, C – P
- (3) A – P, B – R, C – Q
- (4) A – Q, B – P, C – R



39. The value of 'Z' lies in the range of ____ regardless of the taxonomic group or the region.

- (1) 0.5 to 0.7
- (2) 0.3 to 0.7
- (3) 0.2 to 0.3
- (4) 0.1 to 0.2



40. Match the columns I and II about the no. of organism found in Amazonian rain forest.




Column I		Column II	
A	Amphibians	P	1,25,000
B	Invertebrates	Q	427
C	Fishes	R	3,000

- (1) A – R, B – P, C – Q
- (2) A – Q, B – R, C – P
- (3) A – P, B – R, C – Q
- (4) A – Q, B – P, C – R



41. Species richness means

- (1) Number of species per unit area
- (2) Number of individual in particular species per the total number of different species in a particular area
- (3) Number of genetic variation in particular area
- (4) Number of genes in a particular species



42. Statement A : Amazonian rain forest in North America has the greatest biodiversity on earth- it is home to more than 40,000 species of plants, 13,000 of fishes.

Statement B : There is more solar energy available in the tropics, which contributes to higher productivity

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



43. Statement A : For many decades, ecologists believed that communities with more species, generally, tend to be less stable than those with less species.

Statement B : A stable community should not show too much variation in productivity from year to year.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



44. Tilman found that plots with more species showed

- (1) Less year-to-year variation in total biomass
- (2) Higher productivity
- (3) Both 1 and 2
- (4) Nothing like that happens



45. Statement A : The 'rivet popper hypothesis' is used by Stanford physiologist Paul Ehrlich.

Statement B : The biological wealth of our planet has been declining rapidly and the accusing finger is clearly pointing to human activities.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



46. Red list contains data or information on

- (1) All economically important plants
- (2) Plants whose products are in international trade
- (3) Threatened species
- (4) Marine vertebrates only



47. If any extinction of a mutualistic pollinator takes place, what would be its effect on the plants where is pollinate?

- (1) Decreased pollination
- (2) Increased pollination
- (3) The plant would not be pollinated
- (4) Pollination continues whatso ever



48. Assertion : Natural fragmentation of habitat leads to speciation.

Reason : Artificial fragmentation of habitat leads to extinction of species.

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect.



49. The term 'The Evil Quartet' is related with

- (1) Four major causes of deforestation
- (2) Four major causes of population growth
- (3) Four major causes of genetic mutation
- (4) Four major causes of biodiversity losses



50. Match the columns I- Some examples of recent extinctions and II with the country it belonged to

Column I		Column II	
A	Quagga	P	Australia
B	Thylacine	Q	Africa
C	Steller's Sea Cow	R	Russia
D	Dodo	S	Mauritius

- (1) A – R, B – P, C – Q, D – S
(2) A – S, B – R, C – P, D – Q
(3) A – P, B – R, C – Q, D – S
(4) A – Q, B – P, C – R, D – S



51. The organisation which has published "Red Data Book" is

- (1) Convention on International Trade in Endangered Species of Wild Fauna and Flora
- (2) National Wildlife Action Plan
- (3) International Union for Conservation of Nature and Natural Resource
- (4) National Environmental Engineering Research Institute



52. The IUCN Red List documents the extinction of species which includes

(i) 338 species of vertebrates

(ii) 359 species of invertebrates

(iii) 87 species of plants

(iv) 359 species of birds

(1) i and ii are correct

(2) i, ii, iii are correct

(3) i, iii, iv are correct

(4) All of them



53. Which of the following is not an example of recent extinction?

- (1) Steller's sea cow
- (2) Dodo
- (3) Quagga
- (4) Pigeon



54. An exotic plant that had become a troublesome waterweed in India is:

- (1) *Trapa bispinosa*
- (2) *Eichornia crassipes*
- (3) *Ipomoea reptans*
- (4) *Typha latifolia*



55. Choose the correct statements w.r.t rainforests

I. There are tropical rainforest in India

II. Amazon rainforest is famed for its biodiversity

III. Rainforest biomes can be characterised by high level of biomes and productivity

IV. All the different species in a rainforest are referred to as community

(1) II, III only

(2) III, IV only

(3) I, II, III only

(4) I, II, III, IV



56. Dodo is

- (1) Endangered
- (2) Critically Endangered
- (3) Rare
- (4) Extinct



57. Statement A : During the long period (billion years) since the origin and diversification of life on earth there were five episodes of mass extinction of species.

Statement B : The current species extinction rates are estimated to be 100 to 1,000 times faster than in the pre-human times and our activities are not responsible for the faster rates.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



58. According to the IUCN red data Book which category has maximum extinction of species in last 500 years

- (1) Vertebrates
- (2) Invertebrates
- (3) Plants
- (4) Mammals



59. Select the incorrect with respect to recent extinction.

- (1) Dodo- Mauritius
- (2) Quagga- Indonesia
- (3) Thylacine- Australia
- (4) Steller's seacow - Russia



60. Point out the plant that has invaded many forest lands in different parts of India, and strongly competes with the native species:

- (1) *Withania somnifera*
- (2) *Lantana camara*
- (3) *Solanum nigrum*
- (4) *Quisqualis indica*



61. Select the incorrect match:

- (1) Lungs of the planet - Amazon rain forest
- (2) Extinction due to over exploitation – Passenger pigeons
- (3) Nile perch - Cichlid fish
- (4) David Tilman - Rivet Popper hypothesis



62. Amongst birds, mammals, amphibians and Gymnosperms, the minimum and maximum threat of extinction is faced respectively on

- (1) Birds, Amphibians
- (2) Amphibians, Gymnosperms
- (3) Mammals, Amphibians
- (4) Mammals, Birds



63. The alien species introduced into Lake victoria that was responsible for the extinction of cichlid fishes is

- (1) African Catfish
- (2) Carrot grass
- (3) Water hyacinth
- (4) Nile perch



64. Which of the following statements is correct?

- (1) Parthenium is an endemic species of our country.
- (2) African catfish is not a threat to indigenous catfishes.
- (3) Steller's sea cow is an extinct animal.
- (4) Lantana is popularly known as carrot grass.



65. The colonisation of tropical Pacific Islands by humans is said to have led to the extinction of more than ____

- (1) 338 species of vertebrates
- (2) 359 species of invertebrates
- (3) 87 species of plants
- (4) 2,000 species of native birds



66. The last twenty years alone have witnessed the disappearance of ____ species.

(1) 25

(2) 27

(3) 23

(4) 26



67. Statement A : Some examples of recent extinctions include the dodo (Mauritius), quagga (Australia), thylacine (Africa), Steller's Sea Cow (Russia) and three subspecies (Bali, Javan, Caspian) of lion

Statement B : Extinctions across taxa are not random.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



68. Match the following animals with their category of existence

Column I		Column II	
A	31%	P	Mammals
B	32%	Q	Birds
C	23%	R	Gymnosperms
D	12%	S	Amphibians

- (1) A – R, B – S, C – P, D – Q
- (2) A – Q, B – S, C – P, D – R
- (3) A – R, B – S, C – Q, D – P
- (4) A – S, B – Q, C – R, D – P



69. Statement A : Loss of biodiversity in a region may lead to incline in plant production and high resistance to environmental perturbations such as drought.

Statement B : Ecologists warn that if the present trend of extinction of species continue, nearly half of all the species on earth might be mutated within the next 100 years.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



70. Statement A : The last twenty years have witnessed the disappearance of 27 species.


Statement B : 31 per cent of all gymnosperm species in the world face the threat of extinction.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



71. What percentage of all living species will go extinct within next 20 to 50 years from human activities, if steps are not taken to conserve species?

- (1) 1-2%
- (2) 5-10%
- (3) 10-25%
- (4) 50-75%



72. Assertion : Wild ass sanctuary is a unique habitat of Indian wild ass

Reason : It is the remnant gene pool in the world

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect.





73. In situ strategies include.

I. National parks

II. Wildlife sanctuaries

III. Biosphere reserves

IV. Sacred groves

V. Seed bank

VI. Zoological parks

Choose the correct option.

(1) I, II, III and VI

(2) II, III and V

(3) I, II, IV, V and VI

(4) I, II, III and IV



74. Which one of the following is not a method of in situ conservation of biodiversity?

- (1) Biosphere Reserve
- (2) Wildlife Sanctuary
- (3) Botanical Garden
- (4) Sacred Grove



75. In - situ conservation refers to:

- (1) Conserve only high risk species
- (2) Conserve only endangered species
- (3) Conserve only extinct species
- (4) Protect and conserve the whole ecosystem



76. Match the Column-I (% of species facing threat of extinction) and Column-II (Name of species)

Column I		Column II	
A	Red data book	P	Special category of protected areas
B	Hotspots	Q	Areas rich diversity
C	Biosphere reserve	R	Catalogue of taxa facing risk of extinction
D	Ex-situ conservation	S	Conservation of organisms outside the habitats

- (1) A – R, B – S, C – P, D – Q
(2) A – Q, B – S, C – P, D – R
(3) A – R, B – S, C – Q, D – P
(4) A – R, B – Q, C – P, D – S



77. One of the ex situ conservation methods for endangered species is:

- (1) Wildlife Sanctuaries
- (2) Biosphere reserves
- (3) Cryopreservation
- (4) National parks



78. Broad utilitarian use consists of

- (1) Provision of oxygen
- (2) Pollination
- (3) Aesthetic pleasure
- (4) All of them



79. Which one of the following pairs of geographical areas show maximum biodiversity in our country:

- (1) Sunderbans and Rann of Kutch
- (2) Eastern ghats and west Bengal
- (3) Eastern Himalaya and Western Ghats
- (4) Kerala and Punjab



80. In which of the following both pairs have correct combination?

- (1) In-situ conservation: National Park Ex-situ conservation: Botanical Garden
- (2) In-situ conservation: Cryopreservation Ex-situ conservation: Wildlife sanctuary
- (3) In-situ conservation: Seed Bank Ex-situ conservation: Sacred groves
- (4) In-situ conservation: Tissue culture Ex situ conservation: Sacred groves



81. Provision of more than 25% of the drugs from the plants and 25,000 species of plants contribute to the traditional medicines. What value does it provide?

- (1) Aesthetic
- (2) Ethical
- (3) Narrow
- (4) Broad



82. What is the approximate percentage of the earth covered by hotspots?

- (1) 1.5% (less than 2%)
- (2) 2.5%
- (3) 3.5%
- (4) 4.5%



83. The historic convention on Biological Diversity held in Rio de Janeiro in 1992 is known as:

- (1) CITES Convention
- (2) The Earth Summit
- (3) G-16 Summit
- (4) MAB Programme



84. Read the following statements

(I) The species diversity of animals is much less than that of plants

(II) Sacred grooves are the traditionally protected forest patches where even the cutting of a tree branch is not allowed

(III) Pollution adversely affects the health of an organism but doesn't reduce biodiversity

Which of the above statements is are correct?

(1) I and II

(2) II and III

(3) Only II

(4) Only I



85. Match Column I and Column II

Column I		Column II	
A	Narrowly utilitarian argument	P	Conserving biodiversity for major ecosystem services
B	Broadly utilitarian	Q	Every species has an intrinsic value and moral duty to pass our biological legacy in good order to future generation
C	Ethical argument	R	Receiving benefits like food, medicine & industrial products

- (1) A – P, B – Q, C – R
- (2) A – Q, B – R, C – P
- (3) A – R, B – P, C – Q
- (4) A – R, B – Q, C – P



86. A strict protection of biodiversity hotspots could reduce the ongoing mass extinction by almost

- (1) 20%
- (2) 25%
- (3) 30%
- (4) 35%



87. Which of the following comes under the broadly utilitarian reasons for conserving biodiversity

i. Industrial product

ii. Oxygen

iii. Pollination

iv. Bioprospecting

v. Drugs

vi. Aesthetic pleasure

vii. Fibre and firewood

(1) ii, iii, vi

(2) ii, iii, iv, vi

(3) i, ii, iii, vi

(4) ii, iii, iv, vii



88. Assertion : In National Park wild life is strictly protected

Reason : In National park, activity such as forestry, grazing, cultivation are not allowed.

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect.



89. Match the columns I (no.) and II (types of insitu conservation).

Column I

A 14

B 90

C 448

(1) A – R, B – P, C – Q

(2) A – Q, B – R, C – P

(3) A – P, B – R, C – Q

(4) A – Q, B – P, C – R

Column II

P Wildlife sanctuaries

Q Biosphere reserves

R National parks



90. In situ conservation of national genetic resources can be achieved by establishing

- (1) National park
- (2) Wild life sanctuaries
- (3) Biosphere reserves
- (4) All of the above



91. Consider the following strategies for conservation of biodiversity and select correct option for in-situ approaches

i. Sacred groves

ii. Wild life safar

iii. National parks

iv. Tissue culture

v. Germplasm storage

vi. Biosphere reserve

(1) ii, iii and vi

(2) i, iii and vi

(3) i, iv, v and vi

(4) i, ii, iii and vi



92. Match the columns I and II about India.

Column I		Column II	
A	India's share of world's land area	P	8.1 per cent
B	India's share global species diversity	Q	2.4 per cent
C	Species of plants in India	R	45,000

- (1) A – R, B – P, C – Q
- (2) A – Q, B – R, C – P
- (3) A – P, B – R, C – Q
- (4) A – Q, B – P, C – R



93. The IUCN Red List (2004) documents extinction in the last 500 years. Match the columns I and II.

Column I		Column II	
A	338	P	Invertebrates
B	359	Q	Plants
C	87	R	Vertebrates

- (1) A – R, B – P, C – Q
- (2) A – Q, B – R, C – P
- (3) A – P, B – R, C – Q
- (4) A – Q, B – P, C – R



94. Match the columns I and II.

Column I

A Species of ants

B Species of orchids

C Species of beetles

D Species of fishes

Column II

P 20,000

Q 3,00,000

R 28,000

S 2,00,000

(1) A – P, B – P, C – Q, D – S

(2) A – S, B – R, C – P, D – Q

(3) A – S, B – R, C – P, D – Q

(4) A – Q, B – P, C – R, D – S



95. Match the following.

Column I		Column II	
A	14% of forest area on earth surface is reduced to not more than 6%	P	Over exploitation
B	'Need turns to Greed' result in extinction of species	Q	Co-extinction
C	Extinction of more 200 species of cichlid fish	R	Habitat loss and fragmentation
D	Extinction of pollinator leads to species extinction of plants	S	Invasion of Alien

(1) A – R, B – Q, C – S, D – P

(2) A – P, B – R, C – S, D – Q

(3) A – R, B – P, C – S, D – Q

(4) A – P, B – Q, C – R, D – S



96. Match the animals given in column I with their location in column II:

Choose the correct match from the following:

Column I

A Dodo

B Quagga

C Thylacine

D Stellar's sea cow

Column II

P Africa

Q Russia

R Mauritius

S Australia

(1) A-P, B-R, C-Q, D-S

(3) A-R, B-P, C-Q, D-S

(2) A-S, B-R, C-P, D-Q

(4) A-R, B-P, C-S, D-Q



97. The highest number of species in the world is represented by

- (1) Fishes
- (2) Reptiles
- (3) Fungi
- (4) Mammals



98. The active chemical drug reserpine is obtained from:

- (1) Datura
- (2) Rauwolfia
- (3) Atropa
- (4) Papaver



99. In India estimated plant & animal sps. yet to be discovered & described are

- (1) More than 1, 00, 000 plant and more than 3, 00, 000 animal sps.
- (2) More than 2,00,000 plant and more than 1, 00, 000 animal sps.
- (3) Less than 1,000 plants and more than 3,000 animal sps.
- (4) More than 1,00,000 plants and less than 3,000 animal sps.



100. The reasons behind conserving biodiversity can be grouped into categories, which include

I. Broadly utilitarian

II. Narrowly utilitarian

III. Long utilitarian

IV. Ethical utilitarian

V. Small utilitarian

Choose the correct option.

(1) I, II, III and IV

(2) II, III and IV

(3) I, II and IV

(4) I, III , IV and V



THANK YOU



BIOLOGYLIVE



▲ 3 • Asked by Mariya

sir neet ke form me 3 city choose karne hai sur mai saudi me hu sirf riyadh ek hi kr paa rhi hu...baaki do jo bache huwe hai usme mai kya daalu?agr mai 9500pay kardun tho kaha ayega