


Human Reproduction + Reproductive Health - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025



Human Reproduction



BIOLOGYLIVE

1. Study the following statements and answer the question. In a process called 'A', 'B' division starts as the zygote moves through the 'C' of the 'D' towards the 'E'. Identify A, B, C, D and E.

- (1) A-blastulation, B-meiotic, C-ampulla, D-fallopian tube, Euterus
- (2) A-parturition, B- meiotic, C-infundibulum, D-uterus, E-vagina
- (3) A-implanation, B-Mitotic, C-fimbriae, D-ovary, E-cervix
- (4) A-cleavage, B-Mitotic, C-isthmus, D-oviduct, E-Uterus.



2. What is the function of bulbourethral gland secretion?

- (1) Nourishing sperms
- (2) Role in activating sperms
- (3) Serves as a lubricant during sexual intercourse
- (4) Enhancing the motility of sperms



3. Based on the following statements, mark the correct option:

I. Secondary follicles in ovary do not have antrum

II. Secondary oocyte consists of 2-polar bodies

III. Follicular phase of menstrual phase is also known as secretory phase

IV. Perivitelline space lies between corona radiata and zona pellucida

(1) I and II are correct

(2) II and III are correct

(3) I and IV are correct

(4) Only I is correct



4. Withdrawal of which of the following hormones is the immediate cause of menstruation?

- (1) FSH-RH
- (2) Estrogen
- (3) Progesterone
- (4) FSH



5. The difference between primary follicle and secondary follicle in the human ovary is

- (1) The primary follicle contains the primary oocyte whereas the secondary follicle contains the secondary oocyte
- (2) The primary follicle contains an oocyte and the 1st polar body whereas the secondary follicle contains an oocyte and the 2nd polar body
- (3) The oocyte in the primary follicle is diploid whereas the oocyte in the secondary follicle is haploid
- (4) In the primary follicle the oocyte is surrounded by a single layer of cells whereas in the secondary follicle the oocyte is surrounded by several layers of granulosa cells



6. Secondary follicles can be distinguished from primary follicles with help of ____.

- (1) Granulosa cells covering.
- (2) Presence of theca layer
- (3) Presence of antrum.
- (4) All of these



7. What happens during the follicular phase of menstrual cycle?

- (1) Proliferation of endometrium
- (2) Formation of Graffian follicle
- (3) Reduction of endometrium
- (4)



8. Testicular lobules have __a__ and __b__

- (1) a. Interstitial cells / Leydig cells, b. Seminiferous tubules
- (2) a. lobule, b. Interstitial cells / Leydig cells
- (3) a. Seminiferous tubules, b. germ cells
- (4) a. Seminiferous tubules, b. Interstitial cells / Leydig cells



9. Which of the following is not a uterine function?

- (1) Waste removal for the developing embryo.
- (2) Nutritional support of the growing embryo.
- (3) Place of fusion of male and female gametes.
- (4) Mechanical protection of the developing embryo.



10. The end structure of the mammary glands through which milk is sucked out is known as

- (1) Lumen of alveoli
- (2) Mammary duct
- (3) Lactiferous duct
- (4) Mammary lobe



11. Assertion : Graafian follicle ruptures and release ovum (ovulation).

Reason : Rapid secretion of leads to its maximum level during the midcycle called LH surge.

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



12. Choose the correct statements

- I. Notochord is replaced by vertebral column in humans
- II. Limbs and digits are developed by the end of month of pregnancy
- III. Heart is formed in the 1st Trimester
- IV. Foetal movements occur in the Trimester
- V. Fully matured foetus and placenta give foetal ejection reflex

(1) I, III

(2) I, II, III


(3) I, II, III, IV

(4) I, II, III, IV, V




13. Find the missing structure in ovum

- (1) Corona radiate
- (2) Zona pellucida
- (3) Vitelline membrane
- (4) Centriole



14. In the given figure, structure 'a' represents.



- (1) External intercostal muscle
- (2) Internal intercostal muscle
- (3) Pectoralis minor muscle
- (4) Pectoralis major muscle



15. Which of the following is a finger like structure and lies at the upper junction of the two labia minora above the urethral opening?


- (1) Clitoris
- (2) Oviduct
- (3) Ampulla
- (4) Fimbriae



Title: Human Reproduction

16. Identify the steps involved in the process

- (1) a - mitosis, b - meiosis-1, c- meiosis-2, d- differentiation
- (2) a - meiosis-1, b-mitosis, c- meiosis-2, d- differentiation
- (3) a - mitosis, b - meiosis, c- mitosis, d-differentiation
- (4) a-mitosis, b-meiosis-1, c- meiosis-2, d- mitosis



17. Which of these is not an important component of initiation of parturition in humans?

- (1) Release of oxytocin
- (2) Release of prolactin
- (3) Increase in estrogen and progesterone ratio
- (4) Synthesis of prostaglandins



18. When does the inner cell mass differentiate?

- (1) Immediately after fertilisation
- (2) Immediately after implantation
- (3) Immediately after ovulation
- (4) Immediately after parturition



19. Identify the correct statement?

- (1) Vagina - birth canal
- (2) Mammary glands - secretion of prolactin
- (3) Urethra - absent in females
- (4) All of these



20. Intensely lactating mothers do not generally conceive due to the

- (1) Suppression of gonadotropins.
- (2) Hypersecretion of gonadotropins.
- (3) Suppression of gametic transport.
- (4) Suppression of fertilization.



21. If endometrium is for menstruation, then myometrium is for

- (1) Capacitation
- (2) Micturition
- (3) Insemination
- (4) Parturition



22. Prostate gland is present.

- (1) On ureter
- (2) On the urinary bladder
- (3) Below testis
- (4) Below the urinary bladder



23. Spermiation takes place from ____ and the stages released are ____ (respectively)

- (1) Germinal epithelium & Spermatogonia
- (2) Sertoli cells & Mature spermatids
- (3) Primordial germ cells & Spermatozoa
- (4) Sertoli cells & Spermatids



24. Assertion : During pregnancy the levels of other hormones like estrogens, progestogens, cortisol, prolactin, thyroxine, etc., are increased several folds in the maternal blood.

Reason : Increased production of these hormones is essential for supporting the fetal growth, metabolic changes in the mother and maintenance of pregnancy.

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



25. The wall of uterus consists of

- (1) Inner thin membranous perimetrium: it consists of smooth muscle fibres.
- (2) Middle myometrium: it consists of smooth muscle fibres.
- (3) Outer endometrium: it consists of striated muscle fibres.
- (4) Middle myometrium: it consists of striated muscle fibres.



26. The expulsion of sperms from seminiferous tubules is known as _____

- (1) Ejaculation
- (2) Spermatogenesis
- (3) Spermiation
- (4) None of these



27. The structure where zygote formation in fallopian tubes occurs is

- (1) Isthmus
- (2) Ampulla
- (3) Fimbriae
- (4) Infundibulum



28. Sperms are produced inside the

- (1) Ovaries
- (2) Spemiferous tubules of testis
- (3) Spemiferous tubules of uterus
- (4) Spemiferous tubules of vasa deferens



29. Which one is correct?

- (1) Meiosis I occurs in primary spermatocyte
- (2) Meiosis I occurs in secondary spermatocyte
- (3) Meiosis I takes place in spermatids
- (4) Meiosis II occurs in spermatids



30. In humans, what is the ratio of number of gametes produced from one male primary sex cell to the number of gametes produced from one female primary sex cell?

- (1) 1:1
- (2) 1:3
- (3) 1:4
- (4) 4:1



31. Statement A : Parturition is induced by neural signal in maternal pituitary.

Statement B : At the end of gestation period, the maternal pituitary releases prolactin which causes uterine contractions.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



32. Identify the correct statement from the following

- (1) High levels of estrogen triggers the ovulatory surge
- (2) Functional ova in regular cycles from puberty onwards
- (3) Sperms released from seminiferous tubules are highly motile
- (4) Progesterone level is high during the post ovulatory phase of menstrual cycle



33. Spermiation is the process of the release of sperms from

- (1) Seminiferous tubules
- (2) Vas deferens
- (3) Epididymis
- (4) Prostate gland



34. Statement A : In morula stage the cells divide with increase in size.

Statement B : Zona pellucida remains intact till cleavage is completed..

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



35. Seminal vesicle is present at the junction of

- (1) Prostate and urethra
- (2) Prostate and vas deferens
- (3) Prostate and cowper's gland
- (4) Vas deferens and testes.



36. Statement A : Presence or absence of hymen is not a reliable indicator of virginiity or sexual drive.

Statement B : It can be broken down by a sudden fall or jolt, insertion of a vaginal tompon or active participation in sports like horse riding.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



37. In the absence of acrosome the sperm

- (1) Cannot penetrate the egg
- (2) Cannot get energy
- (3) Cannot take food
- (4) Cannot swim fast



38. Study the following statements and answer the question. During 'P' phase of the menstrual cycle, if pregnancy doesn't happen, the 'Q' withers and dies. Usually around day 22 in a 28 day cycle. The drop in 'R' levels causes the lining of the uterus to fall away.

This is known as 'S'. Identify P, Q, R and S.

- (1) P-Menstrual; Q-Graafian follicle; R-Estrogen; S-Menarche
- (2) P-ovulatory; Q-endometrium; R-Follicle stimulating hormone; S-Menopause
- (3) P-Luteal; Q-Corpus luteum; R-progesterone; S-Menstruation
- (4) P-Follicular; Q-secondary oocyte; RLuteinizing hormone; S-Menstruation



39. For a normal male fertility, which of the following statements is correct?

- (1) 60 percent sperm must have normal motility and 40 percent must have normal shape.
- (2) 60 percent sperm must have normal shape 40 percent must have vigorous motility.
- (3) 60 percent sperm must have normal shape and 40 percent must have acrosome.
- (4) None of these



40. Assertion : The secondary oocyte further develops into ovum that undergoes fertilization.

Reason : The secondary oocyte retains bulk of the nutrient rich cytoplasm of the primary oocyte.

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



41. Eye lid develop eyelashes and separate by the end of

- (1) 8 weeks of pregnancy
- (2) 16 weeks of pregnancy
- (3) 24 weeks of pregnancy
- (4) 36 weeks of pregnancy



42. Mature Graafian follicle is generally present in the ovary of a healthy human female around

- (1) 5 - 8 day of menstrual cycle
- (2) 11 - 17 day of menstrual cycle
- (3) 18 - 23 day of menstrual cycle
- (4) 24 - 28 day of menstrual cycle



43. In the given columns, column-I contain various phases of menstrual cycle and column-II contain its features. Select the correct match from the options given below.

Column I		Column II	
A	Menstrual phase	P	Breakdown of endometrial lining of uterus along with its blood vessels which form liquid that comes out of vagina.
B	Luteal phase	Q	A temporary endocrine gland is formed and secretes a hormone which maintains endometrium and implantation of fertilized ovum and other events of pregnancy.
C	Follicular phase	R	Secretion of luteinizing hormone at its maximum level and induces breakdown of mature follicle to release the female gamete
D	Ovulatory phase	S	Formation of mature Graafian follicle and regeneration of endometrium of uterus.

(1) A-S, B-Q, C-P, D-R

(2) A-P, B-R, C-S, D-Q

(3) A-P, B-S, C-Q, D-R

(4) A-P, B-Q, C-S, D-R



44. The male sex accessory ducts include

- (1) Rete testis, urethra, epididymis and vas deferens
- (2) Rete testis, vasa efferentia, seminal vesicle and vas deferens
- (3) Rete testis, vasa efferentia, epididymis and vas deferens
- (4) Rete testis, vasa efferentia, epididymis and seminal vesicle



45. In human the unpaired male reproductive structure is...

- (1) Seminal vesicle
- (2) Prostate
- (3) Bulbourethral gland
- (4) Testis



46. Uterine endometrium, epithelial glands and connective tissue are broken down in menstrual cycle. This is due to

- (1) Lack of estrogen
- (2) Lack of progesterone
- (3) Over secretion of FSH
- (4) Over production of progesterone



47. Which group represents the external genitalia

- (1) Labium minora, labium majora and clitoris
- (2) Labium minora, labium majora and vagina
- (3) Labium minora, labium majora and cervix
- (4) Labium minora, labium majora and oviduct



48. Identifying the cells represents as P, Q, R and S in the given schematic representation of spermatogenesis.

(1) P – Spermatozoa Q – Spermatids

R - Secondary spermatocyte S - Primary spermatocyte

(2) P - Primary spermatocyte Q - Secondary spermatocyte


R – Spermatids S - Spermatozoa

(3) P - Secondary spermatocyte Q – Spermatids

R – Spermatozoa S - Primary spermatocyte

(4) P - Secondary spermatocyte Q - Primary spermatocyte

R– Spermatozoa S - Spermatids



49. The cell which undergo meiosis-II is known as

- (1) Sperm
- (2) Spermatid
- (3) Secondary spermatocyte
- (4) Primary Spermatocyte



50. Statement A : Corpus luteum is produced by Graafian follicle in fallopian tube after ovulation.


Statement B : It secretes estrogen which is necessary to maintain pregnancy.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



51. Select the correct option.

- (1) A - Primary spermatocyte, B - Sertoli cells,
C - Spermatogonium
- (2) A - Sertoli cells, B - Spermatozoa,
C - Spermatogonium
- (3) A - Sertoli cells, B - Primary spermatocyte,
C - Spermatozoa
- (4) A - Sertoli cells, B - Spermatozoa,
C - Primary spermatocyte



52. At the time of implantation in uterus.

- (1) Embryo is at morula stage.
- (2) Three germinal layers are made in embryo
- (3) Embryo is at blastocyst stage
- (4) Inner cell mass differentiates in trophoblast cells.



53. Statement A : Up to ovulation, oocyte has released one polar body.

Statement B : Released oocyte in the fallopian tube is in secondary metaphase stage.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.




54. Out of the parts mentioned which part is not present in fallopian tube

- (1) Cilia
- (2) Flagella
- (3) Fimbriae
- (4) Infundibulum



55. The given figure shows the diagrammatic sectional view of female reproductive system with few structures marked as A, B, C, and D. Select the option which shows the correct identification of the structure with its characteristics.

- (1) A: Infundibulum, funnel shaped structure surrounded by finger like projections.
- (2) B: Ampulla, wider part of oviduct where fertilization occurs.
- (3) C: Isthmus, it has a narrow lumen and joins with uterus.
- (4) D: Fimbriae, it collects ovum before ovulation.







56. Which of the following hormones is not secreted by human placenta?

- (1) Progesterone
- (2) hCG
- (3) FSH
- (4) Relaxin



57. Which of the following human developmental stage becomes embedded in the uterine endometrium by a process called implantation and leads to pregnancy?



58. Finger like projection, called chorionic villi, appear on the ____ after the implantation.

- (1) Ampulla
- (2) Trophoblast
- (3) Infundibulum
- (4) Inner cell mass



59. Statement A : In a woman after hysterectomy (removal of uterus), the ovarian cycle is stopped.

Statement B : Stoppage of FSH secretion.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



60. Match the columns.

Column I

A. Menstrual phase

B. Follicular phase

C. Ovulatory phase

D. Luteal phase

(1) A – R, B – P, C – Q, D – S

(3) A – P, B – R, C – Q, D – S

Column II

P. Proliferative phase

Q. Release of secondary ovum

R. Bleeding phase

S. Secretive phase

(2) A – Q, B – R, C – P, D – S

(4) A – Q, B – P, C – R, D – S



61. Gonadotropin releasing hormone is formed from


- (1) Adenohypophysis
- (2) Neurohypophysis
- (3) Hypothalamus
- (4) Thyroid gland



62. The graph below gives the level of ovarian and gonadotrophic hormones in the blood sample of a normal healthy female of 35 years.

According to you, what was the duration of menstrual cycle at the time of test?

- (1) Day 6 to 12
- (2) Day 1 to 5
- (3) Day 15 to 24
- (4) Day 13 to 14



63. Given below are two statements one is labelled as and the other is labelled as
Assertion : FSH acts upon ovarian follicles in female and Leydig cells in male.
Reason : Growing ovarian follicles secrete estrogen in female while interstitial cells secrete androgen in male human being.

- (1) Both Assertion and Reason are true and Reason is the correct explanation of the Assertion
- (2) Both Assertion and Reason are true but Reason is not the correct explanation of the Assertion
- (3) Assertion is true but Reason is false
- (4) Assertion is false but Reason is true



64. Stroma of ovary is a term applied to

- (1) Opening of the ovary
- (2) Ovarian follicles
- (3) Connective tissue in which graffian follicles are embedded
- (4) Connective tissue surrounding the seminiferous tubules



65. Which of the following is correct?

- (1) Average duration of menstrual cycle is 38 days
- (2) Follicle is matured after 21 days
- (3) A woman produces about 250 ova in her entire reproductive life span.
- (4) Generally only one ovum is liberated in each menstrual cycle by alternative or any ovaries.



66. Match the columns.

Column I		Column II	
A	Spermatogenesis	P	Release of sperm into female reproductive system
B	Oogenesis	Q	Formation of male gametes
C	Insemination	R	Formation of female gametes
D	Fertilisation	S	Embryonic development
E	Implantation	T	Fusion gametes
F	Gestation	U	Attachment of blastocyst to uterine wall

- (1) A – R, B – P, C – Q, D – T, E – U, F – S
(2) A – Q, B – R, C – P, D – T, E – U, F – S
(3) A – S, B – R, C – P, D – T, E – U, F – Q
(4) A – Q, B – T, C – P, D – R, E – U, F – S



67. Assertion : After spermiogenesis, sperm heads become embedded in the sertoli cells.

Reason : Sertoli cells provide nutrition to the sperm cells.

(1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.

(2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.

(3) Assertion is correct but Reason is incorrect.

(4) Both Assertion and Reason are incorrect



68. Which type of cells contain 23 chromosomes?

- (1) Spermatogonia
- (2) Primary spermatocyte
- (3) Secondary spermatocyte
- (4) None of the above



69. Cervical canal is ____

- (1) Passage of urinary bladder to outside.
- (2) Passage of uterus to vagina
- (3) Passage of uterus to fallopian tube.
- (4) Hollow passage in cervical vertebrae to accomodate the spinal cord.



70. The correct sequence of spermatogenetic stages leading to the formation of sperms in mature human testes is

- (1) Spermatogonia-spermatocytes- spermatids-sperms
- (2) Spermatids-spermatocytes- Spermatogonia- sperms
- (3) Spermatogonia- Spermatids- spermatocytes- sperms
- (4) Spermatocytes- Spermatogonia- Spermatids- sperms



71. Consider the following statements with reference to female reproduction system:

Statement A : The presence or absence of hymen is not a reliable indicator of virginity or sexual experience

Statement B : The sex of the foetus is determined by the father and not by the mother.

Choose the correct option from the following

- (1) Both the statement A and statement B are correct
- (2) Statement A is wrong and statement B is correct
- (3) Both the statement A and statement B are wrong
- (4) Statement A is correct and statement B is wrong



72. Match Column-I with Column-II and select the correct option using the codes given below

Column I		Column II	
A	Mons pubis	1	Embryo formation
B	Antrum	2	Sperm
C	Trophoecto- derm	3	Female external genitalia
D	Nebenkern	4	Graafian follicle

- (1) $A \rightarrow 3, B \rightarrow 1, C \rightarrow 4, D \rightarrow 2$
(2) $A \rightarrow 1, B \rightarrow 4, C \rightarrow 3, D \rightarrow 2$
(3) $A \rightarrow 3, B \rightarrow 4, C \rightarrow 2, D \rightarrow 1$
(4) $A \rightarrow 3, B \rightarrow 4, C \rightarrow 1, D \rightarrow 2$



73. Choose the correct pair.

- (1) Cushion of fatty tissue covered by pubic hair - Labia majora
- (2) Membrane covering opening of vagina Mons pubis
- (3) The labia minora are paired folds of tissue under the labia majora
- (4) Uterine layer exhibiting strong contraction during delivery - Endometrium



74. Find out the correct path way of milk flow in the mammary glands

i. Mammary duct

ii. Mammary tubules

iii. Lactiferous ducts

iv. Alveoli

v. Mammary ampulla

(1) $iv \rightarrow ii \rightarrow i \rightarrow v \rightarrow iii$

(2) $ii \rightarrow iv \rightarrow i \rightarrow V \rightarrow iii$

(3) $iv \rightarrow i \rightarrow ii \rightarrow v \rightarrow iii$

(4) $ii \rightarrow v \rightarrow iii \rightarrow iv \rightarrow i$



75. What is the size of testis?

- (1) 2 to 3 cm in length and 4 to 5 cm in width
- (2) 4 to 5 cm in length and 2 to 3 cm in width
- (3) 6 to 7 cm in length and 4 to 5 cm in width
- (4) 4 to 5 cm in length and 6 to 7 cm in width



76. The process of conversion of non-motile spermatids into motile spermatozoa is called:

- (1) Spermiogenesis
- (2) Oogenesis
- (3) Sporogenesis
- (4) Spermatogenesis



77. Assertion : Disintegration of the endometrium leads to the menstruation, marking a new cycle.

Reason : After fertilisation, the corpus luteum degenerates

- (1) Both Assertion and Reason are correct and Reason is the correct explanation of the Assertion.
- (2) Both Assertion and Reason are correct but Reason is not the correct explanation of the Assertion.
- (3) Assertion is correct but Reason is incorrect.
- (4) Both Assertion and Reason are incorrect



78. Given below are two statements:

Statement A : Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.

Statement B : The cavity of the cervix is called cervical canal which along with vagina forms birth canal.


In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement A and Statement B are true.
- (2) Both Statement A and Statement B are false.
- (3) Statement A is correct but Statement B is false
- (4) Statement A is incorrect but Statement B is true.



79. Which alphabet represents blastocyst?

- (1) C
- (2) F
- (3) G
- (4) E



80. Match the columns

Column I		Column II	
A	Parturition	P	Release from meternal pitutary gland
B	Foetal ejection reflex	Q	Delivery of foetus
C	Oxytocin	R	Contraction of uterus
D	Lactation	S	Contains antibodies
E	Colostrum	T	Release of milk from mammary gland

- (1) A – R, B – P, C – Q, D – T, E – S
(2) A – Q, B – R, C – P, D – T, E – S
(3) A – S, B – R, C – P, D – T, E – Q
(4) A – Q, B – T, C – P, D – R, E – S



81. Several mammary ducts join to form

- (1) Mammary lobe
- (2) Alveoli
- (3) Mammary ampulla
- (4) Lactiferous duct



82. Given below are two statements:

Statement A : The release of sperms into the seminiferous tubules is called spermiation.

Statement B : Spermiogenesis is the proces of formation of sperms from spermatogonia.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both Statement A and Statement B are incorrect.
- (2) Statement A is correct but Statement B is incorrect.
- (3) Statement A is incorrect but Statement B is correct.
- (4) Both Statement A and Statement B are correct.



83. Match the columns.

Column I		Column II	
A	Ovary	P	Implantation
B	Mammary glands	Q	Oogenesis
C	Uterus	R	Synthesis of milk
D	Fallopian tubes	S	Lower portion of uterus
E	Cervix	T	Site of fertilisation

- (1) A – R, B – P, C – Q, D – T, E – S
(2) A – Q, B – R, C – P, D – T, E – S
(3) A – S, B – R, C – P, D – T, E – Q
(4) A – Q, B – T, C – P, D – R, E – S



84. Match the following and choose the correct options.

Column I		Column II	
A	Trophoblast	1	Embedding of blastocyst in the endometrium
B	Cleavage	2	Group of cells that would differentiate as embryo
C	Inner cell mass	3	Outer layer of blastocyst attached to the endometrium
D	Implantation	4	Mitotic division of zygote

(1) A-2, B-1, C-3, D-4

(2) A-3, B-4, C-2, D-1

(3) A-3, B-1, C-2, D-4

(4) A-2, B-4, C-3, D-1



85. Accessory ducts of reproductive system of human female include:

- (1) Oviduct, uterus and vagina
- (2) Oviduct, ovaries and ovarian ligaments
- (3) Oviduct, ovaries and mammary glands
- (4) Ovaries, uterus and vagina



86. The duct that leave the testis and open into epididymis is

- (1) Rete testis
- (2) Vas deferens
- (3) Vasa efferentia
- (4) Seminal vesicle



87. ____ is secreted by the secondary oocyte.

- (1) Corona radiata
- (2) Corpus luteum
- (3) Zona pellucida
- (4) FSH



88. The vas deferens receives duct from the seminal vesicle and opens into urethra as

- (1) Epididymis
- (2) Ejaculatory duct
- (3) Efferent ductule
- (4) Ureter



89. At the time of implantation the human embryo is called

- (1) Embryo
- (2) Blastocyst
- (3) Morula
- (4) Foetus



90. The following processes occur during sexual reproduction, place them in order

(1) Gametogenesis → Fertilization → Insemination → Gestation → Implantation → Parturition

(2) Gametogenesis → Insemination → Fertilization → Implantation → Gestation → Parturition

(3) Gametogenesis → Insemination → Fertilization → Implantation → Parturition → Gestation

(4) Gametogenesis → Insemination → Gestation → Fertilization → Implantation



91. Given below are two statements One is labelled as and the other is labelled as Assertion : Breast-feeding during initial period of infant growth is recommended by doctors for bringing a healthy baby.

Reason : Colostrum contains several antibodies absolutely essential to develop resistance for the new born baby.

- (1) Both Assertion and Reason are true and Reason is the correct explanation of the Assertion
- (2) Both Assertion and Reason are true but Reason is not the correct explanation of the Assertion
- (3) Assertion is true but Reason is false
- (4) Assertion is false but Reason is true



92. Match the months listed in Column - I write the organogenesis of foetus in Column - II

Column I

- A. First month**
- B. Second month**
- C. Fifth month**
- D. Six month**

Column II

- P. Separation of eye lids**
- Q. Hairs on head**
- R. Heart**
- S. Limbs and Digits**

(1) A – R, B – S, C – P, D – Q

(2) A – Q, B – R, C – S, D – P

(3) A – S, B – Q, C – R, D – P

(4) A – R, B – S, C – Q, D – P



93. Match the columns.

Column I

A Zygote

B Morula

C Blastocyst

D Embryo

Column II

P Fussion of gametes

Q 16-32 celled stage

R Mulberry like

S Advanced stage of growth

(1) A – R, B – P, C – Q, D – S


(3) A – P, B – R, C – Q, D – S

(2) A – Q, B – R, C – P, D – S

(4) A – Q, B – P, C – R, D – S



94. Select the correct option.



- (1) A - Scrotum, B - testis, C - Urethra
- (2) A-Seminal vesicle, B - testis, C - Vas deferens
- (3) A - Seminal vesicle, B - Srotum, C - Urethra
- (4) A - Prostate, B - Testis, C - Vas deferens



95. Match the items given in Column I with those in Column II and select the correct option given below :

Column I		Column II	
A	Proliferative phase	1	Breakdown of endometrial lining
B	Secretory Phase	2	Follicular phase
C	Menstruation	3	Luteal phase

(1) A-2 B-3 C-1

(2) A-1 B-3 C-2

(3) A-3 B-2 C-1

(4) A-3 B-1 C-2



96. Statement A : Head of sperm consists of acrosome and mitochondria.

Statement B : Acrosome contains a spiral row of mitochondria.

- (1) Statement A is correct but Statement B is incorrect.
- (2) Statement A is incorrect but Statement B is correct.
- (3) Both statements are correct.
- (4) Both Statements are incorrect.



97. The seminal fluid consists fluid from the following glands?


- (1) Prostate gland, Bulbourethral gland only
- (2) Parotid gland, Prostate gland, Bulbourethral gland
- (3) Bulbourethral gland, Bartholins gland, Prostate gland
- (4) Seminal vesicle, Prostate gland, Bulbourethral gland



98. The adjacent diagram shows some of the changes in blood hormone concentration which occur during the menstrual cycle. Complete the diagram using labels from the following list.

- | | |
|----------------------------|-------------------------|
| i. Oestrogen | ii. Ovulation |
| iii. Repair of endometrium | iv. Luteinising hormone |
| v. Menstruation | vi. Luteal phase |
| vii. Progesterone | viii. Ovarian phase. |

- (1) i-D, ii-E, iii-F, iv-G, v-H, vi-A, vii-C, viii-C
 (2) i-H, ii-G, iii-F, iv-E, v-D, vi-C, vii-B, viii-A
 (3) i-A, ii-C, iii-E, iv-G, v-H, vi-F, vii-D, viii-B
 (4) i-D, ii-G, iii-F, iv-C, v-H, vi-B, vii-E, viii-A



99. Which gland in female is a counterpart of Cowper's gland in male?

- (1) Perineal gland
- (2) Clitoris
- (3) Bartholin's gland
- (4) None of these



100. The sperms emptied in the vagina, to move towards uterus which is helpful in their locomotion

- (1) Contraction of uterine wall
- (2) Contraction of vagina passage
- (3) The slimy secretion of oviduct wall
- (4) All of the above



THANK YOU



BIOLOGYLIVE

