


Structural Organisation - 100 MCQs

NCERT Nichod : Biology Practice Series NEET 2025



Structural Organisation in Animal

(Tissue + Frog + Cockroach)



BIOLOGYLIVE



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

1. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R)

Assertion (A) : Areolar tissue present beneath skin and it is a connective tissue.

Reason (R) : In areolar tissue fibre and fibroblast are compactly packed.


In the light of the above statements, choose the correct answer from the options given below :

- (1) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (2) (A) is correct but (R) is not correct
- (3) (A) is not correct but (R) is correct
- (4) Both (A) and (R) are correct and (R) is the correct explanation of (A)



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

2. Identify A,B,C in diagram :



- (1) A - Hepatic Caeca , B - Crop, C - Malpighian tubules
- (2) A - Crop , B - Gizzard , C - Malpighian tubules
- (3) A - Gizzard , B - Crop , C - Hepatic Caeca
- (4) A - Crop , B - gastric ceaca, C - Malpighian tubules



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

3. Match Column- I with Column- II and select the correct option :

Column - I

Column-II

Epithelial tissue

Location

a. Cuboidal

i. Wall of blood vessels

b. Ciliated

ii. Lining of stomach and intestine

c. Columnar

iii. Inner lining of fallopian tube

d. Squamous

iv. Duct of glands

(1) a -i, b-ii, c-iii, d- iv

(2) a -ii, b-iii, c-i, d- iv

(3) a -iv, b-iii, c-ii, d- i

(4) a -iii, b-iv, c-i, d- ii



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

4. Match Column-I with Column -II and choose the correct option:

Column - I

a. Loose connective

b. Dense regular

c. Dense irregular

d. Specialised connective

Column-II

i. Tendons and ligaments tissue

ii. Skin connective tissue

iii. Cartilage, bones, blood connective tissue

iv. Fibroblasts, tissue macrophages and mast cells

(1) a -i, b-iv, c-ii, d- iii

(3) a -iv, b-i, c-ii, d- iii

(2) a -i, b-iv, c-iii, d- ii

(4) a -iv, b-ii, c-i, d- iii



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

5. Epithelium, mainly present in the inner surface of hollow organs like bronchioles and fallopian tubes:

- (1) Columnar epithelium
- (2) Cuboidal epithelium
- (3) Ciliated epithelium
- (4) Squamous epithelium



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

6. In frog the gaseous exchange during hibernation and aestivation takes place through :

- (1) Buccal cavity
- (2) Lungs and Buccal cavity
- (3) Skin
- (4) Lungs



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)


7. In Frog RBC's are :

- (1) Anucleated with Haemoglobin
- (2) Nucleated without Haemoglobin
- (3) Anucleated without Haemoglobin
- (4) Nucleated with Haemoglobin



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

8. Given below is the figure of open circulatory system of cockroach. Identify A, B, C and choose the correct option.



- (1) A-Lateral aorta, B-Ciliary muscles, C-Chambers of heart
- (2) A-Internal aorta, B-Alary muscles, C-Chambers of heart
- (3) A-Anterior aorta, B-Alary muscles, C-Chambers of heart
- (4) A-Posterior aorta, B-Fibrous muscles, C-Chambers of heart



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

9. Select the correct sequence of organs in the alimentary canal of cockroach starting from mouth

- (1) Pharynx → Oesophagus → Gizzard → Crop → Ileum → Colon → Rectum
- (2) Pharynx → Oesophagus → Gizzard → Ileum → Crop → Colon → Rectum
- (3) Pharynx → Oesophagus → Ileum → Crop → Gizzard → Colon → Rectum
- (4) Pharynx → Oesophagus → Crop → Gizzard → Ileum → Colon → Rectum



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)


10. Pronotum use for which sclerite of *periplaneta* :

- (1) Dorsal sclerite of head
- (2) Ventral sclerite of abdomen
- (3) Dorsal sclerite of prothorax
- (4) Dorsal sclerite of abdomen



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

11. Identify the given mouth part of cockroach :



- (1) Upper lip
- (2) Mandible
- (3) Hypopharynx
- (4) Lower lip



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

12. Given below are two statements :

Statement I : Heart of cockroach consists of 13 chamber.

Statement-II : Only adult cockroach have wings.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

13. Which one is part of male reproductive system of cockroach :

- (1) Spermatheca
- (2) Vestibulum
- (3) Collateral gland
- (4) Ejaculatory ducts



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

14. Six highly chitinous plate like teeth are found in of cockroach :

- (1) Maxilla
- (2) Mandible
- (3) Gizzard
- (4) Rectum



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

15. The mosaic vision of cockroach has :

- (1) More sensitivity but less resolution
- (2) Less sensitivity but more resolution
- (3) Both sensitivity and resolution are high
- (4) Both sensitivity and resolution are low



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

16. Which statement is incorrect :

- (1) Labrum act as tongue in cockroach
- (2) Epithelial tissue has a free surface
- (3) Epithelial tissue provides a covering or a lining for some part of the body
- (4) The tissues are broadly classified into Epithelial, Connective, Muscular and Neural



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

17. Given below are two statements : one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A) : Blood vascular system of cockroach is an open type.

Reason (R) : Blood vessel are poorly develop and open into space or Haemocoel and visceral organs located into the haemocoel are bathed in blood or haemolymph.

Choose the correct answer from the options given below

- (1) Both (A) and (R) are true but (R) is not the correct explanation of (A)
- (2) (A) is true but (R) is false
- (3) (A) is false but (R) is true
- (4) Both (A) and (R) are true and (R) is the correct explanation of (A)



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

18. Which one is product of ductless gland :

- (1) Mucus
- (2) Saliva
- (3) Milk
- (4) Hormone



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

19. Match the column I and column II and choose correct answer :

Column - I

(A) Hepatic caeca

(B) Malpighian tubules

(C) Oothecae

(D) Heart chamber

(1) A-iv, B-iii, C-i, D-ii

(3) A-iii, B-iv, C-ii, D-i

Column - II

(i) 9 -10

(ii) 13

(iii) 100 – 150

(iv) 6 – 8

(2) A-iii, B-iv, C-i, D-ii

(4) A-iv, B-iii, C-ii, D-i



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

20. Match the column I and column II and choose correct answer :

Column – I

(A) Adipose tissue

(B) Ligament

(C) Cartilage

(D) Blood

(1) A-iii, B-ii, C-i, D-iv

(3) A-ii, B-i, C-iii, D-iv

Column - II

(i) Skeletal connective tissue

(ii) Dense connective tissue

(iii) Loose connective tissue

(iv) Fluid connective tissue

(2) A-iii, B-i, C-ii, D-iv

(4) A-i, B-ii, C-iv, D-iii



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

21. Given below are two statements :

Statement I : Cardiac muscle tissue is a contractile tissue present only in heart.

Statement-II : Cardiac muscle is an involuntary muscle.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)


22. In cockroach hepatic caecae secrete :

- (1) Scent
- (2) Hormone
- (3) Cellulose
- (4) Digestive juice



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

23. This figure denotes which type of tissue :



- (1) Dense regular connective tissue
- (2) Dense irregular connective tissue
- (3) Adipose tissue
- (4) Any two of above



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

24. In cockroach chitinous plate of each segment are join to each other by :

- (1) Articular membrane
- (2) Ligament
- (3) Arthrodial membrane
- (4) Both 1 & 3



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

25. Given below are two statements :

Statement I : Nuclei in cells of columnar epithelium are located at the base.

Statement-II : Ciliated epithelium is modified columnar or cuboidal cells and bear cilia on their free surface.

Choose the correct answer from the option given below:

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

26. In cockroach forewings arise from :

- (1) Prothorax
- (2) Mesothorax
- (3) Metathorax
- (4) Abdomen



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

27. Match Column- I with Column- II and select the correct option :

Column - I

(Tissues)

a. Squamous epithelium

b. Cubodial epithelium

c. Columnar epithelium

d. Ciliated epithelium

(1) a -ii, b-iv, c-iii, d- i

(3) a -iv, b-iii, c-ii, d- i

Column - II

(Location)

i. Presents in bronchioles

ii. Present in air sac of lungs

iii. Present in stomach

iv. Duct of glands

(2) a -ii, b-iii, c-i, d- iv

(4) a -iii, b-iv, c-i, d- ii



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

28. Given below are two statements :

Statement I : Frog never drink water but absorb it through the skin.

Statement II : In frog skin act as aquatic respiratory organ.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

29. Which of the following statement is correct for frog:

- (1) On land buccal cavity, skin and lungs act as respiratory organ.
- (2) On land only buccal cavity act as respiratory organ
- (3) On land only lungs act as respiratory organ
- (4) On land only lungs and buccal cavity act as respiratory organ.



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

30. Respiration by lungs is called :

- (1) Pulmonary respiration
- (2) Cutaneous respiration
- (3) Branchial respiration
- (4) Buccopharyngeal respiration



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

31. All the exoskelton plates of *Periplaneta* collectively called as :

- (1) Tergite
- (2) Sternite
- (3) Pleurite
- (4) Sclerite



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

32. Which of the following specialised connective tissue:

- (1) Cartilage
- (2) Bone
- (3) Blood
- (4) All of these



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

33. In cockroach each compound eye consist of how many ommatidia :

- (1) 4000
- (2) 3000
- (3) 2000
- (4) 5000



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

34. Match Column- I with Column- II and select the correct option :

Column - I

(Tissues)

a. Areolar tissue

b. Adipose tissue

c. Ligament

d. Bone

(1) a -iii, b-i, c-iv, d- ii

(3) a -iv, b-iii, c-ii, d- i

Column - II

(Composition)

i. Fat storage area

ii. Osteocytes

iii. Loose connective tissue

iv. Dense regular connective tissue


(2) a -ii, b-iii, c-i, d- iv

(4) a -iii, b-iv, c-i, d- ii



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

35. Identified the fig. A, B and C and choose the correct option :



- (1) A-Skeletal muscle tissue, B-Smooth muscle tissue, C-Cardiac muscle tissue
- (2) A-Skeletal muscle tissue, B-Voluntary muscle tissue, C-Cardiac muscle tissue
- (3) A-Cardiac muscle tissue, B-Skeletal muscle tissue, C-Smooth muscle tissue
- (4) A-Smooth muscle tissue, B-Cardiac muscle tissue, C-Skeletal muscle tissue



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

36. Study the figure I and II carefully and identify the structures A, B and C respectively which are related with specialized connective tissues




	Fig. I	Fig. II	A	B	C
(a)	Bone	Cartilage	Collagen fibres	Osteoblast	Lamella
(b)	Cartilage	Bone	Microtubule	Chondroclast	Lamella
(c)	Cartilage	Bone	Collagen	Chondroclast	Lamella
(d)	Cartilage	Bone	Collagen	Chondrocyte	Lamella



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

37. Given below are two statements

Statements I : Ligaments are dense irregular tissue

Statement II : Cartilage is dense regular tissue In the light of the above statements, choose the correct answer from the options given below:

- (1) Statement I is false but Statement II is true
- (2) Both Statement I and Statement II are true
- (3) Both Statement I and Statement II are false
- (4) Statement I is true but Statement II is false



38. Humerus and muscles are connected with

- (1) Ligament
- (2) Tendons
- (3) Both of these
- (4) None of these



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

39. See the following figures




Figure A and B indicate glands while Figure C indicates specific type of tissues. Identify A, B and C

	A	B	C
(a)	Unicellular gland	Goblet gland	Pseudostratified epithelium
(b)	Multicellular gland	Unicellular gland	Pseudostratified epithelium
(c)	Unicellular gland	Multicellular gland	Pseudostratified epithelium
(d)	Unicellular gland	Multicellular gland	Compound epithelium



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

40. Tegmina in cockroach, arises from

- (1) Metathorax
- (2) Prothorax and Mesothorax
- (3) Prothorax
- (4) Mesothorax



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

41. The number of fingers in the hindlimb of frog is

(1) 4

(2) 5

(3) 6

(4) 7



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

42. Consider the following four statements (A – D) related to the common frog *Rana tigrina* and select the correct option stating which ones are true (T) and which ones are false (F)

Statements :

- (A) On dry land it would die due to lack of O₂ if its mouth is forcibly kept closed for a few days
- (B) It has four-chambered heart
- (C) On dry land it turns uricotelic from ureotelic
- (D) Its life-history is carried out in pond water

Options :

	(A)	(B)	(C)	(D)
(a)	F	F	T	T
(b)	F	T	T	F
(c)	T	F	F	T
(d)	T	T	F	F



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

43. Match column-I with column-II and choose the correct option.

Column I		Column II	
(A)	<i>Periplaneta americana</i>	(I)	Hepatic caecae
(B)	A ring of 6-8 blind tubules	(II)	Phylum arthropoda
(C)	Vascular system	(III)	Spiracles
(D)	10 pairs of small holes	(IV)	Malpighian tubules
(E)	Excretion	(V)	Open type

(1) A – I; B – II; C – III; D – IV; E – V

(2) A – II; B – I; C – V; D – III; E – IV

(3) A – II; B – I; C – III; D – V; E – IV

(4) A – III; B – IV; C – II; D – V; E – I



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

44. Match the terms given in column-I with their feature given in column-II and choose the correct option.

Column I (Terms)		Column II (Features)	
(A)	Exocrine gland	(I)	They help to stop substances from leaking across a tissue
(B)	Endocrine gland	(II)	Hormones are secreted directly into the fluid bathing the gland
(C)	Tight junctions	(III)	They perform cementing to keep neighbouring cells together
(D)	Adhering junctions	(IV)	Secretes mucus, saliva, earwax, oil, milk, digestive enzymes and other cell products

(1)A-IV; B-II; C-I; D-III

(2)A-II; B-IV; C-I; D-III

(3)A-IV; B-II; C-III; D-I

(4)A-IV; B-I; C-II; D-III



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

45. Which of the following is not a connective tissue :

- (1) Cartilage
- (2) Neuroglia
- (3) Blood
- (4) Adipose tissue



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

46. Match List - I with List –

	List – I		List – II
(A)	Bronchioles	(i)	Dense Regular Connective Tissue
(B)	Goblet cell	(ii)	Loose Connective Tissue
(C)	Tendons	(iii)	Glandular Tissue
(D)	Adipose Tissue	(iv)	Ciliated Epithelium

Choose the correct answer from the options given below

- (1)(A) – (ii), (B) – (i), (C) – (iv), (D) – (iii)
- (2)(A) – (iii), (B) – (iv), (C) – (ii), (D) – (i)
- (3)(A) – (iv), (B) – (iii), (C) – (i), (D) – (ii)
- (4)(A) – (i), (B) – (ii), (C) – (iii), (D) – (iv)



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

47. Assertion : Tendon is present in all bone joints.

Reason : Tendon connects the bones at the joints & holds them in position

(1) If both the assertion and the reason are true and the reason is a correct explanation of the assertion

(2) If both the assertion and reason are true but the reason is not a correct explanation of the assertion


(3) If the assertion is true but the reason is false

(4) If both the assertion and reason are false



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

48. Identify the following figure – A and B respectively




- (1) Connective tissue proper, specialized connective tissue
- (2) Adipose tissue, specialized connective tissue
- (3) Dense irregular connective tissue, dense regular connective tissue
- (4) Dense regular connective tissue, dense irregular connective tissue



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

49. See the following figure and identify the following simple epithelial tissues :



	A	B	C	D
(a)	Squamous	Cuboidal	Columnar	Pseudostratified columnar (ciliated)
(b)	Pseudostratified squamous	Cuboidal	Columnar	Ciliated columnar
(c)	Squamous	Cuboidal	Columnar	Ciliated columnar
(d)	Cuboidal	Squamous	Columnar	Ciliated columnar



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

50. How many eggs are laid by a female frog at a time :

- (1) 100 – 200
- (2) 500 – 1000
- (3) 2500 – 3000
- (4) 5000 – 6000



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

51. In frog the colour of dorsal side of body is generally:

- (1) Olive green with dark irregular spots
- (2) Olive green with dark regular spots
- (3) Pale yellow
- (4) Pale yellow with dark irregular spots



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

52. How many digits are found in fore limb and hind limb of frog respectively:

(1) 4 and 5

(2) 5 and 4

(3) 2 and 3

(4) 3 and 2



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)


53. Identify A, B, C and D in the given figure of male reproductive system of frog.

(1) A - Fat bodies, B - Testis, C - Adrenal gland, D - Vasa efferentia, E - Kidney

(2) A - Testis, B - Vasa efferentia, C - Kidney, D - Fat bodies, E - Adrenal gland

(3) A - Vasa efferentia, B - Testis, C - Adrenal gland, D - Fat bodies, E - Kidney

(4) A - Kidney, B - Fat bodies, C - Adrenal gland, D - Testis, E - Vasa efferentia



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

54. Movement of mucus in a specific direction over epithelium is function of :

- (1) Columnar epithelia
- (2) Cuboidal epithelia
- (3) Ciliated epithelia
- (4) Squamous epithelia



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

55. Select the correct route for the passage of sperms in male frogs.

- (1) Bidder's canal - Vasa efferentia - Urinogenital duct - Cloaca - Testes - Kidney
- (2) Testes - Cloaca - Kidney - Urinogenital duct - Vasa efferentia - Bidder's canal
- (3) Testes - Vasa efferentia - Bidder's canal - Ureter - Cloaca
- (4) Testes - Vasa efferentia - Kidney - Bidder's canal - Urinogenital duct - Cloaca



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

56. Match the following with column I & column II and choose the correct answer :

Column I (Tissues)

- a. Squamous epithelium**
- b. Cuboidal epithelium**
- c. Columnar epithelium**
- d. Ciliated epithelium**

(1) a-ii, b-i, c-iv, d-iii

(3) a-iii, b-i, c-iv, d-ii

Column II (Present in)

- i. Cube like cells**
- ii. Flattened cells**
- iii. Ciliated cells**
- iv. Tall and slender like cells**

(2) a-i, b-ii, c-iv, d-iii

(4) a-i, b-ii, c-iii, d-iv



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

57. Which is a correct statement :

- (a) Ligament is a dense irregular connective tissue**
- (b) Tendons is a dense irregular connective tissue**
- (c) Tendons is a dense regular connective tissue**
- (d) Ligament is a dense regular connective tissue**

(1) a & b

(2) b & c

(3) Only c and d

(4) Only d



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

58. The excess of nutrients which are not used immediately are converted into fats and are stored in tissue

- (1) Epithelial tissue
- (2) Adipose tissue
- (3) Neural tissue
- (4) All of these



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

59. A group of similar cells alongwith intercellular substances perform a specific function. Such an organisation is called :

- (1) Organ
- (2) Organ system
- (3) Tissue
- (4) Body



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

60. Which one of the following are correct statements for the given diagram

I. A—Irrregular boundaries and found in the alveoli of lungs

II. B—Found in tubular part of Nephrons

III. C—Help in secretion and absorptions

IV. A—Found in duct of glands and phagocytic


V. C—Their function is to move particles or mucus

(1) I, II, V

(2) I, II, IV

(3) I, II, III

(4) I, III, V



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

61. The chemical nature of matrix of connective tissue is:

- (1) Lipid
- (2) Modified polysaccharides
- (3) Phospholipids
- (4) Steroidal



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

62. Which is a secretion of exocrine gland :

- (1) Milk
- (2) Hormone
- (3) Saliva
- (4) Both 1 and 3



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

63. Which is a correct match :

- (1) Glandular epithelium - Tendon
- (2) Exocrine gland - Without duct
- (3) Endocrine gland - With duct
- (4) Connective tissue - Linking and supporting function



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

64. Malpighian tubules in cockroach are present at the junction of

- (1) foregut and midgut
- (2) midgut and hindgut
- (3) foregut and hindgut
- (4) midgut and gizzard



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

65. Function of neuroglial cell

- (1) Protect the nephrons
- (2) Support the neuron
- (3) Both 1 and 2
- (4) Support the nephrons



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

66. Which of the following statement are correct for smooth muscle fibre

- (1) Smooth muscle fibre taper at both ends
- (2) Smooth muscle fibre taper at only one end
- (3) Smooth muscle fibre do not show striations
- (4) Both 1 and 3



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

67. In all connective tissue the cells secrete fibres of structural proteins called collagen or elastin except :

- (1) Cartilage
- (2) Bone
- (3) Blood
- (4) Adipose



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

68. Which junctions help to stop substances from leaking across a tissue :

- (1) Gap junctions
- (2) Adhering junctions
- (3) Tight junctions
- (4) All of the above



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

69. Presence of Nictitating membrane is the characteristic of :

- (1) Cockroach
- (2) Frog
- (3) Earthworm
- (4) 1 and 2 both



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

70. With reference to cockroach, match the following columns.

Column - I

Column - II

(Body parts of cockroach) (Location in the body)

a. Anal cerci

i. 4th to 6th segments

b. Tegmina

ii. 10th segment

c. Testes

iii. Forewings

d. Ommatidia

iv. Sclerites

e. Exoskeleton

v. Visual unit

(1) a -ii, b-iii, c-i, d-v, e-iv

(2) a -iv, b-iii, c-ii, d-v, e-i

(3) a -iii, b-iv, c-v, d-ii, e-i


(4) a -v, b-iv, c-iii, d-ii, e-i



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

71. Identify A,B,C in diagram :

- (1) A - Fat storage area, B - Nucleus , C - plasma membrane
- (2) A - Fibroblast, B - Nucleus , C - Macrophage
- (3) A - Fat storage area , B - Fibroblast , C - plasma membrane
- (4) A - Plasma membrane , B - Fibroblast, C - collagen fibres



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

72. Which statement is correct :

- (1) Antennae of cockroach monitor the environment
- (2) In columnar epithelium cells are scale like
- (3) In proximal convoluted tubule, squamous epithelium is found
- (4) Compound epithelium is made of single layer of cells



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

73. Given below are two statements :

Statement I : Our heart consists of all the four type of tissue epithelial, connective, muscular and neural.

Statement II : Inner lining of ducts of Salivary glands and of pancreatic duct made up of compound epithilium.


In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

74. In given figure Identify A, B and C :



- (1) A - Ovary, B - Oviduct, C - Ureter
- (2) A - Oviduct, B - Ovary, C - Ureter
- (3) A - Ureter, B - Ovary, C - Oviduct
- (4) A - Vasa efferentia, B - Testis, C - Ureter



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

75. When two or more organs perform a common function by their physical and chemical interaction, they together form a

- (1) Tissue system
- (2) Organ system
- (3) Tissue
- (4) Organ



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

76. Match the following columns with reference to frog.

Column - I

(Body parts in frog)

a. Respiratory organ

b. Excretory system

c. Thymus

d. Brain box

e. Nasal epithelium

(1) a -ii, b-iii, c-i, d-iv, e-v

(3) a -v, b-iv, c-iii, d-ii, e-i

Column - II

(Location in the body)

i. Endocrine gland

ii. Skin

iii. Cloaca

iv. Cranium

v. Smell

(2) a -i, b-ii, c-iii, d-iv, e-v

(4) a -iv, b-iii, c-ii, d-i, e-v



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

77. Which is a correct statement :

- (a) Tight junctions are well developed in cartilage cell**
- (b) Neurons are the unit of nervous system**
- (c) Gap junctions provide no exchange**
- (d) Ligament is a dense regular connective tissue**

- (1) Only a & b**
- (2) Only b & c**
- (3) Only c**
- (4) Only b and d**



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

78. Which connective tissue is characterized by solid and pliable intercellular material :

- (1) Cartilage
- (2) Ligament
- (3) Areolar tissue
- (4) Bone



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

79. Given below are two statements :

Statement I : Hepatic portal system and Renal portal system both are present in Frog.

Statement II : Special venous connection between Kidney and lower part of the body is called Renal portal system.

In the light of the above statements, choose the correct answer from the options given below

- (1) Both Statement I and Statement II are incorrect
- (2) Statement I is correct but Statement II is incorrect
- (3) Statement I is incorrect but Statement II is correct
- (4) Both Statement I and Statement II are correct.



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

80. In cockroach tegmina is :

- (1) Metathoracic wing
- (2) Hind wing
- (3) Forewing
- (4) Mouth part



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

81. Head of cockroach is formed by how many segment:

- (1) 6
- (2) 7
- (3) 8
- (4) 10



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

82. Which segment in female cockroach is boat shaped:

- (1) 10th sternum
- (2) 6th sternum
- (3) 8th sternum
- (4) 7th sternum



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

83. In cockroach the testes are situated at which segment of abdomen :

- (1) 7th - 9th
- (2) 2nd - 3rd
- (3) 4th - 6th
- (4) 9th - 10th



84. Correct about intercalated disc

- (1) Found in cardiac tissue
- (2) Found at all fusion points
- (3) Both 1 and 2
- (4) None of the above



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

85. Which is not a secretion of exocrine gland :

- (1) Ear wax
- (2) Mucus
- (3) Oil
- (4) Thyroxine



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

86. Refer the given figure and identify the correct characteristic feature.

- (i) It is a type of loose connective tissue.**
- (ii) It contains fibroblast, macrophages, collagen fibres and mast cells.**
- (iii) The cells of this tissue are specialized to store fats.**
- (iv) The wall of internal organs such as the blood vessels, stomach and intestine contains this type of tissue.**


(1) (i) & (ii)

(2) (i) & (iii)

(3) (ii) & (iii)

(4) (iii) & (iv)





Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

87. Which of the following statement(s) is/are correct regarding excretory system of cockroach?


- (i) Excretion is performed by malpighian tubules.
- (ii) They absorb nitrogenous waste products and convert them into uric acid which is excreted out through hindgut. Hence, this insect called ammonotelic.
- (iii) In addition, fat body, nephrocytes and uricose glands also help in excretion.

- (1) Only (i)
- (2) Both (ii) and (iii)
- (3) Both (i) and (iii)
- (4) All of these



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

88. See the following figure and identify A to C respectively



- (1) Neck, Tympanum, Hind limb
- (2) Trunk, Tympanum, Hind limb
- (3) Neck, Brown eye spot, Web
- (4) Trunk, Tympanum, Web



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

89. Match the description given in column I with their examples given in column II and choose the correct option.

Column I (Description)		Column II (Example)	
(A)	Aquatic respiratory organ	(I)	Skin
(B)	Organ which acts urogenital duct and opens into the cloaca	(II)	Ureter
(C)	A small median chamber that is used to pass faecal matter, urine and sperms to the exterior	(III)	Cloaca
(D)	A triangular structure which joins the right atrium and receives blood through vena cava	(IV)	Sinus venosus

(1) A-I; B-II; C-III; D-IV

(2) A-II; B-IV; C-I; D-III


(3) A-II; B-I; C-III; D-IV

(4) A-IV; B-II; C-I; D-III



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

90. The given figure is related to diagrammatic representation of internal organs of frog. Identify A to E



	A	B	C	D	E
(a)	Gall bladder	Lung	Fat bodies	Kidney	Rectum
(b)	Gall bladder	Lung	Testis	Kidney	Rectum
(c)	Gall bladder	Lung	Fat bodies	Testis	Rectum
(d)	Gall bladder	Lung	Ovary	Testis	Rectum



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

91. Assertion : Columnar epithelium lining the intestinal mucosa appears to have a brush like appearance.

Reason : A large number of microvilli are present on brush bordered columnar epithelium.

- (1) If both the assertion and the reason are true and the reason is a correct explanation of the assertion
- (2) If both the assertion and reason are true but the reason is not a correct explanation of the assertion
- (3) If the assertion is true but the reason is false
- (4) If both the assertion and reason are false



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

92. Which of the following statement(s) is/are correct about nervous system of cockroach?

- (i) It consists of a series of fused segmentally arranged ganglia joined by paired longitudinal connectives on the ventral side.
- (ii) There are six ganglia lie in the thorax, and three in the abdomen.
- (iii) The sense organs are antennae, eyes, maxillary pulps, labial pulps and anal cerci etc.
- (iv) Each eye consists of about 5000 hexagonal ommatidia.

- (1) Both (i) and (iii)
- (2) Only (ii)
- (3) Both (i) and (iv)
- (4) All of these



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

93. The sinus venosus is located on

- (1) Dorsal surface of the heart of frog
- (2) Ventral surface of the heart of frog
- (3) Dorsal surface of the heart of rabbit
- (4) Ventral surface of the heart of rabbit



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

94. Match the following simple epithelial tissues in column I with their occurrence in column II and choose the correct combination from the options given

Column I	Column II
A. Squamous	1. Intestinal glands
B. Cuboidal	2. Trachea
C. Columnar	3. Ovary
D. Ciliated	4. Blood vessels
E. Pseudo stratified	5. Bronchioles

(1) A - 1, B - 2, C - 4, D - 3, E - 5

(2) A - 5, B - 4, C - 2, D - 1, E - 3

(3) A - 4, B - 5, C - 1, D - 2, E - 3

(4) A - 4, B - 3, C - 1, D - 2, E - 5



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

95. Find the wrongly matched pair

- (1) Unicellular glandular cells – Goblet cell
- (2) Saliva – Exocrine secretion
- (3) Fusiform fibres – Smooth muscle
- (4) Cartilage – Areolar tissue



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

96. Match column-I (type of epithelium) with column-II (Description) and choose the correct option.

Column I (Types of epithelium)		Column II (Description)	
(A)	Squamous epithelium	(I)	It is composed of a single-layer of cube-like cells
(B)	Cuboidal epithelium	(II)	Having cilia on their free surface
(C)	Columnar epithelium	(III)	It is composed of a single layer of tall and slender cells
(D)	Ciliated epithelium	(IV)	It is made up of a single thin layer of flattened cells with irregular boundaries

(1) A-IV; B-I; C-III; D-II

(2) A-I; B-IV; C-III; D-II

(3) A-IV; B-I; C-II; D-III

(4) A-IV; B-III; C-I; D-II



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

97. In cockroach, excretion is brought about by [NEET]

A. Phallic gland B. Urecoase gland

C. Nephrocytes D. Fat body E. Collateral glands

Choose the correct answer from the options given below :

(1) B and D only

(2) A and E only


(3) A, B and E only

(4) B, C and D only



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

98. Observe the following figure indicating the male reproductive system of frog. Identify A, B, C and D



	A	B	C	D
(a)	Vasa efferentia	Thyroid gland	Urinogenital duct	Cloaca
(b)	Vasa efferentia	Adrenal gland	Urinogenital duct	Cloaca
(c)	Bidder's canal	Adrenal gland	Urinogenital duct	Cloaca
(d)	Bidder's canal	Adrenal gland	Urinogenital duct	Rectum



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)


99. The cloaca in frog is a common chamber for the urinary tract, reproductive tract and:

- (1) Alimentary canal
- (2) Portal system
- (3) Hepatic portal vessels
- (4) Notochord



Title: Structural Organisation in Animal (Tissue+Frog+Cockroach)

100. The following figures A, B and C are types of muscle tissue. Identify A, B and C.



- (1) A-Smooth muscle, B-Cardiac muscle, C-Skeletal muscle
- (2) A-Skeletal muscle, B-Smooth muscle, C-Cardiac muscle
- (3) A-Cardiac muscle, B-Smooth muscle, C-Skeletal muscle
- (4) A-Smooth muscle, B-Skeletal muscle, C-Cardiac muscle



THANK YOU



BIOLOGYLIVE





▲ 2 · Asked by Hitesh

Sir 1st day aapne kon si app k bareme kaha tha