

LEADER & ACHIEVER COURSE

PHASE : MLB, MLK, MLM, MLP, MLQ, MLR, MAZE, MAZF, MAZG, MAZH, MAZM, MAZP, MAZO,

MAZR, MAZU, MAAZ, MAAW, SPARK PRO

TARGET : PRE MEDICAL 2025

Test Type : MAJOR

Test Pattern : NEET (UG)

TEST DATE : 13-03-2025

ANSWER KEY

Q.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
A.	4	3	2	1	2	4	3	2	2	3	2	3	1	4	4	3	3	2	4	1	2	2	3	3	1	1	3	1	3	1
Q.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
A.	4	1	2	2	4	2	1	1	1	1	2	3	3	1	3	2	2	1	3	2	2	4	4	4	4	2	1	3	3	2
Q.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
A.	2	2	4	2	1	1	4	1	2	3	2	1	4	4	2	1	3	1	2	4	1	1	1	2	1	3	2	1	4	2
Q.	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
A.	3	1	1	3	1	2	1	3	4	4	2	1	4	3	2	1	4	1	3	4	3	3	3	4	3	2	4	4	2	1
Q.	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
A.	1	2	4	4	4	1	1	4	4	1	3	4	1	1	4	1	2	4	2	4	1	2	4	1	1	1	4	1	2	3
Q.	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
A.	4	3	2	2	4	4	4	1	3	1	2	4	4	3	1	4	4	4	3	2	2	2	2	1	1	4	2	1	1	3

HINT - SHEET

2. Ans (3)

For sum & difference, dimensions of physical quantity must be same.

$$\frac{d^2x}{dt^2} \text{ has dimensions } [LT^{-2}]$$

$$x \frac{dv}{dt} \text{ has dimensions } [L^2T^{-2}]$$

3. Ans (2)

$$y = A \sin(e^{\alpha x} + \beta)$$

Here dimensional formula for $A = [y] = [L]$

$$\text{For } [\alpha x] = [M^0 L^0 T^0] \Rightarrow [\alpha] = [L^{-1}]$$

$$[\beta] = [M^0 L^0 T^0]$$

$$\Rightarrow \text{Dimensional formula for } \frac{A}{\alpha\beta} = \frac{[L]}{[L^{-1}][M^0 L^0 T^0]} \\ = [M^0 L^2 T^0]$$

4. Ans (1)

$$F = \rho^a A^b v^c$$

$$[MLT^{-2}] = [ML^{-3}]^a [L^2]^b [LT^{-1}]^c$$

$$[MLT^{-2}] = [M^a L^{-3a+2b+c} T^{-c}]$$

$$\Rightarrow a = 1, c = 2, -3a + 2b + c = 1$$

$$\Rightarrow b = 1$$

$$a, b, c = (1, 1, 2)$$

5. Ans (2)

$$a_t = m^a v^b t^c$$

$$\Rightarrow [LT^{-2}] = [M]^a [LT^{-1}]^b [T]^c$$

$$[LT^{-2}] = [M^a L^b T^{-b+c}]$$

$$\Rightarrow a = 0, b = 1, -b + c = -2$$

$$c = -1$$

$$\Rightarrow a^2 + bc = -1$$

6. Ans (4)

$$R_{eq} = R = R_1 + R_2 = 1200 \Omega$$

$$\frac{\Delta R_1}{R_1} \times 100 = 5\%$$

$$\Rightarrow \Delta R_1 = \frac{5 \times 1000}{100} = 50 \Omega$$

$$\frac{\Delta R_2}{R_2} \times 100 = 5\%$$

$$\Rightarrow \Delta R_2 = \frac{5 \times 200}{100} = 10 \Omega$$

$$\Delta R = \Delta R_1 + \Delta R_2 = 50 + 10 = 60 \Omega$$

$$\Rightarrow \frac{\Delta R}{R} \times 100 = \frac{60}{1200} \times 100 = 5\%$$

7. Ans (3)

$$x = \frac{A^2 B^{1/3}}{\sqrt{CD}}$$

$$\Rightarrow \% \text{ error in } x = 2(2) + \frac{1}{3}(3) + \frac{1}{2}(4) + \frac{1}{2}(6) = 10\%$$

8. Ans (2)

$$g = \frac{4\pi^2 \ell}{T^2}$$

$$\Rightarrow \frac{\Delta g}{g} \times 100$$

$$= \left(\frac{\Delta \ell}{\ell} + \frac{2\Delta T}{T} \right) 100$$

$$= \left(\frac{0.1}{40.0} + 2 \left(\frac{1}{400} \right) \right) \times 100$$

$$= \left(\frac{1}{4} + \frac{1}{2} \right) \% = 0.75 \%$$

9. Ans (2)

$$\text{Here } \rightarrow r = (5.00 \pm 0.05) \text{ cm}$$

$$\Rightarrow \frac{\Delta r}{r} \times 100 = \frac{0.05}{5.00} \times 100 = 1\%$$

$$\text{Surface area} = S = 4\pi r^2 \text{ and volume} = \frac{4}{3} \pi r^3$$

$$\Rightarrow \frac{\Delta s}{s} \times 100 = 2 \left(\frac{\Delta r}{r} \times 100 \right) = 2\% = y$$

$$\Rightarrow \frac{\Delta V}{V} \times 100 = 3 \left(\frac{\Delta r}{r} \times 100 \right) = 3\% = x$$

$$\Rightarrow |x| + |y| = 5$$

10. Ans (3)

Power of motor = Total energy drawn per sec from motor

$$P = \frac{mgh}{t} + \frac{\frac{1}{2}mv^2}{t}$$

$$P = \frac{(10^3 \times 30 \times 10^{-3})(10)(10)}{60} + \frac{1}{2} \frac{(10^3 \times 30 \times 10^{-3})}{60} \times (2\sqrt{15})^2$$

$$P = 65 \text{ watt}$$

11. Ans (2)

By WET :-

Workdone by force = Change in KE

$$\int_{x_1}^{x_2} F dx = KE_{\text{final}} - KE_{\text{initial}}$$

$$\int_0^1 (x^2 + x) dx = KE_F - 0$$

$$\Rightarrow \left(\frac{x^3}{3} + \frac{x^2}{2} \right)_0^1 = KE_{\text{Final}}$$

$$\therefore KE_{\text{Final}} = \left(\frac{1^3}{3} + \frac{1^2}{2} \right) - (0)$$


$$\therefore KE_{\text{max}} \Rightarrow \frac{5}{6} \text{ J}$$

$$= 0.83 \text{ J}$$

12. Ans (3)

Linear momentum is a vector quantity while kinetic energy is a scalar quantity. This means that even if the linear momentum of a system is zero, its KE may not be zero. However if the KE of a system is zero, then its linear momentum must also be zero. This is because for the total KE to be zero, the velocity of each particle must be zero.

14. Ans (4)



Gain in KE = Loss in PE

$$\frac{1}{2}mv^2 - 0 = \frac{-mg}{4} \left(\frac{\ell}{8} \right) - \left(-mg \left(\frac{\ell}{2} \right) \right)$$

$$\frac{1}{2}mv^2 \Rightarrow mg \left(\frac{\ell}{2} - \frac{\ell}{32} \right)$$

$$\frac{1}{2}mv^2 = \frac{15}{32}mg\ell$$

$$v = \sqrt{\frac{15}{16}g\ell}$$

15. Ans (4)

Spring force always act in the opposite direction of deformation, so work done by spring force is always negative whenever it is elongated or compressed from its natural length.

16. Ans (3)

$$w = \Delta KE = \frac{1}{2}mv^2 - 0$$

$$\frac{1}{2}(50 + 80) \times 100 + (80 \times 100) = KE$$

$$\therefore KE = 14500 \text{ J}$$

$$\Rightarrow 14.5 \times 10^3 \text{ J}$$

17. Ans (3)

$$w_g + w_{\text{air}} = KE_f - KE_i$$

$$-mgh + w_{\text{air}} = 0 - \frac{1}{2}mv_1^2$$

$$-0.8 \times 10 \times 16 + w_{\text{air}} = -\frac{1}{2} \times 0.8 \times (20)^2$$

$$w_{\text{air}} = -160 + 128 = -32 \text{ J}$$

18. Ans (2)

$$\vec{F} = \frac{-\partial U}{\partial x} \hat{i} - \frac{\partial U}{\partial y} \hat{j} - \frac{\partial U}{\partial z} \hat{k}$$

$$\frac{\partial U}{\partial x} = \frac{2y}{z}, \frac{\partial U}{\partial y} = \frac{2x}{z}, \frac{\partial U}{\partial z} = \frac{-2xy}{z^2}$$

$$\vec{F} \Rightarrow -\frac{2y}{z} \hat{i} - \frac{2x}{z} \hat{j} + \frac{2xy}{z^2} \hat{k}$$

at (1, 0, -1)

$$\vec{F} = 2\hat{j}$$

19. Ans (4)

$$f_{\text{max}} = \mu mg$$

$$\therefore kx_{\text{max}} = \mu mg$$

$$x_{\text{max}} = \frac{\mu mg}{k}$$

$\therefore$ Maximum potential energy stored in the spring is

$\therefore$

$$\begin{aligned} U_{\text{max}} &= \frac{1}{2}kx_{\text{max}}^2 \\ &= \frac{1}{2}k \left(\frac{\mu mg}{k} \right)^2 \\ &= \frac{(\mu mg)^2}{2k} \end{aligned}$$

20. Ans (1)

Slope of kinetic energy (E) and position (x) curve gives force.

$$Fdx = dK$$

$$F = \frac{dk}{dx}$$

at x = 5m $\rightarrow$ Magnitude of slope of curve =

$$\frac{14 - 8}{6 - 4} = \frac{6}{2} = 3$$

21. Ans (2)

$$m = 10 \text{ g} = 10^{-2} \text{ kg}$$

$$\text{Linear Momentum (p)} = \sqrt{2mK} = \sqrt{2(10^{-2})(2t^2)} = 0.2t$$

$$\therefore \text{force } f = \frac{dp}{dt} = 0.2 \text{ (constant)}$$


23. Ans (3)

$$\begin{aligned}\text{Distance} &= \text{Area under speed - time graph} \\ &= 40 + 15 + 15 \\ &= 70 \text{ m}\end{aligned}$$

24. Ans (3)

$$\begin{aligned}\rightarrow V_b &= 5 + 3 = 8 \text{ km/h} \quad t_1 = \frac{8}{8} = 1 \text{ hr} \\ \leftarrow V_b &= 5 - 3 = 2 \text{ km/h} \quad t_2 = \frac{8}{2} = 4 \text{ hr} \\ t &= t_1 + t_2 = 5 \text{ hr}\end{aligned}$$

25. Ans (1)



$$\begin{aligned}\frac{d}{100} &= \cos 45^\circ \quad t = \frac{x}{V_{AB}} \\ x &= 50\sqrt{2} \text{ m} \quad t = \frac{50\sqrt{2}}{10\sqrt{2}} \\ t &= 5 \text{ s}\end{aligned}$$

26. Ans (1)

For collision

$$(u_y)_A = (u_y)_B$$

$$u = 50 \sin 53^\circ$$

$$u = 40$$

27. Ans (3)

$$u_y = 50 \cos 53^\circ = 30$$

$$u_x = 50 \sin 53^\circ = 40$$

$$H = \frac{u_y^2}{2g} = 45 \text{ m}$$

$$R = \frac{2u_x \times u_y}{g} = 240 \text{ m}$$

$$T = \frac{2u_y}{g} = 6 \text{ s}$$

28. Ans (1)

$$y = x \tan \theta \left[1 - \frac{x}{R} \right]$$

$$y = x \left[1 - \frac{x}{80} \right]$$

$$\tan \theta = 1, R = 80$$


$$\therefore \tan \theta = \frac{4H}{R}$$

$$H = \frac{80}{4} = 20 \text{ m}$$

29. Ans (3)

$$v = 2 - 2t$$

$$\text{at } t = 1 \text{ s} \rightarrow v = 0$$



distance = Area under speed-time graph

$$\text{distance} = 2 \text{ m}$$

30. Ans (1)

$$\begin{aligned}S &= 2r \sin \frac{\theta}{2} \\ &= 2(2) \sin \left(\frac{\pi}{3} \right) \\ &= 2\sqrt{3} \text{ m}\end{aligned}$$

31. Ans (4)

$$\vec{v} = \vec{u} + \vec{a}t$$

$$\vec{v} = (8\hat{i} + 6\hat{j}) + (0.3\hat{i} + 0.4\hat{j}) \times 10$$


$$\vec{v} = 11\hat{i} + 10\hat{j}$$

$$|\vec{v}| = \sqrt{221} \text{ m/s}$$

32. Ans (1)

$$\begin{aligned}\langle v \rangle &= \frac{\text{Distance}}{\text{time}} = \frac{\int |\vec{v}| dt}{\Delta t} \\ \langle v \rangle &= \frac{(16 + 4 + 4)}{4} = 6 \text{ m/s}\end{aligned}$$

33. Ans (2)



34. Ans (2)



$$T + N = 600 \text{(i), } 2T = 900 \Rightarrow T = 450 \text{(ii)}$$

From eq.(i) and (ii)

$$N = 150 \text{ newton}$$

35. Ans (4)

$$a_0 \cdot \sin \theta = a$$


$$a_0 = \frac{a}{\sin \theta} = a \operatorname{cosec} \theta$$

37. Ans (1)

$$F = \frac{dP}{dt}$$

$$F = n(mv)$$

38. Ans (1)



$$\frac{T_2}{2} = Mg \text{(1)}$$

$$\frac{T_2 \sqrt{3}}{2} = T_1 \text{(2)}$$


from (1) & (2)

$$T_1 = \sqrt{3}Mg$$

39. Ans (1)

$$N_1 = 20 \quad f_1 = 10$$

$$N_2 = 40 \quad f_2 = 20$$



$$T + 20 = 24$$

$$T = 4 \text{ N}$$

40. Ans (1)

$$\vec{I} = \int \vec{F} dt$$

$$= \frac{1}{2} \times 3 \times 12$$

$$= 18 \text{ N-s}$$


41. Ans (2)

$$F = v \frac{dm}{dt}$$

$$F = \frac{4(2 \times 10^{-3})}{2.5} = \frac{16}{5} \times 10^{-3} \text{ N}$$

$$F = 3.2 \times 10^{-3} \text{ N} = 0.0032 \text{ N}$$

42. Ans (3)



$$N = 60, f = \mu N = 30$$

$$T + f = 80$$


$$T = 80 - 30$$

$$= 50 \text{ N}$$

43. Ans (3)

$$N_1 = 50 \rightarrow f_1 = 15$$

$$N_2 = 100 \rightarrow f_2 = 30$$



$$N - 30 = 10(1)$$

$$N = 40$$

44. Ans (1)

$$f_{\ell} = \mu N$$

$$= 0.4 (20)$$

$$= 8 \text{ N}$$

$$f_s = 2.8 \text{ N}$$

45. Ans (3)

$$a = \frac{18}{6} = 3 \text{ m/s}^2$$


$$f = 2 \times 3 = 6 \text{ N} (< f_{\ell})$$

47. Ans (2)

$$K_p = K_c (RT)^{\Delta_{ng}}$$

$$\text{If } \Delta_{ng} = 0 \quad K_p = K_c$$

64. Ans (2)



$$\Delta S = \frac{\Delta H}{T}$$

67. Ans (4)

$$\Delta H = \sum \Delta H_{f(P)} - \sum \Delta H_{f(R)}$$

$$\text{or } \Delta H = [81 + 3(-393)] - [9.7 + 3(-110)]$$

$$\text{or } \Delta H = -1098 + 320.3$$

$$\text{or } \Delta H \approx -778 \text{ kJ mol}^{-1}$$

68. Ans (1)

$$\Delta G = \Delta H - T\Delta S$$

$$\Delta H = \Delta G + T\Delta S$$

$$= 20000 + 200 \times (-20)$$

$$= 16000 \text{ J/mol}$$

Using Kirchoff's equation,

$$\Delta H_2 - \Delta H_1 = \Delta C_p (T_2 - T_1)$$


$$\Delta H_2 = \Delta H_1 + \Delta C_p (T_2 - T_1)$$

$$= 16000 + 20 (400 - 200)$$

$$= 20000 \text{ J/mol}$$

$$= 20 \text{ kJ/mol.}$$

70. Ans (3)



$$1420 \text{ KJ} \rightarrow 1 \text{ mole}$$

$$355 \text{ KJ} \rightarrow 0.25 \text{ mole}$$

$$\text{Volume at STP} = 0.25 \times 22.4 = 5.6 \text{ L}$$

OR


$$\therefore 1420 \text{ kJ heat evolved from 1 mole C}_2\text{H}_4$$

$$\therefore 355 \text{ kJ heat evolved from } \frac{1}{1420} \times 355 \text{ mole C}_2\text{H}_4$$

$$\frac{355}{1420} \times 22.4 = 5.6 \text{ litre}$$

72. Ans (1)

The structure of CrO_5 is



73. Ans (4)



$$(+3) \quad (-2) \quad (+5) \quad (+6)$$

74. Ans (4)



$$x + y = 4$$


$$\frac{x + 3y = 10}{-2y = -6}$$

$$y = 3; x = 1$$

76. Ans (1)

$$w = 2.303nRT \log_{10} \left(\frac{P_2}{P_1} \right)$$

77. Ans (3)



$$\Delta H = \frac{62.8 + 151 + 242.3}{2} - 211.3$$

$$= 16.75 \text{ kJ/mol}$$

78. Ans (1)

$$\Delta H_{\text{Sub}} = (\Delta H)_{\text{Fusion}} + (\Delta H)_{\text{Vap}}$$

79. Ans (2)

$$\text{Milli-equivalents of HCl} = 25 \times 0.08 = 2$$

$$\text{Milli-equivalents of NaOH} = 25 \times 0.1 = 2.5$$

$$\text{remaining } [\text{OH}^-] = \frac{2.5 - 2}{500} = 10^{-3}, \text{pOH} = 3$$

$$\text{or pH} = 11$$

80. Ans (4)

$$K_p = K_c \times (RT)^{\Delta n_g}$$

$$\text{Given :- } \frac{K_c}{K_p} = (RT)^{-2} \Rightarrow \frac{K_p}{K_c} = (RT)^2$$

$$\therefore \Delta n_g = 2$$

$$y + z = 2$$

81. Ans (1)


$$1 \text{ mole of Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O has O atoms} = 13 \times N_A$$

$$0.2 \text{ mol of Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O has O atoms}$$

$$= 0.2 \times 13 \times 6.02 \times 10^{23} = 1.56 \times 10^{24}$$

82. Ans (1)

$$\text{SiO}_2 = \text{Limiting reactant}$$



$$0.36 \text{ mol SiO}_2 \rightarrow \frac{3}{18} \times 0.36 = 0.06 \text{ mol P}_4$$

83. Ans (1)

$$\Delta G^\circ = -2.303 RT \log K_{\text{eq}}$$

$$= -2.303 \times \left(\frac{8.314}{1000} \text{ kJ} \right) \times (400) \times \log(10^5)$$

$$= -38.29 \text{ kJ}$$


84. Ans (2)

$$K_a = \frac{[\text{H}_3\text{O}^+][\text{HCO}_3^-]}{[\text{CO}_2]}$$

$$\frac{[\text{HCO}_3^-]}{[\text{CO}_2]} = \frac{K_a}{[\text{H}_3\text{O}^+]}$$

$$= \frac{3.8 \times 10^{-7}}{10^{-6}} = 3.8 \times 10^{-1}$$

85. Ans (1)



$$\Delta H_{\text{reaction}} = \sum \text{B.E. (Reactant)} - \sum \text{B.E. (product)}$$

$$= [\text{B.E.}(4\text{C}-\text{H}) + \text{B.E.}(\text{C}=\text{C}) + \text{B.E.}(\text{C}-\text{C})]$$

$$- [\text{B.E.}(6\text{C}-\text{H}) + \text{B.E.}(\text{C}-\text{C})]$$

$$= \text{B.E.}(\text{C}=\text{C}) + \text{B.E.}(\text{H}-\text{H}) - 2 \text{B.E.}(\text{C}-\text{H}) - \text{B.E.}(\text{C}-\text{C})$$

$$= 600 + 400 - 2 \times 410 - 350 \text{ kJ}$$

$$= -170 \text{ kJ}$$

86. Ans (3)

$$[\text{H}^+]_{\text{weak acid}} = C\alpha = 0.01 \times \left(\frac{2}{100} \right)$$

$$= 2 \times 10^{-4}$$

$$[\text{H}^+] \times [\text{OH}^-] = K_w = 10^{-14}$$

$$\therefore [\text{OH}^-] = \frac{10^{-14}}{2 \times 10^{-4}} = 5 \times 10^{-11}$$

87. Ans (2)


$$\text{Eqv. of H}_3\text{PO}_x = \text{Eqv. of NaOH}$$

$$1 \text{ mole} \times \text{Basicity} = \frac{80 \text{ gm}}{(E_{\text{NaOH}} = 40)}$$

$$\therefore \text{Basicity} = 2$$

$$\therefore (\text{H}_3\text{PO}_x = \text{H}_3\text{PO}_3)$$

88. Ans (1)



t=0	0.25 × 20ml = 5 milli-mole	0.1 × 30ml = 3 milli-mole	0	0
End	2 milli-mole	0	3 milli-mole	3 milli-mole

$$\text{pH} = \text{pKa} + \log \frac{[\text{HCOONa}]}{[\text{HCOOH}]}$$

$$= 3.75 + \log \frac{(2/50\text{ml})}{(3/50\text{ml})}$$

$$= 3.57$$

89. **Ans (4)**
 $(K_a = \text{Highest}) \Rightarrow \text{Strongest acid}$
 $\Downarrow$
 weakest conjugate base

90. **Ans (2)**
 $C_{(D)} + O_2 \rightarrow CO_2; \Delta H = -94.3$
 $C_{(A)} + O_2 \rightarrow CO_2; \Delta H = -97.6$
 $C_{(D)} \rightarrow C_{(A)}; \Delta H =$
 $\begin{array}{r} -94.3 \\ +97.6 \\ \hline +3.3 \text{ kcal} \end{array}$
 $\therefore 1 \text{ mol} = 12 \text{ gm} \rightarrow 3.3 \text{ kcal}$
 $18 \text{ gm} \rightarrow \frac{3.3}{12} \times 18 = 4.95 \text{ kcal}$

91. **Ans (3)**
 NCERT (XI) Pg # 07

92. **Ans (1)**
 NCERT XI Pg. 3, 4

93. **Ans (1)**
 NCERT XI pg.- 5

94. **Ans (3)**
 XI NCERT Pg. No. # 4

95. **Ans (1)**
 NCERT-XI Pg.# 23

96. **Ans (2)**
 NCERT-XI Pg.# 23,24

97. **Ans (1)**
 XI NCERT Pg. No. # 7, 8

98. **Ans (3)**
 NCERT-XI, Pg. No. # 6, 7
 Wheat : Poaceae,
 Mango : Anacardiaceae
 Brinjal, Potato, Datura, : Solanaceae
 Cat, Lion : Felidae
 Dog : Canidae

99. **Ans (4)**
 NCERT-XI Pg.# 8

100. **Ans (4)**
 XI NCERT Pg. No. # 7

101. **Ans (2)**
 XI OLD NCERT Pg. No. # 04, 05

102. **Ans (1)**
 XI NCERT Pg. No. # 10

103. **Ans (4)**
 NCERT XI Page No. # 11

104. **Ans (3)**
 NCERT Pg. # 11

105. **Ans (2)**
 NCERT Pg. # 10 - 12

106. **Ans (1)**
 NCERT Pg. # 12

107. **Ans (4)**
 NCERT Pg. # 90

108. **Ans (1)**
 NCERT Pg. # 91

109. **Ans (3)**
 NCERT - XI, Pg. # 91

110. **Ans (4)**
 NCERT-XI, Pg. # 91

111. **Ans (3)**
 NCERT-XI, Pg. # 13

112. **Ans (3)**
 NCERT-XI, Pg. # 14

113. **Ans (3)**
 NCERT-XI Pg.15

114. **Ans (4)**
 NCERT XI Pg.# 14

115. **Ans (3)**
 NCERT Pg.# 15

- | | |
|---|---|
| <p>116. Ans (2)
NCERT (XI) Pg # 15</p> <p>117. Ans (4)
NCERT, Pg. # 16</p> <p>118. Ans (4)
NCERT Pg. # 17</p> <p>119. Ans (2)
NCERT XI, Pg. # 17
Penicillium</p> <p>120. Ans (1)
NCERT Pg. No. # 17, 18</p> <p>121. Ans (1)
NCERT XI - P. No. 20, 21</p> <p>122. Ans (2)
NCERT Pg. # 24</p> <p>123. Ans (4)
NCERT-XI Pg.# 26
<i>Volvox, Chara, Ulothrix, Spirogyra</i></p> <p>124. Ans (4)
NCERT-XI, Pg. 26, 27</p> <p>125. Ans (4)
NCERT-XI Pg # 27</p> <p>126. Ans (1)
NCERT Pg. No. # 29, 30 (Diagram)</p> <p>127. Ans (1)
XI NCERT Pg. No. # 29, 30</p> <p>128. Ans (4)
NCERT Pg. # 30, 32</p> <p>129. Ans (4)
NCERT (XI) Pg # 32</p> | <p>130. Ans (1)
NCERT XI - P. No. - 33</p> <p>131. Ans (3)
NCERT-XI, Pg. # 33
Root cell = 2n
Female gametophyte = n</p> <p>132. Ans (4)
NCERT-XII Page No. 32-33</p> <p>133. Ans (1)
NCERT-XII Page No. 32-33</p> <p>134. Ans (1)
NCERT-XI, Pg. # 32</p> <p>135. Ans (4)
NCERT Page No. 32</p> <p>136. Ans (1)
Pg. No. 42 NCERT 2022 - 2023 Edition</p> <p>137. Ans (2)
NCERT (XI) Pg. # 49</p> <p>138. Ans (4)
NCERT (XI) Pg. # 51,55</p> <p>139. Ans (2)
Pg. No. 56 NCERT 2022 - 2023 Edition</p> <p>140. Ans (4)
NCERT (XIth) Pg. # 50, 51</p> <p>141. Ans (1)
NCERT (XI) Pg. # 50</p> <p>142. Ans (2)
NCERT Pg. # 46</p> <p>143. Ans (4)
NCERT Pg. # 47</p> |
|---|---|

- | | |
|--|---|
| <p>144. Ans (1)
NCERT Pg. # 48,49,50</p> <p>145. Ans (1)
NCERT (XI) Pg. # 51</p> <p>146. Ans (1)
NCERT (XI) Pg. # 56</p> <p>147. Ans (4)
Pg. No. 47, 48 NCERT 2022 - 2023 Edition</p> <p>148. Ans (1)
Pg. No. 42, 45 NCERT 2022 - 2023 Edition</p> <p>149. Ans (2)
NCERT (XIth) Pg. # 101</p> <p>150. Ans (3)
NCERT (XIth) Pg. # 104</p> <p>151. Ans (4)
NCERT XI Pg # 101, 102</p> <p>152. Ans (3)
NCERT–XI, Pg. # 102</p> <p>153. Ans (2)
NCERT XI (E)Pg.# 101</p> <p>154. Ans (2)
NCERT XI (E), Page No. 102</p> <p>155. Ans (4)
NCERT (XI) Pg. # 103</p> <p>156. Ans (4)
Module</p> <p>157. Ans (4)
NCERT XI Pg.# 102</p> | <p>158. Ans (1)
NCERT XI, Pg. # 101</p> <p>159. Ans (3)
XI-NCERT</p> <p>160. Ans (1)
NCERT Pg.#112</p> <p>161. Ans (2)
NCERT-XI Pg. # 112</p> <p>162. Ans (4)
NCERT XII Pg # 114</p> <p>163. Ans (4)
NCERT Pg. # 112</p> <p>164. Ans (3)
NCERT-XI, Pg. # 114</p> <p>165. Ans (1)
Pg. No. 119 NCERT 2022 - 2023 Edition</p> <p>166. Ans (4)
Pg. No. 120 NCERT 2022 - 2023 Edition</p> <p>167. Ans (4)
NCERT XI Pg. 118</p> <p>168. Ans (4)
NCERT Pg. # 57</p> <p>169. Ans (3)
NCERT XI, Pg. No. 47</p> <p>170. Ans (2)
NCERT XI, Pg. No. 57</p> |
|--|---|

171. Ans (2)

NCERT Pg. No. # 55

172. Ans (2)

NCERT Pg. No. # 58, 59

173. Ans (2)

Old XI, NCERT, Pg. # 101

174. Ans (1)

OLD NCERT Biology XI Page no. 101 Para 7.1.2

175. Ans (1)

NCERT-XI, Pg # 119

176. Ans (4)

NCERT, Pg # 83

177. Ans (2)

NCERT, Pg # 8

178. Ans (1)

NCERT Pg.# 82

179. Ans (1)

NCERT XI, Page # 114

180. Ans (3)

NCERT Pg.#111 (E), 112 (H)