

ENTHUSE COURSE

PHASE : MEA,B,C,D,F,G,H,L,M,N,O,P,Q,R,S,U & MEV

TARGET : PRE-MEDICAL 2025

Test Type : SRG-MAJOR

Test Pattern : NEET (UG)

TEST DATE : 22-01-2025

ANSWER KEY

Q.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
A.	1	1	2	2	1	1	3	1	3	3	1	1	3	2	2	2	3	1	2	1	3	1	2	2	2	1	4	2	4	2
Q.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
A.	2	4	1	2	4	1	2	1	2	1	4	2	1	1	4	3	4	4	2	4	3	3	4	3	4	1	1	3	2	2
Q.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
A.	4	4	4	4	4	1	4	3	2	2	1	4	2	3	1	2	2	2	2	3	3	4	4	4	4	2	3	3	4	2
Q.	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
A.	4	2	2	2	2	4	3	3	3	2	2	4	2	2	3	4	3	1	4	1	2	4	3	2	1	3	2	2	4	2
Q.	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
A.	1	3	4	4	2	4	1	3	2	3	1	3	2	2	2	4	3	4	4	1	3	1	2	2	2	3	2	4	4	3
Q.	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
A.	3	4	3	1	3	4	3	3	3	2	3	4	4	3	1	4	4	1	1	4	1	1	2	3	2	3	4	2	1	3
Q.	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200										
A.	4	4	1	3	3	1	3	4	1	3	3	1	4	1	2	3	1	2	1	4										

HINT - SHEET

SUBJECT : PHYSICS

SECTION - A

1. Ans (1)

$$\begin{aligned}
 W &= \int \vec{F} \cdot d\vec{y} \\
 &= \int_2^8 (15y - 40) dy \\
 &= \left[\frac{15y^2}{2} - 40y \right]_2^8 \\
 &= 210 \text{ J}
 \end{aligned}$$

2. Ans (1)

$$C_{eq} = (1 + 2 + 7) \mu F = 10 \mu F$$

3. Ans (2)

$$(\omega t - ky) = \text{phase}$$

−y denotes = wave propagating towards +y-axis.

4. Ans (2)

Due to diffraction, light spreads, this limit the distance upto which ray optics is valid.

5. Ans (1)

Distance travelled in 0 to 4s

$$= d_1 = \frac{1}{2} \times 4 \times 10 = 20 \text{ m}$$

$$\text{velocity of } t = 6 \text{ s ; } v = 10 - \frac{10}{6} \times 2 = \frac{20}{3} \text{ m/s}$$

Distance travelled in 4s to 6s :

$$d_2 = \frac{1}{2} \cdot \left(10 + \frac{20}{3} \right) 2 = \frac{50}{3} \text{ m}$$

$$\text{Total distance travelled : } d = d_1 + d_2 = \frac{110}{3} \text{ m}$$

6. Ans (1)

$$x = at^2 + 2bt + c$$

$$v = \frac{dx}{dt} = 2at + 2b$$

$$a^n = \frac{dv}{dt} = 2a$$

$$\text{At } t = 0; v = 2b \text{ \& } a^n = 2a.$$

$$\text{So, } \frac{a^n}{v} = \frac{2a}{2b} = \frac{a}{b}$$

7. Ans (3)

By principle of Homogeneity,

$$[P] = \frac{[a]}{[V^2]}$$

$$[a] = PV^2$$

$$= ML^{-1}T^{-2} [L^3]^2$$

$$[a] = ML^5T^{-2}$$

8. Ans (1)

$$VSD = (0.4)^\circ \text{ (Given)}$$

$$20 \times MSD = 25 \text{ VSD}$$

$$1MSD = \frac{25}{20} \times (0.4)^\circ = (0.5)^\circ$$

$$L.C. = MSD - VSD = (0.5)^\circ - (0.4)^\circ = (0.1)^\circ$$


9. Ans (3)

Due to some errors on the part of experiment, all points may not come on the same line.

In this situation, we take the slope of the most appropriate point on the curve.

$$\therefore R = \text{slope} = \frac{V}{I} = \frac{3}{3} = 1\Omega$$

10. Ans (3)



$$I_{AB} = (MR^2 + MR^2) = 100 \text{ Kgm}^2$$

$$MR^2 = 50 \text{ Kg m}^2$$

Now, MOI of solid sphere about its tangential axis is

$$I = \frac{7}{5}MR^2$$

$$I = \frac{7}{5} \times 50$$

$$I = 70 \text{ kg m}^2$$

11. Ans (1)

In pure Rolling, W.D by friction is zero.

Hence P.E. converted into K.E.

$$\therefore \frac{K_1 - 0}{K_2 - 0} = \frac{|\Delta U_1|}{|\Delta U_2|} = \frac{mgh}{mgh}$$

$$\Rightarrow \frac{x}{7} = 1$$

$$\Rightarrow x = 7$$

12. Ans (1)

$$r = \frac{p}{qB} \propto \frac{p}{e}$$

$$\therefore p_c = p_p$$

$$\Rightarrow r_c = r_p \Rightarrow C_e = C_p$$

13. Ans (3)

$$B = \frac{\mu_0 Ni}{2R}$$

$$= \frac{4\pi \times 10^{-7} \times 2 \times 200}{2 \times 10^{-1}} = 8\pi \times 10^{-4}T$$

14. Ans (2)

$$F = \frac{GMm}{R^2} \text{ (By N.L.G)}$$

$$g' = g \left(1 + \frac{h}{R}\right)^{-2}$$

$$g' = g \left(1 + \frac{3R}{R}\right)^{-2}$$

$$= g(1+3)^{-2} = \frac{g}{16}$$

$$\text{Force} = mg'$$

$$= 160 \times \frac{g}{16} = \frac{160 \times 10}{16} = 100N$$

15. Ans (2)

Time period of second pendulum is 2 sec.

$$g' = \frac{g}{\left(1 + \frac{h}{R}\right)^2} = \frac{g}{\left(1 + \frac{3R}{R}\right)^2} = \frac{g}{16}$$


$$T = 2\pi\sqrt{\frac{L}{g}}$$

$$2 = 2\pi\sqrt{\frac{L}{g} \times 16}$$

$$\Rightarrow 1 = \sqrt{16L}$$


$$L = \frac{1}{16}m. \quad (\because g = \pi^2)$$

16. Ans (2)



$$F = \frac{GMM}{\left(\frac{L}{3}\right)^2} = \frac{9GM^2}{L^2}$$

at mass- 2




$$\begin{aligned} F_{\text{net}} &= 2F \cos \theta / 2 \\ &= 2F \cos(60/2) \\ &= 2F \cos 30^\circ \\ \Rightarrow 2F \cdot \frac{\sqrt{3}}{2} &= \sqrt{3}F \\ \Rightarrow \sqrt{3} \times \frac{9GM^2}{L^2} & \\ \Rightarrow 9\sqrt{3} \frac{GM^2}{L^2} \end{aligned}$$

17. Ans (3)

$$\phi_{\text{cube}} = \frac{Q_{\text{in}}}{\epsilon_0} = \frac{4q}{4\epsilon_0} = \frac{q}{\epsilon_0}$$

18. Ans (1)



$$\text{If } i_g = 5\% I$$

$$\text{Then } i_s = 95\% I$$

$$\begin{aligned} \therefore V &= i_g \cdot G = i_s \cdot S \\ &= 5 \times G = 95 \times 4 \\ G &= 76 \Omega \end{aligned}$$

19. Ans (2)

The detergent is not desolved in the water completely.

20. Ans (1)

$$A_1 V_1 = A_2 V_2$$

$$\pi \left(\frac{0.1}{2} \right)^2 \times 5 = \pi \left(\frac{0.2}{2} \right)^2 \times V_2$$

$$V_2 = \frac{5}{4} = 1.25 \text{ m/s}$$

21. Ans (3)

In n-type semiconductors, majority charge carriers are electrons.

22. Ans (1)

$$\sigma = en [\mu_e + \mu_h]$$

23. Ans (2)

$$\Delta m = (226.02540) - (222.01750 + 4.00260)$$

$$\Delta m = .0053 \text{ amu}$$

$$Q = \Delta m \times 931.25$$

$$Q = 4.93 \text{ MeV}$$

24. Ans (2)

$$\text{Energy} = (\Delta m) C^2$$

$$= \left(\frac{0.4}{100} \times 25 \right) (3 \times 10^8)^2$$

$$= \frac{1}{10} \times 9 \times 10^{16}$$

$$\begin{aligned} \text{Energy} &= 9 \times 10^{15} \text{ J} = \frac{9 \times 10^{15}}{3.6 \times 10^6} \text{ kwh} \\ &= 2.5 \times 10^9 \text{ kwh} \end{aligned}$$

25. Ans (2)

$$\tan \theta = \frac{a}{g} = \frac{3}{4}$$


$$\Rightarrow \theta = 37^\circ$$

26. Ans (1)

$$\frac{mv_1^2}{r_1} = \frac{mv_2^2}{r_2}$$

$$\therefore \frac{v_1}{v_2} = \sqrt{\frac{r_1}{r_2}} = \sqrt{\frac{5}{4}} = \frac{\sqrt{5}}{2}$$

27. Ans (4)



$$\frac{1}{v} - \frac{1}{u} = \frac{1}{f}$$

$$\frac{1}{-16} = \frac{1}{v} - \frac{1}{+12}$$

$$\frac{1}{v} = \frac{1}{12} - \frac{1}{16}$$

$$= \frac{4-3}{48}$$

$$v = 48 \text{ cm}$$

28. **Ans (2)**

Dispersion of light means splitting of white light in to its constituent columns.

29. **Ans (4)**

$$\text{Current in secondary, } I_s = \frac{V_s}{R} = \frac{20}{100} = 0.2 \text{ A}$$

$$\Rightarrow \frac{I_p}{I_s} = \frac{V_s}{V_p}$$

$$I_p = \frac{V_s I_s}{V_p} = \frac{20 \times 0.2}{200} = 0.02 \text{ A}$$

30. **Ans (2)**

For (i) & (ii)

$$T_1 = T_2 = 2\pi \sqrt{\frac{m}{K}}$$

for (iii) and (iv)

$$K_{eq} = 2K + 2K = 4K$$

$$T_3 = T_4 = 2\pi \sqrt{\frac{m}{4K}} = \pi \sqrt{\frac{m}{K}}$$

31. **Ans (2)**

$$Q_R = \text{Heat required} = mL_f$$

$$= 100 \times 80 = 8000 \text{ cal}$$

$$Q_S = \text{Heat supplied by hot water}$$

$$= mS_w \Delta T$$

$$= 400 \times 1 \times 50$$

$$= 20000 \text{ cal}$$

$$Q_S > Q_R$$

$$\text{Temp.} > 0^\circ\text{C}$$

$$20000 - 8000 = (m_{ice} + m_w) S_w \Delta T$$

$$12000 = 500 \times 1 \times \Delta T$$

$$\Delta T = 24^\circ\text{C}$$

32. **Ans (4)**

$$v_{rms} = \sqrt{\frac{3RT}{M}}$$

$$\Rightarrow v_{rms} \propto \sqrt{T}$$

$$\text{and } E = \frac{3}{2} RT$$

$$\Rightarrow E \propto T$$

33. **Ans (1)**

The wavelength

$$\lambda = (0.5 - 0.1) = 0.4 \text{ cm}$$

$$v = \lambda f = \frac{0.4}{100} \times 250 = 1 \text{ m/s}$$

34. **Ans (2)**

Two identical bodies exchange their velocities after a perfectly elastic head on collision.

35. **Ans (4)**

$$P = V_{rms} I_{rms} \cos \phi$$

$$\phi = \frac{\pi}{2}$$

$$P = 0$$

SECTION - B

36. **Ans (1)**

For secondary maxima

$$\sin \theta = \frac{\Delta x}{a} = \frac{(2n+1)\lambda}{2a}$$

$\therefore$ For 1st secondary maxima, $n = 1$

$$\sin \theta = \frac{3}{2} \times \frac{10000 \times 10^{-10}}{0.003 \times 10^{-3}} = \frac{1}{2} \Rightarrow \theta = 30^\circ$$

37. **Ans (2)**

$$\text{Torque} = F \times r_{\perp} \rightarrow \text{Nm}$$

$$\text{Stress} = \frac{\text{Force}}{\text{Area}} \rightarrow \text{N/m}^2$$

$$\text{Latent heat} = \frac{\text{Energy}}{\text{Mass}} \rightarrow \text{J Kg}^{-1}$$

$$\text{Power} = \frac{\text{Work}}{\text{Time}} \rightarrow \text{N ms}^{-1}$$

A-III, B-IV, C-II, D-I

38. **Ans (1)**

$$Y = \frac{Mg}{A} \frac{\ell}{\Delta \ell} = \frac{Mg}{\pi r^2} \frac{\ell}{\Delta \ell} = \frac{Mg}{\pi \left(\frac{D}{2}\right)^2} \frac{\ell}{x}$$

(Assume $\Delta \ell = x$)

$$\therefore \frac{\Delta Y}{Y} \times 100 = \left[\frac{2\Delta D}{D} + \frac{\Delta \ell}{\ell} + \left[\frac{(\Delta x)}{x} \right] \right] \times 100$$

$$= \left[2 \times \frac{0.001}{0.05} + \frac{0.1}{100} + \frac{0.001}{0.125} \right] \times 100$$

$$= \left[\frac{2}{50} + \frac{1}{1000} + \frac{1}{125} \right] \times 100$$

$$= [0.04 + 0.001 + 0.008] \times 100 = 4.90$$

39. **Ans (2)**

$$(A) 1 \text{ MSD} = 1 \text{ mm}$$

$$10 \text{ VSD} = 9 \text{ MSD}$$

$$LC = 1 \text{ MSD} - 1 \text{ VSD}$$

$$= 1 \text{ mm} - 0.9 \text{ mm} = 0.1 \text{ mm}$$

$$(B) 1 \text{ MSD} = 0.5 \text{ mm}$$

$$10 \text{ VSD} = 9 \text{ MSD}$$

$$LC = 1 \text{ MSD} - 1 \text{ VSD}$$

$$= 0.5 \text{ mm} - \frac{9(0.5 \text{ mm})}{10} = 0.5 \times 0.1 = 0.05 \text{ mm}$$

$$(C) 1 \text{ MSD} = 0.5 \text{ mm}$$

$$20 \text{ VSD} = 19 \text{ MSD}$$

$$LC = 1 \text{ MSD} - 1 \text{ VSD}$$

$$= 0.5 \text{ mm} \left(1 - \frac{19}{20} \right) \Rightarrow \frac{0.5}{20} = 0.025 \text{ mm}$$

$$(D) 1 \text{ MSD} = 1 \text{ mm}$$

$$100 \text{ VSD} = 99 \text{ MSD}$$

$$LC = 1 \text{ MSD} - 1 \text{ VSD}$$

$$= 1 \text{ mm} - \frac{99}{100} \text{ mm} = 1 - 0.99 = 0.01 \text{ mm}$$


40. Ans (1)

$$B = \frac{\mu_0 i N}{2r} \quad n \propto r$$

$$B \text{ same } \frac{r_1}{r_2} = \frac{N_1}{N_2}$$

$$I \text{ same } \frac{8}{15}$$

41. Ans (4)



$$\frac{kQ}{R} = V$$

$$kQ = VR$$

$$E_P = \frac{kQ}{4R^2} = \frac{VR}{4R^2} = \frac{V}{4R} \text{ N/C}$$


42. Ans (2)

$$\frac{1}{r_{eq}} = \frac{1}{r_1} + \frac{1}{r_2} + \frac{1}{r_3} = \frac{1}{1} + \frac{1}{2} + \frac{1}{1} = \frac{5}{2} \Rightarrow r_{eq} = \frac{2}{5}$$

$$\frac{E_{eq}}{r_{eq}} = \frac{E_1}{r_1} + \frac{E_2}{r_2} + \frac{E_3}{r_3} \Rightarrow E_{eq} \left(\frac{5}{2} \right) = \frac{2}{1} - \frac{4}{2} + \frac{6}{1} = 6$$

$$\Rightarrow E_{eq} = V_{AB} = 6 \times \frac{2}{5} = \frac{12}{5} = 2.4 \text{ V}$$

43. Ans (1)



$$I_{4\Omega} = 3 = \left(\frac{12}{16} \right) \times I \Rightarrow I = 4 \text{ A}$$

$$I_{3\Omega} = \frac{I \times 6\Omega}{(3+6)\Omega} = \frac{4 \times 6}{9} = \frac{8}{3} \text{ A}$$

$$V_{3\Omega} = I_{3\Omega} \times R = \frac{8}{3} \times 3 = 8 \text{ V}$$

44. Ans (1)

(A) $\vec{a} \cdot \vec{b} = ab \cos \theta = 0$

$$\therefore \theta = \frac{\pi}{2}$$

(B) $\hat{a} \cdot \vec{b} = b \cos \theta = 4$

$$\Rightarrow 4 \cos \theta = 4$$

$$\therefore \theta = 0^\circ$$

(C) $\vec{a} \cdot \vec{b} = -12 = 3 \times 4 \cos \theta$

$$\therefore \theta = \pi$$

(D) $|\vec{a} + \vec{b}| = 5 = \sqrt{3^2 + 4^2}$

$$\therefore \theta = \frac{\pi}{2}$$

45. Ans (4)

Use reverse approach

46. Ans (3)

Due to 10.2 eV photon, one photon of energy 10.2 eV will be detected.

Due to 15 eV photon the electron will come out of the atom with energy $(15 - 13.6) = 1.4 \text{ eV}$.

47. Ans (4)

In a nuclear reaction total energy and momentum are conserved

48. Ans (4)

$$\therefore \frac{hC}{\lambda} = K + \phi \quad \dots (1)$$

$$\frac{hC}{\lambda'} = \frac{K}{2} + \phi \quad \dots (2)$$

$$hC \left(\frac{1}{\lambda} - \frac{1}{\lambda'} \right) = \frac{K}{2} \quad \dots \{ \text{from eq. (1) \& (2)} \}$$

$$\frac{1}{\lambda'} = \frac{1}{\lambda} - \frac{K}{2hC}$$

$$\frac{1}{\lambda'} = \frac{2hC}{2hC - K\lambda}$$

$$\lambda' = \frac{2hC\lambda}{2hC - K\lambda}$$

49. Ans (2)

From, $E \propto T^4$

$$\frac{E_1}{E_2} = \left[\frac{273 + 7}{273 + 287} \right]^4 = \left[\frac{280}{560} \right]^4 = \frac{1}{16}$$

$$\Rightarrow E_2 = 16 E_1$$

50. Ans (4)

$$A_P = 4 \sin \left(\frac{\pi x}{15} \right) = \pm 4$$

$$\Rightarrow \sin \frac{\pi x}{15} = \pm 1$$

$$\therefore \frac{\pi x}{15} = \frac{\pi}{2}, \frac{3\pi}{2}, \frac{5\pi}{2}, \frac{7\pi}{2} \dots$$

$$x = 7.5, 22.5, 37.5$$

$$52.5 < 60 \text{ cm}$$

SUBJECT : CHEMISTRY

SECTION - A

57. Ans (1)

$$K_p = K_c (RT)^2$$


$$T = 1/2R \Rightarrow T = 6.09 \text{ K}$$

60. Ans (2)

NCERT-XI, Pg # 183, Q.no. 6.9

61. **Ans (4)**
NCERT-XII, Part-1, Pg # 135


63. **Ans (4)**




65. **Ans (4)**
NCERT-XII, Pg. # 110 Part-I

66. **Ans (1)**
NCERT-XII, Pg. # 129 Part-I

68. **Ans (3)**
NCERT Pg. # 386 Unit-13




69. **Ans (2)**
NCERT Pg. # 362 Unit-12




70. **Ans (2)**
NCERT Pg. # 328 Unit-11

71. **Ans (1)**
NCERT, Pg. # 323 Unit-11

72. **Ans (4)**
NCERT, Pg. # 330 Unit-11



73. **Ans (2)**
NCERT, Pg. # 295 Unit-10
r.o.r. for S_N1 $R^h \propto$ stability of $C^\oplus$



Stability order is - II > III > I

74. **Ans (3)**
NCERT, Pg. # 303 Unit-10
Haloalkanes are more reactive than haloarenes for the attack of nucleophile during NSR due to partial double bond character of C-X bond in haloarenes.

81. **Ans (3)**
NCERT Pg. # 78

82. **Ans (4)**
NCERT Pg. # 83 Table 3.6

83. **Ans (4)**
NCERT Pg. # 98

84. **Ans (4)**
NCERT Pg. # 102

85. **Ans (4)**
NCERT Pg. # 112

SECTION - B

87. **Ans (3)**

$$E_{\text{cell}} = E_{\text{Cell}}^\circ - \frac{0.06}{n} \log k_c$$

at equilibrium

$$-E_{\text{Cell}}^\circ = \frac{-0.06}{2} \log k_c$$

$$- [x - 0.54] = -0.03 \log(10^8)$$

$$-x + 0.54 = -.24$$

$$[x = 0.78 \text{ V}] \text{ Ans. (3)}$$

91. **Ans (4)**
NCERT-XII, Pg. # 104 Part-I

94. **Ans (2)**
NCERT, Pg. # 384-385 Unit-13

95. **Ans (2)**
NCERT, Pg. # 409 Unit-14

99. **Ans (3)**
At $T = 0 \Rightarrow \Delta_{\text{eg}}H = -A_e$

100. **Ans (2)**
NCERT Pg. # 105

SUBJECT : BOTANY

SECTION - A

101. **Ans (2)**
NCERT-XI, Pg. No. # 19

102. **Ans (4)**
Module (Nurture) Pg.#40,41

103. **Ans (2)**
NCERT XI, Pg. # 24
Penicillium
104. **Ans (2)**
NCERT Pg. # 30
105. **Ans (3)**
NCERT Pg. # 30
106. **Ans (4)**
NCERT Pg. # 149
107. **Ans (3)**
NCERT Pg. # 150
108. **Ans (1)**
MODULE Pg. # 230
109. **Ans (4)**
NCERT Pg. # 176
110. **Ans (1)**
NCERT Pg. # 168
111. **Ans (2)**
NCERT Pg. # 38, 60
112. **Ans (4)**
NCERT Pg. # 64
113. **Ans (3)**
NCERT Pg # 73, 74
114. **Ans (2)**
NCERT Pg # 74
115. **Ans (1)**
NCERT Pg. No. # 13
116. **Ans (3)**
NCERT Pg. # 5,7,8
117. **Ans (2)**
NCERT, Pg. # 18, 19
118. **Ans (2)**
NCERT Pg. 73
119. **Ans (4)**
NCERT, Pg. # 66, 67, 70
120. **Ans (2)**
NCERT, Pg. # 69 and 74
121. **Ans (1)**
NCERT Pg. # 90
123. **Ans (4)**
NCERT, Pg # 95
125. **Ans (2)**
NCERT-XII, Pg. # 213

126. **Ans (4)**
NCERT Pg. # 207-208
127. **Ans (1)**
NCERT Pg # 194, 199, 202, 225
128. **Ans (3)**
NCERT Pg. # 200
129. **Ans (2)**
NCERT Pg. # 218, 208, 27, 29
130. **Ans (3)**
NCERT, Pg. # 219
131. **Ans (1)**
NCERT Pg. # 194
132. **Ans (3)**
NCERT Pg # 194
133. **Ans (2)**
NCERT Pg. # 60
134. **Ans (2)**
NCERT Pg. No. 112
135. **Ans (2)**
NCERT Pg. # 223, 224

SECTION - B

136. **Ans (4)**
NCERT Pg. # 30, 32
137. **Ans (3)**
NCERT-XI Pg.#9
138. **Ans (4)**
NCERT Pg. # 135
139. **Ans (4)**
NCERT Pg. #158
140. **Ans (1)**
NCERT Pg. 159
141. **Ans (3)**
NCERT XI, Pg. # 235, 236
142. **Ans (1)**
NCERT Pg. # 65
143. **Ans (2)**
NCERT, Pg. # 65, 66
144. **Ans (2)**
NCERT Pg # 76
145. **Ans (2)**
Page No. 91, Pare No. 6.3.1

146. **Ans (3)**
NCERT, Pg # 67(E)/76(H)
147. **Ans (2)**
NCERT, Pg # 84,90,99
148. **Ans (4)**
NCERT Pg. # 22
149. **Ans (4)**
NCERT Pg. # 60
150. **Ans (3)**
NCERT Pg # 207

SUBJECT : ZOOLOGY**SECTION - A**

151. **Ans (3)**
NCERT XII, Page # 34
152. **Ans (4)**
NCERT Pg no. 30, 32, 35, 38
153. **Ans (3)**
NCERT - XII, Pg.# 54
154. **Ans (1)**
NCERT Pg. # 47
155. **Ans (3)**
NCERT (XII) Pg. # 60
156. **Ans (4)**
NCERT (XIIth) Pg. # 150 (para-8.1)
157. **Ans (3)**
NCERT–XII, Pg. # 147, Para-8.1
158. **Ans (3)**
NCERT (XII) Pg. # 158,159, Para-8.5
161. **Ans (3)**
NCERT, Pg. # 100
162. **Ans (4)**
NCERT XI, Eng. Pg. # 137
NCERT XI, हिन्दी पेज # 137
163. **Ans (4)**
NCERT XI Pg. # 126
164. **Ans (3)**
NCERT-XI, Pg. # 146
165. **Ans (1)**
NCERT Pg. # 200

166. **Ans (4)**
NCERT, Pg. # 193
167. **Ans (4)**
NCERT, Pg. # 183
168. **Ans (1)**
NCERT Pg. # 186
169. **Ans (1)**
NCERT Pg # 57
170. **Ans (4)**
NCERT–XI, Pg. # 44
172. **Ans (1)**
NCERT XI, Pg. No. 101
175. **Ans (2)**
NCERT-XI, Pg.#116
176. **Ans (3)**
New NCERT Update
178. **Ans (2)**
NCERT_XI_Pg.No.209.
184. **Ans (3)**
NCERT XI, Pg. # 304

SECTION - B

186. **Ans (1)**
NCERT Pg. No. # 310(E), 311(H)
190. **Ans (3)**
NCERT XI Pg # 264
191. **Ans (3)**
NCERT 11th Pg. No. 281
194. **Ans (1)**
NCERT-XI, Pg. # 47
196. **Ans (3)**
NCERT-XII, Pg # 187
197. **Ans (1)**
NCERT-XI, Page# 143
198. **Ans (2)**
NCERT Pg # 118
199. **Ans (1)**
NCERT (XIIth) Pg. # 158,159,160
200. **Ans (4)**
NCERT, Pg. # 43