

ENTHUSIAST ADVANCE COURSE

PHASE : MED-I(B)

TARGET : PRE MEDICAL 2025

Test Type : MINOR

Test Pattern : NEET (UG)

TEST DATE : 05-05-2024

ANSWER KEY

Q.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
A.	2	2	1	2	1	2	3	3	3	2	2	3	1	2	2	2	3	3	3	1	3	3	2	1	1	2	2	3	3	1
Q.	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
A.	2	4	1	2	2	3	1	2	4	4	2	1	2	3	1	4	4	1	3	2	1	2	3	1	1	3	3	2	1	1
Q.	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90
A.	3	1	4	1	4	4	4	2	3	3	3	2	4	1	4	3	4	3	2	2	4	1	3	3	4	3	2	2	1	3
Q.	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120
A.	1	1	2	3	3	2	4	3	3	2	1	2	3	4	1	3	4	1	3	3	1	4	3	1	1	2	2	4	1	3
Q.	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150
A.	4	3	1	3	4	1	4	4	3	3	1	2	2	3	4	4	3	2	1	1	4	3	3	2	1	4	3	3	1	2
Q.	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180
A.	4	1	2	2	3	1	4	2	4	2	2	1	3	3	2	1	1	3	4	3	2	3	3	2	4	1	2	2	1	2
Q.	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200										
A.	3	2	4	4	3	4	1	1	4	4	4	1	3	3	3	4	1	2	1	2										

HINT - SHEET

SUBJECT : PHYSICS

SECTION-A

1. **Ans (2)**

$$\phi = \frac{q_{in}}{\epsilon_0} = \frac{8.85}{8.85 \times 10^{-12}} = 10^{12} \text{ N} \cdot \text{m}^2/\text{C}$$


2. **Ans (2)**

$$V_P = \frac{k(2q)}{a} + \frac{k(-q)}{a} + \frac{k(Q)}{\sqrt{2}a} = 0$$

$$\Rightarrow Q = -\sqrt{2}q$$

3. **Ans (1)**

At A, net field -



$$\vec{E} = \vec{E}_1 + \vec{E}_2 + \vec{E}_3 = \frac{\sigma}{2\epsilon_0} \hat{i} - \frac{2\sigma}{2\epsilon_0} \hat{i} - \frac{\sigma}{2\epsilon_0} \hat{i} = \frac{-\sigma \hat{i}}{\epsilon_0}$$


$$|\vec{E}| = \frac{\sigma}{\epsilon_0}$$

4. **Ans (2)**


Charge on leftmost and rightmost surface after redistribution

$$q = \frac{Q + 2Q + (-4Q)}{2} = \frac{-Q}{2}$$

Final charges after redistribution will be

$$\Rightarrow x = \frac{-3Q}{2}$$


5. **Ans (1)**



$$x = \frac{\sqrt{3}}{\sqrt{27} - \sqrt{3}} \times 20$$

$$x = 10\text{cm from 'B'}$$

6. Ans (2)

$q \propto \text{no. of field lines.}$

7. Ans (3)

$$F = \frac{1}{4\pi\epsilon_0} \frac{q_1 q_2}{r^2} \dots (1)$$

$$F' = \frac{1}{4\pi\epsilon_0 K} \frac{q_1 q_2}{r'^2} \dots (2)$$

$$F' = F$$

$$\frac{1}{4\pi\epsilon_0 K} \frac{q_1 q_2}{r'^2} = \frac{1}{4\pi\epsilon_0} \frac{q_1 q_2}{r^2}$$

$$r' = \frac{r}{\sqrt{K}}$$


8. Ans (3)

$$\frac{1}{2} m v^2 = \frac{1}{4\pi\epsilon_0} \frac{Q^2}{r_{\min}}$$

$$\text{Clearly } r_{\min} \propto Q^2 \propto \frac{1}{m} \propto \frac{1}{v^2}$$

$$\text{or } r_{\min} = \frac{2Q^2}{4\pi\epsilon_0 m v^2}$$

9. Ans (3)



Electric field at O due to each charge is

$$E = \frac{1}{4\pi\epsilon_0} \frac{q}{(1)^2}$$

So, net electric field (E_{net}) is

$$\Rightarrow E_{\text{net}} = 2\sqrt{E^2 + E^2 + 2E^2 \cos 120^\circ} + 2E$$

$$\Rightarrow E_{\text{net}} = 4E = \frac{q}{\pi\epsilon_0}$$

10. Ans (2)

$$F = qE$$

$$a = \frac{F}{m} = \frac{qE}{m}$$

$$m_p \gg m_e$$

$$|Q_p| = |Q_e| = e$$

11. Ans (2)

$$\vec{E} = - \left[\frac{\partial V}{\partial x} \hat{i} + \frac{\partial V}{\partial y} \hat{j} + \frac{\partial V}{\partial z} \hat{k} \right] = -k [4x\hat{i} + 2y\hat{j}]$$

$$\vec{E}_{(1,1)} = -k (4\hat{i} + 2\hat{j}) \Rightarrow E = \sqrt{k^2 (16 + 4)} = 2k\sqrt{5}$$

12. Ans (3)

$$F = 0$$

$$u = -PE$$

13. Ans (1)

Join Telegram: @NEETxNOAH

$$\text{Slope} = \frac{0-5}{6-4} = -2.5$$

$$\therefore E = -(\text{slope}) = +2.5 \text{ V/m}$$

14. Ans (2)

$$u = 0$$

$$a = \frac{QE}{m}$$

$$V(t) = u + at = \frac{QE}{m} t$$

$$K = \frac{1}{2} m v^2 = \frac{Q^2 E^2 t^2}{2m}$$

15. Ans (2)

$$\frac{kQ_A}{a} = \frac{kQ_B}{b}$$

$$\frac{Q_A}{Q_B} = \frac{a}{b}$$

$$\frac{\sigma_A}{\sigma_B} = \frac{Q_A/4\pi a^2}{Q_B/4\pi b^2} = \frac{b}{a}$$

16. Ans (2)

$\vec{E}$ is maximum at sharp corners while entire conductor is equipotential.

17. Ans (3)

$$V_A - V_0 = - \int_0^2 30x^2 dx$$

$$= -30 \left(\frac{x^3}{3} \right)_0^2$$

$$= -10 (23 - 0)$$

$$= -80 \text{ Volt}$$

18. Ans (3)

$$V_B - V_A = \Delta V_{BA} = V_C - V_A = Eb$$

19. Ans (3)

$$v_d = \frac{i}{Ane} \quad \text{As } A \uparrow \text{ so } v_d \downarrow \Rightarrow v_P > v_Q$$

20. Ans (1)

$$I = \frac{dq}{dt} = 3t^2 + 2t + 5$$

$$q = \int_{t=0}^2 (3t^2 + 2t + 5) dt = 22 \text{ C}$$

21. Ans (3)

$$i = neA v_d$$

$$v_d = \frac{i}{neA} = 1.56 \times 10^4 \text{ m/s}$$

22. Ans (3)

$$\begin{aligned} \text{Resistance } R &= \frac{\rho \ell}{A} = \frac{\rho \ell}{\pi r^2} \\ \Rightarrow \frac{R_1}{R_2} &= \frac{\ell_1}{\ell_2} \left(\frac{r_2}{r_1} \right)^2 = \frac{2}{3} \left(\frac{2}{1} \right)^2 \\ \Rightarrow \frac{10\Omega}{R_2} &= \frac{8}{3} \Rightarrow R_2 = \frac{15}{4}\Omega \\ \Rightarrow R_2 &= 3.75 \Omega \end{aligned}$$

23. Ans (2)

$$m = \frac{v}{u} = \frac{4.8}{1.2} = 4$$

24. Ans (1)

$$\begin{aligned} \frac{1}{f} &= \frac{1}{-4} - \frac{1}{(-10)} = \frac{-10+4}{40} \\ f &= -6.67 \text{ cm} \end{aligned}$$


25. Ans (1)

$$\begin{aligned} m &= \frac{v}{u} = -5 \text{ (real, inverted)} \\ \Rightarrow v &= -5u \\ \text{from } \frac{1}{f} &= \frac{1}{v} - \frac{1}{u} \\ \Rightarrow \frac{1}{30} &= -\frac{1}{5u} - \frac{1}{u} = \frac{-6}{5u} \\ \Rightarrow u &= -36 \text{ cm} \end{aligned}$$

26. Ans (2)

$$P = 6 - 4 = 2 = \frac{100}{f} \Rightarrow f = 50 \text{ cm}$$

27. Ans (2)



$$f_1 = f \quad f_2 = 2f$$

Case 1: $F_1 = f$,

$$\text{Case 2: } \frac{1}{F_2} = \frac{1}{2f} + \frac{1}{2f} = \frac{1}{f} \Rightarrow F_2 = f$$

Case 3: $F_3 = f$

$$F_1 : F_2 : F_3 = f : f : f = 1 : 1 : 1$$

28. Ans (3)

When $\Delta\phi = (2n-1)\pi$ then destructive interference take place.

29. Ans (3)


Join Telegram: @NEETxNOAH

$$\begin{aligned} I &= 4I_0 \cos^2 \left(\frac{\Delta\phi}{2} \right) \\ I_0 &= 4I_0 \cos^2 \left(\frac{\Delta\phi}{2} \right) \\ \cos \left(\frac{\Delta\phi}{2} \right) &= \frac{1}{2} \\ \Delta\phi &= \frac{2\pi}{3} \end{aligned}$$

30. Ans (1)


$$\begin{aligned} \phi &= \frac{2\pi}{\lambda} \Delta x \\ &= \frac{2\pi}{\lambda} \lambda/3 = 2\pi/3 \\ I &= I_0 \cos^2 \phi/2 \\ I &= 0.01 \cos^2(\pi/3) \\ I &= 2.5 \text{ mW/m}^2 \end{aligned}$$

31. Ans (2)



$$\begin{aligned} u &= ? \\ v &= -50 \text{ cm} \\ f &= 5 \text{ cm} \\ -\frac{1}{50} - \frac{1}{u} &= \frac{1}{5} \\ u &= -\frac{50}{11} \\ \text{M.P.} &= \frac{D}{|u|} = \frac{25}{50} \times 11 = 5.5 \end{aligned}$$

32. Ans (4)



$$\begin{aligned} \tan \alpha &\approx \alpha = \frac{100}{3000} \\ \alpha &= \frac{1}{30} \text{ rad} \\ \text{M.P.} &= \frac{f_0}{f_e} = \frac{\beta}{\alpha} \\ \frac{120}{5} &= \frac{\beta}{1} \times 30 \\ \beta &= \frac{4}{5} = 0.8 \text{ radian} \end{aligned}$$

33. Ans (1)

Theory

34. Ans (2)

$$M.P. = \frac{f_0}{f_e} \left(1 + \frac{f_e}{D} \right)$$

$$M.P. = \frac{100}{5} \left(1 + \frac{5}{25} \right)$$

$$M.P. = 20 \left(\frac{6}{5} \right) = 24$$

35. Ans (2)

$$\Delta x = (2\mu - 1)t - (\mu - 1)2t$$

$$= 2\mu t - t - 2\mu t + 2t = t$$

$$\Delta x = \frac{dy}{D} = t$$

$$y = \frac{tD}{d}$$

SECTION-B

36. Ans (3)

Conceptual Question

37. Ans (1)

$$V = V_1 + V_2 + V_3$$

$$= \frac{1}{4\pi\epsilon_0} \cdot \frac{Q}{R} + \frac{1}{4\pi\epsilon_0} \left(\frac{-2Q}{R} \right) + \frac{1}{4\pi\epsilon_0} \left(\frac{3Q}{R} \right)$$

$$= \frac{1}{4\pi\epsilon_0} \cdot \left(\frac{2Q}{R} \right)$$

38. Ans (2)


by Gauss' law,

$$E(4\pi r_B^2) = \frac{Q_2}{\epsilon_0}$$

$$V = V_{R_1} + V_{R_2}$$

$$= \frac{kQ_1}{R_1} + \frac{kQ_2}{r_B}$$

39. Ans (4)



$$p' = \frac{2p}{\theta} \sin \frac{\theta}{2}$$

Here $\theta = \frac{\pi}{3}$

$$p' = \frac{3p}{\pi}$$

40. Ans (4)

Join Telegram: @NEETxNOAH

$$E_0 = Kq \left[\frac{1}{1} + \left(+\frac{1}{4} \right) + \left(\frac{1}{16} \right) + \left(\frac{+1}{64} \right) + \dots \right]$$

$$= \frac{Kq}{1 - \left(+\frac{1}{4} \right)} = \frac{4}{3} Kq$$

41. Ans (2)

Electric field lines are always perpendicular to the equipotential surfaces. Also potential decreases in the direction of electric field.

42. Ans (1)

$$\vec{\tau} = \vec{P} \times \vec{E} \Rightarrow \tau = PE \sin \theta$$

for small angular displacement


$\tau = -PE\theta$ direction of τ & θ opposite

$$I\alpha = -PE\theta$$

$$\Rightarrow \alpha = - \left(\frac{PE}{I} \right) \theta = \alpha = -\omega^2 \theta$$

$$\omega = \sqrt{\frac{PE}{I}}$$

43. Ans (2)



$$V_{\text{inner}} = 0$$

$$\frac{Kx}{R} + \frac{KQ}{3R} = 0$$

$$x = -\frac{Q}{3}$$

44. Ans (3)

For dipoles placed on vertical line


$$\vec{E}_{\text{net}} = \frac{2Kp}{x^3} \hat{i}$$

for dipole placed on horizontal line –

$$\vec{E}_{\text{net}} = \frac{2Kp}{x^3} \hat{i}$$

$$\Rightarrow \vec{E}_{\text{net}} \text{ at origin} = \frac{4Kp}{x^3} \hat{i}$$

45. Ans (1)




For maximum distance AB Range of projectile is maximum

$$\Rightarrow \theta = 45^\circ$$

$$\text{Time of flight} = T = \frac{2uy}{ay} = \frac{2(u \sin 45^\circ)}{\frac{q}{m} \left(\frac{\sigma}{2\epsilon_0} \right)} = \frac{2\sqrt{2}m u \epsilon_0}{\sigma q}$$

46. Ans (4)



$$\frac{D_1}{f} = \frac{D_2}{2f}$$

$$D_2 = 2D_1 = 2\text{cm.}$$

49. Ans (3)

$$I = 4I_0 \cos^2 \frac{\phi}{2}$$

$$2I_0 = 4I_0 \cos^2 \frac{\phi}{2} \Rightarrow \cos \frac{\phi}{2} = \frac{1}{\sqrt{2}}$$

$$\phi = \frac{\pi}{2}$$

$$\Delta = \frac{\lambda}{4}; x = \frac{\lambda D}{4d}$$

$$\text{Now } I_0 = 4I_0 \cos^2 \frac{\phi'}{2}$$

$$\frac{\phi'}{2} = \frac{\pi}{3} \Rightarrow \phi' = \frac{2\pi}{3}; \Delta' = \frac{\lambda}{3}$$

$$x' = \frac{\lambda D}{3d}$$

$$\Delta x = x' - x = \frac{\lambda D}{12d} = \frac{\alpha}{12}$$

50. Ans (2)

$$\text{M.P.} = \frac{\ell D}{f_0 f_e}$$

$$\ell = 19 - (2 + 3) = 14$$

$$\text{M.P.} = \frac{14 \times 25}{2 \times 3} = \frac{175}{3}$$

Join Telegram: @NEETxNOAH
SUBJECT : CHEMISTRY

SECTION-A

51. Ans (1)

$$\text{Solubility} \propto \frac{1}{K_H}$$

53. Ans (3)

$$\pi_1 = \pi_2$$

$$C_1 RT = C_2 RT$$

$$C_1 = C_2$$

$$\frac{5 \times 1000}{342 \times 100} = \frac{1 \times 1000}{M_w \times 100}$$

$$M_w = \frac{342}{5} = 68.4$$

57. Ans (3)

$$E_{\text{cell}}^0 = (E_{\text{cathode}}^0 - E_{\text{anode}}^0)_{\text{SRP}} = 0.80 - (-0.76) = 1.56$$

58. Ans (2)

Fact based

59. Ans (1)

NCERT Pg. # 114

60. Ans (1)

Ref NCERT

61. Ans (3)


$$r = k[A][B_2]$$

$$K_{\text{eq}} = \frac{[A]^2}{[A_2]}$$

$$r = k'[A_2]^{1/2} [B_2]$$

$$\text{Order} = 1 + \frac{1}{2} = \frac{3}{2}$$

62. Ans (1)



63. Ans (4)

$$\Lambda_m \propto \text{dilution} \propto \frac{1}{\text{conc.}}$$

64. Ans (1)

$$\text{Conductivity} (\kappa) \propto \frac{1}{\text{dilution}} \\ \text{on dilution} \Rightarrow \text{no. of ions per cm}^3 \downarrow \Rightarrow k \downarrow$$

65. Ans (4)

NCERT Pg. # 81,82

$\frac{K_a}{\alpha^2} = \frac{C\alpha^2}{1-\alpha}$	$\left(\alpha = \frac{\Lambda_m}{\Lambda_m^0} \right)$	$C = \frac{\Lambda_m^0}{\Lambda_m^2} \cdot K_a (\Lambda_m^0 - \Lambda_m)$
$\frac{K_a (1-\alpha)}{\alpha^2} = C$	$\frac{K_a \left(1 - \frac{\Lambda_m}{\Lambda_m^0} \right)}{\frac{\Lambda_m^2}{(\Lambda_m^0)^2}} = C$	

66. Ans (4)

NCERT Pg. # 75

Passing direct current through ionic solution over a prolonged period can lead to change in its composition so, that A.C source of power is used.

67. Ans (4)

NCERT Pg. # 81

$$\begin{aligned} \Lambda_m^0(\text{H}_2\text{O}) &= \Lambda_m^0(\text{HCl}) + \Lambda_m^0(\text{NaOH}) - \Lambda_m^0(\text{NaCl}) \\ &= 425.9 + 249.2 - 126.4 \\ &= 548.7 \text{ Scm}^2 \text{ mol}^{-1} \end{aligned}$$

68. Ans (2)

$$\begin{aligned} \Lambda_m &= \frac{k \times 1000}{M} = \frac{(G \cdot G^*) \times 1000}{M} \\ \Lambda_m &= \frac{[0.9 \times 1/250] \times 1000}{0.02} \\ &= 180 \text{ Scm}^2 \text{ mol}^{-1} \end{aligned}$$

69. Ans (3)

Reaction is first order

$$\begin{aligned} r &= k [\text{N}_2\text{O}_5]^1 \\ 2.5 \times 10^{-3} &= 5 \times 10^{-3} [\text{N}_2\text{O}_5]^1 \\ [\text{N}_2\text{O}_5] &= \frac{2.5 \times 10^{-3}}{5 \times 10^{-3}} \\ &= 0.5 \text{ M} \end{aligned}$$

72. Ans (2)

$$\begin{aligned} x &= kt = 0.025 \times 15 = 0.375 \text{ M} \\ [\text{A}]_t &= 0.6 - 0.375 \\ &= 0.225 \text{ M} \end{aligned}$$

73. Ans (4)

$$\begin{aligned} \frac{(\text{ROF})_{\text{SO}_2}}{2} &= \frac{(\text{ROF})_{\text{O}_2}}{1} \\ &= 2 \times (\text{ROF})_{\text{O}_2} \\ &= 2 \times \frac{0.016}{32} \text{ mol. hr}^{-1} \\ &= \frac{2 \times 0.016}{32} \times 64 \text{ kg. hr}^{-1} = 0.064 \text{ kg. hr}^{-1} \end{aligned}$$

Join Telegram: @NEETxNOAH

SECTION-B

87. Ans (2)

NCERT-XII, Pg. # 36, Part-1, 2nd Paragraph
(A)-(III), (B)-(IV), (C)-(I), (D)-(II)

88. Ans (2)

Lesser is the value of standard reduction potential, stronger is the reducing agent.

92. Ans (1)

$$\begin{aligned} \Delta T_f &= T_f^0 - T_f = i k_f \times m \\ 0 - T_f &= [1 + (n-1)\alpha] \times 1.86 \times \frac{5 \times 1000}{95 \times 95} \\ -T_f &= [1 + (3-1)0.9] \times 1.030 \\ T_f &= -2.884^\circ\text{C} \end{aligned}$$

93. Ans (2)

In (+)ve deviated solution

A-A or B-B interaction (Solute-Solute)
(Solvent-Solvent) > A-B interaction (Solute-Solvent)

94. Ans (3)

NCERT Pg. # 78

$$\begin{aligned} A &= \pi r^2 = 3.14 \times (1)^2 = 3.14 \text{ cm}^2 \\ k &= \frac{1}{\rho} = \frac{1}{R} \cdot \left(\frac{\ell}{A} \right) \\ &= \frac{1}{4.44 \times 10^3} \times \left(\frac{100}{3.14} \right) = 0.0071 \text{ Scm}^{-1} \\ \Lambda_{\text{eq.}} &= \frac{k \times 1000}{N} \\ &= \frac{0.0071 \times 1000}{0.04 \times 2} \\ &= 88.75 \text{ Scm}^2 \text{ eq.}^{-1} \end{aligned}$$

95. Ans (3)

$$\begin{aligned} \% B &= \frac{k_1}{k_1 + k_2} \times 100 \\ &= \frac{1.4 \times 10^{-5}}{1.4 \times 10^{-5} + 5.2 \times 10^{-5}} \times 100 = 21.2 \% \\ \% C &= 100 - 21.2 = 78.8 \% \end{aligned}$$

SUBJECT : BIOLOGY-I

SECTION-A

101. Ans (1)

NCERT-XII, Pg. # 104

102. Ans (2)

NCERT-XII, Pg. # 105

103. **Ans (3)**
NCERT-XII, Pg. # 106
104. **Ans (4)**
NCERT-XII, Pg. # 163
105. **Ans (1)**
NCERT-XII, Pg. # 165
106. **Ans (3)**
NCERT-XII, Pg. # 169
107. **Ans (4)**
NCERT-XII, Pg. # 168
108. **Ans (1)**
NCERT-XII, Pg. # 167
109. **Ans (3)**
NCERT-XII, Pg. # 171-172
110. **Ans (3)**
NCERT-XII, Pg. # 168
111. **Ans (1)**
NCERT-XII, Pg. # 168
112. **Ans (4)**
NCERT-XII, Pg. # 174
113. **Ans (3)**
NCERT-XII, Pg. # 169
114. **Ans (1)**
NCERT-XII, Pg. # 164, 173, 174
115. **Ans (1)**
NCERT-XII, Pg. # 104
116. **Ans (2)**
NCERT-XII, Pg. # 179
117. **Ans (2)**
NCERT-XII, Pg. # 180
118. **Ans (4)**
NCERT-XII, Pg. # 180
119. **Ans (1)**
NCERT-XII, Pg. # 180
120. **Ans (3)**
NCERT-XII, Pg. # 183
121. **Ans (4)**
NCERT-XII, Pg. # 183

122. **Ans (3)** *Join Telegram: @NEETxNOAH*
NCERT-XII, Pg. # 182
123. **Ans (1)**
NCERT-XII, Pg. # 179
124. **Ans (3)**
NCERT-XII, Pg. # 179
125. **Ans (4)**
NCERT, Pg. # 221
126. **Ans (1)**
NCERT, Pg. # 196
127. **Ans (4)**
NCERT, Pg. # 193
128. **Ans (4)**
NCERT, Pg. # 193
129. **Ans (3)**
NCERT, Pg. # 195
130. **Ans (3)**
NCERT, Pg. # 220
131. **Ans (1)**
NCERT, Pg. # 191
132. **Ans (2)**
NCERT, Pg. # 189
135. **Ans (4)**
NCERT, Pg. # 221

SECTION-B

136. **Ans (4)**
NCERT-XII, Pg. # 106
137. **Ans (3)**
NCERT-XII, Pg. # 103
138. **Ans (2)**
NCERT-XII, Pg. # 169
139. **Ans (1)**
NCERT-XII, Pg. # 167
140. **Ans (1)**
NCERT-XII, Pg. # 169
141. **Ans (4)**
NCERT-XII, Pg. # 171
142. **Ans (3)**
NCERT-XII, Pg. # 178

143. **Ans (3)**
NCERT-XII, Pg. # 180
144. **Ans (2)**
NCERT-XII, Pg. # 181
145. **Ans (1)**
NCERT-XII, Pg. # 184
146. **Ans (4)**
NCERT, Pg. # 203
147. **Ans (3)**
NCERT, Pg. # 191
148. **Ans (3)**
NCERT, Pg. # 197
149. **Ans (1)**
NCERT, Pg. # 195
150. **Ans (2)**
NCERT, Pg. # 191

SUBJECT : BIOLOGY-II

SECTION-A

152. **Ans (1)**
NCERT, Pg. # 193
153. **Ans (2)**
NCERT XII, Pg. # 142
155. **Ans (3)**
NCERT, Pg. # 142-143
157. **Ans (4)**
Ncert Pg No: 134, 135
160. **Ans (2)**
NCERT-Pg. # 138,139
161. **Ans (2)**
NCERT XII Pg. # 137
162. **Ans (1)**
NCERT-XII, Pg. # 130,131
166. **Ans (1)**
NCERT-XII, Pg. # 144
168. **Ans (3)**
NCERT-XII, Pg. # 23
172. **Ans (3)**
NCERT Page no. 50

173. **Ans (3)**
NCERT Pg. # 36
174. **Ans (2)**
NCERT Pg. # 36, 37
175. **Ans (4)**
NCERT Pg. # 36
176. **Ans (1)**
NCERT Pg. # 36
177. **Ans (2)**
NCERT Pg. # 38
179. **Ans (1)**
NCERT Pg. # 38
181. **Ans (3)**
NCERT Pg. # 34
183. **Ans (4)**
NCERT Pg. # 34, 37, 38
184. **Ans (4)**
NCERT Pg. # 26
185. **Ans (3)**
NCERT Pg. # 27

SECTION-B

187. **Ans (1)**
NCERT- Pg. # 134,135
188. **Ans (1)**
NCERT Pg. # 137
189. **Ans (4)**
NCERT Pg. # 130, 131
192. **Ans (1)**
NCERT-Pg. # 138,139
193. **Ans (3)**
NCERT-XII Pg. # 138
198. **Ans (2)**
NCERT Pg. # 37
199. **Ans (1)**
NCERT Pg. # 29, 32, 37
200. **Ans (2)**
NCERT Pg. # 27