2205. Find Good Days to Rob the Bank

Difficulty: Medium

https://leetcode.com/problems/find-good-days-to-rob-the-bank

You and a gang of thieves are planning on robbing a bank. You are given a **0-indexed** integer array security, where security[i] is the number of guards on duty on the ith day. The days are numbered starting from 0. You are also given an integer time.

The ith day is a good day to rob the bank if:

- There are at least time days before and after the ith day,
- The number of guards at the bank for the time days before i are non-increasing, and
- The number of guards at the bank for the time days **after** i are **non-decreasing**.

More formally, this means day i is a good day to rob the bank if and only if security[i - time] >= security[i - time + 1] >= ... >= security[i] <= ... <= security[i + time - 1] <= security[i + time].

Return a list of all days (0-indexed) that are good days to rob the bank. The order that the days are returned in does not matter.

Example 1:

```
Input: security = [5,3,3,3,5,6,2], time = 2
Output: [2,3]
Explanation:
On day 2, we have security[0] >= security[1] >= security[2] <= security[3] <= security[4].
On day 3, we have security[1] >= security[2] >= security[3] <= security[4] <= security[5].
No other days satisfy this condition, so days 2 and 3 are the only good days to rob the bank.</pre>
```

Example 2:

```
Input: security = [1,1,1,1,1], time = 0
Output: [0,1,2,3,4]
Explanation:
Since time equals 0, every day is a good day to rob the bank, so return every day.
```

Example 3:

```
Output: []
Explanation:
No day has 2 days before it that have a non-increasing number of guards.
Thus, no day is a good day to rob the bank, so return an empty list.
```

Constraints:

```
    1 <= security.length <= 10<sup>5</sup>
    0 <= security[i], time <= 10<sup>5</sup>
```

Input: security = [1,2,3,4,5,6], time = 2