

1348. Maximum Score Of Spliced Array

Difficulty : Hard

<https://leetcode.com/problems/maximum-score-of-spliced-array>

You are given two **0-indexed** integer arrays `nums1` and `nums2`, both of length `n`.

You can choose two integers `left` and `right` where $0 \leq \text{left} \leq \text{right} < n$ and **swap** the subarray `nums1[left...right]` with the subarray `nums2[left...right]`.

- For example, if `nums1 = [1,2,3,4,5]` and `nums2 = [11,12,13,14,15]` and you choose `left = 1` and `right = 2`, `nums1` becomes `[1,12,13,4,5]` and `nums2` becomes `[11,2,3,14,15]`.

You may choose to apply the mentioned operation **once** or not do anything.

The **score** of the arrays is the **maximum** of `sum(nums1)` and `sum(nums2)`, where `sum(arr)` is the sum of all the elements in the array `arr`.

Return *the maximum possible score*.

A **subarray** is a contiguous sequence of elements within an array. `arr[left...right]` denotes the subarray that contains the elements of `nums` between indices `left` and `right` (**inclusive**).

Example 1:

Input: `nums1 = [60,60,60]`, `nums2 = [10,90,10]`

Output: 210

Explanation: Choosing `left = 1` and `right = 1`, we have `nums1 = [60,90,60]` and `nums2 = [10,60,10]`.

The score is `max(sum(nums1), sum(nums2)) = max(210, 80) = 210`.

Example 2:

Input: `nums1 = [20,40,20,70,30]`, `nums2 = [50,20,50,40,20]`

Output: 220

Explanation: Choosing `left = 3`, `right = 4`, we have `nums1 = [20,40,20,40,20]` and `nums2 = [50,20,50,70,30]`.

The score is `max(sum(nums1), sum(nums2)) = max(140, 220) = 220`.

Example 3:

Input: `nums1 = [7,11,13]`, `nums2 = [1,1,1]`

Output: 31

Explanation: We choose not to swap any subarray.

The score is `max(sum(nums1), sum(nums2)) = max(31, 3) = 31`.

Constraints:

- `n == nums1.length == nums2.length`
- `1 <= n <= 105`
- `1 <= nums1[i], nums2[i] <= 104`