Date:

Question 1

Section A

P1

```
Create Database canteen_db;
Use canteen_db;
```

P2

```
Create table students (
  student_id int primary key,
  name varchar(50) not null,
  class varchar(10),
  balance decimal(6,2) default 100.00 );

Create table menu_items (
  item_id int primary key,
  item_name varchar(50) not null,
  price decimal(5,2)
  category varchar(20) );

Create table orders (
  order_id int, primary key,
  student_id int,
  item_id int,
  quantity int,
  order_date date );
```

redo

```
Create table orders (
  order_id int,
  student_id int,
  item_id int,
  quantity int,
  order_date date );
```

REDMI 15C

10/11/2024 12:41

CamScanner

Date:

P3

```
Insert into students (student_id, name, class, balance) values
(1, 'Imran', '1', 160.30),
(2, 'Ali', '5', 200.00),
(3, 'Amna', '8', 1600.00),
(4, 'Asma', '2', 35.50);

Insert into menu_items (item_id, item_name, price, category) values
(1, 'biryani', 200.00, 'Main Course'),
(2, 'roll', 60.00, 'Snacks'),
(3, 'samosa', 80.00, 'Snacks'),
(4, 'juice', 120.00, 'Beverages');

Insert into orders (order_id, student_id, item_id, quantity, order_date)
values (1, 4, 2, 1, '2026-11-15'),
(2, 2, 1, 1, '2026-10-20'),
(3, 1, 3, 7, '2026-09-12'),
(4, 3, 4, 4, '2026-12-30');
```

Section B

P4

```
Alter table orders
Add constraint fk_orders_student
Foreign key (student_id) references students (student_id);
```

REDMI 15C
10/11/2026 12:41
CamScanner

Date:

P5

```
After table orders
Add constraint fk_orders_item
Foreign key (itemid) references menu_idems (item_id);
```

P6

1)

```
Alter table orders
Add primary key (order_id);
```

2)

```
Alter table orders
Add constraint pk_orders primary key (order_id);
```

SECTION C

P7

```
Select * from students
where balance < 50
order by balance asc;
```

Outputs

student_id	name	class	balance
4	asma	2	35.50

P8

```
Select
    s.name As student_name,
    m.item_name,
    m.price,
    o.quantity,
    (m.price * o.quantity) As total cost
From orders o
Join students s ON o.student_id = s.student_id
Join menu_items m ON o.item_id = m.item_id;
```

student_name	item_name	price	quantity	total cost
asma	roll	60.00	1	60.00
ali	biryani	200.00	1	200.00
imran	samosa	80.00	7	560.00
asma	juice	120.00	2	240.00

Date: Outputs

P9

```
Update students
Set balance = balance + 1000.00
where name = 'ali'
```

student_id	name	class	balance
2	ali	5	1200.00

P10

```
Update menu_items
Set price = price * 1.10
where category = 'Beverages';
```

Item_id	item_name	price	catego
4	juice	132.00	Bevera

P11

```
Delete from orders
where order_date < '2026-10-25';
select * from orders;
```

order_id	stden_id	item_id	quantity	order_date
1	4	2	1	2026-11-
4	3	4	2	2026-1

Expected output

order_id	student_id	item_id	quantity	order_date
1	4	2	1	2026-11-15
4	3	4	2	2026-12-30

P12

Deleting a row from students table will fail if that student has entry in orders table becaIt is because of refrential integrety constraint. Orders table contains a foriegn key pointing to student_id. Deleting student cursp's data.

Delete statement

```
Delete from ~~orders~~ students where student_id = 1;
```

Expected error

Cannot delete or update a parent row due to foreign key

Fix

```
Delete from order where student_id = 1;
Delete from students where student_id = 1;
```

REDMI 15C
10/11/2026 12:42
CamScanner