
Use Cases

for

<Project>

Version 1.0 approved

Prepared by <author>

<organization>

<date created>

Revision History

Name	Date	Reason For Changes	Version

Guidance for Use Case Template

Document each use case using the template shown in the Appendix. This section provides a description of each section in the use case template.

1. Use Case Identification

1.1. Use Case ID

Give each use case a unique numeric identifier, in hierarchical form: X.Y. Related use cases can be grouped in the hierarchy. Functional requirements can be traced back to a labeled use case.

1.2. Use Case Name

State a concise, results-oriented name for the use case. These reflect the tasks the user needs to be able to accomplish using the system. Include an action verb and a noun. Some examples:

- View part number information.
- Manually mark hypertext source and establish link to target.
- Place an order for a CD with the updated software version.

1.3. Use Case History

1.3.1. Created By

Supply the name of the person who initially documented this use case.

1.3.2. Date Created

Enter the date on which the use case was initially documented.

1.3.3. Last Updated By

Supply the name of the person who performed the most recent update to the use case description.

1.3.4. Date Last Updated

Enter the date on which the use case was most recently updated.

2. Use Case Definition

2.1. Actor

An actor is a person or other entity external to the software system being specified who interacts with the system and performs use cases to accomplish tasks. Different actors often correspond to different user classes, or roles, identified from the customer community that will use the product. Name the actor(s) that will be performing this use case.

2.2. Description

Provide a brief description of the reason for and outcome of this use case, or a high-level description of the sequence of actions and the outcome of executing the use case.

2.3. Preconditions

List any activities that must take place, or any conditions that must be true, before the use case can be started. Number each precondition. Examples:

1. User's identity has been authenticated.
2. User's computer has sufficient free memory available to launch task.

2.4. Postconditions

Describe the state of the system at the conclusion of the use case execution. Number each postcondition. Examples:

1. Document contains only valid SGML tags.
2. Price of item in database has been updated with new value.

2.5. Priority

Indicate the relative priority of implementing the functionality required to allow this use case to be executed. The priority scheme used must be the same as that used in the software requirements specification.

2.6. Frequency of Use

Estimate the number of times this use case will be performed by the actors per some appropriate unit of time.

2.7. Flow of Events

Provide a detailed description of the user actions and system responses that will take place during execution of the use case under normal, expected conditions. This dialog sequence will ultimately lead to accomplishing the goal stated in the use case name and description. This description may be written as an answer to the hypothetical question, "How do I <accomplish the task stated in the use case name>?" This is best done as a numbered list of actions performed by the actor, alternating with responses provided by the system.

2.8. Alternative Flows

Document other, legitimate usage scenarios that can take place within this use case separately in this section. State the alternative course, and describe any differences in the sequence of steps that take place. Number each alternative course using the Use Case ID as a prefix, followed by "AC" to indicate "Alternative Course". Example: X.Y.AC.1.

2.9. Exceptions

Describe any anticipated error conditions that could occur during execution of the use case, and define how the system is to respond to those conditions. Also, describe how the system is to respond if the use case execution fails for some unanticipated reason. Number each exception using the Use Case ID as a prefix, followed by "EX" to indicate "Exception". Example: X.Y.EX.1.

2.10. Includes

List any other use cases that are included ("called") by this use case. Common functionality that appears in multiple use cases can be split out into a separate use case that is included by the ones that need that common functionality.

2.11. Special Requirements

Identify any additional requirements, such as nonfunctional requirements, for the use case that may need to be addressed during design or implementation. These may include performance requirements or other quality attributes.

2.12. Assumptions

List any assumptions that were made in the analysis that led to accepting this use case into the product description and writing the use case description.

2.13. Notes and Issues

List any additional comments about this use case or any remaining open issues or TBDs (To Be Determineds) that must be resolved. Identify who will resolve each issue, the due date, and what the resolution ultimately is.

Use Case Template

Use Case ID:	UC.4		
Use Case Name:	Upload and Edit Resume		
Created By:	Gan Sui	Last Updated By:	Gan Sui
Date Created:	29/3/26	Date Last Updated:	5/4/26

Actor:	Authenticated User
Description:	This use case allows an authenticated user to upload, edit, save, download, and delete their resume within the system. The user can modify resume content by moving sections up or down, adding entries, and adding or removing bullet points. The system securely stores the resume and makes it available for further analysis.
Preconditions:	1. The user is logged into their account. 2. The user has accessed the resume management section.
Postconditions:	1. The resume is securely stored in the system. 2. The user is able to edit and manage their resume. 3. The user is able to save the edited resume. 4. The user is able to download the edited resume. 5. The resume is available for analysis through UC.5.
Priority:	High
Frequency of Use:	Medium

Flow of Events:	1. The Authenticated User navigates to the resume management section. 2. The system displays the current resume, if available, together with options to upload, edit, save, download, and delete. 3. The Authenticated User uploads a resume file. 4. The system validates the file format and stores the resume securely. 5. The Authenticated User selects the option to edit the resume. 6. The system displays the resume in editable form with controls to move sections up or down, add entries, and add or remove bullet points. 7. The Authenticated User modifies the resume content and structure as needed. 8. The system updates the editable resume view and preview based on the user's changes. 9. The Authenticated User selects the option to save the edited resume. 10. The system stores the updated resume and confirms that the changes have been saved successfully. 11. The Authenticated User selects the option to download the edited resume. 12. The system generates the latest saved version of the resume and downloads it to the user's device. 13. The Authenticated User may select the option to delete the resume. 14. The system requests confirmation and deletes the stored resume after confirmation
-----------------	--

Alternative Flows:	UC.4.AC.1: The user replaces an existing resume 1. The Authenticated User uploads a new resume when a resume already exists. 2. The system informs the user that the existing resume will be replaced. 3. The Authenticated User confirms the replacement. 4. The system stores the new resume and replaces the previous version.
Exceptions:	UC.4.EX.1: Unauthorised access 1. The system detects that the user is not authenticated. 2. The system redirects the user to the login page. UC.4.EX.2: Invalid file format 1. The system detects an unsupported file format. 2. The system rejects the upload and prompts the user to upload a valid file. UC.4.EX.3: Save failure 1. The system encounters an error while saving the edited resume. 2. The system displays an error message and prompts the user to try again.
Includes:	UC.5 – Analyse Resume
Special Requirements:	1. The system must restrict access to authenticated users only. 2. The system must ensure that users can only access their own resumes. 3. The system must support editing controls for moving sections up and down. 4. The system must support adding entries and adding or removing bullet points. 5. The system must allow the user to save and download the edited resume.

Assumptions:	1. Supported file formats include PDF and DOCX. 2. The resume editor supports structured resume sections such as education, experience, projects, and skills.
Notes and Issues:	1. Resume formatting consistency after editing may require further user testing.