
Project Design Phase-II Data Flow Diagram & User Stories

Date	30 September 2026
Team ID	SWTID-2026-4475
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	4 Marks

Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.

Example: DFD Level 0 - Implement Client Script & UI Policy (Incident)



Data Flow Steps:

1. Caller opens a new Incident form; the onLoad Client Script (D2) runs and returns a pre-filled form (caller, default values, info message).
2. UI Policy rules from D2 are evaluated against the form values and fields are made mandatory, visible or read-only.
3. When the Caller or Agent changes a field (Category, Impact, State), the onChange Client Script updates dependent fields and shows messages.
4. On Submit, the onSubmit Client Script validates the data and returns a success or error message to the user.
5. Valid incident data is saved to the Incident table (D1). The Administrator maintains scripts and policies stored in D2.

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Caller (Web user)	Incident Form Load (onLoad Client Script)	USN-1	As a caller, when I open the New Incident form, my name is auto-populated in the Caller field and default values are set.	I can see the Caller field pre-filled when the form loads	High	Sprint-1
		USN-2	As a caller, I see an information message on load asking me to describe the issue in detail.	I can see the message at the top of the form	Low	Sprint-2
	Field Change Handling (onChange Client Script)	USN-3	As a caller, when I change the Category, the Subcategory value is cleared and refreshed.	Subcategory list matches the selected Category	High	Sprint-1
		USN-4	As a caller, when I set Impact to High, I am prompted to enter a business justification.	I can see the prompt and add justification in the description	Medium	Sprint-2
	Submission Validation (onSubmit Client Script)	USN-5	As a caller, I cannot submit the incident without a Short description.	Submit is blocked and an error message is displayed	High	Sprint-1
Caller (Mobile user)	UI Policy	USN-6	As a mobile caller, I see the same mandatory fields on the mobile form as on the web form.	Mandatory fields are marked and enforced on mobile view	Medium	Sprint-2
Service Desk Agent	UI Policy	USN-7	As an agent, when I set State to On Hold, the On hold reason field becomes visible and mandatory.	I can enter On hold reason; the incident cannot be saved without it	High	Sprint-1
		USN-8	As an agent, when I set State to Resolved or Closed, Resolution code and Close notes become mandatory.	I can resolve the incident only after entering both fields	High	Sprint-1
		USN-9	As an agent, when an incident is Closed, its main fields become read-only.	I can view but not edit the fields of a closed incident	Medium	Sprint-2

Administrator	Configuration	USN-10	As an administrator, I can create a Client Script (type, table, field, script) on the Incident table.	The script is active and runs on the Incident form	High	Sprint-1
		USN-11	As an administrator, I can create a UI Policy with conditions and UI policy actions on the Incident table.	The policy applies when its condition is true and reverses when false	High	Sprint-1
		USN-12	As an administrator, I can test, activate or deactivate scripts and policies without affecting other forms.	I can verify behaviour on the Incident form after each change	Medium	Sprint-2