

```
> D:\Garvan;
```

Garvan (1)

```
> read"D:\Garvan:"wmprog";
```

"wmprog" (2)

```
> read"D:\Garvan/wmprog-thetaids.txt";
```

Error, unable to read `D:Garvan/wmprog-thetaids.txt`

```
> read"D:/Garvan/wprog-thetaids.txt":
```

BEGIN thetaids package
THIS VERSION DATED Sat Jul 21 12:00:05 EDT 2018

Warning, (in thetaids[jacbase]) `j` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:906|
Warning, (in thetaids[mintotORDS]) `j` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1163|
Warning, (in thetaids[mintotORDS]) `i` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1165|
Warning, (in thetaids[provemodfuncid]) `k` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1495|
Warning, (in thetaids[provemodfuncidBATCH]) `k` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1698|
TABLE TYPE thetaids = true

Error, archive data file "c:\cygwin64/home/Owner/maple/mylib/thetaids.mla" could not be created
END thetaids package

```
> read"D:/Garvan/ETA.txt";
```

BEGIN ETA package
THIS VERSION DATED Sat, Jun 29, 2019 9:28:11 PM

$ETA := \text{table}([\])$

TABLE TYPE ETA = true

Error, archive data file "c:\cygwin64/home/fgarv/maple/mylib/ETA.mla" could not be created
END ETA package

```
> read"D:/Garvan/wmprog.txt":
```

Warning, (in qseries[findhomcombo]) `func` is implicitly declared local |D:/Garvan/wmprog.txt:321|
Warning, (in qseries[findhomcombo]) `fq` is implicitly declared local |D:/Garvan/wmprog.txt:334|
Warning, (in qseries[findhomcombo]) `ANSETA` is implicitly declared local |D:/Garvan/wmprog.txt:343|
Warning, (in qseries[findhomcombo]) `geta` is implicitly declared local

|D:/Garvan/wmprog.txt:348|
Warning, (in qseries[findlincombo]) `k` is implicitly declared local
|D:/Garvan/wmprog.txt:412|
Warning, (in qseries[findlincombomdp]) `k` is implicitly declared local
|D:/Garvan/wmprog.txt:486|
Warning, (in qseries[findhomcombomdp]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:561|
Warning, (in qseries[findhomcombomdp]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:574|
Warning, (in qseries[findhomcombomdp]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:583|
Warning, (in qseries[findhomcombomdp]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:588|
Warning, (in qseries[findnonhomcombo]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:679|
Warning, (in qseries[findnonhomcombo]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:718|
Warning, (in qseries[findnonhomcombo]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:723|
Warning, (in qseries[findnonhomcombo]) `ANS` is implicitly declared local
|D:/Garvan/wmprog.txt:729|
Warning, (in qseries[findnonhomcombo]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:730|
Warning, (in qseries[findnonhomcombo]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:735|
Warning, (in qjac) `t` is implicitly declared local |D:/Garvan/wmprog.txt:1079|
Warning, (in qjac) `c` is implicitly declared local |D:/Garvan/wmprog.txt:1082|
Warning, (in qseries[mprodmake]) `qqprod` is implicitly declared local
|D:/Garvan/wmprog.txt:1150|
Warning, (in qseries[prodmake]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:1166|
Warning, (in qseries[prodmake]) `q` is implicitly declared local
|D:/Garvan/wmprog.txt:1167|
Warning, (in qseries[prodmake]) `T` is implicitly declared local
|D:/Garvan/wmprog.txt:1168|
Warning, (in qseries[prodmake]) `bseq` is implicitly declared local
|D:/Garvan/wmprog.txt:1204|
Warning, (in qseries[prodmake]) `lst` is implicitly declared local
|D:/Garvan/wmprog.txt:1205|
Warning, (in bigqpfac) `conc` is implicitly declared local |D:/Garvan/wmprog.
txt:1525|
Warning, (in qseries[quinprod]) `leftid` is implicitly declared local

[|D:/Garvan/wmprog.txt:1637|](#)

[Warning, \(in qseries\[quinprod\]\) `x1` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1643|](#)

[Warning, \(in qseries\[quinprod\]\) `x2` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1646|](#)

[Warning, \(in qseries\[quinprod\]\) `rightid` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1652|](#)

[Warning, \(in qseries\[tripleprod\]\) `x` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1709|](#)

[Warning, \(in qseries\[tripleprod\]\) `lasti` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1710|](#)

[Warning, \(in qseries\[tripleprod\]\) `i` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1711|](#)

[Warning, \(in qseries\[tripleprod\]\) `leftid` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1717|](#)

[Warning, \(in qseries\[tripleprod\]\) `rightid` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1720|](#)

[Warning, \(in qseries\[zqfactor\]\) `buglim` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1751|](#)

[Warning, \(in qseries\[zqfactor\]\) `F` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1755|](#)

[Warning, \(in qseries\[zqfactor\]\) `z` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1756|](#)

[Warning, \(in qseries\[zqfactor\]\) `q` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1757|](#)

[Warning, \(in qseries\[zqfactor\]\) `N` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1758|](#)

[Error, could not open `c:\Program Files\Maple 11\mylib\qseries.m` for writing](#)

> with(qseries);

[aqprod, changes, etamake, etaq, findhom, findhomcombo, findhomcombomodp, findhommodp, findlincombo, findlincombomodp, findnonhom, findnonhomcombo, findpoly, jac2prod, jac2series, jacprod, jacprodmade, mprodmake, packageversion, prodmake, qbin, qetamake, qfactor, quinprod, sift, θ , θ_2 , θ_3 , θ_4 , tripleprod, winquist, zqfactor] (3)

> with(ETA);

[ETACHanges, ETApversion, Ffind, Fricke, GPmake, POWERPq, POWERPqMODP, POWERq, POWERqMODP, UpLB, cuspORD, cuspORDS, cuspORDSnotoo, cuspmake, cusprod, etaCOF, etaCONSTANT, etaWe, etamult, etanormalid, etaprodWe, etaprodtoqseries, etaprodtoqseries2, etaprodtoqseriesMODP, fanwidth, gamma0FORMCHECK, gammacheck, gammacheckM, gp2etaprod, jacbotstar, jactopstar, mintotGAMMA0ORDS, printETAIDORDSStable, printcuspORDS, printcuspords, provemodfuncGAMMA0UpETAid, provemodfuncGAMMA0UpETAidBATCH, provemodfuncGAMMA0id, provemodfuncGAMMA0idBATCH, qetacombo, vetainf, vp] (4)

> with(thetaids);

[Acmake, Bord, CUSPSANDWIDMAKE1, DivCheck, GETAP2getalist, Gamma1ModFunc, JACCOF, JACP2jaclist, QP2, Scmake, _ETAn, _ETAnm, _etan, _etanm, cuspequiv1, cuspmake1, cuspsetinequiv1, cuspwid1, eeta, egeta, ejac, eta2geta, eta2jac, fpart, getacuspord, getalist2jacprod, getaprodcuspORDS, getaprodcuspord, gterm2jacprod, jac2eprod, jac2getacombos, jac2getaprod, jacobase, jacnormalid, jcombobase, lqdegree, lqdegree0, mintotORDS, mixedjac2jac, newxy, numcuspequiv1, phiset, printJACIDORDSStable, processjacid, provemodfuncid, provemodfuncidBATCH, qjacdegree, rmcoffjac, rmcofnotqjac, srep, sset, thetaidschanges, thetaidspsversion, v0, vinf]

> JP1:=JAC(22,50,infinity)/JAC(0,50,infinity)/JAC(11,25,infinity)*JAC(0,25,infinity)*JAC(2,10,infinity)/JAC(0,10,infinity)*JAC(25,50,infinity)^(1/2)/JAC(0,50,infinity)^(1/2)*JAC(10,50,infinity)^2*JAC(20,50,infinity)^2/JAC(0,50,infinity)^4*mul(JAC(2*j,50,infinity)^2/JAC(0,50,infinity)^2,j=1..12);

$$JP1 := \left(JAC(22, 50, \infty)^3 JAC(0, 25, \infty) JAC(2, 10, \infty) \sqrt{JAC(25, 50, \infty)} JAC(10, 50, \infty)^4 JAC(20, 50, \infty)^4 JAC(2, 50, \infty)^2 JAC(4, 50, \infty)^2 JAC(6, 50, \infty)^2 JAC(8, 50, \infty)^2 JAC(12, 50, \infty)^2 JAC(14, 50, \infty)^2 JAC(16, 50, \infty)^2 JAC(18, 50, \infty)^2 JAC(24, 50, \infty)^2 \right) / \left(JAC(0, 50, \infty)^{59/2} JAC(11, 25, \infty) JAC(0, 10, \infty) \right) \quad (6)$$

> f2:=mul(JAC(2*j,50,infinity)/JAC(0,50,infinity),j=1..12);

$$f2 := \frac{1}{JAC(0, 50, \infty)^{12}} (JAC(2, 50, \infty) JAC(4, 50, \infty) JAC(6, 50, \infty) JAC(8, 50, \infty) JAC(10, 50, \infty) JAC(12, 50, \infty) JAC(14, 50, \infty) JAC(16, 50, \infty) JAC(18, 50, \infty) JAC(20, 50, \infty) JAC(22, 50, \infty) JAC(24, 50, \infty)) \quad (7)$$

> f10:=JAC(10,50,infinity)*JAC(20,50,infinity)/JAC(0,50,infinity)^2;

$$f10 := \frac{JAC(10, 50, \infty) JAC(20, 50, \infty)}{JAC(0, 50, \infty)^2} \quad (8)$$

> V0:=JAC(4,9,infinity)/JAC(0,9,infinity);

$$V0 := \frac{JAC(4, 9, \infty)}{JAC(0, 9, \infty)} \quad (9)$$

> V1:=JAC(2,9,infinity)/JAC(0,9,infinity);

$$V1 := \frac{JAC(2, 9, \infty)}{JAC(0, 9, \infty)} \quad (10)$$

> V2:=JAC(1,9,infinity)/JAC(0,9,infinity);

$$V2 := \frac{JAC(1, 9, \infty)}{JAC(0, 9, \infty)} \quad (11)$$

> A0:=JAC(9,21,infinity)/JAC(0,21,infinity); A2:=JAC(5,21,infinity)/JAC(0,21,infinity);A5:=JAC(2,21,infinity)/JAC(0,21,infinity);

$$A0 := \frac{JAC(9, 21, \infty)}{JAC(0, 21, \infty)}$$

$$\begin{aligned}
 A2 &:= \frac{JAC(5, 21, \infty)}{JAC(0, 21, \infty)} \\
 A5 &:= \frac{JAC(2, 21, \infty)}{JAC(0, 21, \infty)}
 \end{aligned} \tag{12}$$

> B0:=JAC(10,21,infinity)/JAC(0,21,infinity); B3:=JAC(4,21,infinity)/JAC(0,21,infinity);B4:=JAC(3,21,infinity)/JAC(0,21,infinity);

$$\begin{aligned}
 B0 &:= \frac{JAC(10, 21, \infty)}{JAC(0, 21, \infty)} \\
 B3 &:= \frac{JAC(4, 21, \infty)}{JAC(0, 21, \infty)} \\
 B4 &:= \frac{JAC(3, 21, \infty)}{JAC(0, 21, \infty)}
 \end{aligned} \tag{13}$$

> C0:=JAC(8,21,infinity)/JAC(0,21,infinity); C1:=JAC(6,21,infinity)/JAC(0,21,infinity);C6:=JAC(1,21,infinity)/JAC(0,21,infinity);

$$\begin{aligned}
 C0 &:= \frac{JAC(8, 21, \infty)}{JAC(0, 21, \infty)} \\
 C1 &:= \frac{JAC(6, 21, \infty)}{JAC(0, 21, \infty)} \\
 C6 &:= \frac{JAC(1, 21, \infty)}{JAC(0, 21, \infty)}
 \end{aligned} \tag{14}$$

> f17:=JAC(1,7,infinity)/JAC(0,7,infinity); f27:=JAC(2,7,infinity)/JAC(0,7,infinity);f37:=JAC(3,7,infinity)/JAC(0,7,infinity);

$$\begin{aligned}
 f17 &:= \frac{JAC(1, 7, \infty)}{JAC(0, 7, \infty)} \\
 f27 &:= \frac{JAC(2, 7, \infty)}{JAC(0, 7, \infty)} \\
 f37 &:= \frac{JAC(3, 7, \infty)}{JAC(0, 7, \infty)}
 \end{aligned} \tag{15}$$

> S0:=f27^2/f17^2/f37;S1:=f27/f17/f37;S3:=f17/f37^2;S4:=f17^2/f27/f37^2;

$$\begin{aligned}
 S0 &:= \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \\
 S1 &:= \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(3, 7, \infty)} \\
 S3 &:= \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty)^2} \\
 S4 &:= \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}
 \end{aligned} \tag{16}$$

> P0:=f37^2/f17/f27^2;P1:=f37/f27^2;P3:=f17/f37/f27;P4:=f17^2/f27/f37^2;

$$\begin{aligned}
P0 &:= \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2} \\
P1 &:= \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(2, 7, \infty)^2} \\
P3 &:= \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty) JAC(2, 7, \infty)} \\
P4 &:= \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}
\end{aligned} \tag{17}$$

> H0:=f27^2/f17^2/f37;H1:=f27/f17^2;H3:=f37/f17/f27;H4:=f37^2/f17/f27^2;

$$\begin{aligned}
H0 &:= \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \\
H1 &:= \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2} \\
H3 &:= \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)} \\
H4 &:= \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2}
\end{aligned} \tag{18}$$

> M1:=q*V1^2*C0^2*S1*A0;

$$MI := \frac{q JAC(2, 9, \infty)^2 JAC(8, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty)}{JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty)} \tag{19}$$

> GP1:=jac2eprod(M1*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);

$$GPI := \frac{GETA(9, 2)^2 GETA(21, 8)^2 GETA(7, 2) GETA(21, 9) GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \tag{20}$$

> L1:=GETAP2getalist(GP1);

$$LI := [[9, 2, 2], [21, 8, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \tag{21}$$

> CW63:=CUSPSANDWIDMAKE1(63);

$$\begin{aligned}
CW63 &:= \left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \right. \right. \\
&\quad \frac{1}{18}, \frac{1}{19}, \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \\
&\quad \frac{2}{21}, \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \\
&\quad \frac{5}{27}, \frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28}, \\
&\quad \left. \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21} \right] \tag{22}
\end{aligned}$$

$$\left[\frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, 21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, 3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, 1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1]]$$

> [vinf(L1,63),v0(L1,63)];

$$[-18, 2] \quad (23)$$

> r1:=getaprodcuspORDS(L1,CW63[1],CW63[2]);

$$r1 := [-9, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, 2, 2, 2, 1, 0, 1, 2, -1, -3, 1, -1, -3, 1, 10, 1, -3, 8, 2, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, 2, -3, -10, 2, 14, 2, 1, 3, 2, 17, 10, -3, 14, 1, 0, -1, 2, 10, 2, 8, -7, 3, -1, -2, -12, -12, -27, -38] \quad (24)$$

> M2:=q*V1*V0*C0*C1*S1*A0;

$$M2 := (q JAC(2, 9, \infty) JAC(4, 9, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty)) / (JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty)) \quad (25)$$

> GP2:=jac2eprod(M2*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);

$$GP2 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(9, 2) GETA(9, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2) GETA(21, 9) GETA(63, 1)^4) \quad (26)$$

> L2:=GETAP2getalist(GP2);

$$L2 := [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \quad (27)$$

> r2:=getaprodcuspORDS(L2,CW63[1],CW63[2]);

$$r2 := [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6, 2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13, -1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38] \quad (28)$$

> M3:=q*V2*V0*C0*C1*S0*B0;

$$M3 := (q JAC(1, 9, \infty) JAC(4, 9, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(10, 21, \infty)) / (JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty)) \quad (29)$$

> GP3:=jac2eprod(M3*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);

$$GP3 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(9, 1) GETA(9, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2)^2 GETA(21, 10) GETA(63, 1)^4) \quad (30)$$

> L3:=GETAP2getalist(GP3);

$$L3 := [[9, 1, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [21, 10, 1], [63, 1, 4], [63, 2, -6]] \quad (31)$$

$$\begin{aligned}
& \text{> } r3 := \text{getaprodcuspORDS}(L3, CW63[1], CW63[2]); \\
r3 &:= [-9, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, \\
& 1, -1, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 5, 5, 5, -6, 9, -6, 4, -1, -3, -6, -1, \\
& -3, -6, 1, -6, -3, 4, -1, 4, 4, 1, 0, 1, 12, -3, -3, -7, 15, 5, 4, -7, 5, 16, -1, -6, 0, \\
& -1, 15, 1, 4, 12, 1, 9, -1, 5, 13, 2, 8, -7, 4, -2, -3, -8, -15, -27, -38] \quad (32)
\end{aligned}$$

$$\begin{aligned}
& \text{> } M4 := q * V1 * V0 * C1^2 * S0 * B0; \\
M4 &:= \left(q JAC(2, 9, \infty) JAC(4, 9, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \right. \\
& \left. \infty) JAC(10, 21, \infty) \right) / \left(JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) \right) \quad (33)
\end{aligned}$$

$$\begin{aligned}
& \text{> } GP4 := \text{jac2eprod}(M4 * q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
GP4 &:= \frac{\text{GETA}(9, 2) \text{GETA}(9, 4) \text{GETA}(21, 6)^2 \text{GETA}(7, 2)^2 \text{GETA}(21, 10) \text{GETA}(63, 1)^4}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \quad (34)
\end{aligned}$$

$$\begin{aligned}
& \text{> } L4 := \text{GETAP2getalist}(GP4); \\
L4 &:= [[9, 2, 1], [9, 4, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [21, 10, 1], [63, 1, 4], \\
& [63, 2, -6]] \quad (35)
\end{aligned}$$

$$\begin{aligned}
& \text{> } r4 := \text{getaprodcuspORDS}(L4, CW63[1], CW63[2]); \\
r4 &:= [-9, 1, 1, 0, 1, 1, 0, -1, 1, -1, 1, 1, 0, 1, -1, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, \\
& -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -1, 13, -1, 6, 0, -3, -1, 0, -3, -1, -4, \\
& -1, -3, 3, -1, 2, 2, -1, -5, -1, 10, -3, -3, -6, 15, 5, 2, -6, 5, 16, -1, -1, -5, \\
& -1, 14, -4, 2, 10, -1, 13, 0, 5, 14, 0, 7, -6, 4, -1, -3, -7, -17, -29, -37] \quad (36)
\end{aligned}$$

$$\begin{aligned}
& \text{> } M5 := q * V1^2 * C0 * C1 * S0 * B0; \\
M5 &:= \left(q JAC(2, 9, \infty)^2 JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \right. \\
& \left. \infty) JAC(10, 21, \infty) \right) / \left(JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) \right) \quad (37)
\end{aligned}$$

$$\begin{aligned}
& \text{> } GP5 := \text{jac2eprod}(M5 * q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
GP5 &:= \frac{\text{GETA}(9, 2)^2 \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 2)^2 \text{GETA}(21, 10) \text{GETA}(63, 1)^4}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \quad (38)
\end{aligned}$$

$$\begin{aligned}
& \text{> } L5 := \text{GETAP2getalist}(GP5); \\
L5 &:= [[9, 2, 2], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [21, 10, 1], [63, 1, 4], \\
& [63, 2, -6]] \quad (39)
\end{aligned}$$

$$\begin{aligned}
& \text{> } r5 := \text{getaprodcuspORDS}(L5, CW63[1], CW63[2]); \\
r5 &:= [-9, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, \\
& 1, -1, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, 5, 5, 5, 1, 9, 1, 5, -1, -3, 1, -1, \\
& -3, 1, 1, 1, -3, 5, -1, -3, -3, 1, 0, 1, 12, -3, -3, -7, 15, 5, -3, -7, 5, 15, -1, 1, 0, \quad (40)
\end{aligned}$$

$-1, 16, 1, -3, 11, 1, 9, -1, 5, 13, 2, 8, -7, 3, -1, -2, -9, -15, -28, -37]$

> M6 := q·V2·V0·C0² * S1 * A0;

M6 := (41)

$(q JAC(1, 9, \infty) JAC(4, 9, \infty) JAC(8, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty)) / (JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty))$

> GP6 := jac2eprod(M6 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

GP6 :=
$$\frac{GETA(9, 1) GETA(9, 4) GETA(21, 8)^2 GETA(7, 2) GETA(21, 9) GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6}$$
 (42)

> L6 := GETAP2getalist(GP6);

L6 := $[[9, 1, 1], [9, 4, 1], [21, 8, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]]$ (43)

> r6 := getaprodCUSPORDS(L6, CW63[1], CW63[2]);

r6 := $[-9, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 2, 2, 2, -6, 0, -6, 1, -1, -3, -6, -1, -3, -6, 10, -6, -3, 7, 2, 4, 4, 1, 3, 1, 13, -3, -3, -10, 14, 2, 4, -10, 2, 15, 2, -6, 3, 2, 16, 10, 4, 15, 1, 0, -1, 2, 10, 2, 8, -7, 4, -2, -3, -11, -12, -26, -39]$ (44)

>

> M7 := q² * A0 * C0² * S4 * V0 * V2;

M7 := $(q^2 JAC(9, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ (45)

> GP7 := jac2eprod(M7 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

GP7 :=
$$\frac{GETA(21, 9) GETA(21, 8)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6}$$
 (46)

> L7 := GETAP2getalist(GP7);

L7 := $[[21, 9, 1], [21, 8, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]]$ (47)

> r7 := getaprodCUSPORDS(L7, CW63[1], CW63[2]);

r7 := $[-8, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -7, -7, -7, -6, -3, -6, 0, -1, -3, -6, -1, -3, -6, 10, -6, -3, 7, 11, 4, 4, 1, 6, 1, 14, -3, -3, -13, 13, -7, 4, -13, -7, 14, 11, -6, 6, 11, 17, 10, 4, 15, 1, -3, -1, -7, 9, 2, 8, -4, 5, -1, -3, -12, -12, -25, -40]$ (48)

> M8 := q² * A0 * C0² * S4 * V1²;

M8 :=
$$\frac{q^2 JAC(9, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2}$$
 (49)

$$\begin{aligned}
&> \text{GP8} := \text{jac2eprod}(\text{M8} * \text{q}^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
&\text{GP8} := \frac{\text{GETA}(21, 9) \text{GETA}(21, 8)^2 \text{GETA}(7, 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (50)
\end{aligned}$$

$$\begin{aligned}
&> \text{L8} := \text{GETAP2getalist}(\text{GP8}); \\
&\text{L8} := [[21, 9, 1], [21, 8, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (51)
\end{aligned}$$

$$\begin{aligned}
&> \text{r8} := \text{getaprodcuspORDS}(\text{L7}, \text{CW63}[1], \text{CW63}[2]) \\
&\text{r8} := [-8, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, \\
&\quad 11, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -7, -7, -7, -6, -3, -6, 0, -1, -3, -6, \\
&\quad -1, -3, -6, 10, -6, -3, 7, 11, 4, 4, 1, 6, 1, 14, -3, -3, -13, 13, -7, 4, -13, -7, 14, \\
&\quad 11, -6, 6, 11, 17, 10, 4, 15, 1, -3, -1, -7, 9, 2, 8, -4, 5, -1, -3, -12, -12, -25, \\
&\quad -40] \quad (52)
\end{aligned}$$

$$\begin{aligned}
&> \text{M9} := \text{q}^2 * \text{A0} * \text{C0} * \text{C1} * \text{S1} * \text{V2}^2; \\
&\text{M9} := \left(q^2 \text{JAC}(9, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(1, 9, \infty)^2 \right) / \left(\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 9, \infty)^2 \right) \quad (53)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP9} := \text{jac2eprod}(\text{M9} * \text{q}^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
&\text{GP9} := \frac{\text{GETA}(21, 9) \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \quad (54)
\end{aligned}$$

$$\begin{aligned}
&> \text{L9} := \text{GETAP2getalist}(\text{GP9}); \\
&\text{L9} := [[21, 9, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (55)
\end{aligned}$$

$$\begin{aligned}
&> \text{r9} := \text{getaprodcuspORDS}(\text{L9}, \text{CW63}[1], \text{CW63}[2]) \\
&\text{r9} := [-8, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, -6, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, \\
&\quad -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, 5, -8, -3, 5, 2, 2, 2, \\
&\quad 6, -2, 6, 12, -3, -3, -9, 15, 2, 2, -9, 2, 15, 2, -8, -2, 2, 14, 5, 2, 13, 6, 4, 0, 2, 12, 0, \\
&\quad 8, -6, 4, -2, -4, -10, -13, -28, -39] \quad (56)
\end{aligned}$$

$$\begin{aligned}
&> \text{M10} := \text{q}^2 * \text{A0} * \text{C0} * \text{C1} * \text{S4} * \text{V0} * \text{V1}; \\
&\text{M10} := \left(q^2 \text{JAC}(9, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(2, 9, \infty) \right) / \left(\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty) \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2 \right) \quad (57)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP10} := \text{jac2eprod}(\text{M10} * \text{q}^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
&\text{GP10} := \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 9) \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4 \right) \quad (58)
\end{aligned}$$

$$6) \text{GETA}(7, 1)^2 \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4$$

> **L10 := GETAP2getalist(GP10);**

$$L10 := [[21, 9, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (59)$$

> **r10 := getaprodcuspORDS(L10, CW63[1], CW63[2])**

$$r10 := [-8, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, -3, 1, 1, 0, 1, 1, -1, 11, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -7, -7, -7, -1, 1, -1, 2, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6, 11, 2, 2, -1, 1, -1, 12, -3, -3, -12, 13, -7, 2, -12, -7, 14, 11, -1, 1, 11, 16, 5, 2, 13, -1, 1, 0, -7, 10, 0, 7, -3, 5, 0, -3, -11, -14, -27, -39] \quad (60)$$

>

> **M11 := q^2 * A2 * C0 * C1 * S1 * V0 * V2;**

$$M11 := (q^2 \text{JAC}(5, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 9, \infty)^2) \quad (61)$$

> **GP11 := jac2eprod(M11 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP11 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 5) \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \quad (62)$$

> **L11 := GETAP2getalist(GP11);**

$$L11 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (63)$$

> **r11 := getaprodcuspORDS(L11, CW63[1], CW63[2])**

$$r11 := [-8, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, 2, 2, 2, -6, 9, -6, 4, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 2, 4, 4, 1, 3, 1, 13, -3, -3, -10, 14, 2, 4, -10, 2, 15, 2, -6, 3, 2, 16, 4, 4, 13, 1, 9, -1, 2, 13, -4, 6, -4, 5, -1, -5, -8, -14, -26, -39] \quad (64)$$

> **M12 := q^2 * A2 * C0 * C1 * S1 * V1^2;**

$$M12 := (q^2 \text{JAC}(5, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 9, \infty)^2) \quad (65)$$

> **GP12 := jac2eprod(M12 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP12 := \frac{\text{GETA}(21, 5) \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \quad (66)$$

> **L12 := GETAP2getalist(GP12);**

$$L12 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (67)$$

[63, 2, -6]]

> **r12 := getaprodcuspORDS(L12, CW63[1], CW63[2])**

$r12 := [-8, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 2, 2, 2, 1, 9, 1, 5, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 2, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, 2, -3, -10, 2, 14, 2, 1, 3, 2, 17, 4, -3, 12, 1, 9, -1, 2, 13, -4, 6, -4, 4, 0, -4, -9, -14, -27, -38]$ (68)

>

> **M13 := q^2 * A2 * C1^2 * S1 * V0 * V1;**

$M13 :=$ (69)

$(q^2 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$

> **GP13 := jac2eprod(M13 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$GP13 := \frac{GETA(21, 5) GETA(21, 6)^2 GETA(7, 2) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6}$ (70)

> **L13 := GETAP2getalist(GP13);**

$L13 := [[21, 5, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]]$ (71)

> **r13 := getaprodcuspORDS(L12, CW63[1], CW63[2])**

$r13 := [-8, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 2, 2, 2, 1, 9, 1, 5, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 2, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, 2, -3, -10, 2, 14, 2, 1, 3, 2, 17, 4, -3, 12, 1, 9, -1, 2, 13, -4, 6, -4, 4, 0, -4, -9, -14, -27, -38]$ (72)

>

> **M14 := q^2 * B0 * C0 * C1 * S3 * V0 * V2;**

$M14 := \frac{1}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(10, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty))$ (73)

> **GP14 := jac2eprod(M14 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$GP14 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 10) GETA(21, 8) GETA(21, 6) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)$ (74)

> **L14 := GETAP2getalist(GP14);**

$L14 := [[21, 10, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]]$ (75)

> **r14 := getaprodcuspORDS(L14, CW63[1], CW63[2])**

$r14 := [-8, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 2, 2, 2, 1, 9, 1, 5, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 2, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, 2, -3, -10, 2, 14, 2, 1, 3, 2, 17, 4, -3, 12, 1, 9, -1, 2, 13, -4, 6, -4, 4, 0, -4, -9, -14, -27, -38]$ (76)

8, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -4, -4, -4, -6, 6, -6, 3, -1, -3, -6,
-1, -3, -6, 1, -6, -3, 4, 8, 4, 4, 1, 3, 1, 13, -3, -3, -10, 14, -4, 4, -10, -4, 15, 8,
-6, 3, 8, 16, 1, 4, 12, 1, 6, -1, -4, 12, 2, 8, -4, 5, -1, -3, -9, -15, -26, -39]

> M15 := q^2 * B0 * C0 * C1 * S3 * V1^2 ;

$$M15 := \frac{1}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(10, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) \quad (77)$$

> GP15 := jac2eprod(M15 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP15 := \frac{GETA(21, 10) GETA(21, 8) GETA(21, 6) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \quad (78)$$

> L15 := GETAP2getalist(GP15);

$$L15 := [[21, 10, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (79)$$

> r15 := getaprodcuspORDS(L15, CW63[1], CW63[2])

$$r15 := [-8, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, -4, -4, -4, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 8, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, -4, -3, -10, -4, 14, 8, 1, 3, 8, 17, 1, -3, 11, 1, 6, -1, -4, 12, 2, 8, -4, 4, 0, -2, -10, -15, -27, -38] \quad (80)$$

> M16 := q^2 * B0 * C1^2 * S0 * V2^2;

$$M16 := \frac{q^2 JAC(10, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (81)$$

> GP16 := jac2eprod(M16 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP16 := \frac{GETA(21, 10) GETA(21, 6)^2 GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} \quad (82)$$

> L16 := GETAP2getalist(GP16);

$$L16 := [[21, 10, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (83)$$

> r16 := getaprodcuspORDS(L16, CW63[1], CW63[2])

$$r16 := [-8, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, -6, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -8, 13, -8, 5, 0, -3, -8, 0, -3, -8, -4, -8, -3, 2, -1, 2, 2, 6, -5, 6, 11, -3, -3, -6, 16, 5, 2, -6, 5, 16, -1, -8, -5, -1, 13, -4, 2, 10, 6, 13, 0, 5, 15, 0, 8, -6, 4, -2, -4, -7, -16, -29, -38] \quad (84)$$

>

> M17 := q^2 * B0 * C1^2 * S3 * V0 * V1;

(85)

$$M17 := \frac{1}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(10, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) \quad (85)$$

> GP17 := jac2eprod(M17 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);

$$GP17 := \frac{GETA(21, 10) GETA(21, 6)^2 GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \quad (86)$$

> L17 := GETAP2getalist(GP17);

$$L17 := [[21, 10, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (87)$$

> r17 := getaprodcuspORDS(L17, CW63[1], CW63[2])

$$r17 := [-8, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, -3, 1, 1, 0, 1, 1, -1, 8, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -1, 10, -1, 5, 0, -3, -1, 0, -3, -1, -4, -1, -3, 3, 8, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, -4, 2, -9, -4, 15, 8, -1, -2, 8, 15, -4, 2, 10, -1, 10, 0, -4, 13, 0, 7, -3, 5, 0, -3, -8, -17, -28, -38] \quad (88)$$

>

> M18 := q^2 * B3 * C0 * C1 * S0 * V0 * V2;

$$M18 := (q^2 JAC(4, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (89)$$

> GP18 := jac2eprod(M18 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);

$$GP18 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (90)$$

> L18 := GETAP2getalist(GP18);

$$L18 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (91)$$

> r18 := getaprodcuspORDS(L18, CW63[1], CW63[2])

$$r18 := [-8, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, 5, 5, 5, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 7, -6, -3, 6, -1, 4, 4, 1, -3, 1, 11, -3, -3, -4, 16, 5, 4, -4, 5, 17, -1, -6, -3, -1, 14, 7, 4, 14, 1, 6, -1, 5, 12, -4, 6, -4, 5, -1, -5, -9, -13, -28, -37] \quad (92)$$

>

> M19 := q^2 * B3 * C0 * C1 * S0 * V1^2;

$$M19 := (q^2 JAC(4, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (93)$$

> GP19 := jac2eprod(M19 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP19 := (94)

$$\frac{GETA(21, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$$

> L19 := GETAP2getalist(GP19);
L19 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4],
[63, 2, -6]] (95)

> r19 := getaprodcuspORDS(L19, CW63[1], CW63[2])
r19 := [-8, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -4, 1, 1, -1, 1,
1, 1, -1, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 5, 5, 5, 1, 6, 1, 4, -1, -3, 1,
-1, -3, 1, 7, 1, -3, 7, -1, -3, -3, 1, -3, 1, 11, -3, -3, -4, 16, 5, -3, -4, 5, 16,
-1, 1, -3, -1, 15, 7, -3, 13, 1, 6, -1, 5, 12, -4, 6, -4, 4, 0, -4, -10, -13, -29,
-36] (96)

>
> M20 := q^2 * B3 * C1^2 * S0 * V0 * V1;
M20 := (q^2 JAC(4, 21, ∞) JAC(6, 21, ∞)^2 JAC(2, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9,
∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(3, 7, ∞) JAC(0, 9, ∞)^2) (97)

> GP20 := jac2eprod(M20 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP20 := (98)

$$\frac{GETA(21, 4) GETA(21, 6)^2 GETA(7, 2)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$$

> L20 := GETAP2getalist(GP20);
L20 := [[21, 4, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4],
[63, 2, -6]] (99)

> r20 := getaprodcuspORDS(L20, CW63[1], CW63[2])
r20 := [-8, 1, 1, 0, 1, 1, 0, -1, 1, -1, 1, 1, 0, 1, -1, 0, 1, 1, -1, 1, 1, -3, 1, 1, 0, 1, 1, -1,
-1, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, 5, 5, 5, -1, 10, -1, 5, 0, -3, -1, 0, -3, -1, 2,
-1, -3, 5, -1, 2, 2, -1, -8, -1, 9, -3, -3, -3, 16, 5, 2, -3, 5, 17, -1, -1, -8,
-1, 13, 2, 2, 12, -1, 10, 0, 5, 13, -6, 5, -3, 5, 0, -5, -8, -15, -30, -36] (100)

> M21 := q^2 * B4 * C0^2 * S0 * V0 * V2;
M21 := (q^2 JAC(3, 21, ∞) JAC(8, 21, ∞)^2 JAC(2, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9,
∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(3, 7, ∞) JAC(0, 9, ∞)^2) (101)

> GP21 := jac2eprod(M21 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP21 := (102)

$$\frac{GETA(21, 3) GETA(21, 8)^2 GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$$

> **L21 := GETAP2getalist(GP2);**

$$L21 := [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \quad (103)$$

> **r21 := getaprodcuspORDS(L21, CW63[1], CW63[2])**

$$r21 := [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6, 2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13, -1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38] \quad (104)$$

>

> **M22 := q^2 * B4 * C0^2 * S0 * V1^2;**

$$M22 := \frac{q^2 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (105)$$

> **GP22 := jac2eprod(M2 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP22 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(9, 2) GETA(9, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2) GETA(21, 9) GETA(63, 1)^4) \quad (106)$$

> **L22 := GETAP2getalist(GP2);**

$$L22 := [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \quad (107)$$

> **r22 := getaprodcuspORDS(L2, CW63[1], CW63[2])**

$$r22 := [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6, 2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13, -1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38] \quad (108)$$

>

> **M23 := q^2 * B4 * C0 * C1 * S0 * V0 * V1;**

$$M23 := (q^2 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (109)$$

> **GP23 := jac2eprod(M2 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP23 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(9, 2) GETA(9, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2) GETA(21, 9) GETA(63, 1)^4) \quad (110)$$


```

> L23 := GETAP2getalist(GP2);
L23 := [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], (111)
        [63, 1, 4], [63, 2, -6]]
=
> r23 := getaprodcuspORDS(L2, CW63[1], CW63[2])
r23 := [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, (112)
        0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6,
        2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13,
        -1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38]
=
>
> M24 := q^3 * A0 * C0 * C1 * S4 * V2^2;
M24 := (q^3 JAC(9, 21, ∞) JAC(8, 21, ∞) JAC(6, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (113)
        ∞) JAC(1, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
=
> GP24 := jac2eprod(M24 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
        -6);
GP24 := (114)
        GETA(21, 9) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 1)^2 GETA(63, 1)^4
        GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6
=
> L24 := GETAP2getalist(GP24);
L24 := [[21, 9, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, (115)
        4], [63, 2, -6]]
=
> r24 := getaprodcuspORDS(L24, CW63[1], CW63[2])
r24 := [-7, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, 11, 1, 0, (116)
        1, 0, -3, 2, 0, 0, 2, -4, 0, -7, -7, -7, -8, 1, -8, 1, 0, -3, -8, 0, -3, -8, 5, -8,
        -3, 5, 11, 2, 2, 6, 1, 6, 13, -3, -3, -12, 14, -7, 2, -12, -7, 14, 11, -8, 1, 11, 15, 5,
        2, 13, 6, 1, 0, -7, 11, 0, 8, -3, 5, -1, -4, -11, -13, -27, -40]
=
>
> M25 := q^3 * A0 * C0 * C6 * S1 * V0 * V2;
M25 := (q^3 JAC(9, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞) JAC(0, 7, (117)
        ∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(3, 7,
        ∞) JAC(0, 9, ∞)^2)
=
> GP25 := jac2eprod(M25 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
        -6);
GP25 := 1 (118)
        GETA(7, 1) GETA(7, 3) GETA(63, 2)^6 (GETA(21, 9) GETA(21, 8) GETA(21,
        1) GETA(7, 2) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)
=
> L25 := GETAP2getalist(GP25);
L25 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], (119)

```

[63, 1, 4], [63, 2, -6]]

> **r25 := getaprodcuspORDS(L25, CW63[1], CW63[2])**

$r25 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, 2, 2, 2, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 7, -6, -3, 6, 2, 4, 4, 1, -3, 1, 11, -3, -3, -13, 13, 2, 4, -13, 2, 14, 2, -6, -3, 2, 14, 7, 4, 14, 1, 3, -1, 2, 11, 5, 9, -1, 6, 0, -2, -10, -13, -28, -40]$ (120)

> **M26 := $q^3 \cdot A0 \cdot C0 \cdot C6 \cdot S1 \cdot V1^2$;**

$M26 := (q^3 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$ (121)

> **GP26 := jac2eprod(M26 · $q^{(-421/126)}$) * GETA(63, 1)^(4) * GETA(63, 2)^(**

-6);
 $GP26 := \frac{GETA(21, 9) GETA(21, 8) GETA(21, 1) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6}$ (122)

> **L26 := GETAP2getalist(GP26);**

$L26 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]]$ (123)

> **r26 := getaprodcuspORDS(L26, CW63[1], CW63[2])**

$r26 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, 2, 2, 2, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 2, -3, -3, 1, -3, 1, 11, -3, -3, -13, 13, 2, -3, -13, 2, 13, 2, 1, -3, 2, 15, 7, -3, 13, 1, 3, -1, 2, 11, 5, 9, -1, 5, 1, -1, -11, -13, -29, -39]$ (124)

> **M27 := $q^3 \cdot A0 \cdot C1 \cdot C6 \cdot S1 \cdot V0 \cdot V1$;**

$M27 := (q^3 JAC(9, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$ (125)

> **GP27 := jac2eprod(M27 · $q^{(-421/126)}$) * GETA(63, 1)^(4) * GETA(63, 2)^(**

1
 $GP27 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(21, 9) GETA(21, 6) GETA(21, 1) GETA(7, 2) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4)$ (126)

> **L27 := GETAP2getalist(GP27);**

$L27 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]]$ (127)

> **r27 := getaprodcuspORDS(L27, CW63[1], CW63[2])**

$r27 := [-7, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 2, 1, 0, 15, 7, -3, 13, 1, 3, -1, 2, 11, 5, 9, -1, 5, 1, -1, -11, -13, -29, -39]$ (128)

1, 0, -3, 2, 0, 3, 2, -3, 0, 2, 2, 2, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, 2,
2, 2, -1, -8, -1, 9, -3, -3, -12, 13, 2, 2, -12, 2, 14, 2, -1, -8, 2, 13, 2, 2, 12, -1,
7, 0, 2, 12, 3, 8, 0, 6, 1, -2, -9, -15, -30, -39]

> **M28 := q³ · A2 * C0 * C1 * S4 * V0 * V2;**

$$M28 := \left(q^3 JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (129)$$

> **GP28 := jac2eprod(M28 · q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$$GP28 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \left(GETA(21, 5) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4 \right) \quad (130)$$

> **L28 := GETAP2getalist(GP28);**

$$L28 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (131)$$

> **r28 := getaprodcuspORDS(L28, CW63[1], CW63[2])**

$$r28 := [-7, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, -7, -7, -7, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 11, 4, 4, 1, 6, 1, 14, -3, -3, -13, 13, -7, 4, -13, -7, 14, 11, -6, 6, 11, 17, 4, 4, 13, 1, 6, -1, -7, 12, -4, 6, -1, 6, 0, -5, -9, -14, -25, -40] \quad (132)$$

>

> **M29 := q³ · A2 * C0 * C1 * S4 * V1²;**

$$M29 := \left(q^3 JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (133)$$

> **GP29 := jac2eprod(M29 · q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$$GP29 := \frac{GETA(21, 5) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \quad (134)$$

> **L29 := GETAP2getalist(GP29);**

$$L29 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (135)$$

> **r29 := getaprodcuspORDS(L29, CW63[1], CW63[2])**

$$r29 := [-7, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, -7, -7, -7, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 11, -3, -3, 1, 6, 1, 14, -3, -3, -13, 13, -7, -3, -13, -7, 13, 11, 1, 6, 11, 18, 4, -3, 12, 1, 6, -1, -7, 12, -4, 6, -1, 5, 1, -4, -10, -14, \quad (136)$$

-26, -39]

>

> **M30** := $q^3 \cdot A2 \cdot C1^2 \cdot S1 \cdot V2^2$;

$$M30 := \frac{q^3 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (137)$$

> **GP30** := jac2eprod(**M30**· $q^{(-421/126)}$) * **GETA**(63, 1)^(4) * **GETA**(63, 2)^(
-6);

$$GP30 := \frac{GETA(21, 5) GETA(21, 6)^2 GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (138)$$

> **L30** := **GETAP2getalist**(**GP30**);

$$L30 := [[21, 5, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (139)$$

> **r30** := **getaprodcuspORDS**(**L30**, **CW63**[1], **CW63**[2])

$$r30 := [-7, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, 2, 2, 2, -8, 13, -8, 5, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, 2, 2, 2, 6, -2, 6, 12, -3, -3, -9, 15, 2, 2, -9, 2, 15, 2, -8, -2, 2, 14, -1, 2, 11, 6, 13, 0, 2, 15, -6, 6, -3, 5, -1, -6, -7, -15, -28, -39] \quad (140)$$

>

> **M31** := $q^3 \cdot A2 \cdot C1^2 \cdot S4 \cdot V0 \cdot V1$;

$$M31 := (q^3 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (141)$$

> **GP31** := jac2eprod(**M31**· $q^{(-421/126)}$) * **GETA**(63, 1)^(4) * **GETA**(63, 2)^(
-6);

GP31 := (142)

$$\frac{GETA(21, 5) GETA(21, 6)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6}$$

> **L31** := **GETAP2getalist**(**GP31**);

$$L31 := [[21, 5, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (143)$$

> **r31** := **getaprodcuspORDS**(**L31**, **CW63**[1], **CW63**[2])

$$r31 := [-7, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 11, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, -7, -7, -7, -1, 10, -1, 5, 0, -3, -1, 0, -3, -1, -1, -1, -3, 4, 11, 2, 2, -1, 1, -1, 12, -3, -3, -12, 13, -7, 2, -12, -7, 14, 11, -1, 1, 11, 16, -1, 2, 11, -1, 10, 0, -7, 13, -6, 5, 0, 6, 1, -5, -8, -16, -27, -39] \quad (144)$$

>

> **M32** := $q^3 \cdot A5 \cdot C0 \cdot C1 \cdot S1 \cdot V0 \cdot V2$;

$$M32 := (q^3 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) \quad (145)$$

$$\infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$$

> GP32 := jac2eprod(M32·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP32 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(21, 2) GETA(21, 8) GETA(21, 6) GETA(7, 2) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (146)$$

> L32 := GETAP2getalist(GP32);

$$L32 := [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (147)$$

> r32 := getaprodcuspORDS(L32, CW63[1], CW63[2])

$$r32 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, 2, 2, 2, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 2, 4, 4, 1, 0, 1, 12, -3, -3, -4, 16, 2, 4, -4, 2, 17, 2, -6, 0, 2, 15, 1, 4, 12, 1, 3, -1, 2, 11, -1, 7, -1, 6, 0, -4, -10, -15, -27, -37] \quad (148)$$

>

> M33 := q³ * A5 * C0 * C1 * S1 * V1²;

$$M33 := (q^3 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (149)$$

> GP33 := jac2eprod(M33·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP33 := \frac{GETA(21, 2) GETA(21, 8) GETA(21, 6) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (150)$$

> L33 := GETAP2getalist(GP33);

$$L33 := [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (151)$$

> r33 := getaprodcuspORDS(L33, CW63[1], CW63[2])

$$r33 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, 2, 2, 2, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 2, -3, -3, 1, 0, 1, 12, -3, -3, -4, 16, 2, -3, -4, 2, 16, 2, 1, 0, 2, 16, 1, -3, 11, 1, 3, -1, 2, 11, -1, 7, -1, 5, 1, -3, -11, -15, -28, -36] \quad (152)$$

>

> M34 := q³ * A5 * C1² * S1 * V0 * V1;

$$M34 := (q^3 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (153)$$

> GP34 := jac2eprod(M34·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾

$$\begin{aligned}
& -6); \\
GP34 := & \frac{GETA(21, 2) \, GETA(21, 6)^2 \, GETA(7, 2) \, GETA(9, 4) \, GETA(9, 2) \, GETA(63, 1)^4}{GETA(7, 1) \, GETA(7, 3) \, GETA(63, 2)^6} \quad (154)
\end{aligned}$$

$$\begin{aligned}
& > \text{L34} := \text{GETAP2getalist}(GP34); \\
L34 := & [[21, 2, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], \\
& [63, 2, -6]] \quad (155)
\end{aligned}$$

$$\begin{aligned}
& > \text{r34} := \text{getaprodcuspORDS}(L34, \text{CW63}[1], \text{CW63}[2]) \\
r34 := & [-7, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 2, 1, 0, \\
& 1, 0, -3, 2, 0, -3, 2, -5, 0, 2, 2, 2, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, -4, -1, -3, \\
& 3, 2, 2, 2, -1, -5, -1, 10, -3, -3, -3, 16, 2, 2, -3, 2, 17, 2, -1, -5, 2, 14, -4, 2, \\
& 10, -1, 7, 0, 2, 12, -3, 6, 0, 6, 1, -4, -9, -17, -29, -36] \quad (156)
\end{aligned}$$

$$\begin{aligned}
& > \\
& > \text{M35} := q^3 * B0 * C1^2 * S3 * V2^2; \\
M35 := & \frac{q^3 \, JAC(10, 21, \infty) \, JAC(6, 21, \infty)^2 \, JAC(1, 7, \infty) \, JAC(0, 7, \infty) \, JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 \, JAC(3, 7, \infty)^2 \, JAC(0, 9, \infty)^2} \quad (157)
\end{aligned}$$

$$\begin{aligned}
& > GP35 := \text{jac2eprod}(M35 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)}; \\
GP35 := & \frac{GETA(21, 10) \, GETA(21, 6)^2 \, GETA(7, 1) \, GETA(9, 1)^2 \, GETA(63, 1)^4}{GETA(7, 3)^2 \, GETA(63, 2)^6} \quad (158)
\end{aligned}$$

$$\begin{aligned}
& > \text{L35} := \text{GETAP2getalist}(GP35); \\
L35 := & [[21, 10, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (159)
\end{aligned}$$

$$\begin{aligned}
& > \text{r35} := \text{getaprodcuspORDS}(L35, \text{CW63}[1], \text{CW63}[2]) \\
r35 := & [-7, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, \\
& -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -8, 10, -8, 4, 0, -3, -8, 0, -3, -8, -4, -8, \\
& -3, 2, 8, 2, 2, 6, -2, 6, 12, -3, -3, -9, 15, -4, 2, -9, -4, 15, 8, -8, -2, 8, 14, -4, \\
& 2, 10, 6, 10, 0, -4, 14, 0, 8, -3, 5, -1, -4, -8, -16, -28, -39] \quad (160)
\end{aligned}$$

$$\begin{aligned}
& > \\
& > \text{M36} := q^3 * B0 * C1 * C6 * S0 * V0 * V2; \\
M36 := & (q^3 \, JAC(10, 21, \infty) \, JAC(6, 21, \infty) \, JAC(1, 21, \infty) \, JAC(2, 7, \infty)^2 \, JAC(0, 7, \\
& \infty) \, JAC(4, 9, \infty) \, JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 \, JAC(1, 7, \infty)^2 \, JAC(3, 7, \\
& \infty) \, JAC(0, 9, \infty)^2) \quad (161)
\end{aligned}$$

$$\begin{aligned}
& > GP36 := \text{jac2eprod}(M36 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)}; \\
GP36 := & \frac{1}{GETA(7, 1)^2 \, GETA(7, 3) \, GETA(63, 2)^6} (GETA(21, 10) \, GETA(21, \\
& 6) \, GETA(21, 1) \, GETA(7, 2)^2 \, GETA(9, 4) \, GETA(9, 1) \, GETA(63, 1)^4) \quad (162)
\end{aligned}$$

$$\begin{aligned} & \text{L36} := \text{GETAP2getalist}(\text{GP36}); \\ & \text{L36} := [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, \\ & \quad 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (163)$$
$$\begin{aligned} & \text{r36} := \text{getaprodcuspORDS}(\text{L36}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r36} &:= [-7, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, \\ & 1, 1, -1, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, 5, 5, 5, -6, 12, -6, 5, -1, -3, -6, \\ & -1, -3, -6, -2, -6, -3, 3, -1, 4, 4, 1, -6, 1, 10, -3, -3, -10, 14, 5, 4, -10, 5, \\ & 15, -1, -6, -6, -1, 13, -2, 4, 11, 1, 12, -1, 5, 14, 5, 9, -1, 6, 0, -2, -7, -16, \\ & -29, -39] \end{aligned} \quad (164)$$
$$\begin{aligned} & \textcolor{red}{> M37 := q^3 * B0 * C1 * C6 * S0 * V1^2;} \\ M37 &:= \left(q^3 JAC(10, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \right. \\ & \quad \left. \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \end{aligned} \quad (165)$$
$$\begin{aligned} & \text{GP37} := \text{jac2eprod}(\text{M37} \cdot \mathbf{q}^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP37} := & \frac{\text{GETA}(21, 10) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \end{aligned} \quad (166)$$
$$\begin{aligned} & \text{L37} := \text{GETAP2getalist}(\text{GP37}); \\ & \text{L37} := [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, \\ & \quad 4], [63, 2, -6]] \end{aligned} \quad (167)$$

```
> r37 := getaprodCUSPORDS(L37, CW63[1], CW63[2])
r37 := [-7, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, (168)
1, 1, -1, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, 5, 5, 5, 1, 12, 1, 6, -1, -3, 1,
-1, -3, 1, -2, 1, -3, 4, -1, -3, -3, 1, -6, 1, 10, -3, -3, -10, 14, 5, -3, -10, 5,
14, -1, 1, -6, -1, 14, -2, -3, 10, 1, 12, -1, 5, 14, 5, 9, -1, 5, 1, -1, -8, -16,
-30, -38]
```

$$\begin{aligned} & \textcolor{red}{M38} := \textcolor{red}{q}^3 * \textcolor{blue}{B3} * \textcolor{blue}{C0} * \textcolor{blue}{C1} * \textcolor{blue}{S3} * \textcolor{blue}{V0} * \textcolor{blue}{V2}; \\ M38 &:= \left(q^3 JAC(4, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \right. \\ & \quad \left. \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \end{aligned} \quad (169)$$
$$GP38 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 4) GETA(21, 8) GETA(21, 6) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (170)$$
$$L38 := \left[[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4] \right], \quad (171)$$

[63, 2, -6]]

> r38 := getaprodcuspORDS(L38, CW63[1], CW63[2])

r38 := [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, -4, -4, -4, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 7, -6, -3, 6, 8, 4, 4, 1, 0, 1, 12, -3, -3, -7, 15, -4, 4, -7, -4, 16, 8, -6, 0, 8, 15, 7, 4, 14, 1, 3, -1, -4, 11, -4, 6, -1, 6, 0, -5, -10, -13, -27, -38] (172)

>

> M39 := q³ * B3 * C0 * C1 * S3 * V1^2;

M39 := (q³ JAC(4, 21, ∞) JAC(8, 21, ∞) JAC(6, 21, ∞) JAC(1, 7, ∞) JAC(0, 7, ∞) JAC(2, 9, ∞)²) / (JAC(0, 21, ∞)³ JAC(3, 7, ∞)² JAC(0, 9, ∞)²) (173)

> GP39 := jac2eprod(M39·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);

GP39 := (174)

$$\frac{GETA(21, 4) GETA(21, 8) GETA(21, 6) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6}$$

> L39 := GETAP2getalist(GP39);

L39 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] (175)

> r39 := getaprodcuspORDS(L39, CW63[1], CW63[2])

r39 := [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, -4, -4, -4, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 8, -3, -3, 1, 0, 1, 12, -3, -3, -7, 15, -4, -3, -7, -4, 15, 8, 1, 0, 8, 16, 7, -3, 13, 1, 3, -1, -4, 11, -4, 6, -1, 5, 1, -4, -11, -13, -28, -37] (176)

>

> M40 := q³ * B3 * C1^2 * S0 * V2^2;

M40 := $\frac{q^3 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2}$ (177)

> GP40 := jac2eprod(M40·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);

GP40 := $\frac{GETA(21, 4) GETA(21, 6)^2 GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$ (178)

> L40 := GETAP2getalist(GP40);

L40 := [[21, 4, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] (179)

> r40 := getaprodcuspORDS(L40, CW63[1], CW63[2])

r40 := [-7, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, 5, 5, 5, -8, 10, -8, 4, 0, -3, -8, 0, -3, -8, 2, -8, (180)

−3, 4, −1, 2, 2, 6, −8, 6, 10, −3, −3, −3, 17, 5, 2, −3, 5, 17, −1, −8, −8, −1, 12, 2,
2, 12, 6, 10, 0, 5, 14, −6, 6, −3, 5, −1, −6, −8, −14, −30, −37]

>

> **M41** := $q^3 \cdot B3 \cdot C1^2 \cdot S3 \cdot V0 \cdot V1$;

$$M41 := \left(q^3 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (181)$$

> **GP41** := jac2eprod(**M41**· $q^{(-421/126)}$) * **GETA**(63, 1)⁽⁴⁾ * **GETA**(63, 2)^(−6);

GP41 := (182)

$$\frac{GETA(21, 4) GETA(21, 6)^2 GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6}$$

> **L41** := **GETAP2getalist**(**GP41**);

$$L41 := [[21, 4, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (183)$$

> **r41** := **getaprodcuspORDS**(**L41**, **CW63**[1], **CW63**[2])

$$r41 := [-7, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 8, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, -4, -4, -4, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, 8, 2, 2, -1, -5, -1, 10, -3, -3, -6, 15, -4, 2, -6, -4, 16, 8, -1, -5, 8, 14, 2, 2, 12, -1, 7, 0, -4, 12, -6, 5, 0, 6, 1, -5, -9, -15, -29, -37] \quad (184)$$

>

> **M42** := $q^3 \cdot B4 \cdot C0^2 \cdot S3 \cdot V0 \cdot V2$;

$$M42 := \left(q^3 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (185)$$

> **GP42** := jac2eprod(**M42**· $q^{(-421/126)}$) * **GETA**(63, 1)⁽⁴⁾ * **GETA**(63, 2)^(−6);

GP42 := (186)

$$\frac{GETA(21, 3) GETA(21, 8)^2 GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6}$$

> **L42** := **GETAP2getalist**(**GP42**);

$$L42 := [[21, 3, 1], [21, 8, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (187)$$

> **r42** := **getaprodcuspORDS**(**L42**, **CW63**[1], **CW63**[2])

$$r42 := [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -4, -4, -4, -6, -3, -6, 0, -1, -3, -6, -1, -3, -6, 7, -6, -3, 6, 8, 4, 4, 1, 9, 1, 15, -3, -3, -13, 13, -4, 4, -13, -4, 14, 8, -6, 9, 8, 18, 7, 4, 14, 1, -3, -1, -4, 9, -1, 7, -1, 6, 0, -4, -12, -13, -24, -40] \quad (188)$$

>

$$\begin{aligned}
&> \text{M43} := q^3 * B4 * C0^2 * S3 * V1^2; \\
\text{M43} &:= \frac{q^3 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (189)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP43} := \text{jac2eprod}(\text{M43} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP43} &:= \frac{\text{GETA}(21, 3) \text{GETA}(21, 8)^2 \text{GETA}(7, 1) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (190)
\end{aligned}$$

$$\begin{aligned}
&> \text{L43} := \text{GETAP2getalist}(\text{GP43}); \\
\text{L43} &:= [[21, 3, 1], [21, 8, 2], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (191)
\end{aligned}$$

$$\begin{aligned}
&> \text{r43} := \text{getaprodcuspORDS}(\text{L43}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r43} &:= [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, \\
&8, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -4, -4, -4, 1, -3, 1, 1, -1, -3, 1, \\
&-1, -3, 1, 7, 1, -3, 7, 8, -3, -3, 1, 9, 1, 15, -3, -3, -13, 13, -4, -3, -13, -4, \\
&13, 8, 1, 9, 8, 19, 7, -3, 13, 1, -3, -1, -4, 9, -1, 7, -1, 5, 1, -3, -13, -13, -25, \\
&-39] \quad (192)
\end{aligned}$$

$$\begin{aligned}
&> \text{M44} := q^3 * B4 * C0 * C1 * S0 * V2^2; \\
\text{M44} &:= \left(q^3 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (193)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP44} := \text{jac2eprod}(\text{M44} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP44} &:= \frac{\text{GETA}(21, 3) \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 2)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \quad (194)
\end{aligned}$$

$$\begin{aligned}
&> \text{L44} := \text{GETAP2getalist}(\text{GP44}); \\
\text{L44} &:= [[21, 3, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, \\
&4], [63, 2, -6]] \quad (195)
\end{aligned}$$

$$\begin{aligned}
&> \text{r44} := \text{getaprodcuspORDS}(\text{L44}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r44} &:= [-7, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, -1, 1, \\
&0, 1, 0, -3, 2, 0, -3, 2, -5, 0, 5, 5, 5, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, 2, -8, -3, \\
&4, -1, 2, 2, 6, 1, 6, 13, -3, -3, -9, 15, 5, 2, -9, 5, 15, -1, -8, 1, -1, 15, 2, 2, 12, 6, \\
&4, 0, 5, 12, -3, 7, -3, 5, -1, -5, -10, -14, -27, -39] \quad (196)
\end{aligned}$$

$$\begin{aligned}
&> \text{M45} := q^3 * B4 * C0 * C1 * S3 * V0 * V1; \\
\text{M45} &:= \left(q^3 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (197)
\end{aligned}$$

```

> GP45 := jac2eprod(M45·q^(−421/126) ) *GETA(63, 1)^(4) *GETA(63, 2)^(
    −6);
GP45 := 
$$\frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21,$$
 (198)
    6) GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4)
> L45 := GETAP2getalist(GP45);
L45 := [[21, 3, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, −2], [9, 4, 1], [9, 2, 1], [63, 1, 4], (199)
    [63, 2, −6]]
> r45 := getaprodcuspORDS(L45, CW63[1], CW63[2])
r45 := [−7, 1, 1, 0, 1, 1, 0, 8, 1, −1, 1, 1, 0, 1, 8, 0, 1, 1, −1, 1, 1, 0, 1, 1, 0, 1, 1, −1, 8, 1, 0, (200)
    1, 0, −3, 2, 0, −3, 2, −5, 0, −4, −4, −4, −1, 1, −1, 2, 0, −3, −1, 0, −3, −1, 2, −1,
    −3, 5, 8, 2, 2, −1, 4, −1, 13, −3, −3, −12, 13, −4, 2, −12, −4, 14, 8, −1, 4, 8, 17, 2,
    2, 12, −1, 1, 0, −4, 10, −3, 6, 0, 6, 1, −4, −11, −15, −26, −39]
>
> M46 := q^4 * A0 * C0 * C6 * S4 * V0 * V2;
M46 := (q^4 JAC(9, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (201)
    ∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7,
    ∞)^2 JAC(0, 9, ∞)^2)
> GP46 := jac2eprod(M46·q^(−421/126) ) *GETA(63, 1)^(4) *GETA(63, 2)^(
    −6);
GP46 := 
$$\frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 9) GETA(21,$$
 (202)
    8) GETA(21, 1) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)
> L46 := GETAP2getalist(GP46);
L46 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 1, 2], [7, 2, −1], [7, 3, −2], [9, 4, 1], [9, 1, 1], (203)
    [63, 1, 4], [63, 2, −6]]
> r46 := getaprodcuspORDS(L46, CW63[1], CW63[2])
r46 := [−6, 1, 1, −1, 1, 1, −1, 11, 1, 1, 1, 1, −1, 1, 11, −1, 1, 1, 1, 1, 1, 2, 1, 1, −1, 1, 1, 1, (204)
    11, 1, −1, 1, −1, −3, 4, −1, 5, 4, −2, −1, −7, −7, −7, −6, 0, −6, 1, −1, −3, −6,
    −1, −3, −6, 7, −6, −3, 6, 11, 4, 4, 1, 0, 1, 12, −3, −3, −16, 12, −7, 4, −16, −7, 13,
    11, −6, 0, 11, 15, 7, 4, 14, 1, 0, −1, −7, 10, 5, 9, 2, 7, 1, −2, −11, −13, −27, −41]
>
> M47 := q^4 * A0 * C0 * C6 * S4 * V1^2;
M47 := (q^4 JAC(9, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (205)
    ∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
> GP47 := jac2eprod(M47·q^(−421/126) ) *GETA(63, 1)^(4) *GETA(63, 2)^(
    −6);

```

(206)

$$GP47 := \frac{GETA(21, 9) GETA(21, 8) GETA(21, 1) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \quad (206)$$

> **L47 := GETAP2getalist(GP47);**

$$L47 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (207)$$

> **r47 := getaprodcuspORDS(L47, CW63[1], CW63[2])**

$$r47 := [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, -7, -7, -7, 1, 0, 1, 2, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 11, -3, -3, 1, 0, 1, 12, -3, -3, -16, 12, -7, -3, -16, -7, 12, 11, 1, 0, 11, 16, 7, -3, 13, 1, 0, -1, -7, 10, 5, 9, 2, 6, 2, -1, -12, -13, -28, -40] \quad (208)$$

>

> **M48 := q⁴ * A0 * C1 * C6 * S1 * V2^2;**

$$M48 := (q^4 JAC(9, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (209)$$

> **GP48 := jac2eprod(M48 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP48 := \frac{GETA(21, 9) GETA(21, 6) GETA(21, 1) GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (210)$$

> **L48 := GETAP2getalist(GP48);**

$$L48 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (211)$$

> **r48 := getaprodcuspORDS(L48, CW63[1], CW63[2])**

$$r48 := [-6, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, -3, 2, 0, 3, 2, -3, 0, 2, 2, 2, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, 2, 2, 2, 6, -8, 6, 10, -3, -3, -12, 14, 2, 2, -12, 2, 14, 2, -8, -8, 2, 12, 2, 2, 12, 6, 7, 0, 2, 13, 3, 9, 0, 6, 0, -3, -9, -14, -30, -40] \quad (212)$$

>

> **M49 := q⁴ * A0 * C1 * C6 * S4 * V0 * V1;**

$$M49 := (q^4 JAC(9, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (213)$$

> **GP49 := jac2eprod(M49 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP49 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 9) GETA(21, \quad (214)$$

$$6) \text{GETA}(21, 1) \text{GETA}(7, 1)^2 \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4$$

> **L49 := GETAP2getalist(GP49);**

$$L49 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (215)$$

> **r49 := getaprodcuspORDS(L49, CW63[1], CW63[2])**

$$r49 := [-6, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, 3, 1, 1, 0, 1, 1, -1, 11, 1, 0, 1, 0, -3, 2, 0, 3, 2, -3, 0, -7, -7, -7, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, 11, 2, 2, -1, -5, -1, 10, -3, -3, -15, 12, -7, 2, -15, -7, 13, 11, -1, -5, 11, 14, 2, 2, 12, -1, 4, 0, -7, 11, 3, 8, 3, 7, 2, -2, -10, -15, -29, -40] \quad (216)$$

>

> **M50 := q⁴ * A2 * C1^2 * S4 * V2^2;**

$$M50 := \frac{q^4 \text{JAC}(5, 21, \infty) \text{JAC}(6, 21, \infty)^2 \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(1, 9, \infty)^2}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty) \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2} \quad (217)$$

> **GP50 := jac2eprod(M50·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$$GP50 := \frac{\text{GETA}(21, 5) \text{GETA}(21, 6)^2 \text{GETA}(7, 1)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (218)$$

> **L50 := GETAP2getalist(GP50);**

$$L50 := [[21, 5, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (219)$$

> **r50 := getaprodcuspORDS(L50, CW63[1], CW63[2])**

$$r50 := [-6, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 11, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, -7, -7, -7, -8, 10, -8, 4, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, 11, 2, 2, 6, 1, 6, 13, -3, -3, -12, 14, -7, 2, -12, -7, 14, 11, -8, 1, 11, 15, -1, 2, 11, 6, 10, 0, -7, 14, -6, 6, 0, 6, 0, -6, -8, -15, -27, -40] \quad (220)$$

>

> **M51 := q⁴ * A2 * C1 * C6 * S1 * V0 * V2;**

$$M51 := (q^4 \text{JAC}(5, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(1, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 9, \infty)^2) \quad (221)$$

> **GP51 := jac2eprod(M51·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$$GP51 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 5) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \quad (222)$$

> **L51 := GETAP2getalist(GP51);**

$$L51 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], \quad (223)$$

[63, 1, 4], [63, 2, -6]]

> **r51 := getaprodcuspORDS(L51, CW63[1], CW63[2])**

$r51 := [-6, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, -1, -1, -1, -1, -3, 4, -1, -1, 4, -4, -1, 2, 2, 2, -6, 12, -6, 5, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 2, 4, 4, 1, -3, 1, 11, -3, -3, -13, 13, 2, 4, -13, 2, 14, 2, -6, -3, 2, 14, 1, 4, 12, 1, 12, -1, 2, 14, -1, 7, 2, 7, 1, -4, -7, -15, -28, -40]$ (224)

> **M52 := q⁴ * A2 * C1 * C6 * S1 * V1^2 ;**

$M52 := (q^4 JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$ (225)

> **GP52 := jac2eprod(M52·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(**
-6);

$GP52 := \frac{GETA(21, 5) GETA(21, 6) GETA(21, 1) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6}$ (226)

> **L52 := GETAP2getalist(GP52);**

$L52 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]]$ (227)

> **r52 := getaprodcuspORDS(L52, CW63[1], CW63[2])**

$r52 := [-6, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, -1, -1, -1, -1, -3, -3, -1, -1, -3, -5, -1, 2, 2, 2, 1, 12, 1, 6, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 2, -3, -3, 1, -3, 1, 11, -3, -3, -13, 13, 2, -3, -13, 2, 13, 2, 1, -3, 2, 15, 1, -3, 11, 1, 12, -1, 2, 14, -1, 7, 2, 6, 2, -3, -8, -15, -29, -39]$ (228)

> **M53 := q⁴ * A5 * C0 * C1 * S4 * V0 * V2;**

$M53 := (q^4 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ (229)

> **GP53 := jac2eprod(M53·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(**
-6);

$GP53 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 2) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)$ (230)

> **L53 := GETAP2getalist(GP53);**

$L53 := [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]]$ (231)

> **r53 := getaprodcuspORDS(L53, CW63[1], CW63[2])**

(232)

$$r53 := [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -7, -7, -7, -6, 0, -6, 1, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 11, 4, 4, 1, 3, 1, 13, -3, -3, -7, 15, -7, 4, -7, -7, 16, 11, -6, 3, 11, 16, 1, 4, 12, 1, 0, -1, -7, 10, -1, 7, 2, 7, 1, -4, -11, -15, -26, -38] \quad (232)$$

$$\begin{aligned} &> M54 := q^4 * A5 * C0 * C1 * S4 * V1^2; \\ M54 &:= (q^4 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (233)$$

$$\begin{aligned} &> GP54 := jac2eprod(M54 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)}; \\ GP54 &:= \frac{GETA(21, 2) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \end{aligned} \quad (234)$$

$$\begin{aligned} &> L54 := GETAP2getalist(GP54); \\ L54 &:= [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (235)$$

$$\begin{aligned} &> r54 := getaprodcuspORDS(L54, CW63[1], CW63[2]); \\ r54 &:= [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -7, -7, -7, 1, 0, 1, 2, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 11, -3, -3, 1, 3, 1, 13, -3, -3, -7, 15, -7, -3, -7, -7, 15, 11, 1, 3, 11, 17, 1, -3, 11, 1, 0, -1, -7, 10, -1, 7, 2, 6, 2, -3, -12, -15, -27, -37] \end{aligned} \quad (236)$$

$$\begin{aligned} &> \\ &> M55 := q^4 * A5 * C1^2 * S1 * V2^2; \\ M55 &:= \frac{q^4 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \end{aligned} \quad (237)$$

$$\begin{aligned} &> GP55 := jac2eprod(M55 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)}; \\ GP55 &:= \frac{GETA(21, 2) GETA(21, 6)^2 GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \end{aligned} \quad (238)$$

$$\begin{aligned} &> L55 := GETAP2getalist(GP55); \\ L55 &:= [[21, 2, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (239)$$

$$\begin{aligned} &> r55 := getaprodcuspORDS(L55, CW63[1], CW63[2]); \\ r55 &:= [-6, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, 2, 2, 2, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, -4, -8, -3, 2, 2, 2, 2, 6, -5, 6, 11, -3, -3, -3, 17, 2, 2, -3, 2, 17, 2, -8, -5, 2, 13, -4, 2, 10, 6, 7, 0, 2, 13, -3, 7, 0, 6, 0, -5, -9, -16, -29, -37] \end{aligned} \quad (240)$$

```

>
> M56 := q4 * A5 * C1^2 * S4 * V0 * V1;
M56 := (q4 JAC(2, 21, ∞) JAC(6, 21, ∞)2 JAC(1, 7, ∞)2 JAC(0, 7, ∞) JAC(4, 9,
∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)3 JAC(2, 7, ∞) JAC(3, 7, ∞)2 JAC(0, 9, ∞)2)
(241)
> GP56 := jac2eprod(M56·q−421/126) * GETA(63, 1)(4) * GETA(63, 2)(−6);
GP56 :=
(242)

$$\frac{GETA(21, 2) GETA(21, 6)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6}$$

> L56 := GETAP2getalist(GP56);
L56 := [[21, 2, 1], [21, 6, 2], [7, 1, 2], [7, 2, −1], [7, 3, −2], [9, 4, 1], [9, 2, 1], [63, 1, 4],
(243)
[63, 2, −6]]
> r56 := getaprodcuspORDS(L56, CW63[1], CW63[2])
r56 := [−6, 1, 1, 0, 1, 1, 0, 11, 1, −1, 1, 1, 0, 1, 11, 0, 1, 1, −1, 1, 1, 3, 1, 1, 0, 1, 1, −1, 11,
(244)
1, 0, 1, 0, −3, 2, 0, −3, 2, −5, 0, −7, −7, −7, −1, 4, −1, 3, 0, −3, −1, 0, −3, −1,
−4, −1, −3, 3, 11, 2, 2, −1, −2, −1, 11, −3, −3, −6, 15, −7, 2, −6, −7, 16, 11,
−1, −2, 11, 15, −4, 2, 10, −1, 4, 0, −7, 11, −3, 6, 3, 7, 2, −4, −10, −17, −28, −37]

```

```

> M57 := q4 * B0 * C1 * C6 * S3 * V0 * V2;
M57 := (q4 JAC(10, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞) JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)3 JAC(3, 7, ∞)2 JAC(0, 9, ∞)2)
(245)
> GP57 := jac2eprod(M57·q−421/126) * GETA(63, 1)(4) * GETA(63, 2)(−6);
GP57 :=
(246)

$$\frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 10) GETA(21, 6) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)$$

> L57 := GETAP2getalist(GP57);
L57 := [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, −2], [9, 4, 1], [9, 1, 1], [63, 1, 4],
(247)
[63, 2, −6]]
> r57 := getaprodcuspORDS(L57, CW63[1], CW63[2])
r57 := [−6, 1, 1, −1, 1, 1, −1, 8, 1, 1, 1, 1, −1, 1, 8, −1, 1, 1, 1, 1, 1, 2, 1, 1, −1, 1, 1, 1, 8,
(248)
1, −1, 1, −1, −3, 4, −1, 5, 4, −2, −1, −4, −4, −4, −6, 9, −6, 4, −1, −3, −6, −1,
−3, −6, −2, −6, −3, 3, 8, 4, 4, 1, −3, 1, 11, −3, −3, −13, 13, −4, 4, −13, −4, 14,
8, −6, −3, 8, 14, −2, 4, 11, 1, 9, −1, −4, 13, 5, 9, 2, 7, 1, −2, −8, −16, −28, −40]
>
> M58 := q4 * B0 * C1 * C6 * S3 * V1^2;
M58 := (q4 JAC(10, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞) JAC(0, 7,
(249)

```


$$\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$$

$$\begin{aligned} &> \text{GP58} := \text{jac2eprod}(\text{M58} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP58} &:= \end{aligned} \quad (250)$$

$$\frac{\text{GETA}(21, 10) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 1) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6}$$

$$\begin{aligned} &> \text{L58} := \text{GETAP2getalist}(\text{GP58}); \\ \text{L58} &:= [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (251)$$

$$\begin{aligned} &> \text{r58} := \text{getaprodcuspORDS}(\text{L58}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r58} &:= [-6, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 8, \\ &1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, -4, -4, -4, 1, 9, 1, 5, -1, -3, 1, -1, \\ &-3, 1, -2, 1, -3, 4, 8, -3, -3, 1, -3, 1, 11, -3, -3, -13, 13, -4, -3, -13, -4, \\ &13, 8, 1, -3, 8, 15, -2, -3, 10, 1, 9, -1, -4, 13, 5, 9, 2, 6, 2, -1, -9, -16, -29, \\ &-39] \end{aligned} \quad (252)$$

$$\begin{aligned} &> \text{M59} := q^4 * \text{B3} * \text{C1}^2 * \text{S3} * \text{V2}^2; \\ \text{M59} &:= \frac{q^4 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \end{aligned} \quad (253)$$

$$\begin{aligned} &> \text{GP59} := \text{jac2eprod}(\text{M59} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP59} &:= \frac{\text{GETA}(21, 4) \text{GETA}(21, 6)^2 \text{GETA}(7, 1) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \end{aligned} \quad (254)$$

$$\begin{aligned} &> \text{L59} := \text{GETAP2getalist}(\text{GP59}); \\ \text{L59} &:= [[21, 4, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (255)$$

$$\begin{aligned} &> \text{r59} := \text{getaprodcuspORDS}(\text{L59}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r59} &:= [-6, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, \\ &-3, 2, 0, -6, 2, -6, 0, -4, -4, -4, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, 2, -8, -3, \\ &4, 8, 2, 2, 6, -5, 6, 11, -3, -3, -6, 16, -4, 2, -6, -4, 16, 8, -8, -5, 8, 13, 2, 2, 12, \\ &6, 7, 0, -4, 13, -6, 6, 0, 6, 0, -6, -9, -14, -29, -38] \end{aligned} \quad (256)$$

$$\begin{aligned} &> \text{M60} := q^4 * \text{B3} * \text{C1} * \text{C6} * \text{S0} * \text{V0} * \text{V2}; \\ \text{M60} &:= (q^4 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \\ &\infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \\ &\infty) JAC(0, 9, \infty)^2) \end{aligned} \quad (257)$$

$$\begin{aligned} &> \text{GP60} := \text{jac2eprod}(\text{M60} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \end{aligned}$$

$$GP60 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 4) GETA(21, 6) GETA(21, 1) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (258)$$

> L60 := GETAP2getalist(GP60);

$$L60 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (259)$$

> r60 := getaprodcuspORDS(L60, CW63[1], CW63[2])

$$r60 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, -1, -3, 4, -1, -1, 4, -4, -1, 5, 5, 5, -6, 9, -6, 4, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, -1, 4, 4, 1, -9, 1, 9, -3, -3, -7, 15, 5, 4, -7, 5, 16, -1, -6, -9, -1, 12, 4, 4, 13, 1, 9, -1, 5, 13, -1, 7, 2, 7, 1, -4, -8, -14, -30, -38] \quad (260)$$

>

> M61 := q^4 * B3 * C1 * C6 * S0 * V1^2;

$$M61 := (q^4 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (261)$$

> GP61 := jac2eprod(M61 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP61 := \frac{GETA(21, 4) GETA(21, 6) GETA(21, 1) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} \quad (262)$$

> L61 := GETAP2getalist(GP61);

$$L61 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (263)$$

> r61 := getaprodcuspORDS(L61, CW63[1], CW63[2])

$$r61 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, -1, -3, -3, -1, -1, -3, -5, -1, 5, 5, 5, 1, 9, 1, 5, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, -1, -3, -3, 1, -9, 1, 9, -3, -3, -7, 15, 5, -3, -7, 5, 15, -1, 1, -9, -1, 13, 4, -3, 12, 1, 9, -1, 5, 13, -1, 7, 2, 6, 2, -3, -9, -14, -31, -37] \quad (264)$$

>

> M62 := q^4 * B4 * C0 * C1 * S3 * V2^2;

$$M62 := (q^4 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (265)$$

> GP62 := jac2eprod(M62 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP62 := \frac{GETA(21, 3) GETA(21, 8) GETA(21, 6) GETA(7, 1) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \quad (266)$$

> **L62 := GETAP2getalist(GP62);**
L62 := [[21, 3, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] (267)

> **r62 := getaprodcuspORDS(L62, CW63[1], CW63[2])**
r62 := [-6, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, -4, -4, -4, -8, 1, -8, 1, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, 8, 2, 2, 6, 4, 6, 14, -3, -3, -12, 14, -4, 2, -12, -4, 14, 8, -8, 4, 8, 16, 2, 2, 12, 6, 1, 0, -4, 11, -3, 7, 0, 6, 0, -5, -11, -14, -26, -40] (268)

> **M63 := q⁴ * B4 * C0 * C6 * S0 * V0 * V2;**
M63 := (q⁴ JAC(3, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞)² JAC(0, 7, ∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(3, 7, ∞) JAC(0, 9, ∞)²) (269)

> **GP63 := jac2eprod(M63·q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**
GP63 := $\frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)$ (270)

> **L63 := GETAP2getalist(GP63);**
L63 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] (271)

> **r63 := getaprodcuspORDS(L63, CW63[1], CW63[2])**
r63 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, -1, 1, -1, 1, -1, -1, -3, 4, -1, 2, 4, -3, -1, 5, 5, 5, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, -1, 4, 4, 1, 0, 1, 12, -3, -3, -13, 13, 5, 4, -13, 5, 14, -1, -6, 0, -1, 15, 4, 4, 13, 1, 3, -1, 5, 11, 2, 8, 2, 7, 1, -3, -10, -14, -27, -40] (272)

> **M64 := q⁴ * B4 * C0 * C6 * S0 * V1² ;**
M64 := (q⁴ JAC(3, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞)² JAC(0, 7, ∞) JAC(2, 9, ∞)²) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(3, 7, ∞) JAC(0, 9, ∞)²) (273)

> **GP64 := jac2eprod(M64·q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**
GP64 := $\frac{GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$ (274)

> **L64 := GETAP2getalist(GP64);**
L64 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] (275)

4], [63, 2, -6]]

> **r64 := getaprodcuspORDS(L64, CW63[1], CW63[2])**

$r64 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, 1, -1, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, 5, 5, 5, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, -1, -3, -3, 1, 0, 1, 12, -3, -3, -13, 13, 5, -3, -13, 5, 13, -1, 1, 0, -1, 16, 4, -3, 12, 1, 3, -1, 5, 11, 2, 8, 2, 6, 2, -2, -11, -14, -28, -39]$ (276)

> **M65 := q⁴ * B4 * C1 * C6 * S0 * V0 * V1;**

$M65 := (q^4 JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$ (277)

> **GP65 := jac2eprod(M65 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$GP65 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 3) GETA(21, 6) GETA(21, 1) GETA(7, 2)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4)$ (278)

> **L65 := GETAP2getalist(GP65);**

$L65 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]]$ (279)

> **r65 := getaprodcuspORDS(L65, CW63[1], CW63[2])**

$r65 := [-6, 1, 1, 0, 1, 1, 0, -1, 1, -1, 1, 1, 0, 1, -1, 0, 1, 1, -1, 1, 1, 3, 1, 1, 0, 1, 1, -1, -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, -1, -1, -3, 4, -1, 2, 2, -1, -5, -1, 10, -3, -3, -12, 13, 5, 2, -12, 5, 14, -1, -1, -5, -1, 14, -1, 2, 11, -1, 7, 0, 5, 12, 0, 7, 3, 7, 2, -3, -9, -16, -29, -39]$ (280)

> **M66 := q⁵ * A0 * C1 * C6 * S4 * V2²;**

$M66 := (q^5 JAC(9, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ (281)

> **GP66 := jac2eprod(M66 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$GP66 := \frac{GETA(21, 9) GETA(21, 6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6}$ (282)

> **L66 := GETAP2getalist(GP66);**

$L66 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]]$ (283)

> **r66 := getaprodcuspORDS(L66, CW63[1], CW63[2])**

(284)

$$r66 := [-5, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, 3, 1, 1, 0, 1, 1, 6, 11, 1, 0, 1, 0, -3, 2, 0, 3, 2, -3, 0, -7, -7, -7, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, 11, 2, 2, 6, -5, 6, 11, -3, -3, -15, 13, -7, 2, -15, -7, 13, 11, -8, -5, 11, 13, 2, 2, 12, 6, 4, 0, -7, 12, 3, 9, 3, 7, 1, -3, -10, -14, -29, -41] \quad (284)$$

>

$$\begin{aligned} &> \text{M67} := q^5 * A0 * C6^2 * S1 * V0 * V2; \\ \text{M67} &:= \left(q^5 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \end{aligned} \quad (285)$$

$$\begin{aligned} &> \text{GP67} := \text{jac2eprod}(\text{M67} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP67} &:= \frac{\text{GETA}(21, 9) \text{GETA}(21, 1)^2 \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \end{aligned} \quad (286)$$

$$\begin{aligned} &> \text{L67} := \text{GETAP2getalist}(\text{GP67}); \\ \text{L67} &:= [[21, 9, 1], [21, 1, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (287)$$

$$\begin{aligned} &> \text{r67} := \text{getaprodcuspORDS}(\text{L67}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r67} &:= [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, 8, 4, -1, -1, 2, 2, 2, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 2, 4, 4, 1, -9, 1, 9, -3, -3, -16, 12, 2, 4, -16, 2, 13, 2, -6, -9, 2, 12, 4, 4, 13, 1, 6, -1, 2, 12, 8, 10, 5, 8, 2, -1, -9, -14, -30, -41] \end{aligned} \quad (288)$$

>

$$\begin{aligned} &> \text{M68} := q^5 * A0 * C6^2 * S1 * V1^2; \\ \text{M68} &:= \frac{q^5 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \end{aligned} \quad (289)$$

$$\begin{aligned} &> \text{GP68} := \text{jac2eprod}(\text{M68} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP68} &:= \frac{\text{GETA}(21, 9) \text{GETA}(21, 1)^2 \text{GETA}(7, 2) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \end{aligned} \quad (290)$$

$$\begin{aligned} &> \text{L68} := \text{GETAP2getalist}(\text{GP68}); \\ \text{L68} &:= [[21, 9, 1], [21, 1, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (291)$$

$$\begin{aligned} &> \text{r68} := \text{getaprodcuspORDS}(\text{L68}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r68} &:= [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, 8, -3, -2, -1, 2, 2, 2, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 2, -3, -3, 1, -9, 1, 9, -3, -3, -16, 12, 2, -3, -16, 2, 12, 2, 1, -9, 2, 13, 4, -3, 12, 1, 6, -1, 2, 12, 8, 10, 5, 7, 3, 0, -10, -14, -31, -40] \end{aligned} \quad (292)$$

```

>
=
> M69 := q5 * A2 * C1 * C6 * S4 * V0 * V2;
M69 := (q5 JAC(5, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)2 JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)3 JAC(2, 7, ∞) JAC(3, 7,
∞)2 JAC(0, 9, ∞)2)
=
> GP69 := jac2eprod(M69·q(-421/126)) * GETA(63, 1)(4) * GETA(63, 2)(-6);
GP69 := 
$$\frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left( \text{GETA}(21, 5) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 1)^2 \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4 \right)$$

=
> L69 := GETAP2getalist(GP69);
L69 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]]
=
> r69 := getaprodcuspORDS(L69, CW63[1], CW63[2])
r69 := [-5, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -7, -7, -7, -6, 9, -6, 4, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 11, 4, 4, 1, 0, 1, 12, -3, -3, -16, 12, -7, 4, -16, -7, 13, 11, -6, 0, 11, 15, 1, 4, 12, 1, 9, -1, -7, 13, -1, 7, 5, 8, 2, -4, -8, -15, -27, -41]
=
>
=
> M70 := q5 * A2 * C1 * C6 * S4 * V12;
M70 := (q5 JAC(5, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)2 JAC(0, 7,
∞) JAC(2, 9, ∞)2) / (JAC(0, 21, ∞)3 JAC(2, 7, ∞) JAC(3, 7, ∞)2 JAC(0, 9, ∞)2)
=
> GP70 := jac2eprod(M70·q(-421/126)) * GETA(63, 1)(4) * GETA(63, 2)(-6);
GP70 := 
$$\frac{\text{GETA}(21, 5) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6}$$

=
> L70 := GETAP2getalist(GP70);
L70 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]]
=
> r70 := getaprodcuspORDS(L70, CW63[1], CW63[2])
r70 := [-5, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -7, -7, -7, 1, 9, 1, 5, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 11, -3, -3, 1, 0, 1, 12, -3, -3, -16, 12, -7, -3, -16, -7, 12, 11, 1, 0, 11, 16, 1, -3, 11, 1, 9, -1, -7, 13, -1, 7, 5, 7, 3, -3, -9, -15, -28, -40]

```

$$\begin{aligned}
& > \text{M71} := q^5 * A5 * C1^2 * S4 * V2^2; \\
\text{M71} &:= \frac{q^5 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (301)
\end{aligned}$$

$$\begin{aligned}
& > \text{GP71} := \text{jac2eprod}(\text{M71} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP71} &:= \frac{\text{GETA}(21, 2) \text{GETA}(21, 6)^2 \text{GETA}(7, 1)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (302)
\end{aligned}$$

$$\begin{aligned}
& > \text{L71} := \text{GETAP2getalist}(\text{GP71}); \\
\text{L71} &:= [[21, 2, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (303)
\end{aligned}$$

$$\begin{aligned}
& > \text{r71} := \text{getaprodcuspORDS}(\text{L71}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r71} &:= [-5, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, 3, 1, 1, 0, 1, 1, 6, 11, 1, 0, 1, \\ & 0, -3, 2, 0, -3, 2, -5, 0, -7, -7, -7, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, -4, -8, \\ & -3, 2, 11, 2, 2, 6, -2, 6, 12, -3, -3, -6, 16, -7, 2, -6, -7, 16, 11, -8, -2, 11, 14, \\ & -4, 2, 10, 6, 4, 0, -7, 12, -3, 7, 3, 7, 1, -5, -10, -16, -28, -38] \quad (304)
\end{aligned}$$

$$\begin{aligned}
& > \text{M72} := q^5 * A5 * C1 * C6 * S1 * V0 * V2; \\
\text{M72} &:= (q^5 JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \\ & \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \\ & \infty) JAC(0, 9, \infty)^2) \quad (305)
\end{aligned}$$

$$\begin{aligned}
& > \text{GP72} := \text{jac2eprod}(\text{M72} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP72} &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 2) \text{GETA}(21, 6) \text{GETA}(21, \\ & 1) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \quad (306)
\end{aligned}$$

$$\begin{aligned}
& > \text{L72} := \text{GETAP2getalist}(\text{GP72}); \\
\text{L72} &:= [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], \\ & [63, 1, 4], [63, 2, -6]] \quad (307)
\end{aligned}$$

$$\begin{aligned}
& > \text{r72} := \text{getaprodcuspORDS}(\text{L72}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r72} &:= [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, \\ & 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 2, 2, 2, -6, 6, -6, 3, -1, -3, -6, -1, -3, \\ & -6, -2, -6, -3, 3, 2, 4, 4, 1, -6, 1, 10, -3, -3, -7, 15, 2, 4, -7, 2, 16, 2, -6, -6, \\ & 2, 13, -2, 4, 11, 1, 6, -1, 2, 12, 2, 8, 5, 8, 2, -3, -9, -16, -29, -38] \quad (308)
\end{aligned}$$

$$\begin{aligned}
& > \text{M73} := q^5 * A5 * C1 * C6 * S1 * V1^2; \\
\text{M73} &:= (q^5 JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (309)
\end{aligned}$$

$$\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$$

$$\begin{aligned} &> \text{GP73} := \text{jac2eprod}(\text{M73} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP73} &:= \end{aligned} \quad (310)$$

$$\frac{\text{GETA}(21, 2) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6}$$

$$\begin{aligned} &> \text{L73} := \text{GETAP2getalist}(\text{GP73}); \\ \text{L73} &:= [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (311)$$

$$\begin{aligned} &> \text{r73} := \text{getaprodcuspORDS}(\text{L73}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r73} &:= [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, 2, 2, 2, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, -2, 1, -3, 4, 2, -3, -3, 1, -6, 1, 10, -3, -3, -7, 15, 2, -3, -7, 2, 15, 2, 1, -6, 2, 14, -2, -3, 10, 1, 6, -1, 2, 12, 2, 8, 5, 7, 3, -2, -10, -16, -30, -37] \end{aligned} \quad (312)$$

$$\begin{aligned} &> \text{M74} := q^5 * \text{B3} * \text{C1} * \text{C6} * \text{S3} * \text{V0} * \text{V2}; \\ \text{M74} &:= (q^5 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (313)$$

$$\begin{aligned} &> \text{GP74} := \text{jac2eprod}(\text{M74} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ \text{GP74} &:= \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} (\text{GETA}(21, 4) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 1) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \end{aligned} \quad (314)$$

$$\begin{aligned} &> \text{L74} := \text{GETAP2getalist}(\text{GP74}); \\ \text{L74} &:= [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (315)$$

$$\begin{aligned} &> \text{r74} := \text{getaprodcuspORDS}(\text{L74}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r74} &:= [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -4, -4, -4, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 8, 4, 4, 1, -6, 1, 10, -3, -3, -10, 14, -4, 4, -10, -4, 15, 8, -6, -6, 8, 13, 4, 4, 13, 1, 6, -1, -4, 12, -1, 7, 5, 8, 2, -4, -9, -14, -29, -39] \end{aligned} \quad (316)$$

$$\begin{aligned} &> \text{M75} := q^5 * \text{B3} * \text{C1} * \text{C6} * \text{S3} * \text{V1}^2; \\ \text{M75} &:= (q^5 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (317)$$

$$> \text{GP75} := \text{jac2eprod}(\text{M75} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}$$

$$GP75 := \frac{GETA(21, 4) GETA(21, 6) GETA(21, 1) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \quad (318)$$

$$L75 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (319)$$

$$r75 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -4, -4, -4, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 8, -3, -3, 1, -6, 1, 10, -3, -3, -10, 14, -4, -3, -10, -4, 14, 8, 1, -6, 8, 14, 4, -3, 12, 1, 6, -1, -4, 12, -1, 7, 5, 7, 3, -3, -10, -14, -30, -38] \quad (320)$$

$$M76 := (q^5 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (321)$$

$$GP76 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (322)$$

$$L76 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (323)$$

$$r76 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -4, -4, -4, -6, 0, -6, 1, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 8, 4, 4, 1, 3, 1, 13, -3, -3, -16, 12, -4, 4, -16, -4, 13, 8, -6, 3, 8, 16, 4, 4, 13, 1, 0, -1, -4, 10, 2, 8, 5, 8, 2, -3, -11, -14, -26, -41] \quad (324)$$

$$M77 := (q^5 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (325)$$

$$GP77 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (326)$$

$$\frac{GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6}$$

> **L77 := GETAP2getalist(GP77);**

L77 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] (327)

> **r77 := getaprodcuspORDS(L77, CW63[1], CW63[2])**

r77 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, -4, -4, -4, 1, 0, 1, 2, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 8, -3, -3, 1, 3, 1, 13, -3, -3, -16, 12, -4, -3, -16, -4, 12, 8, 1, 3, 8, 17, 4, -3, 12, 1, 0, -1, -4, 10, 2, 8, 5, 7, 3, -2, -12, -14, -27, -40] (328)

>

> **M78 := q⁵ * B4 * C1 * C6 * S0 * V2^2;**

M78 := (q⁵ JAC(3, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞)² JAC(0, 7, ∞) JAC(1, 9, ∞)²) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(3, 7, ∞) JAC(0, 9, ∞)²) (329)

> **GP78 := jac2eprod(M78·q^{-(421/126)}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

GP78 := (330)

$$\frac{GETA(21, 3) GETA(21, 6) GETA(21, 1) GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$$

> **L78 := GETAP2getalist(GP78);**

L78 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] (331)

> **r78 := getaprodcuspORDS(L78, CW63[1], CW63[2])**

r78 := [-5, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, 3, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, -1, 2, 2, 6, -5, 6, 11, -3, -3, -12, 14, 5, 2, -12, 5, 14, -1, -8, -5, -1, 13, -1, 2, 11, 6, 7, 0, 5, 13, 0, 8, 3, 7, 1, -4, -9, -15, -29, -40] (332)

>

> **M79 := q⁵ * B4 * C1 * C6 * S3 * V0 * V1;**

M79 := (q⁵ JAC(3, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞) JAC(0, 7, ∞) JAC(4, 9, ∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)³ JAC(3, 7, ∞)² JAC(0, 9, ∞)²) (333)

> **GP79 := jac2eprod(M79·q^{-(421/126)}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

GP79 := $\frac{1}{GETA(7, 3)^2 GETA(63, 2)^6}$ (GETA(21, 3) GETA(21, 6) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)⁴) (334)

> **L79 := GETAP2getalist(GP79);**

$$L79 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (335)$$

$$\begin{aligned} &> \mathbf{r79} := \text{getaprodCUSPORDS}(L79, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\ r79 &:= [-5, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, 6, 1, 1, 0, 1, 1, -1, 8, 1, 0, \\ &1, 0, -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, -1, -1, \\ &-3, 4, 8, 2, 2, -1, -2, -1, 11, -3, -3, -15, 12, -4, 2, -15, -4, 13, 8, -1, -2, 8, \\ &15, -1, 2, 11, -1, 4, 0, -4, 11, 0, 7, 6, 8, 3, -3, -10, -16, -28, -40] \end{aligned} \quad (336)$$

>
=>
>

$$\begin{aligned} &> \mathbf{M80} := \mathbf{q}^6 * \mathbf{A0} * \mathbf{C6}^2 * \mathbf{S4} * \mathbf{V0} * \mathbf{V2}; \\ M80 &:= (q^6 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \\ &\infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (337)$$

$$\begin{aligned} &> \mathbf{GP80} := \text{jac2eprod}(\mathbf{M80} \cdot \mathbf{q}^{(-421/126)}) * \mathbf{GETA}(63, 1)^{(4)} * \mathbf{GETA}(63, 2)^{(-6)}; \\ GP80 &:= \frac{GETA(21, 9) GETA(21, 1)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \end{aligned} \quad (338)$$

$$\begin{aligned} &> \mathbf{L80} := \text{GETAP2getalist}(\mathbf{GP80}); \\ L80 &:= [[21, 9, 1], [21, 1, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (339)$$

$$\begin{aligned} &> \mathbf{r80} := \text{getaprodCUSPORDS}(L80, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\ r80 &:= [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, \\ &11, 1, -1, 1, -1, -3, 4, -1, 8, 4, -1, -1, -7, -7, -7, -6, 3, -6, 2, -1, -3, -6, \\ &-1, -3, -6, 4, -6, -3, 5, 11, 4, 4, 1, -6, 1, 10, -3, -3, -19, 11, -7, 4, -19, -7, \\ &12, 11, -6, -6, 11, 13, 4, 4, 13, 1, 3, -1, -7, 11, 8, 10, 8, 9, 3, -1, -10, -14, -29, \\ &-42] \end{aligned} \quad (340)$$

>

$$\begin{aligned} &> \mathbf{M81} := \mathbf{q}^6 * \mathbf{A0} * \mathbf{C6}^2 * \mathbf{S4} * \mathbf{V1}^2; \\ M81 &:= \frac{q^6 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \end{aligned} \quad (341)$$

$$\begin{aligned} &> \mathbf{GP81} := \text{jac2eprod}(\mathbf{M81} \cdot \mathbf{q}^{(-421/126)}) * \mathbf{GETA}(63, 1)^{(4)} * \mathbf{GETA}(63, 2)^{(-6)}; \\ GP81 &:= \frac{GETA(21, 9) GETA(21, 1)^2 GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \end{aligned} \quad (342)$$

$$\begin{aligned} &> \mathbf{L81} := \text{GETAP2getalist}(\mathbf{GP81}); \\ L81 &:= [[21, 9, 1], [21, 1, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (343)$$

```

> r81 := getaprodcuspORDS(L81, CW63[1], CW63[2])
r81 := [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, (344)
11, 1, -1, 1, -1, -3, -3, -1, 8, -3, -2, -1, -7, -7, -7, 1, 3, 1, 3, -1, -3, 1,
-1, -3, 1, 4, 1, -3, 6, 11, -3, -3, 1, -6, 1, 10, -3, -3, -19, 11, -7, -3, -19,
-7, 11, 11, 1, -6, 11, 14, 4, -3, 12, 1, 3, -1, -7, 11, 8, 10, 8, 8, 4, 0, -11, -14, -30,
-41]
=
>
>
>
M82 := q^6 * A5 * C1 * C6 * S4 * V0 * V2;
M82 := (q^6 JAC(2, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (345)
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7,
∞)^2 JAC(0, 9, ∞)^2)
=
> GP82 := jac2eprod(M82·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP82 := 1
GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6 (GETA(21, 2) GETA(21, (346)
6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)
=
> L82 := GETAP2getalist(GP82);
L82 := [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], (347)
[63, 1, 4], [63, 2, -6]]
=
> r82 := getaprodcuspORDS(L82, CW63[1], CW63[2])
r82 := [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, (348)
11, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -7, -7, -7, -6, 3, -6, 2, -1, -3, -6,
-1, -3, -6, -2, -6, -3, 3, 11, 4, 4, 1, -3, 1, 11, -3, -3, -10, 14, -7, 4, -10,
-7, 15, 11, -6, -3, 11, 14, -2, 4, 11, 1, 3, -1, -7, 11, 2, 8, 8, 9, 3, -3, -10, -16,
-28, -39]
=
>
>
M83 := q^6 * A5 * C1 * C6 * S4 * V1^2;
M83 := (q^6 JAC(2, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (349)
∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
=
> GP83 := jac2eprod(M83·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP83 := (350)
GETA(21, 2) GETA(21, 6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4
GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6
=
> L83 := GETAP2getalist(GP83);
L83 := [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, (351)

```

4], [63, 2, -6]]

> **r83 := getaprodcuspORDS(L83, CW63[1], CW63[2])**

$r83 := [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, -7, -7, -7, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, -2, 1, -3, 4, 11, -3, -3, 1, -3, 1, 11, -3, -3, -10, 14, -7, -3, -10, -7, 14, 11, 1, -3, 11, 15, -2, -3, 10, 1, 3, -1, -7, 11, 2, 8, 8, 8, 4, -2, -11, -16, -29, -38]$ (352)

>

> **M84 := q⁶ * B4 * C1 * C6 * S3 * V2^2;**

$M84 := (q^6 JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ (353)

> **GP84 := jac2eprod(M84 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(**
-6);

$GP84 := \frac{GETA(21, 3) GETA(21, 6) GETA(21, 1) GETA(7, 1) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6}$ (354)

> **L84 := GETAP2getalist(GP84);**

$L84 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]]$ (355)

> **r84 := getaprodcuspORDS(L84, CW63[1], CW63[2])**

$r84 := [-4, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, 6, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, 8, 2, 2, 6, -2, 6, 12, -3, -3, -15, 13, -4, 2, -15, -4, 13, 8, -8, -2, 8, 14, -1, 2, 11, 6, 4, 0, -4, 12, 0, 8, 6, 8, 2, -4, -10, -15, -28, -41]$ (356)

>

> **M85 := q⁶ * B4 * C6^2 * S0 * V0 * V2;**

$M85 := (q^6 JAC(3, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$ (357)

> **GP85 := jac2eprod(M85 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(**
-6);

$GP85 := \frac{GETA(21, 3) GETA(21, 1)^2 GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6}$ (358)

> **L85 := GETAP2getalist(GP85);**

$L85 := [[21, 3, 1], [21, 1, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]]$ (359)

> **r85 := getaprodcuspORDS(L85, CW63[1], CW63[2])**

(360)

$$r85 := [-4, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, -1, -3, 4, -1, 5, 4, -2, -1, 5, 5, 5, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, -1, 4, 4, 1, -6, 1, 10, -3, -3, -16, 12, 5, 4, -16, 5, 13, -1, -6, -6, -1, 13, 1, 4, 12, 1, 6, -1, 5, 12, 5, 9, 8, 9, 3, -2, -9, -15, -29, -41] \quad (360)$$

>

$$\begin{aligned} &> \mathbf{M86} := \mathbf{q}^6 * \mathbf{B4} * \mathbf{C6}^2 * \mathbf{S0} * \mathbf{V1}^2; \\ \mathbf{M86} &:= \frac{q^6 JAC(3, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \end{aligned} \quad (361)$$

$$\begin{aligned} &> \mathbf{GP86} := \mathbf{jac2eprod}(\mathbf{M86} \cdot \mathbf{q}^{(-421/126)}) * \mathbf{GETA}(63, 1)^{(4)} * \mathbf{GETA}(63, 2)^{(-6)}; \\ \mathbf{GP86} &:= \frac{GETA(21, 3) GETA(21, 1)^2 GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} \end{aligned} \quad (362)$$

$$\begin{aligned} &> \mathbf{L86} := \mathbf{GETAP2getalist}(\mathbf{GP86}); \\ \mathbf{L86} &:= [[21, 3, 1], [21, 1, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (363)$$

$$\begin{aligned} &> \mathbf{r86} := \mathbf{getaprodcuspORDS}(\mathbf{L86}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\ \mathbf{r86} &:= [-4, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, -1, 1, 1, 1, -1, 1, -1, -1, -3, -3, -1, 5, -3, -3, -1, 5, 5, 5, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, -1, -3, -3, 1, -6, 1, 10, -3, -3, -16, 12, 5, -3, -16, 5, 12, -1, 1, -6, -1, 14, 1, -3, 11, 1, 6, -1, 5, 12, 5, 9, 8, 8, 4, -1, -10, -15, -30, -40] \end{aligned} \quad (364)$$

>

$$\begin{aligned} &> \mathbf{M87} := \mathbf{q}^7 * \mathbf{B4} * \mathbf{C6}^2 * \mathbf{S3} * \mathbf{V0} * \mathbf{V2}; \\ \mathbf{M87} &:= (q^7 JAC(3, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (365)$$

$$\begin{aligned} &> \mathbf{GP87} := \mathbf{jac2eprod}(\mathbf{M87} \cdot \mathbf{q}^{(-421/126)}) * \mathbf{GETA}(63, 1)^{(4)} * \mathbf{GETA}(63, 2)^{(-6)}; \\ \mathbf{GP87} &:= \frac{GETA(21, 3) GETA(21, 1)^2 GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \end{aligned} \quad (366)$$

$$\begin{aligned} &> \mathbf{L87} := \mathbf{GETAP2getalist}(\mathbf{GP87}); \\ \mathbf{L87} &:= [[21, 3, 1], [21, 1, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (367)$$

$$\begin{aligned} &> \mathbf{r87} := \mathbf{getaprodcuspORDS}(\mathbf{L87}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\ \mathbf{r87} &:= [-3, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, -4, -4, -4, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 8, 4, 4, 1, -3, 1, 11, -3, -3, -19, 11, -4, 4, -19, -4, 12, 8, -6, -3, 8, 14, 1, 4, 12, 1, 3, -1, -4, 11, 5, 9, 11, 10, 4, -2, -10, -15, -28, -42] \end{aligned} \quad (368)$$

$$\begin{aligned}
& > \text{M88} := q^7 * B4 * C6^2 * S3 * V1^2; \\
M88 &:= \frac{q^7 JAC(3, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (369)
\end{aligned}$$

$$\begin{aligned}
& > \text{GP88} := \text{jac2eprod}(\text{M88} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
GP88 &:= \frac{\text{GETA}(21, 3) \text{GETA}(21, 1)^2 \text{GETA}(7, 1) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (370)
\end{aligned}$$

$$\begin{aligned}
& > \text{L88} := \text{GETAP2getalist}(\text{GP88}); \\
L88 &:= [[21, 3, 1], [21, 1, 2], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (371)
\end{aligned}$$

$$\begin{aligned}
& > \text{r88} := \text{getaprodcuspORDS}(\text{L88}, \text{CW63}[1], \text{CW63}[2]) \\
r88 &:= [-3, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 11, 1, 1, -1, 1, 1, 1, \\ & \quad 8, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, -4, -4, -4, 1, 3, 1, 3, -1, -3, 1, -1, \\ & \quad -3, 1, 1, 1, -3, 5, 8, -3, -3, 1, -3, 1, 11, -3, -3, -19, 11, -4, -3, -19, -4, 11, \\ & \quad 8, 1, -3, 8, 15, 1, -3, 11, 1, 3, -1, -4, 11, 5, 9, 11, 9, 5, -1, -11, -15, -29, -41] \quad (372)
\end{aligned}$$

$$\begin{aligned}
& > r88[96]; \\
& \quad \quad \quad -41 \quad (373)
\end{aligned}$$

$$\begin{aligned}
& > \text{CW63}; \\
& \left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \frac{1}{18}, \frac{1}{19}, \right. \right. \quad (374) \\
& \quad \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \frac{2}{21}, \\
& \quad \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \frac{5}{27}, \\
& \quad \frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28}, \\
& \quad \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21}, \\
& \quad \left. \frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, \\
& \quad 21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, \\
& \quad 3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, \\
& \quad 1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1, 1]]
\end{aligned}$$

$$\begin{aligned}
& > k := 9; \\
& \quad \quad \quad k := 9 \quad (375)
\end{aligned}$$

$$\begin{aligned}
& > '?' \\
& \quad \quad \quad '?' \quad (376)
\end{aligned}$$

$$> \min(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k],$$

