

```
> D:\Garvan;
```

Garvan (1)

```
> read"D:\Garvan:"wmprog";
```

"wmprog" (2)

```
> read"D:\Garvan/wmprog-thetaids.txt";
```

Error, unable to read `D:Garvan/wmprog-thetaids.txt`

```
> read"D:/Garvan/wprog-thetaids.txt":
```

BEGIN thetaids package
THIS VERSION DATED Sat Jul 21 12:00:05 EDT 2018

Warning, (in thetaids[jacbase]) `j` is implicitly declared local |D:/Garvan/wprog-
thetaids.txt:906|

Warning, (in thetaids[mintotORDS]) `j` is implicitly declared local
|D:/Garvan/wprog-thetaids.txt:1163|

Warning, (in thetaids[mintotORDS]) `i` is implicitly declared local
|D:/Garvan/wprog-thetaids.txt:1165|

Warning, (in thetaids[provemodfuncid]) `k` is implicitly declared local
|D:/Garvan/wprog-thetaids.txt:1495|

Warning, (in thetaids[provemodfuncidBATCH]) `k` is implicitly declared local
|D:/Garvan/wprog-thetaids.txt:1698|

TABLE TYPE thetaids = true

Error, archive data file "c:\cygwin64/home/Owner/maple/mylib/thetaids.mla" could
not be created

END thetaids package

```
> read"D:/Garvan/ETA.txt";
```

BEGIN ETA package (3)
THIS VERSION DATED Sat, Jun 29, 2019 9:28:11 PM

ETA := table([])

TABLE TYPE ETA = true

Error, archive data file "c:\cygwin64/home/fgarv/maple/mylib/ETA.mla" could not
be created

END ETA package

```
> read"D:/Garvan/wmprog.txt":
```

Warning, (in qseries[findhomcombo]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:321|

Warning, (in qseries[findhomcombo]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:334|

Warning, (in qseries[findhomcombo]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:343|

Warning, (in qseries[findhomcombo]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:348|

Warning, (in qseries[findlincombo]) `k` is implicitly declared local

|D:/Garvan/wmprog.txt:412|
Warning, (in qseries[findlincombomdp]) `k` is implicitly declared local
|D:/Garvan/wmprog.txt:486|
Warning, (in qseries[findhomcombomdp]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:561|
Warning, (in qseries[findhomcombomdp]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:574|
Warning, (in qseries[findhomcombomdp]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:583|
Warning, (in qseries[findhomcombomdp]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:588|
Warning, (in qseries[findnonhomcombo]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:679|
Warning, (in qseries[findnonhomcombo]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:718|
Warning, (in qseries[findnonhomcombo]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:723|
Warning, (in qseries[findnonhomcombo]) `ANS` is implicitly declared local
|D:/Garvan/wmprog.txt:729|
Warning, (in qseries[findnonhomcombo]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:730|
Warning, (in qseries[findnonhomcombo]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:735|
Warning, (in qjac) `t` is implicitly declared local |D:/Garvan/wmprog.txt:1079|
Warning, (in qjac) `c` is implicitly declared local |D:/Garvan/wmprog.txt:1082|
Warning, (in qseries[mprodmake]) `qqprod` is implicitly declared local
|D:/Garvan/wmprog.txt:1150|
Warning, (in qseries[prodmake]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:1166|
Warning, (in qseries[prodmake]) `q` is implicitly declared local
|D:/Garvan/wmprog.txt:1167|
Warning, (in qseries[prodmake]) `T` is implicitly declared local
|D:/Garvan/wmprog.txt:1168|
Warning, (in qseries[prodmake]) `bseq` is implicitly declared local
|D:/Garvan/wmprog.txt:1204|
Warning, (in qseries[prodmake]) `1st` is implicitly declared local
|D:/Garvan/wmprog.txt:1205|
Warning, (in bigqpfac) `conc` is implicitly declared local |D:/Garvan/wmprog.
txt:1525|
Warning, (in qseries[quinprod]) `leftid` is implicitly declared local
|D:/Garvan/wmprog.txt:1637|
Warning, (in qseries[quinprod]) `x1` is implicitly declared local
|D:/Garvan/wmprog.txt:1643|
Warning, (in qseries[quinprod]) `x2` is implicitly declared local
|D:/Garvan/wmprog.txt:1646|

Warning, (in qseries[quinprod]) `rightid` is implicitly declared local
|D:/Garvan/wmprog.txt:1652|
Warning, (in qseries[tripleprod]) `x` is implicitly declared local
|D:/Garvan/wmprog.txt:1709|
Warning, (in qseries[tripleprod]) `lasti` is implicitly declared local
|D:/Garvan/wmprog.txt:1710|
Warning, (in qseries[tripleprod]) `i` is implicitly declared local
|D:/Garvan/wmprog.txt:1711|
Warning, (in qseries[tripleprod]) `leftid` is implicitly declared local
|D:/Garvan/wmprog.txt:1717|
Warning, (in qseries[tripleprod]) `rightid` is implicitly declared local
|D:/Garvan/wmprog.txt:1720|
Warning, (in qseries[zqfactor]) `buglim` is implicitly declared local
|D:/Garvan/wmprog.txt:1751|
Warning, (in qseries[zqfactor]) `F` is implicitly declared local
|D:/Garvan/wmprog.txt:1755|
Warning, (in qseries[zqfactor]) `z` is implicitly declared local
|D:/Garvan/wmprog.txt:1756|
Warning, (in qseries[zqfactor]) `q` is implicitly declared local
|D:/Garvan/wmprog.txt:1757|
Warning, (in qseries[zqfactor]) `N` is implicitly declared local
|D:/Garvan/wmprog.txt:1758|
Error, could not open `c:\Program Files\Maple 11\mylib\qseries.m` for writing

> with(qseries);

[*aqprod, changes, etamake, etaq, findhom, findhomcombo, findhomcombomodp, findhommodp, findlincombo, findlincombomodp, findnonhom, findnonhomcombo, findpoly, jac2prod, jac2series, jacprod, jacprodmake, mprodmake, packageversion, prodmake, qbin, qetamake, qfactor, quinprod, sift, θ , θ_2 , θ_3 , θ_4 , tripleprod, winquist, zqfactor*] (4)

> with(ETA);

[*ETAchanges, ETApversion, Ffind, Fricke, GPmake, POWERPq, POWERPqMODP, POWERq, POWERqMODP, UpLB, cuspORD, cuspORDS, cuspORDSnotoo, cuspmake, cusppord, etaCOF, etaCONSTANT, etaWe, etamult, etanormalid, etaprodWe, etaprodtoqseries, etaprodtoqseries2, etaprodtoqseriesMODP, fanwidth, gamma0FORMCHECK, gammacheck, gammacheckM, gp2etaprod, jacbotstar, jactopstar, mintotGAMMA0ORDS, printETAIDORDStable, printcuspORDS, printcusppords, provemodfuncGAMMA0UpETAid, provemodfuncGAMMA0UpETAidBATCH, provemodfuncGAMMA0id, provemodfuncGAMMA0idBATCH, qetacombos, vetainf, vp*] (5)

> with(thetaids);

[*Acmake, Bord, CUSPSANDWIDMAKE1, DivCheck, GETAP2getalist, Gamma1ModFunc, JACCOF, JACP2jaclist, QP2, Scmake, _ETAn, _ETAnm, _etan, _etanm, cuspequiv1, cuspmake1, cuspsetinequiv1, cusppwid1, eeta, egeta, ejac, eta2geta, eta2jac, fpart, getacuspord, getalist2jacprod, getaprodCUSPORDS, getaprodCUSPORD, gterm2jacprod, jac2eprod, jac2getacombos, jac2getaprod, jacbase, jacnormalid, jcombobase, lqdegree, lqdegree0, mintotORDS, mixedjac2jac, newxy, numcuspequiv1, phiset, printJACIDORDStable,* (6)

processjacid, provemodfuncid, provemodfuncidBATCH, qjacdegree, rmcoffjac, rmcofhotqjac, srep, sset, thetaidschanges, thetaidspsversion, v0, vinf]

> JP1:=JAC(22,50,infinity)/JAC(0,50,infinity)/JAC(11,25,infinity)*JAC(0,25,infinity)*JAC(2,10,infinity)/JAC(0,10,infinity)*JAC(25,50,infinity)^(1/2)/JAC(0,50,infinity)^(1/2)*JAC(10,50,infinity)^2*JAC(20,50,infinity)^2/JAC(0,50,infinity)^4*mul(JAC(2*j,50,infinity)^2/JAC(0,50,infinity)^2,j=1..12);

$$JP1 := \left(JAC(22, 50, \infty)^3 JAC(0, 25, \infty) JAC(2, 10, \infty) \sqrt{JAC(25, 50, \infty)} JAC(10, 50, \infty)^4 JAC(20, 50, \infty)^4 JAC(2, 50, \infty)^2 JAC(4, 50, \infty)^2 JAC(6, 50, \infty)^2 JAC(8, 50, \infty)^2 JAC(12, 50, \infty)^2 JAC(14, 50, \infty)^2 JAC(16, 50, \infty)^2 JAC(18, 50, \infty)^2 JAC(24, 50, \infty)^2 \right) / \left(JAC(0, 50, \infty)^{59/2} JAC(11, 25, \infty) JAC(0, 10, \infty) \right) \quad (7)$$

> f2:=mul(JAC(2*j,50,infinity)/JAC(0,50,infinity),j=1..12);

$$f2 := \frac{1}{JAC(0, 50, \infty)^{12}} (JAC(2, 50, \infty) JAC(4, 50, \infty) JAC(6, 50, \infty) JAC(8, 50, \infty) JAC(10, 50, \infty) JAC(12, 50, \infty) JAC(14, 50, \infty) JAC(16, 50, \infty) JAC(18, 50, \infty) JAC(20, 50, \infty) JAC(22, 50, \infty) JAC(24, 50, \infty)) \quad (8)$$

> f10:=JAC(10,50,infinity)*JAC(20,50,infinity)/JAC(0,50,infinity)^2;

$$f10 := \frac{JAC(10, 50, \infty) JAC(20, 50, \infty)}{JAC(0, 50, \infty)^2} \quad (9)$$

> V0:=JAC(4,9,infinity)/JAC(0,9,infinity);

$$V0 := \frac{JAC(4, 9, \infty)}{JAC(0, 9, \infty)} \quad (10)$$

> V1:=JAC(2,9,infinity)/JAC(0,9,infinity);

$$V1 := \frac{JAC(2, 9, \infty)}{JAC(0, 9, \infty)} \quad (11)$$

> V2:=JAC(1,9,infinity)/JAC(0,9,infinity);

$$V2 := \frac{JAC(1, 9, \infty)}{JAC(0, 9, \infty)} \quad (12)$$

> A0:=JAC(9,21,infinity)/JAC(0,21,infinity); A2:=JAC(5,21,infinity)/JAC(0,21,infinity);A5:=JAC(2,21,infinity)/JAC(0,21,infinity);

$$\begin{aligned} A0 &:= \frac{JAC(9, 21, \infty)}{JAC(0, 21, \infty)} \\ A2 &:= \frac{JAC(5, 21, \infty)}{JAC(0, 21, \infty)} \\ A5 &:= \frac{JAC(2, 21, \infty)}{JAC(0, 21, \infty)} \end{aligned} \quad (13)$$

> B0:=JAC(10,21,infinity)/JAC(0,21,infinity); B3:=JAC(4,21,infinity)/JAC(0,21,infinity);B4:=JAC(3,21,infinity)/JAC(0,21,infinity);

$$\begin{aligned} B0 &:= \frac{JAC(10, 21, \infty)}{JAC(0, 21, \infty)} \\ B3 &:= \frac{JAC(4, 21, \infty)}{JAC(0, 21, \infty)} \end{aligned} \quad (14)$$

$$B4 := \frac{JAC(3, 21, \infty)}{JAC(0, 21, \infty)}$$

> C0:=JAC(8,21,infinity)/JAC(0,21,infinity); C1:=JAC(6,21,infinity)/JAC(0,21,infinity);C6:=JAC(1,21,infinity)/JAC(0,21,infinity);

$$C0 := \frac{JAC(8, 21, \infty)}{JAC(0, 21, \infty)} \quad (15)$$

$$C1 := \frac{JAC(6, 21, \infty)}{JAC(0, 21, \infty)}$$

$$C6 := \frac{JAC(1, 21, \infty)}{JAC(0, 21, \infty)}$$

> f17:=JAC(1,7,infinity)/JAC(0,7,infinity); f27:=JAC(2,7,infinity)/JAC(0,7,infinity);f37:=JAC(3,7,infinity)/JAC(0,7,infinity);

$$f17 := \frac{JAC(1, 7, \infty)}{JAC(0, 7, \infty)} \quad (16)$$

$$f27 := \frac{JAC(2, 7, \infty)}{JAC(0, 7, \infty)}$$

$$f37 := \frac{JAC(3, 7, \infty)}{JAC(0, 7, \infty)}$$

> S0:=f27^2/f17^2/f37;S1:=f27/f17/f37;S3:=f17/f37^2;S4:=f17^2/f27/f37^2;

$$S0 := \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \quad (17)$$

$$S1 := \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(3, 7, \infty)}$$

$$S3 := \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty)^2}$$

$$S4 := \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}$$

> P0:=f37^2/f17/f27^2;P1:=f37/f27^2;P3:=f17/f37/f27;P4:=f17^2/f27/f37^2;

$$P0 := \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2} \quad (18)$$

$$P1 := \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(2, 7, \infty)^2}$$

$$P3 := \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty) JAC(2, 7, \infty)}$$

$$P4 := \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}$$

> H0:=f27^2/f17^2/f37;H1:=f27/f17^2;H3:=f37/f17/f27;H4:=f37^2/f17/f27^2;

$$H0 := \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \quad (19)$$

$$H1 := \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2}$$

$$H3 := \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)}$$

$$H4 := \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2}$$

> M1:=q*V2*V0*B0^2*P1*A0;

$$M1 := \frac{1}{JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 (q JAC(1, 9, \infty) JAC(4, 9, \infty) JAC(10, 21, \infty)^2 JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty))} \quad (20)$$

> GP1:=jac2eprod(M1*q^(-457/126))*GETA(63,1)^(8)*GETA(63,2)^(2);

$$GP1 := \frac{1}{GETA(7, 2)^2 (GETA(9, 1) GETA(9, 4) GETA(21, 10)^2 GETA(7, 3) GETA(21, 9) GETA(63, 1)^8 GETA(63, 2)^2)} \quad (21)$$

> L1:=GETAP2getalist(GP1);

$$L1 := [[9, 1, 1], [9, 4, 1], [21, 10, 2], [7, 3, 1], [7, 2, -2], [21, 9, 1], [63, 1, 8], [63, 2, 2]] \quad (22)$$

> CW63:=CUSPSANDWIDMAKE1(63);

$$CW63 := \left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \frac{1}{18}, \frac{1}{19}, \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \frac{2}{21}, \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \frac{5}{27}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28}, \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21}, \frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, 21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, 3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, 1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1] \right] \quad (23)$$

> [vinf(L1,63),v0(L1,63)];

$$[88, 4] \quad (24)$$

> r1:=getaprodcuspORDS(L1,CW63[1],CW63[2]);

$$r1 := [44, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 2, 4, 2, 2, -2, 2, 2, 2, -1, 2, -2, 2, -2, 5, 1, -2, 18, 1, 45, -2, -6, -6, -6, -5, 2, -5, 31, -2, 5, -5, -2, 5, -5, -4, -5, 5, 25, -1, 1, 1, 2, -8, 2, 12, 5, 5, -8, 4, -6, 1, -8, -6, 1, -1, -5, -8, -1, -5, -4, 1, -11, 2, 2, -2, -6, -12, 18, -12, 4, -19, -21, -15, -17, -18, -15, -13] \quad (25)$$

> **M2:=q*V1^2*B0^2*P1*A0;**

$$M2 := \frac{q JAC(2, 9, \infty)^2 JAC(10, 21, \infty)^2 JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty)}{JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2} \quad (26)$$

> **GP2:=jac2eprod(M2*q^(-457/126))*GETA(63,1)^(8)*GETA(63,2)^(2);**

$$GP2 := \frac{1}{GETA(7, 2)^2} (GETA(9, 2)^2 GETA(21, 10)^2 GETA(7, 3) GETA(21, 9) GETA(63, 1)^8 GETA(63, 2)^2) \quad (27)$$

> **L2:=GETAP2getalist(GP2);**

$$L2 := [[9, 2, 2], [21, 10, 2], [7, 3, 1], [7, 2, -2], [21, 9, 1], [63, 1, 8], [63, 2, 2]] \quad (28)$$

> **r2:=getaprodcuspORDS(L2,CW63[1],CW63[2]);**

$$r2 := [44, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 4, 2, 2, -2, 2, 2, 2, -1, 2, -2, 2, -2, 5, -6, -2, 18, -6, 44, -2, -6, -6, -6, 2, 2, 2, 32, -2, 5, 2, -2, 5, 2, -4, 2, 5, 26, -1, -6, -6, 2, -8, 2, 12, 5, 5, -8, 4, -6, -6, -8, -6, 0, -1, 2, -8, -1, -4, -4, -6, -12, 2, 2, -2, -6, -12, 18, -12, 4, -20, -20, -14, -18, -18, -16, -12] \quad (29)$$

> **M3:=q* B0^2*C1*P0*V0*V2;**

$$M3 := (q JAC(10, 21, \infty)^2 JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (30)$$

> **GP3:=jac2eprod(M3*q^(-457/126))*GETA(63,1)^(8)*GETA(63,2)^(2);**

$$GP3 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10)^2 GETA(21, 6) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (31)$$

> **L3:=GETAP2getalist(GP3);**

$$L3 := [[21, 10, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (32)$$

> **r3:=getaprodcuspORDS(L3,CW63[1],CW63[2]);**

$$r3 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 4, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, 1, -2, 15, 1, 44, -2, -6, -6, -6, -5, 5, -5, 32, -2, 8, -5, -2, 8, -5, -7, -5, 8, 24, -4, 1, 1, 2, -8, 2, 12, 8, 8, -5, 5, -6, 1, -5, -6, 2, -4, -5, -8, -4, -5, -7, 1, -12, 2, 5, -2, -6, -11, 15, -13, 4, -19, -21, -16, -16, -19, -15, -12] \quad (33)$$

> **M4:=q*B0^2*C1*P0*V1^2;**

$$M4 := \frac{q JAC(10, 21, \infty)^2 JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (34)$$

> **GP4:=jac2eprod(M4*q^(-457/126))*GETA(63,1)^(8)*GETA(63,2)^(2);**

$$GP4 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10)^2 GETA(21, 6) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (35)$$

> **L4 := GETAP2getalist(GP4);**

$$L4 := [[21, 10, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (36)$$

$$\begin{aligned}
& \text{> r4 := getaprodcuspORDS(L4, CW63[1], CW63[2]);} \\
& r4 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 4, 2, 2, -2, 2, 2, 2, \\
& \quad -4, 2, -2, 2, -2, 8, -6, -2, 15, -6, 43, -2, -6, -6, -6, 2, 5, 2, 33, -2, 8, 2, -2, 8, \\
& \quad 2, -7, 2, 8, 25, -4, -6, -6, 2, -8, 2, 12, 8, 8, -5, 5, -6, -6, -5, -6, 1, -4, 2, -8, \\
& \quad -4, -4, -7, -6, -13, 2, 5, -2, -6, -11, 15, -13, 4, -20, -20, -15, -17, -19, \\
& \quad -16, -11] \tag{37}
\end{aligned}$$

$$\begin{aligned}
& \text{> M5 := q}^2 \cdot A0 \cdot B0^2 \cdot P4 \cdot V0 \cdot V2; \\
& M5 := \left(q^2 JAC(9, 21, \infty) JAC(10, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \right. \\
& \quad \left. \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \\
& \text{> GP5 := jac2eprod(M5 * q^{(-457/126)}) * GETA(63, 1)^{(8)} * GETA(63, 2)} \\
& \quad \text{}^{(2)}; \tag{38}
\end{aligned}$$

$$GP5 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} \left(GETA(21, 9) GETA(21, 10)^2 GETA(7, 1)^2 GETA(9, \right. \\
\left. 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2 \right) \tag{39}$$

$$\begin{aligned}
& \text{> L5 := GETAP2getalist(GP5);} \\
& L5 := [[21, 9, 1], [21, 10, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], \\
& \quad [63, 2, 2]] \tag{40}
\end{aligned}$$

$$\begin{aligned}
& \text{> r5 := getaprodcuspORDS(L5, CW63[1], CW63[2]);} \\
& r5 := [45, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, 8, 2, \\
& \quad -2, 2, -2, -4, 1, -2, 15, 1, 44, -2, -6, -6, -6, -5, 2, -5, 31, -2, -4, -5, -2, \\
& \quad -4, -5, -7, -5, -4, 24, 8, 1, 1, 2, -5, 2, 13, -4, -4, -8, 4, -6, 1, -8, -6, 1, 8, \\
& \quad -5, -5, 8, -4, -7, 1, -12, 2, 2, -2, -6, -12, 15, -13, 7, -18, -20, -16, -17, \\
& \quad -19, -14, -13] \tag{41}
\end{aligned}$$

$$\begin{aligned}
& \text{> M6 := q}^2 \cdot A0 \cdot B0^2 \cdot P4 \cdot V1^2; \\
& M6 := \frac{q^2 JAC(9, 21, \infty) JAC(10, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \\
& \text{> GP6 := jac2eprod(M6 * q^{(-457/126)}) * GETA(63, 1)^{(8)} * GETA(63, 2)} \\
& \quad \text{}^{(2)}; \tag{42}
\end{aligned}$$

$$GP6 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} \left(GETA(21, 9) GETA(21, 10)^2 GETA(7, 1)^2 GETA(9, \right. \\
\left. 2)^2 GETA(63, 1)^8 GETA(63, 2)^2 \right) \tag{43}$$

$$\begin{aligned}
& \text{> L6 := GETAP2getalist(GP6);} \\
& L6 := [[21, 9, 1], [21, 10, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \tag{44}
\end{aligned}$$

$$\begin{aligned}
& \text{> r6 := getaprodcuspORDS(L6, CW63[1], CW63[2]);} \\
& \tag{45}
\end{aligned}$$

$$r6 := [45, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, -6, -2, 15, -6, 43, -2, -6, -6, -6, 2, 2, 2, 32, -2, -4, 2, -2, -4, 2, -7, 2, -4, 25, 8, -6, -6, 2, -5, 2, 13, -4, -4, -8, 4, -6, -6, -8, -6, 0, 8, 2, -5, 8, -3, -7, -6, -13, 2, 2, -2, -6, -12, 15, -13, 7, -19, -19, -15, -18, -19, -15, -12] \quad (45)$$

>

$$> M7 := q^2 * A0 * B0 * B3 * P1 * V0 * V2;$$

$$M7 := \frac{1}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(9, 21, \infty) JAC(10, 21, \infty) JAC(4, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) \quad (46)$$

$$> GP7 := jac2eprod(M7 * q^{(-457/126)}) * GETA(63, 1)^{(8)} * GETA(63, 2)^{(2)};$$

$$GP7 := \frac{1}{GETA(7, 2)^2} (GETA(21, 9) GETA(21, 10) GETA(21, 4) GETA(7, 3) GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (47)$$

$$> L7 := GETAP2getalist(GP7);$$

$$L7 := [[21, 9, 1], [21, 10, 1], [21, 4, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (48)$$

$$> r7 := getaprodcuspORDS(L7, CW63[1], CW63[2])$$

$$r7 := [45, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, -1, 2, -2, 2, -2, 5, 1, -2, 12, 1, 43, -2, -6, -6, -6, -5, -1, -5, 30, -2, 5, -5, -2, 5, -5, 2, -5, 5, 27, -1, 1, 1, 2, -11, 2, 11, 5, 5, -5, 5, -6, 1, -5, -6, 2, -1, -5, -11, -1, -6, 2, 1, -9, 2, -1, -2, -6, -13, 12, -14, 7, -18, -20, -17, -18, -16, -16, -12] \quad (49)$$

$$> M8 := q^2 * A0 * B0 * B3 * P1 * V1^2;$$

$$M8 := \frac{1}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(9, 21, \infty) JAC(10, 21, \infty) JAC(4, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) \quad (50)$$

$$> GP8 := jac2eprod(M8 * q^{(-457/126)}) * GETA(63, 1)^{(8)} * GETA(63, 2)^{(2)};$$

$$GP8 := \frac{1}{GETA(7, 2)^2} (GETA(21, 9) GETA(21, 10) GETA(21, 4) GETA(7, 3) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (51)$$

$$> L8 := GETAP2getalist(GP8);$$

$$L8 := [[21, 9, 1], [21, 10, 1], [21, 4, 1], [7, 3, 1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (52)$$

$$> r8 := getaprodcuspORDS(L8, CW63[1], CW63[2])$$

$$r8 := [45, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, -1, 2, -2, 2, -2, 5, 1, -2, 12, 1, 43, -2, -6, -6, -6, -5, -1, -5, 30, -2, 5, -5, -2, 5, -5, 2, -5, 5, 27, -1, 1, 1, 2, -11, 2, 11, 5, 5, -5, 5, -6, 1, -5, -6, 2, -1, -5, -11, -1, -6, 2, 1, -9, 2, -1, -2, -6, -13, 12, -14, 7, -18, -20, -17, -18, -16, -16, -12] \quad (53)$$

−16, −12]

> M9 := q^2 * A0 * B0 * B4 * P1 * V0 * V1;

$$M9 := \frac{1}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(9, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) \quad (54)$$

> GP9 := jac2eprod(M9 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP9 := \frac{1}{GETA(7, 2)^2} (GETA(21, 9) GETA(21, 10) GETA(21, 3) GETA(7, 3) GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (55)$$

> L9 := GETAP2getalist(GP9);

$$L9 := [[21, 9, 1], [21, 10, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (56)$$

> r9 := getaprodcuspORDS(L9, CW63[1], CW63[2])

$$r9 := [45, 2, 2, -1, 2, 2, -1, -1, 2, 0, 2, 2, -1, 2, -1, -1, 2, 2, 0, 2, 2, 8, 2, 2, -1, 2, 2, 0, -1, 2, -1, 2, -1, 5, -1, -1, 13, -1, 43, -1, -6, -6, -6, 0, -3, 0, 30, -1, 5, 0, -1, 5, 0, -3, 0, 5, 26, -1, -1, -1, 0, -7, 0, 12, 5, 5, -10, 3, -6, -1, -10, -6, 0, -1, 0, -7, -1, -4, -3, -1, -11, 0, -3, -1, -6, -14, 13, -14, 8, -18, -19, -16, -19, -18, -15, -13] \quad (57)$$

>

> M10 := q^2 * B0^2 * C1 * P3 * V0 * V2;

$$M10 := (q^2 JAC(10, 21, \infty)^2 JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (58)$$

> GP10 := jac2eprod(M10 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP10 := \frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 10)^2 GETA(21, 6) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (59)$$

> L10 := GETAP2getalist(GP10);

$$L10 := [[21, 10, 2], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (60)$$

> r10 := getaprodcuspORDS(L10, CW63[1], CW63[2])

$$r10 := [45, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, 5, 2, -2, 2, -2, -1, 1, -2, 12, 1, 43, -2, -6, -6, -6, -5, 5, -5, 32, -2, -1, -5, -2, -1, -5, -10, -5, -1, 23, 5, 1, 1, 2, -5, 2, 13, -1, -1, -5, 5, -6, 1, -5, -6, 2, 5, -5, -5, 5, -4, -10, 1, -13, 2, 5, -2, -6, -11, 12, -14, 7, -18, -20, -17, -16, -20, -14, -12] \quad (61)$$

>

$$\begin{aligned}
& > \mathbf{M11} := \mathbf{q}^2 * \mathbf{B0}^2 * \mathbf{C1} * \mathbf{P3} * \mathbf{V1}^2; \\
& M11 := \frac{q^2 JAC(10, 21, \infty)^2 JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2} \quad (62) \\
& > \mathbf{GP11} := \mathbf{jac2eprod}(\mathbf{M11} * \mathbf{q}^{(-457/126)}) * \mathbf{GETA}(63, 1)^{(8)} * \mathbf{GETA}(63, 2)^{(2)}; \\
& GP11 := \frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 10)^2 GETA(21, 6) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (63) \\
& > \mathbf{L11} := \mathbf{GETAP2getalist}(\mathbf{GP11}); \\
& L11 := [[21, 10, 2], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (64) \\
& > \mathbf{r11} := \mathbf{getaprodcuspORDS}(\mathbf{L11}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
& r11 := [45, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, 5, 2, -2, 2, -2, -1, -6, -2, 12, -6, 42, -2, -6, -6, -6, 2, 5, 2, 33, -2, -1, 2, -2, -1, 2, -10, 2, -1, 24, 5, -6, -6, 2, -5, 2, 13, -1, -1, -5, 5, -6, -6, -5, -6, 1, 5, 2, -5, 5, -3, -10, -6, -14, 2, 5, -2, -6, -11, 12, -14, 7, -19, -19, -16, -17, -20, -15, -11] \quad (65)
\end{aligned}$$

$$\begin{aligned}
& > \mathbf{M12} := \mathbf{q}^2 * \mathbf{B0} * \mathbf{B3} * \mathbf{C1} * \mathbf{P0} * \mathbf{V0} * \mathbf{V2}; \\
& M12 := (q^2 JAC(10, 21, \infty) JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (66) \\
& > \mathbf{GP12} := \mathbf{jac2eprod}(\mathbf{M12} * \mathbf{q}^{(-457/126)}) * \mathbf{GETA}(63, 1)^{(8)} * \mathbf{GETA}(63, 2)^{(2)}; \\
& GP12 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10) GETA(21, 4) GETA(21, 6) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (67) \\
& > \mathbf{L12} := \mathbf{GETAP2getalist}(\mathbf{GP12}); \\
& L12 := [[21, 10, 1], [21, 4, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (68) \\
& > \mathbf{r12} := \mathbf{getaprodcuspORDS}(\mathbf{L12}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
& r12 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, 2, -5, 31, -2, 8, -5, -2, 8, -5, -1, -5, 8, 26, -4, 1, 1, 2, -11, 2, 11, 8, 8, -2, 6, -6, 1, -2, -6, 3, -4, -5, -11, -4, -6, -1, 1, -10, 2, 2, -2, -6, -12, 9, -15, 7, -18, -20, -18, -17, -17, -16, -11] \quad (69) \\
& > \\
& > \mathbf{M13} := \mathbf{q}^2 * \mathbf{B0} * \mathbf{B3} * \mathbf{C1} * \mathbf{P0} * \mathbf{V1}^2; \\
& M13 := (q^2 JAC(10, 21, \infty) JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (70)
\end{aligned}$$

$$\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2)$$

> GP13 := jac2eprod(M13*q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP13 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10) GETA(21, 4) GETA(21, 6) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (71)$$

> L13 := GETAP2getalist(GP13);

$$L13 := [[21, 10, 1], [21, 4, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (72)$$

> r13 := getaprodcuspORDS(L13, CW63[1], CW63[2])

$$r13 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, 2, -5, 31, -2, 8, -5, -2, 8, -5, -1, -5, 8, 26, -4, 1, 1, 2, -11, 2, 11, 8, 8, -2, 6, -6, 1, -2, -6, 3, -4, -5, -11, -4, -6, -1, 1, -10, 2, 2, -2, -6, -12, 9, -15, 7, -18, -20, -18, -17, -17, -16, -11] \quad (73)$$

>

> M14 := q^2 * B0 * B4 * C0 * P0 * V0 * V2;

$$M14 := (q^2 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (74)$$

> GP14 := jac2eprod(M14*q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP14 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10) GETA(21, 3) GETA(21, 8) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (75)$$

> L14 := GETAP2getalist(GP14);

$$L14 := [[21, 10, 1], [21, 3, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (76)$$

> r14 := getaprodcuspORDS(L14, CW63[1], CW63[2])

$$r14 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, 1, -2, 12, 1, 43, -2, -6, -6, -6, -5, -4, -5, 29, -2, 8, -5, -2, 8, -5, -1, -5, 8, 26, -4, 1, 1, 2, -2, 2, 14, 8, 8, -8, 4, -6, 1, -8, -6, 1, -4, -5, -2, -4, -3, -1, 1, -10, 2, -4, -2, -6, -14, 12, -14, 7, -18, -20, -17, -19, -17, -13, -13] \quad (77)$$

> M15 := q^2 * B0 * B4 * C0 * P0 * V1^2 ;

$$M15 := (q^2 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (78)$$

> GP15 := jac2eprod(M15*q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP15 := \frac{1}{GETA(7,1) GETA(7,2)^2} (GETA(21,10) GETA(21,3) GETA(21,8) GETA(7,3)^2 GETA(9,2)^2 GETA(63,1)^8 GETA(63,2)^2) \quad (79)$$

> L15 := GETAP2getalist(GP15);

$$L15 := [[21, 10, 1], [21, 3, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (80)$$

> r15 := getaprodcuspORDS(L15, CW63[1], CW63[2])

$$r15 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 7, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, -6, -2, 12, -6, 42, -2, -6, -6, -6, 2, -4, 2, 30, -2, 8, 2, -2, 8, 2, -1, 2, 8, 27, -4, -6, -6, 2, -2, 2, 14, 8, 8, -8, 4, -6, -6, -8, -6, 0, -4, 2, -2, -4, -2, -1, -6, -11, 2, -4, -2, -6, -14, 12, -14, 7, -19, -19, -16, -20, -17, -14, -12] \quad (81)$$

> M16 := q^2 * B0 * B4 * C1 * P0 * V0 * V1;

$$M16 := (q^2 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (82)$$

> GP16 := jac2eprod(M16 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP16 := \frac{1}{GETA(7,1) GETA(7,2)^2} (GETA(21,10) GETA(21,3) GETA(21,6) GETA(7,3)^2 GETA(9,4) GETA(9,2) GETA(63,1)^8 GETA(63,2)^2) \quad (83)$$

> L16 := GETAP2getalist(GP16);

$$L16 := [[21, 10, 1], [21, 3, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (84)$$

> r16 := getaprodcuspORDS(L16, CW63[1], CW63[2])

$$r16 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 0, 2, 2, -1, 2, -4, -1, 2, 2, 0, 2, 2, 8, 2, 2, -1, 2, 2, 0, -4, 2, -1, 2, -1, 8, -1, -1, 10, -1, 42, -1, -6, -6, -6, 0, 0, 0, 31, -1, 8, 0, -1, 8, 0, -6, 0, 8, 25, -4, -1, -1, 0, -7, 0, 12, 8, 8, -7, 4, -6, -1, -7, -6, 1, -4, 0, -7, -4, -4, -6, -1, -12, 0, 0, -1, -6, -13, 10, -15, 8, -18, -19, -17, -18, -19, -15, -12] \quad (85)$$

>

> M17 := q^3 * A0 * B0 * B3 * P4 * V0 * V2;

$$M17 := (q^3 JAC(9, 21, \infty) JAC(10, 21, \infty) JAC(4, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (86)$$

> GP17 := jac2eprod(M17 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);

$$GP17 := \frac{1}{GETA(7,2) GETA(7,3)^2} (GETA(21,9) GETA(21,10) GETA(21,4) GETA(7,3) GETA(7,2) GETA(63,1)^8 GETA(63,2)^2) \quad (87)$$

$$1)^2 \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2)$$

> **L17 := GETAP2getalist(GP17);**

$$L17 := [[21, 9, 1], [21, 10, 1], [21, 4, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (88)$$

> **r17 := getaprodcuspORDS(L17, CW63[1], CW63[2])**

$$r17 := [46, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, -1, -5, 30, -2, -4, -5, -2, -4, -5, -1, -5, -4, 26, 8, 1, 1, 2, -8, 2, 12, -4, -4, -5, 5, -6, 1, -5, -6, 2, 8, -5, -8, 8, -5, -1, 1, -10, 2, -1, -2, -6, -13, 9, -15, 10, -17, -19, -18, -18, -17, -15, -12] \quad (89)$$

>

> **M18 := q^3 * A0 * B0 * B3 * P4 * V1^2;**

$$M18 := (q^3 \text{JAC}(9, 21, \infty) \text{JAC}(10, 21, \infty) \text{JAC}(4, 21, \infty) \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty) \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2) \quad (90)$$

> **GP18 := jac2eprod(M18 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);**

$$GP18 := \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2} (\text{GETA}(21, 9) \text{GETA}(21, 10) \text{GETA}(21, 4) \text{GETA}(7, 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \quad (91)$$

> **L18 := GETAP2getalist(GP18);**

$$L18 := [[21, 9, 1], [21, 10, 1], [21, 4, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (92)$$

> **r18 := getaprodcuspORDS(L18, CW63[1], CW63[2])**

$$r18 := [46, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, -6, -2, 9, -6, 41, -2, -6, -6, -6, 2, -1, 2, 31, -2, -4, 2, -2, -4, 2, -1, 2, -4, 27, 8, -6, -6, 2, -8, 2, 12, -4, -4, -5, 5, -6, -6, -5, -6, 1, 8, 2, -8, 8, -4, -1, -6, -11, 2, -1, -2, -6, -13, 9, -15, 10, -18, -18, -17, -19, -17, -16, -11] \quad (93)$$

>

> **M19 := q^3 * A0 * B0 * B4 * P1 * V2^2;**

$$M19 := \frac{1}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2} (q^3 \text{JAC}(9, 21, \infty) \text{JAC}(10, 21, \infty) \text{JAC}(3, 21, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(1, 9, \infty)^2) \quad (94)$$

> **GP19 := jac2eprod(M19 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)^(2);**

$$GP19 := \frac{1}{\text{GETA}(7, 2)^2} (\text{GETA}(21, 9) \text{GETA}(21, 10) \text{GETA}(21, 3) \text{GETA}(7, 3) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \quad (95)$$

> **L19 := GETAP2getalist(GP19);**

(96)

```

L19 := [[21, 9, 1], [21, 10, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] (96)
> r19 := getaprodcuspORDS(L19, CW63[1], CW63[2])
r19 := [46, 2, 2, -1, 2, 2, -1, -1, 2, 7, 2, 2, -1, 2, -1, -1, 2, 2, 7, 2, 2, 8, 2, 2, -1, 2, 2, 7, (97)
-1, 2, -1, 2, -1, 5, -1, -1, 13, -1, 43, -1, -6, -6, -6, -7, -3, -7, 29, -1, 5,
-7, -1, 5, -7, -3, -7, 5, 25, -1, -1, -1, 7, -7, 7, 13, 5, 5, -10, 4, -6, -1, -10,
-6, 0, -1, -7, -7, -1, -5, -3, -1, -11, 7, -3, -1, -6, -13, 13, -13, 8, -18,
-20, -17, -19, -17, -15, -14]
>
> M20 := q^3 * A0 * B0 * B4 * P4 * V0 * V1;
M20 := (q^3 JAC(9, 21, ∞) JAC(10, 21, ∞) JAC(3, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (98)
∞) JAC(4, 9, ∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7,
∞)^2 JAC(0, 9, ∞)^2)
> GP20 := jac2eprod(M20 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)
^(2);
GP20 := 1 / (GETA(7, 2) GETA(7, 3))^2 (GETA(21, 9) GETA(21, 10) GETA(21, 3) GETA(7, (99)
1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2)
> L20 := GETAP2getalist(GP20);
L20 := [[21, 9, 1], [21, 10, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, (100)
1], [63, 1, 8], [63, 2, 2]]
> r20 := getaprodcuspORDS(L20, CW63[1], CW63[2])
r20 := [46, 2, 2, -1, 2, 2, -1, 8, 2, 0, 2, 2, -1, 2, 8, -1, 2, 2, 0, 2, 2, 11, 2, 2, -1, 2, 2, 0, 8, (101)
2, -1, 2, -1, -4, -1, -1, 10, -1, 42, -1, -6, -6, -6, 0, -3, 0, 30, -1, -4, 0,
-1, -4, 0, -6, 0, -4, 25, 8, -1, -1, 0, -4, 0, 13, -4, -4, -10, 3, -6, -1, -10,
-6, 0, 8, 0, -4, 8, -3, -6, -1, -12, 0, -3, -1, -6, -14, 10, -15, 11, -17, -18,
-17, -19, -19, -14, -13]
> M21 := q^3 * A0 * B3^2 * P1 * V0 * V2;
M21 := (q^3 JAC(9, 21, ∞) JAC(4, 21, ∞)^2 JAC(3, 7, ∞) JAC(0, 7, ∞) JAC(4, 9, (102)
∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2)
> GP21 := jac2eprod(M21 * q^(-457/126)) * GETA(63, 1)^(8) * GETA(63, 2)
^(2);
GP21 := 1 / (GETA(7, 2))^2 (GETA(21, 9) GETA(21, 4)^2 GETA(7, 3) GETA(9, 4) GETA(9, (103)
1) GETA(63, 1)^8 GETA(63, 2)^2)
> L21 := GETAP2getalist(GP21);
L21 := [[9, 2, 2], [21, 10, 2], [7, 3, 1], [7, 2, -2], [21, 9, 1], [63, 1, 8], [63, 2, 2]] (104)
> r21 := getaprodcuspORDS(L21, CW63[1], CW63[2])
r21 := [44, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 2, 4, 2, 2, -2, 2, 2, (105)
2, -1, 2, -2, 2, -2, 5, -6, -2, 18, -6, 44, -2, -6, -6, -6, 2, 2, 2, 32, -2, 5, 2,
-2, 5, 2, -4, 2, 5, 26, -1, -6, -6, 2, -8, 2, 12, 5, 5, -8, 4, -6, -6, -8, -6, 0, -1,

```

2, -8, -1, -4, -4, -6, -12, 2, 2, -2, -6, -12, 18, -12, 4, -20, -20, -14, -18,
-18, -16, -12]

>

> **M22 := q^3 * A0 * B3^2 * P1 * V1^2;**

$$M22 := \frac{q^3 JAC(9, 21, \infty) JAC(4, 21, \infty)^2 JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (106)$$

> **GP22 := jac2eprod(M22 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP22 := \frac{1}{GETA(7, 2)^2} (GETA(21, 9) GETA(21, 4)^2 GETA(7, 3) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (107)$$

> **L22 := GETAP2getalist(GP22);**

$$L22 := [[21, 9, 1], [21, 4, 2], [7, 3, 1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (108)$$

> **r22 := getaprodcuspORDS(L22, CW63[1], CW63[2])**

$$r22 := [44, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 4, 2, 2, -2, 2, 2, 2, -1, 2, -2, 2, -2, 5, -6, -2, 18, -6, 44, -2, -6, -6, -6, 2, 2, 2, 32, -2, 5, 2, -2, 5, 2, -4, 2, 5, 26, -1, -6, -6, 2, -8, 2, 12, 5, 5, -8, 4, -6, -6, -8, -6, 0, -1, 2, -8, -1, -4, -4, -6, -12, 2, 2, -2, -6, -12, 18, -12, 4, -20, -20, -14, -18, -18, -16, -12] \quad (109)$$

>

> **M23 := q^3 * A0 * B3 * B4 * P1 * V0 * V1;**

$$M23 := (q^3 JAC(9, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (110)$$

> **GP23 := jac2eprod(M23 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP23 := \frac{1}{GETA(7, 2)^2} (GETA(21, 9) GETA(21, 4) GETA(21, 3) GETA(7, 3) GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (111)$$

> **L23 := GETAP2getalist(GP23);**

$$L23 := [[21, 9, 1], [21, 4, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (112)$$

> **r23 := getaprodcuspORDS(L23, CW63[1], CW63[2])**

$$r23 := [46, 2, 2, -1, 2, 2, -1, -1, 2, 0, 2, 2, -1, 2, -1, -1, 2, 2, 0, 2, 2, 11, 2, 2, -1, 2, 2, 0, -1, 2, -1, 2, -1, 5, -1, -1, 7, -1, 41, -1, -6, -6, -6, 0, -6, 0, 29, -1, 5, 0, -1, 5, 0, 3, 0, 5, 28, -1, -1, -1, 0, -10, 0, 11, 5, 5, -7, 4, -6, -1, -7, -6, 1, -1, 0, -10, -1, -5, 3, -1, -9, 0, -6, -1, -6, -15, 7, -16, 11, -17, -18, -18, -20, -16, -16, -12] \quad (113)$$

>

> **M24 := q^3 * A2 * B0 * B4 * P1 * V0 * V2;**

$$M24 := (q^3 JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (114)$$


```

> GP24 := jac2eprod(M24*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP24 :=  $\frac{1}{GETA(7, 2)^2} (GETA(21, 5) GETA(21, 10) GETA(21, 3) GETA(7, 3) GETA(9,$  (115)
      4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)
> L24 := GETAP2getalist(GP24);
L24 := [[21, 5, 1], [21, 10, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], (116)
      [63, 2, 2]]
> r24 := getaprodcuspORDS(L24, CW63[1], CW63[2])
r24 := [46, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, (117)
      2, -1, 2, -2, 2, -2, 5, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, 2, -5, 31, -2, 5, -5,
      -2, 5, -5, -4, -5, 5, 25, -1, 1, 1, 2, -2, 2, 14, 5, 5, -11, 3, -6, 1, -11, -6, 0, -1,
      -5, -2, -1, -3, -4, 1, -11, 2, 2, -2, -6, -12, 9, -15, 10, -17, -19, -18, -17,
      -18, -13, -14]
>
> M25 := q^3*A2*B0*B4*P1*V1^2;
M25 :=  $(q^3 JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7,$  (118)
       $\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2)$ 
> GP25 := jac2eprod(M25*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP25 :=  $\frac{1}{GETA(7, 2)^2} (GETA(21, 5) GETA(21, 10) GETA(21, 3) GETA(7, 3) GETA(9,$  (119)
      2)^2 GETA(63, 1)^8 GETA(63, 2)^2)
> L25 := GETAP2getalist(GP25);
L25 := [[21, 5, 1], [21, 10, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, (120)
      2]]
> r25 := getaprodcuspORDS(L25, CW63[1], CW63[2])
r25 := [46, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, (121)
      2, -1, 2, -2, 2, -2, 5, -6, -2, 9, -6, 41, -2, -6, -6, -6, 2, 2, 2, 32, -2, 5, 2, -2,
      5, 2, -4, 2, 5, 26, -1, -6, -6, 2, -2, 2, 14, 5, 5, -11, 3, -6, -6, -11, -6, -1, -1,
      2, -2, -1, -2, -4, -6, -12, 2, 2, -2, -6, -12, 9, -15, 10, -18, -18, -17, -18,
      -18, -14, -13]
>
> M26 := q^3*B0*B3*C1*P3*V0*V2;
M26 :=  $(q^3 JAC(10, 21, \infty) JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7,$  (122)
       $\infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7,$ 
       $\infty) JAC(0, 9, \infty)^2)$ 
> GP26 := jac2eprod(M26*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP26 :=  $\frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 10) GETA(21, 4) GETA(21, 6) GETA(7,$  (123)
      1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)

```

$$\begin{aligned} &> \text{L26} := \text{GETAP2getalist}(\text{GP26}); \\ \text{L26} &:= [[21, 10, 1], [21, 4, 1], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \end{aligned} \quad (124)$$

$$\begin{aligned} &> \text{r26} := \text{getaprodcuspORDS}(\text{L26}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r26} &:= [46, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, 5, \\ &2, -2, 2, -2, -1, 1, -2, 6, 1, 41, -2, -6, -6, -6, -5, 2, -5, 31, -2, -1, -5, -2, \\ &-1, -5, -4, -5, -1, 25, 5, 1, 1, 2, -8, 2, 12, -1, -1, -2, 6, -6, 1, -2, -6, 3, 5, \\ &-5, -8, 5, -5, -4, 1, -11, 2, 2, -2, -6, -12, 6, -16, 10, -17, -19, -19, -17, \\ &-18, -15, -11] \end{aligned} \quad (125)$$

$$\begin{aligned} &> \text{M27} := q^3 \cdot \text{B0} \cdot \text{B3} \cdot \text{C1} \cdot \text{P3} \cdot \text{V1}^2; \\ \text{M27} &:= (q^3 \text{JAC}(10, 21, \infty) \text{JAC}(4, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(1, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(3, 7, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 9, \infty)^2) \end{aligned} \quad (126)$$

$$\begin{aligned} &> \text{GP27} := \text{jac2eprod}(\text{M27} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\ \text{GP27} &:= \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} (\text{GETA}(21, 10) \text{GETA}(21, 4) \text{GETA}(21, 6) \text{GETA}(7, 1) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \end{aligned} \quad (127)$$

$$\begin{aligned} &> \text{L27} := \text{GETAP2getalist}(\text{GP27}); \\ \text{L27} &:= [[21, 10, 1], [21, 4, 1], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \end{aligned} \quad (128)$$

$$\begin{aligned} &> \text{r27} := \text{getaprodcuspORDS}(\text{L27}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r27} &:= [46, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, 5, \\ &2, -2, 2, -2, -1, -6, -2, 6, -6, 40, -2, -6, -6, -6, 2, 2, 2, 32, -2, -1, 2, -2, \\ &-1, 2, -4, 2, -1, 26, 5, -6, -6, 2, -8, 2, 12, -1, -1, -2, 6, -6, -6, -2, -6, 2, 5, \\ &2, -8, 5, -4, -4, -6, -12, 2, 2, -2, -6, -12, 6, -16, 10, -18, -18, -18, -18, \\ &-18, -16, -10] \end{aligned} \quad (129)$$

$$\begin{aligned} &> \text{M28} := q^3 \cdot \text{B0} \cdot \text{B4} \cdot \text{C0} \cdot \text{P3} \cdot \text{V0} \cdot \text{V2}; \\ \text{M28} &:= (q^3 \text{JAC}(10, 21, \infty) \text{JAC}(3, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(1, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(3, 7, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 9, \infty)^2) \end{aligned} \quad (130)$$

$$\begin{aligned} &> \text{GP28} := \text{jac2eprod}(\text{M28} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\ \text{GP28} &:= \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} (\text{GETA}(21, 10) \text{GETA}(21, 3) \text{GETA}(21, 8) \text{GETA}(7, 1) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \end{aligned} \quad (131)$$

$$\begin{aligned} &> \text{L28} := \text{GETAP2getalist}(\text{GP28}); \\ \text{L28} &:= [[21, 10, 1], [21, 3, 1], [21, 8, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \end{aligned} \quad (132)$$

$$\begin{aligned} &> \text{r28} := \text{getaprodcuspORDS}(\text{L28}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r28} &:= [46, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, 5, \end{aligned} \quad (133)$$

2, -2, 2, -2, -1, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, -4, -5, 29, -2, -1, -5,
-2, -1, -5, -4, -5, -1, 25, 5, 1, 1, 2, 1, 2, 15, -1, -1, -8, 4, -6, 1, -8, -6, 1, 5,
-5, 1, 5, -2, -4, 1, -11, 2, -4, -2, -6, -14, 9, -15, 10, -17, -19, -18, -19,
-18, -12, -13]

>

> **M29 := q³ · B0 * B4 * C0 * P3 * V1^2;**

$$M29 := \left(q^3 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (134)$$

> **GP29 := jac2eprod(M29 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP29 := \frac{1}{GETA(7, 3) GETA(7, 2)} \left(GETA(21, 10) GETA(21, 3) GETA(21, 8) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2 \right) \quad (135)$$

> **L29 := GETAP2getalist(GP29);**

$$L29 := [[21, 10, 1], [21, 3, 1], [21, 8, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (136)$$

> **r29 := getaprodcuspORDS(L29, CW63[1], CW63[2])**

$$r29 := [46, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, 5, 2, -2, 2, -2, -1, -6, -2, 9, -6, 41, -2, -6, -6, -6, 2, -4, 2, 30, -2, -1, 2, -2, -1, 2, -4, 2, -1, 26, 5, -6, -6, 2, 1, 2, 15, -1, -1, -8, 4, -6, -6, -8, -6, 0, 5, 2, 1, 5, -1, -4, -6, -12, 2, -4, -2, -6, -14, 9, -15, 10, -18, -18, -17, -20, -18, -13, -12] \quad (137)$$

>

> **M30 := q³ · B0 * B4 * C1 * P0 * V2^2;**

$$M30 := \left(q^3 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (138)$$

> **GP30 := jac2eprod(M30 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP30 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} \left(GETA(21, 10) GETA(21, 3) GETA(21, 6) GETA(7, 3)^2 GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2 \right) \quad (139)$$

> **L30 := GETAP2getalist(GP30);**

$$L30 := [[21, 10, 1], [21, 3, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] \quad (140)$$

> **r30 := getaprodcuspORDS(L30, CW63[1], CW63[2])**

$$r30 := [46, 2, 2, -1, 2, 2, -1, -4, 2, 7, 2, 2, -1, 2, -4, -1, 2, 2, 7, 2, 2, 8, 2, 2, -1, 2, 2, 7, -4, 2, -1, 2, -1, 8, -1, -1, 10, -1, 42, -1, -6, -6, -6, -7, 0, -7, 30, -1, 8, -7, -1, 8, -7, -6, -7, 8, 24, -4, -1, -1, 7, -7, 7, 13, 8, 8, -7, 5, -6, -1, -7, -6, 1, -4, -7, -7, -4, -5, -6, -1, -12, 7, 0, -1, -6, -12, 10, -14, 8, -18, -20, -18, -18, -18, -15, -13] \quad (141)$$

>

$$\begin{aligned}
& > \text{M31} := q^3 * B0 * B4 * C1 * P3 * V0 * V1; \\
\text{M31} &:= \left(q^3 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \right. \\
&\quad \left. \infty) JAC(0, 9, \infty)^2 \right) \tag{142}
\end{aligned}$$

$$\begin{aligned}
& > \text{GP31} := \text{jac2eprod}(\text{M31} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
\text{GP31} &:= \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} \left(\text{GETA}(21, 10) \text{GETA}(21, 3) \text{GETA}(21, 6) \text{GETA}(7, \right. \\
&\quad \left. 1) \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2 \right) \tag{143}
\end{aligned}$$

$$\begin{aligned}
& > \text{L31} := \text{GETAP2getalist}(\text{GP31}); \\
\text{L31} &:= [[21, 10, 1], [21, 3, 1], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 2, \\
&\quad 1], [63, 1, 8], [63, 2, 2]] \tag{144}
\end{aligned}$$

$$\begin{aligned}
& > \text{r31} := \text{getaprodcuspORDS}(\text{L31}, \text{CW63}[1], \text{CW63}[2]) \\
r31 &:= [46, 2, 2, -1, 2, 2, -1, 5, 2, 0, 2, 2, -1, 2, 5, -1, 2, 2, 0, 2, 2, 11, 2, 2, -1, 2, 2, 0, 5, \\
&\quad 2, -1, 2, -1, -1, -1, -1, 7, -1, 41, -1, -6, -6, -6, 0, 0, 0, 31, -1, -1, 0, -1, \\
&\quad -1, 0, -9, 0, -1, 24, 5, -1, -1, 0, -4, 0, 13, -1, -1, -7, 4, -6, -1, -7, -6, 1, 5, \\
&\quad 0, -4, 5, -3, -9, -1, -13, 0, 0, -1, -6, -13, 7, -16, 11, -17, -18, -18, -18, \\
&\quad -20, -14, -12] \tag{145}
\end{aligned}$$

$$\begin{aligned}
& > \\
& > \text{M32} := q^3 * B3^2 * C1 * P0 * V0 * V2; \\
\text{M32} &:= \left(q^3 JAC(4, 21, \infty)^2 JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \tag{146}
\end{aligned}$$

$$\begin{aligned}
& > \text{GP32} := \text{jac2eprod}(\text{M32} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
\text{GP32} &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 2)^2} \left(\text{GETA}(21, 4)^2 \text{GETA}(21, 6) \text{GETA}(7, 3)^2 \text{GETA}(9, \right. \\
&\quad \left. 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2 \right) \tag{147}
\end{aligned}$$

$$\begin{aligned}
& > \text{L32} := \text{GETAP2getalist}(\text{GP32}); \\
\text{L32} &:= [[21, 4, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], \\
&\quad [63, 2, 2]] \tag{148}
\end{aligned}$$

$$\begin{aligned}
& > \text{r32} := \text{getaprodcuspORDS}(\text{L32}, \text{CW63}[1], \text{CW63}[2]) \\
r32 &:= [46, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, \\
&\quad 2, -4, 2, -2, 2, -2, 8, 1, -2, 3, 1, 40, -2, -6, -6, -6, -5, -1, -5, 30, -2, 8, -5, \\
&\quad -2, 8, -5, 5, -5, 8, 28, -4, 1, 1, 2, -14, 2, 10, 8, 8, 1, 7, -6, 1, 1, -6, 4, -4, -5, \\
&\quad -14, -4, -7, 5, 1, -8, 2, -1, -2, -6, -13, 3, -17, 10, -17, -19, -20, -18, \\
&\quad -15, -17, -10] \tag{149}
\end{aligned}$$

$$\begin{aligned}
& > \\
& > \text{M33} := q^3 * B3^2 * C1 * P0 * V1^2; \\
\text{M33} &:= \frac{q^3 JAC(4, 21, \infty)^2 JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \tag{150}
\end{aligned}$$

```

> GP33 := jac2eprod(M33*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP33 := 
$$\frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 4)^2 GETA(21, 6) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2)$$
 (151)
> L33 := GETAP2getalist(GP33);
L33 := [[21, 4, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] (152)
> r33 := getaprodcuspORDS(L33, CW63[1], CW63[2])
r33 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, -6, -2, 3, -6, 39, -2, -6, -6, -6, 2, -1, 2, 31, -2, 8, 2, -2, 8, 2, 5, 2, 8, 29, -4, -6, -6, 2, -14, 2, 10, 8, 8, 1, 7, -6, -6, 1, -6, 3, -4, 2, -14, -4, -6, 5, -6, -9, 2, -1, -2, -6, -13, 3, -17, 10, -18, -18, -19, -19, -15, -18, -9] (153)
>
> M34 := q^3*B3*B4*C0*P0*V0*V2;
M34 := 
$$(q^3 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2)$$
 (154)
> GP34 := jac2eprod(M34*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP34 := 
$$\frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 4) GETA(21, 3) GETA(21, 8) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)$$
 (155)
> L34 := GETAP2getalist(GP34);
L34 := [[21, 4, 1], [21, 3, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] (156)
> r34 := getaprodcuspORDS(L34, CW63[1], CW63[2])
r34 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, 1, -2, 6, 1, 41, -2, -6, -6, -6, -5, -7, -5, 28, -2, 8, -5, -2, 8, -5, 5, -5, 8, 28, -4, 1, 1, 2, -5, 2, 13, 8, 8, -5, 5, -6, 1, -5, -6, 2, -4, -5, -5, -4, -4, 5, 1, -8, 2, -7, -2, -6, -15, 6, -16, 10, -17, -19, -19, -20, -15, -14, -12] (157)
>
> M35 := q^3*B3*B4*C0*P0*V1^2;
M35 := 
$$(q^3 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2)$$
 (158)
> GP35 := jac2eprod(M35*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP35 := 
$$\frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 4) GETA(21, 3) GETA(21, 8) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2)$$
 (159)

```

```
> L35 := GETAP2getalist(GP35);
L35 := [[21, 4, 1], [21, 3, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] (160)
```

```
> r35 := getaprodcuspORDS(L35, CW63[1], CW63[2])
r35 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 10, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, -6, -2, 6, -6, 40, -2, -6, -6, -6, 2, -7, 2, 29, -2, 8, 2, -2, 8, 2, 5, 2, 8, 29, -4, -6, -6, 2, -5, 2, 13, 8, 8, -5, 5, -6, -6, -5, -6, 1, -4, 2, -5, -4, -3, 5, -6, -9, 2, -7, -2, -6, -15, 6, -16, 10, -18, -18, -18, -21, -15, -15, -11] (161)
```

```
>
> M36 := q^3 * B3 * B4 * C1 * P0 * V0 * V1;
M36 := (q^3 JAC(4, 21, ∞) JAC(3, 21, ∞) JAC(6, 21, ∞) JAC(3, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9, ∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2) (162)
```

```
> GP36 := jac2eprod(M36 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP36 := 1 / (GETA(7, 1) GETA(7, 2)^2 (GETA(21, 4) GETA(21, 3) GETA(21, 6) GETA(7, 3)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2)) (163)
```

```
> L36 := GETAP2getalist(GP36);
L36 := [[21, 4, 1], [21, 3, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] (164)
```

```
> r36 := getaprodcuspORDS(L36, CW63[1], CW63[2])
r36 := [46, 2, 2, -1, 2, 2, -1, -4, 2, 0, 2, 2, -1, 2, -4, -1, 2, 2, 0, 2, 2, 11, 2, 2, -1, 2, 2, 0, -4, 2, -1, 2, -1, 8, -1, -1, 4, -1, 40, -1, -6, -6, -6, 0, -3, 0, 30, -1, 8, 0, -1, 8, 0, 0, 0, 8, 27, -4, -1, -1, 0, -10, 0, 11, 8, 8, -4, 5, -6, -1, -4, -6, 2, -4, 0, -10, -4, -5, 0, -1, -10, 0, -3, -1, -6, -14, 4, -17, 11, -17, -18, -19, -19, -17, -16, -11] (165)
```

```
> M37 := q^3 * B4^2 * C0 * P0 * V0 * V1;
M37 := (q^3 JAC(3, 21, ∞)^2 JAC(8, 21, ∞) JAC(3, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9, ∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2) (166)
```

```
> GP37 := jac2eprod(M37 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP37 := 1 / (GETA(7, 1) GETA(7, 2)^2 (GETA(21, 3)^2 GETA(21, 8) GETA(7, 3)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2)) (167)
```

```
> L37 := GETAP2getalist(GP37);
L37 := [[21, 3, 2], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] (168)
```

```

> r37 := getaprodCUSPORDS(L37, CW63[1], CW63[2])
r37 := [46, 2, 2, -1, 2, 2, -1, -4, 2, 0, 2, 2, -1, 2, -4, -1, 2, 2, 0, 2, 2, 11, 2, 2, -1, 2, 2, (169)
0, -4, 2, -1, 2, -1, 8, -1, -1, 7, -1, 41, -1, -6, -6, -6, 0, -9, 0, 28, -1, 8, 0,
-1, 8, 0, 0, 0, 8, 27, -4, -1, -1, 0, -1, 0, 14, 8, 8, -10, 3, -6, -1, -10, -6, 0, -4,
0, -1, -4, -2, 0, -1, -10, 0, -9, -1, -6, -16, 7, -16, 11, -17, -18, -18, -21,
-17, -13, -13]
>
> M38 := q^4 * A0 * B0 * B4 * P4 * V2^2;
M38 := (q^4 JAC(9, 21, ∞) JAC(10, 21, ∞) JAC(3, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (170)
∞) JAC(1, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
> GP38 := jac2eprod(M38 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP38 := 1 / (GETA(7, 2) GETA(7, 3)^2 (GETA(21, 9) GETA(21, 10) GETA(21, 3) GETA(7, (171)
1)^2 GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2)
> L38 := GETAP2getalist(GP38);
L38 := [[21, 9, 1], [21, 10, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, (172)
8], [63, 2, 2]]
> r38 := getaprodCUSPORDS(L38, CW63[1], CW63[2])
r38 := [47, 2, 2, -1, 2, 2, -1, 8, 2, 7, 2, 2, -1, 2, 8, -1, 2, 2, 7, 2, 2, 11, 2, 2, -1, 2, 2, 7, 8, (173)
2, -1, 2, -1, -4, -1, -1, 10, -1, 42, -1, -6, -6, -6, -7, -3, -7, 29, -1, -4,
-7, -1, -4, -7, -6, -7, -4, 24, 8, -1, -1, 7, -4, 7, 14, -4, -4, -10, 4, -6,
-1, -10, -6, 0, 8, -7, -4, 8, -4, -6, -1, -12, 7, -3, -1, -6, -13, 10, -14, 11,
-17, -19, -18, -19, -18, -14, -14]
>
> M39 := q^4 * A0 * B3^2 * P4 * V0 * V2;
M39 := (q^4 JAC(9, 21, ∞) JAC(4, 21, ∞)^2 JAC(1, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9, (174)
∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
> GP39 := jac2eprod(M39 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP39 := 1 / (GETA(7, 2) GETA(7, 3)^2 (GETA(21, 9) GETA(21, 4)^2 GETA(7, 1)^2 GETA(9, (175)
4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)
> L39 := GETAP2getalist(GP39);
L39 := [[21, 9, 1], [21, 4, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], (176)
[63, 2, 2]]
> r39 := getaprodCUSPORDS(L39, CW63[1], CW63[2])
r39 := [47, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 8, (177)
2, -2, 2, -2, -4, 1, -2, 3, 1, 40, -2, -6, -6, -6, -5, -4, -5, 29, -2, -4, -5,
-2, -4, -5, 5, -5, -4, 28, 8, 1, 1, 2, -11, 2, 11, -4, -4, -2, 6, -6, 1, -2, -6, 3,
8, -5, -11, 8, -6, 5, 1, -8, 2, -4, -2, -6, -14, 3, -17, 13, -16, -18, -20, -19,

```

−15, −16, −11]

>

> **M40** := $q^4 * A0 * B3^2 * P4 * V1^2$;

$$M40 := \frac{q^4 JAC(9, 21, \infty) JAC(4, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (178)$$

> **GP40** := jac2eprod(**M40** * $q^{(-457/126)}$) * **GETA**(63, 1)^8 * **GETA**(63, 2)^2;

$$GP40 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 9) GETA(21, 4)^2 GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (179)$$

> **L40** := **GETAP2getalist**(**GP40**);

$$L40 := [[21, 9, 1], [21, 4, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (180)$$

> **r40** := **getaprodcuspORDS**(**L40**, **CW63**[1], **CW63**[2])

$$r40 := [47, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, -6, -2, 3, -6, 39, -2, -6, -6, -6, 2, -4, 2, 30, -2, -4, 2, -2, -4, 2, 5, 2, -4, 29, 8, -6, -6, 2, -11, 2, 11, -4, -4, -2, 6, -6, -6, -2, -6, 2, 8, 2, -11, 8, -5, 5, -6, -9, 2, -4, -2, -6, -14, 3, -17, 13, -17, -17, -19, -20, -15, -17, -10] \quad (181)$$

>

> **M41** := $q^4 * A0 * B3 * B4 * P1 * V2^2$;

$$M41 := (q^4 JAC(9, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (182)$$

> **GP41** := jac2eprod(**M41** * $q^{(-457/126)}$) * **GETA**(63, 1)^8 * **GETA**(63, 2)^2;

$$GP41 := \frac{1}{GETA(7, 2)^2} (GETA(21, 9) GETA(21, 4) GETA(21, 3) GETA(7, 3) GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (183)$$

> **L41** := **GETAP2getalist**(**GP41**);

$$L41 := [[21, 9, 1], [21, 4, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] \quad (184)$$

> **r41** := **getaprodcuspORDS**(**L41**, **CW63**[1], **CW63**[2])

$$r41 := [47, 2, 2, -1, 2, 2, -1, -1, 2, 7, 2, 2, -1, 2, -1, -1, 2, 2, 7, 2, 2, 11, 2, 2, -1, 2, 2, 7, -1, 2, -1, 2, -1, 5, -1, -1, 7, -1, 41, -1, -6, -6, -6, -7, -6, -7, 28, -1, 5, -7, -1, 5, -7, 3, -7, 5, 27, -1, -1, -1, 7, -10, 7, 12, 5, 5, -7, 5, -6, -1, -7, -6, 1, -1, -7, -10, -1, -6, 3, -1, -9, 7, -6, -1, -6, -14, 7, -15, 11, -17, -19, -19, -20, -15, -16, -13] \quad (185)$$

>

> **M42** := $q^4 * A0 * B3 * B4 * P4 * V0 * V1$;

$$M42 := (q^4 JAC(9, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)) \quad (186)$$


```


$$\infty)^2 JAC(0, 9, \infty)^2)$$

> GP42 := jac2eprod(M42 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP42 :=  $\frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 9) GETA(21, 4) GETA(21, 3) GETA(7,$  (187)
 $1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2)$ 
> L42 := GETAP2getalist(GP42);
L42 := [[21, 9, 1], [21, 4, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], (188)
[63, 1, 8], [63, 2, 2]]
> r42 := getaprodcuspORDS(L42, CW63[1], CW63[2])
r42 := [47, 2, 2, -1, 2, 2, -1, 8, 2, 0, 2, 2, -1, 2, 8, -1, 2, 2, 0, 2, 2, 14, 2, 2, -1, 2, 2, 0, 8, (189)
2, -1, 2, -1, -4, -1, -1, 4, -1, 40, -1, -6, -6, -6, 0, -6, 0, 29, -1, -4, 0, -1,
-4, 0, 0, 0, -4, 27, 8, -1, -1, 0, -7, 0, 12, -4, -4, -7, 4, -6, -1, -7, -6, 1, 8, 0,
-7, 8, -4, 0, -1, -10, 0, -6, -1, -6, -15, 4, -17, 14, -16, -17, -19, -20,
-17, -15, -12]
>
> M43 := q^4 * A2 * B0 * B4 * P4 * V0 * V2;
M43 :=  $(q^4 JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7,$  (190)
 $\infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7,$ 
 $\infty)^2 JAC(0, 9, \infty)^2)$ 
> GP43 := jac2eprod(M43 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP43 :=  $\frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 5) GETA(21, 10) GETA(21, 3) GETA(7,$  (191)
 $1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)$ 
> L43 := GETAP2getalist(GP43);
L43 := [[21, 5, 1], [21, 10, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, (192)
1], [63, 1, 8], [63, 2, 2]]
> r43 := getaprodcuspORDS(L43, CW63[1], CW63[2])
r43 := [47, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 8, (193)
2, -2, 2, -2, -4, 1, -2, 6, 1, 41, -2, -6, -6, -6, -5, 2, -5, 31, -2, -4, -5, -2,
-4, -5, -7, -5, -4, 24, 8, 1, 1, 2, 1, 2, 15, -4, -4, -11, 3, -6, 1, -11, -6, 0, 8,
-5, 1, 8, -2, -7, 1, -12, 2, 2, -2, -6, -12, 6, -16, 13, -16, -18, -19, -17,
-19, -12, -14]
>
> M44 := q^4 * A2 * B0 * B4 * P4 * V1^2 ;
M44 :=  $(q^4 JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7,$  (194)
 $\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ 
> GP44 := jac2eprod(M44 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)
^2;

```

$$GP44 := \frac{1}{GETA(7,2) GETA(7,3)^2} (GETA(21,5) GETA(21,10) GETA(21,3) GETA(7,1)^2 GETA(9,2)^2 GETA(63,1)^8 GETA(63,2)^2) \quad (195)$$

> **L44 := GETAP2getalist(GP44);**

$$L44 := [[21, 5, 1], [21, 10, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (196)$$

> **r44 := getaprodcuspORDS(L44, CW63[1], CW63[2])**

$$r44 := [47, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, -6, -2, 6, -6, 40, -2, -6, -6, -6, 2, 2, 2, 32, -2, -4, 2, -2, -4, 2, -7, 2, -4, 25, 8, -6, -6, 2, 1, 2, 15, -4, -4, -11, 3, -6, -6, -11, -6, -1, 8, 2, 1, 8, -1, -7, -6, -13, 2, 2, -2, -6, -12, 6, -16, 13, -17, -17, -18, -18, -19, -13, -13] \quad (197)$$

>

> **M45 := q⁴ * A2 * B3 * B4 * P1 * V0 * V2;**

$$M45 := (q^4 JAC(5, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (198)$$

> **GP45 := jac2eprod(M45 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP45 := \frac{1}{GETA(7,2)^2} (GETA(21,5) GETA(21,4) GETA(21,3) GETA(7,3) GETA(9,4) GETA(9,1) GETA(63,1)^8 GETA(63,2)^2) \quad (199)$$

> **L45 := GETAP2getalist(GP45);**

$$L45 := [[21, 5, 1], [21, 4, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (200)$$

> **r45 := getaprodcuspORDS(L45, CW63[1], CW63[2])**

$$r45 := [47, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 2, -1, 2, -2, 2, -2, 5, 1, -2, 3, 1, 40, -2, -6, -6, -6, -5, -1, -5, 30, -2, 5, -5, -2, 5, -5, 2, -5, 5, 27, -1, 1, 1, 2, -5, 2, 13, 5, 5, -8, 4, -6, 1, -8, -6, 1, -1, -5, -5, -1, -4, 2, 1, -9, 2, -1, -2, -6, -13, 3, -17, 13, -16, -18, -20, -18, -16, -14, -13] \quad (201)$$

>

> **M46 := q⁴ * A2 * B3 * B4 * P1 * V1^2;**

$$M46 := (q^4 JAC(5, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (202)$$

> **GP46 := jac2eprod(M46 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP46 := \frac{1}{GETA(7,2)^2} (GETA(21,5) GETA(21,4) GETA(21,3) GETA(7,3) GETA(9,2)^2 GETA(63,1)^8 GETA(63,2)^2) \quad (203)$$

> **L46 := GETAP2getalist(GP46);**

$$L46 := [[21, 5, 1], [21, 4, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (204)$$

```

> r46 := getaprodcuspORDS(L46, CW63[1], CW63[2])
r46 := [47, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, (205)
2, -1, 2, -2, 2, -2, 5, -6, -2, 3, -6, 39, -2, -6, -6, -6, 2, -1, 2, 31, -2, 5, 2,
-2, 5, 2, 2, 2, 5, 28, -1, -6, -6, 2, -5, 2, 13, 5, 5, -8, 4, -6, -6, -8, -6, 0, -1, 2,
-5, -1, -3, 2, -6, -10, 2, -1, -2, -6, -13, 3, -17, 13, -17, -17, -19, -19,
-16, -15, -12]
=
>
> M47 := q^4 * A2 * B4^2 * P1 * V0 * V1;
M47 := (q^4 JAC(5, 21, ∞) JAC(3, 21, ∞)^2 JAC(3, 7, ∞) JAC(0, 7, ∞) JAC(4, 9, (206)
∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2)
=
> GP47 := jac2eprod(M47 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP47 := 1 / GETA(7, 2)^2 (GETA(21, 5) GETA(21, 3)^2 GETA(7, 3) GETA(9, 4) GETA(9, (207)
2) GETA(63, 1)^8 GETA(63, 2)^2)
=
> L47 := GETAP2getalist(GP47);
L47 := [[21, 5, 1], [21, 3, 2], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] (208)
=
> r47 := getaprodcuspORDS(L47, CW63[1], CW63[2])
r47 := [47, 2, 2, -1, 2, 2, -1, -1, 2, 0, 2, 2, -1, 2, -1, -1, 2, 2, 0, 2, 2, 14, 2, 2, -1, 2, 2, (209)
0, -1, 2, -1, 2, -1, 5, -1, -1, 4, -1, 40, -1, -6, -6, -6, 0, -3, 0, 30, -1, 5, 0,
-1, 5, 0, -3, 0, 5, 26, -1, -1, -1, 0, -1, 0, 14, 5, 5, -13, 2, -6, -1, -13, -6, -1,
-1, 0, -1, -1, -2, -3, -1, -11, 0, -3, -1, -6, -14, 4, -17, 14, -16, -17,
-19, -19, -18, -13, -14]
=
>
> M48 := q^4 * A5 * B0 * B4 * P1 * V0 * V2;
M48 := (q^4 JAC(2, 21, ∞) JAC(10, 21, ∞) JAC(3, 21, ∞) JAC(3, 7, ∞) JAC(0, 7, (210)
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2)
=
> GP48 := jac2eprod(M48 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP48 := 1 / GETA(7, 2)^2 (GETA(21, 2) GETA(21, 10) GETA(21, 3) GETA(7, 3) GETA(9, (211)
4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)
=
> L48 := GETAP2getalist(GP48);
L48 := [[21, 2, 1], [21, 10, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], (212)
[63, 2, 2]]
=
> r48 := getaprodcuspORDS(L48, CW63[1], CW63[2])
r48 := [47, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, (213)
2, -1, 2, -2, 2, -2, 5, 1, -2, 12, 1, 43, -2, -6, -6, -6, -5, -4, -5, 29, -2, 5,
-5, -2, 5, -5, -7, -5, 5, 24, -1, 1, 1, 2, -5, 2, 13, 5, 5, -5, 5, -6, 1, -5, -6, 2,
-1, -5, -5, -1, -4, -7, 1, -12, 2, -4, -2, -6, -14, 12, -14, 13, -16, -18,
-17, -19, -19, -14, -12]

```

```
> M49 := q^4 * A5 * B0 * B4 * P1 * V1^2;
```

```
> GP49 := jac2eprod(M49*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
```

```
> L49 := GETAP2getalist(GP49);
```

```
> r49 := getaprodCUSPORDS(L49, CW63[1], CW63[2])
```

$$> M50 := q^4 * B0 * B4 * C1 * P3 * V2^2;$$

```
> GP50 := jac2eprod(M50*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
```

```
> L50 := GETAP2getalist(GP50);
```

```
> r50 := getaprodCUSPORDS(L50, CW63[1], CW63[2])
```

```
> M51 := q^4 * B0 * B4 * C6 * P0 * V0 * V2;
```

$$M51 := \left(q^4 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (222)$$

```

> GP51 := jac2eprod(M51 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)
    ^2;
GP51 :=  $\frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10) GETA(21, 3) GETA(21, 1) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)$  (223)
=
> L51 := GETAP2getalist(GP51);
L51 := [[21, 10, 1], [21, 3, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] (224)
=
> r51 := getaprodcuspORDS(L51, CW63[1], CW63[2])
r51 := [47, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, 1, -2, 15, 1, 44, -2, -6, -6, -6, -5, -1, -5, 30, -2, 8, -5, -2, 8, -5, -4, -5, 8, 25, -4, 1, 1, 2, -8, 2, 12, 8, 8, -11, 3, -6, 1, -11, -6, 0, -4, -5, -8, -4, -5, -4, 1, -11, 2, -1, -2, -6, -13, 15, -13, 13, -16, -18, -16, -18, -18, -15, -14] (225)
=
>
> M52 := q^4 * B0 * B4 * C6 * P0 * V1^2 ;
M52 :=  $(q^4 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2)$  (226)
=
> GP52 := jac2eprod(M52 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP52 :=  $\frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 10) GETA(21, 3) GETA(21, 1) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2)$  (227)
=
> L52 := GETAP2getalist(GP52);
L52 := [[21, 10, 1], [21, 3, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] (228)
=
> r52 := getaprodcuspORDS(L52, CW63[1], CW63[2])
r52 := [47, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, -4, 2, -2, 2, -2, 8, -6, -2, 15, -6, 43, -2, -6, -6, -6, 2, -1, 2, 31, -2, 8, 2, -2, 8, 2, -4, 2, 8, 26, -4, -6, -6, 2, -8, 2, 12, 8, 8, -11, 3, -6, -6, -11, -6, -1, -4, 2, -8, -4, -4, -4, -6, -12, 2, -1, -2, -6, -13, 15, -13, 13, -17, -17, -15, -19, -18, -16, -13] (229)
=
>
> M53 := q^4 * B3^2 * C1 * P3 * V0 * V2;
M53 :=  $(q^4 JAC(4, 21, \infty)^2 JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2)$  (230)
=
> GP53 := jac2eprod(M53 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP53 :=  $\frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 4)^2 GETA(21, 6) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)$  (231)

```

$$\begin{aligned} &> \text{L53} := \text{GETAP2getalist}(\text{GP53}); \\ \text{L53} &:= [[21, 4, 2], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \end{aligned} \quad (232)$$

$$\begin{aligned} &> \text{r53} := \text{getaprodcuspORDS}(\text{L53}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r53} &:= [47, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 5, \\ &2, -2, 2, -2, -1, 1, -2, 0, 1, 39, -2, -6, -6, -6, -5, -1, -5, 30, -2, -1, -5, \\ &-2, -1, -5, 2, -5, -1, 27, 5, 1, 1, 2, -11, 2, 11, -1, -1, 1, 7, -6, 1, 1, -6, 4, 5, \\ &-5, -11, 5, -6, 2, 1, -9, 2, -1, -2, -6, -13, 0, -18, 13, -16, -18, -21, -18, \\ &-16, -16, -10] \end{aligned} \quad (233)$$

$$\begin{aligned} &> \text{M54} := q^4 * \text{B3}^2 * \text{C1} * \text{P3} * \text{V1}^2; \\ \text{M54} &:= \frac{q^4 \text{JAC}(4, 21, \infty)^2 \text{JAC}(6, 21, \infty) \text{JAC}(1, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(3, 7, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 9, \infty)^2} \end{aligned} \quad (234)$$

$$\begin{aligned} &> \text{GP54} := \text{jac2eprod}(\text{M54} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\ \text{GP54} &:= \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} (\text{GETA}(21, 4)^2 \text{GETA}(21, 6) \text{GETA}(7, 1) \text{GETA}(9, \\ &2)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \end{aligned} \quad (235)$$

$$\begin{aligned} &> \text{L54} := \text{GETAP2getalist}(\text{GP54}); \\ \text{L54} &:= [[21, 4, 2], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \end{aligned} \quad (236)$$

$$\begin{aligned} &> \text{r54} := \text{getaprodcuspORDS}(\text{L54}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r54} &:= [47, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 5, \\ &2, -2, 2, -2, -1, -6, -2, 0, -6, 38, -2, -6, -6, -6, 2, -1, 2, 31, -2, -1, 2, -2, \\ &-1, 2, 2, 2, -1, 28, 5, -6, -6, 2, -11, 2, 11, -1, -1, 1, 7, -6, -6, 1, -6, 3, 5, 2, \\ &-11, 5, -5, 2, -6, -10, 2, -1, -2, -6, -13, 0, -18, 13, -17, -17, -20, -19, \\ &-16, -17, -9] \end{aligned} \quad (237)$$

>

$$\begin{aligned} &> \text{M55} := q^4 * \text{B3} * \text{B4} * \text{C0} * \text{P3} * \text{V0} * \text{V2}; \\ \text{M55} &:= (q^4 \text{JAC}(4, 21, \infty) \text{JAC}(3, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(1, 7, \infty) \text{JAC}(0, 7, \\ &\infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(3, 7, \infty) \text{JAC}(2, 7, \\ &\infty) \text{JAC}(0, 9, \infty)^2) \end{aligned} \quad (238)$$

$$\begin{aligned} &> \text{GP55} := \text{jac2eprod}(\text{M55} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\ \text{GP55} &:= \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} (\text{GETA}(21, 4) \text{GETA}(21, 3) \text{GETA}(21, 8) \text{GETA}(7, \\ &1) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \end{aligned} \quad (239)$$

$$\begin{aligned} &> \text{L55} := \text{GETAP2getalist}(\text{GP55}); \\ \text{L55} &:= [[21, 4, 1], [21, 3, 1], [21, 8, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \end{aligned} \quad (240)$$

$$\begin{aligned} &> \text{r55} := \text{getaprodcuspORDS}(\text{L55}, \text{CW63}[1], \text{CW63}[2]) \end{aligned} \quad (241)$$

$$r55 := [47, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 5, \quad (241)$$

$$2, -2, 2, -2, -1, 1, -2, 3, 1, 40, -2, -6, -6, -6, -5, -7, -5, 28, -2, -1, -5,$$

$$-2, -1, -5, 2, -5, -1, 27, 5, 1, 1, 2, -2, 2, 14, -1, -1, -5, 5, -6, 1, -5, -6, 2, 5,$$

$$-5, -2, 5, -3, 2, 1, -9, 2, -7, -2, -6, -15, 3, -17, 13, -16, -18, -20, -20,$$

$$-16, -13, -12]$$

>

$$> M56 := q^4 * B3 * B4 * C0 * P3 * V1^2;$$

$$M56 := (q^4 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \quad (242)$$

$$\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2)$$

$$> GP56 := jac2eprod(M56 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;$$

$$GP56 := \frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 4) GETA(21, 3) GETA(21, 8) GETA(7, \quad (243)$$

$$1) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2)$$

$$> L56 := GETAP2getalist(GP56);$$

$$L56 := [[21, 4, 1], [21, 3, 1], [21, 8, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, \quad (244)$$

$$8], [63, 2, 2]]$$

$$> r56 := getaprodcuspORDS(L56, CW63[1], CW63[2])$$

$$r56 := [47, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 2, 13, 2, 2, -2, 2, 2, 2, 5, \quad (245)$$

$$2, -2, 2, -2, -1, -6, -2, 3, -6, 39, -2, -6, -6, -6, 2, -7, 2, 29, -2, -1, 2, -2,$$

$$-1, 2, 2, 2, -1, 28, 5, -6, -6, 2, -2, 2, 14, -1, -1, -5, 5, -6, -6, -5, -6, 1, 5, 2,$$

$$-2, 5, -2, 2, -6, -10, 2, -7, -2, -6, -15, 3, -17, 13, -17, -17, -19, -21,$$

$$-16, -14, -11]$$

$$> M57 := q^4 * B3 * B4 * C1 * P0 * V2^2;$$

$$M57 := (q^4 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \quad (246)$$

$$\infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2)$$

$$> GP57 := jac2eprod(M57 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;$$

$$GP57 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 4) GETA(21, 3) GETA(21, 6) GETA(7, \quad (247)$$

$$3)^2 GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2)$$

$$> L57 := GETAP2getalist(GP57);$$

$$L57 := [[21, 4, 1], [21, 3, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, \quad (248)$$

$$8], [63, 2, 2]]$$

$$> r57 := getaprodcuspORDS(L57, CW63[1], CW63[2])$$

$$r57 := [47, 2, 2, -1, 2, 2, -1, -4, 2, 7, 2, 2, -1, 2, -4, -1, 2, 2, 7, 2, 2, 11, 2, 2, -1, 2, 2, \quad (249)$$

$$7, -4, 2, -1, 2, -1, 8, -1, -1, 4, -1, 40, -1, -6, -6, -6, -7, -3, -7, 29, -1, 8,$$

$$-7, -1, 8, -7, 0, -7, 8, 26, -4, -1, -1, 7, -10, 7, 12, 8, 8, -4, 6, -6, -1, -4,$$

$$-6, 2, -4, -7, -10, -4, -6, 0, -1, -10, 7, -3, -1, -6, -13, 4, -16, 11, -17,$$

$$-19, -20, -19, -16, -16, -12]$$

>

$$\begin{aligned}
&> \text{M58} := q^4 * B3 * B4 * C1 * P3 * V0 * V1; \\
\text{M58} &:= \left(q^4 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \right. \\
&\quad \left. \infty) JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{250}$$

$$\begin{aligned}
&> \text{GP58} := \text{jac2eprod}(\text{M58} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
\text{GP58} &:= \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} \left(\text{GETA}(21, 4) \text{GETA}(21, 3) \text{GETA}(21, 6) \text{GETA}(7, \right. \\
&\quad \left. 1) \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2 \right)
\end{aligned} \tag{251}$$

$$\begin{aligned}
&> \text{L58} := \text{GETAP2getalist}(\text{GP58}); \\
\text{L58} &:= [[21, 4, 1], [21, 3, 1], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1], \\
&\quad [63, 1, 8], [63, 2, 2]]
\end{aligned} \tag{252}$$

$$\begin{aligned}
&> \text{r58} := \text{getaprodcuspORDS}(\text{L58}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r58} &:= [47, 2, 2, -1, 2, 2, -1, 5, 2, 0, 2, 2, -1, 2, 5, -1, 2, 2, 0, 2, 2, 14, 2, 2, -1, 2, 2, 0, 5, \\
&\quad 2, -1, 2, -1, -1, -1, -1, 1, -1, 39, -1, -6, -6, -6, 0, -3, 0, 30, -1, -1, 0, -1, \\
&\quad -1, 0, -3, 0, -1, 26, 5, -1, -1, 0, -7, 0, 12, -1, -1, -4, 5, -6, -1, -4, -6, 2, 5, \\
&\quad 0, -7, 5, -4, -3, -1, -11, 0, -3, -1, -6, -14, 1, -18, 14, -16, -17, -20, -19, \\
&\quad -18, -15, -11]
\end{aligned} \tag{253}$$

$$\begin{aligned}
&> \\
&> \text{M59} := q^4 * B4^2 * C0 * P0 * V2^2 ; \\
\text{M59} &:= \frac{q^4 JAC(3, 21, \infty)^2 JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2}
\end{aligned} \tag{254}$$

$$\begin{aligned}
&> \text{GP59} := \text{jac2eprod}(\text{M59} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
\text{GP59} &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 2)^2} \left(\text{GETA}(21, 3)^2 \text{GETA}(21, 8) \text{GETA}(7, 3)^2 \text{GETA}(9, \right. \\
&\quad \left. 1)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2 \right)
\end{aligned} \tag{255}$$

$$\begin{aligned}
&> \text{L59} := \text{GETAP2getalist}(\text{GP59}); \\
\text{L59} &:= [[21, 3, 2], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, \\
&\quad 2]]
\end{aligned} \tag{256}$$

$$\begin{aligned}
&> \text{r59} := \text{getaprodcuspORDS}(\text{L59}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r59} &:= [47, 2, 2, -1, 2, 2, -1, -4, 2, 7, 2, 2, -1, 2, -4, -1, 2, 2, 7, 2, 2, 11, 2, 2, -1, 2, 2, \\
&\quad 7, -4, 2, -1, 2, -1, 8, -1, -1, 7, -1, 41, -1, -6, -6, -6, -7, -9, -7, 27, -1, 8, \\
&\quad -7, -1, 8, -7, 0, -7, 8, 26, -4, -1, -1, 7, -1, 7, 15, 8, 8, -10, 4, -6, -1, -10, \\
&\quad -6, 0, -4, -7, -1, -4, -3, 0, -1, -10, 7, -9, -1, -6, -15, 7, -15, 11, -17, \\
&\quad -19, -19, -21, -16, -13, -14]
\end{aligned} \tag{257}$$

$$\begin{aligned}
&> \\
&> \text{M60} := q^4 * B4^2 * C0 * P3 * V0 * V1; \\
\text{M60} &:= \left(q^4 JAC(3, 21, \infty)^2 JAC(8, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{258}$$


```

> GP60 := jac2eprod(M60*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP60 := 
$$\frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 3)^2 GETA(21, 8) GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2)$$
 (259)
=
> L60 := GETAP2getalist(GP60);
L60 := [[21, 3, 2], [21, 8, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] (260)
=
> r60 := getaprodcuspORDS(L60, CW63[1], CW63[2])
r60 := [47, 2, 2, -1, 2, 2, -1, 5, 2, 0, 2, 2, -1, 2, 5, -1, 2, 2, 0, 2, 2, 14, 2, 2, -1, 2, 2, 0, 5, 2, -1, 2, -1, -1, -1, -1, 4, -1, 40, -1, -6, -6, -6, 0, -9, 0, 28, -1, -1, 0, -1, -1, 0, -3, 0, -1, 26, 5, -1, -1, 0, 2, 0, 15, -1, -1, -10, 3, -6, -1, -10, -6, 0, 5, 0, 2, 5, -1, -3, -1, -11, 0, -9, -1, -6, -16, 4, -17, 14, -16, -17, -19, -21, -18, -12, -13] (261)
=
>
> M61 := q^5 * A0 * B3 * B4 * P4 * V2^2;
M61 := 
$$(q^5 JAC(9, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$$
 (262)
=
> GP61 := jac2eprod(M61*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP61 := 
$$\frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 9) GETA(21, 4) GETA(21, 3) GETA(7, 1)^2 GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2)$$
 (263)
=
> L61 := GETAP2getalist(GP61);
L61 := [[21, 9, 1], [21, 4, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] (264)
=
> r61 := getaprodcuspORDS(L61, CW63[1], CW63[2])
r61 := [48, 2, 2, -1, 2, 2, -1, 8, 2, 7, 2, 2, -1, 2, 8, -1, 2, 2, 7, 2, 2, 14, 2, 2, -1, 2, 2, 7, 8, 2, -1, 2, -1, -4, -1, -1, 4, -1, 40, -1, -6, -6, -6, -7, -6, -7, 28, -1, -4, -7, -1, -4, -7, 0, -7, -4, 26, 8, -1, -1, 7, -7, 7, 13, -4, -4, -7, 5, -6, -1, -7, -6, 1, 8, -7, -7, 8, -5, 0, -1, -10, 7, -6, -1, -6, -14, 4, -16, 14, -16, -18, -20, -20, -16, -15, -13] (265)
=
>
> M62 := q^5 * A2 * B3 * B4 * P4 * V0 * V2;
M62 := 
$$(q^5 JAC(5, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$$
 (266)
=
> GP62 := jac2eprod(M62*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;
GP62 := 
$$\frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 5) GETA(21, 4) GETA(21, 3) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2)$$
 (267)
=

```

```

> L62 := GETAP2getalist(GP62);
L62 := [[21, 5, 1], [21, 4, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], (268)
        [63, 1, 8], [63, 2, 2]]
=
> r62 := getaprodcuspORDS(L62, CW63[1], CW63[2])
r62 := [48, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, 8, (269)
        2, -2, 2, -2, -4, 1, -2, 0, 1, 39, -2, -6, -6, -6, -5, -1, -5, 30, -2, -4, -5,
        -2, -4, -5, -1, -5, -4, 26, 8, 1, 1, 2, -2, 2, 14, -4, -4, -8, 4, -6, 1, -8, -6, 1,
        8, -5, -2, 8, -3, -1, 1, -10, 2, -1, -2, -6, -13, 0, -18, 16, -15, -17, -21,
        -18, -17, -13, -13]
=
>
> M63 := q^5 * A2 * B3 * B4 * P4 * V1^2;
M63 := (q^5 JAC(5, 21, ∞) JAC(4, 21, ∞) JAC(3, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7, (270)
        ∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
=
> GP63 := jac2eprod(M63 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP63 := 1 / (GETA(7, 2) GETA(7, 3)^2 (GETA(21, 5) GETA(21, 4) GETA(21, 3) GETA(7, (271)
        1)^2 GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2)
=
> L63 := GETAP2getalist(GP63);
L63 := [[21, 5, 1], [21, 4, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, (272)
        8], [63, 2, 2]]
=
> r63 := getaprodcuspORDS(L63, CW63[1], CW63[2])
r63 := [48, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, 8, (273)
        2, -2, 2, -2, -4, -6, -2, 0, -6, 38, -2, -6, -6, -6, 2, -1, 2, 31, -2, -4, 2, -2,
        -4, 2, -1, 2, -4, 27, 8, -6, -6, 2, -2, 2, 14, -4, -4, -8, 4, -6, -6, -8, -6, 0, 8,
        2, -2, 8, -2, -1, -6, -11, 2, -1, -2, -6, -13, 0, -18, 16, -16, -16, -20, -19,
        -17, -14, -12]
=
>
> M64 := q^5 * A2 * B4^2 * P1 * V2^2;
M64 := q^5 JAC(5, 21, ∞) JAC(3, 21, ∞)^2 JAC(3, 7, ∞) JAC(0, 7, ∞) JAC(1, 9, ∞)^2 (274)
        JAC(0, 21, ∞)^3 JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2
=
> GP64 := jac2eprod(M64 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP64 := 1 / (GETA(7, 2)^2 (GETA(21, 5) GETA(21, 3)^2 GETA(7, 3) GETA(9, (275)
        1)^2 GETA(63, 1)^8 GETA(63, 2)^2)
=
> L64 := GETAP2getalist(GP64);
L64 := [[21, 5, 1], [21, 3, 2], [7, 3, 1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] (276)
=
> r64 := getaprodcuspORDS(L64, CW63[1], CW63[2])
r64 := [48, 2, 2, -1, 2, 2, -1, -1, 2, 7, 2, 2, -1, 2, -1, -1, 2, 2, 7, 2, 2, 14, 2, 2, -1, 2, 2, (277)
        7, -1, 2, -1, 2, -1, 5, -1, -1, 4, -1, 40, -1, -6, -6, -6, -7, -3, -7, 29, -1, 5,

```

-7, -1, 5, -7, -3, -7, 5, 25, -1, -1, -1, 7, -1, 7, 15, 5, 5, -13, 3, -6, -1, -13,
-6, -1, -1, -7, -1, -1, -3, -3, -1, -11, 7, -3, -1, -6, -13, 4, -16, 14,
-16, -18, -20, -19, -17, -13, -15]

>

> **M65 := q⁵ * A2 * B4^2 * P4 * V0 * V1;**

$$M65 := (q^5 JAC(5, 21, \infty) JAC(3, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (278)$$

> **GP65 := jac2eprod(M65 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP65 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 5) GETA(21, 3)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (279)$$

> **L65 := GETAP2getalist(GP65);**

$$L65 := [[21, 5, 1], [21, 3, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (280)$$

> **r65 := getaprodcuspORDS(L65, CW63[1], CW63[2])**

$$r65 := [48, 2, 2, -1, 2, 2, -1, 8, 2, 0, 2, 2, -1, 2, 8, -1, 2, 2, 0, 2, 2, 17, 2, 2, -1, 2, 2, 0, 8, 2, -1, 2, -1, -4, -1, -1, 1, -1, 39, -1, -6, -6, -6, 0, -3, 0, 30, -1, -4, 0, -1, -4, 0, -6, 0, -4, 25, 8, -1, -1, 0, 2, 0, 15, -4, -4, -13, 2, -6, -1, -13, -6, -1, 8, 0, 2, 8, -1, -6, -1, -12, 0, -3, -1, -6, -14, 1, -18, 17, -15, -16, -20, -19, -19, -12, -14] \quad (281)$$

>

> **M66 := q⁵ * A5 * B0 * B4 * P4 * V0 * V2;**

$$M66 := (q^5 JAC(2, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (282)$$

> **GP66 := jac2eprod(M66 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP66 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 2) GETA(21, 10) GETA(21, 3) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (283)$$

> **L66 := GETAP2getalist(GP66);**

$$L66 := [[21, 2, 1], [21, 10, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (284)$$

> **r66 := getaprodcuspORDS(L66, CW63[1], CW63[2])**

$$r66 := [48, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, -4, -5, 29, -2, -4, -5, -2, -4, -5, -10, -5, -4, 23, 8, 1, 1, 2, -2, 2, 14, -4, -4, -5, 5, -6, 1, -5, -6, 2, 8, -5, -2, 8, -3, -10, 1, -13, 2, -4, -2, -6, -14, 9, -15, 16, -15, -17, -18, -19, -20, -13, -12] \quad (285)$$

>

$$\begin{aligned}
&> \text{M67} := q^5 * A5 * B0 * B4 * P4 * V1^2; \\
\text{M67} &:= \left(q^5 JAC(2, 21, \infty) JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (286)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP67} := \text{jac2eprod}(\text{M67} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
\text{GP67} &:= \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2} \left(\text{GETA}(21, 2) \text{GETA}(21, 10) \text{GETA}(21, 3) \text{GETA}(7, \right. \\
&\quad \left. 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2 \right) \quad (287)
\end{aligned}$$

$$\begin{aligned}
&> \text{L67} := \text{GETAP2getalist}(\text{GP67}); \\
\text{L67} &:= [[21, 2, 1], [21, 10, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, \\
&\quad 8], [63, 2, 2]] \quad (288)
\end{aligned}$$

$$\begin{aligned}
&> \text{r67} := \text{getaprodcuspORDS}(\text{L67}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r67} &:= [48, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, 8, \\
&\quad 2, -2, 2, -2, -4, -6, -2, 9, -6, 41, -2, -6, -6, -6, 2, -4, 2, 30, -2, -4, 2, -2, \\
&\quad -4, 2, -10, 2, -4, 24, 8, -6, -6, 2, -2, 2, 14, -4, -4, -5, 5, -6, -6, -5, -6, 1, \\
&\quad 8, 2, -2, 8, -2, -10, -6, -14, 2, -4, -2, -6, -14, 9, -15, 16, -16, -16, -17, \\
&\quad -20, -20, -14, -11] \quad (289)
\end{aligned}$$

$$\begin{aligned}
&> \text{M68} := q^5 * A5 * B3 * B4 * P1 * V0 * V2; \\
\text{M68} &:= \left(q^5 JAC(2, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (290)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP68} := \text{jac2eprod}(\text{M68} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
\text{GP68} &:= \frac{1}{\text{GETA}(7, 2)^2} \left(\text{GETA}(21, 2) \text{GETA}(21, 4) \text{GETA}(21, 3) \text{GETA}(7, 3) \text{GETA}(9, \right. \\
&\quad \left. 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2 \right) \quad (291)
\end{aligned}$$

$$\begin{aligned}
&> \text{L68} := \text{GETAP2getalist}(\text{GP68}); \\
\text{L68} &:= [[21, 2, 1], [21, 4, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], \\
&\quad [63, 2, 2]] \quad (292)
\end{aligned}$$

$$\begin{aligned}
&> \text{r68} := \text{getaprodcuspORDS}(\text{L68}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r68} &:= [48, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, \\
&\quad 2, -1, 2, -2, 2, -2, 5, 1, -2, 6, 1, 41, -2, -6, -6, -6, -5, -7, -5, 28, -2, 5, -5, \\
&\quad -2, 5, -5, -1, -5, 5, 26, -1, 1, 1, 2, -8, 2, 12, 5, 5, -2, 6, -6, 1, -2, -6, 3, -1, \\
&\quad -5, -8, -1, -5, -1, 1, -10, 2, -7, -2, -6, -15, 6, -16, 16, -15, -17, -19, \\
&\quad -20, -17, -15, -11] \quad (293)
\end{aligned}$$

$$\begin{aligned}
&> \text{M69} := q^5 * A5 * B3 * B4 * P1 * V1^2; \\
\text{M69} &:= \left(q^5 JAC(2, 21, \infty) JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (294)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP69} := \text{jac2eprod}(\text{M69} * q^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2;
\end{aligned}$$

$$GP69 := \frac{1}{GETA(7, 2)^2} (GETA(21, 2) GETA(21, 4) GETA(21, 3) GETA(7, 3) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (295)$$

> L69 := GETAP2getalist(GP69);

$$L69 := [[21, 2, 1], [21, 4, 1], [21, 3, 1], [7, 3, 1], [7, 2, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (296)$$

> r69 := getaprodcuspORDS(L69, CW63[1], CW63[2])

$$r69 := [48, 2, 2, -2, 2, 2, -2, -1, 2, 2, 2, 2, -2, 2, -1, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, -1, 2, -2, 2, -2, 5, -6, -2, 6, -6, 40, -2, -6, -6, -6, 2, -7, 2, 29, -2, 5, 2, -2, 5, 2, -1, 2, 5, 27, -1, -6, -6, 2, -8, 2, 12, 5, 5, -2, 6, -6, -6, -2, -6, 2, -1, 2, -8, -1, -4, -1, -6, -11, 2, -7, -2, -6, -15, 6, -16, 16, -16, -16, -18, -21, -17, -16, -10] \quad (297)$$

>

> M70 := q⁵ * A5 * B4^2 * P1 * V0 * V1;

$$M70 := (q^5 JAC(2, 21, \infty) JAC(3, 21, \infty)^2 JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (298)$$

> GP70 := jac2eprod(M70 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;

$$GP70 := \frac{1}{GETA(7, 2)^2} (GETA(21, 2) GETA(21, 3)^2 GETA(7, 3) GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (299)$$

> L70 := GETAP2getalist(GP70);

$$L70 := [[21, 2, 1], [21, 3, 2], [7, 3, 1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (300)$$

> r70 := getaprodcuspORDS(L70, CW63[1], CW63[2])

$$r70 := [48, 2, 2, -1, 2, 2, -1, -1, 2, 0, 2, 2, -1, 2, -1, -1, 2, 2, 0, 2, 2, 17, 2, 2, -1, 2, 2, 0, -1, 2, -1, 2, -1, 5, -1, -1, 7, -1, 41, -1, -6, -6, -6, 0, -9, 0, 28, -1, 5, 0, -1, 5, 0, -6, 0, 5, 25, -1, -1, -1, 0, -4, 0, 13, 5, 5, -7, 4, -6, -1, -7, -6, 1, -1, 0, -4, -1, -3, -6, -1, -12, 0, -9, -1, -6, -16, 7, -16, 17, -15, -16, -18, -21, -19, -14, -12] \quad (301)$$

>

> M71 := q⁵ * B0 * B4 * C6 * P3 * V0 * V2;

$$M71 := (q^5 JAC(10, 21, \infty) JAC(3, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (302)$$

> GP71 := jac2eprod(M71 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;

$$GP71 := \frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 10) GETA(21, 3) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2) \quad (303)$$

> L71 := GETAP2getalist(GP71);

$$L71 := [[21, 10, 1], [21, 3, 1], [21, 1, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (304)$$

```

> r71 := getaprodcuspORDS(L71, CW63[1], CW63[2])
r71 := [48, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, 5, (305)
2, -2, 2, -2, -1, 1, -2, 12, 1, 43, -2, -6, -6, -6, -5, -1, -5, 30, -2, -1, -5,
-2, -1, -5, -7, -5, -1, 24, 5, 1, 1, 2, -5, 2, 13, -1, -1, -11, 3, -6, 1, -11, -6,
0, 5, -5, -5, 5, -4, -7, 1, -12, 2, -1, -2, -6, -13, 12, -14, 16, -15, -17, -17,
-18, -19, -14, -14]
=
>
> M72 := q^5 * B0 * B4 * C6 * P3 * V1^2;
M72 := (q^5 JAC(10, 21, ∞) JAC(3, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞) JAC(0, 7, (306)
∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(3, 7, ∞) JAC(2, 7, ∞) JAC(0, 9, ∞)^2)
=
> GP72 := jac2eprod(M72 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP72 := 1 / (GETA(7, 3) GETA(7, 2)) (GETA(21, 10) GETA(21, 3) GETA(21, 1) GETA(7, (307)
1) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2)
=
> L72 := GETAP2getalist(GP72);
L72 := [[21, 10, 1], [21, 3, 1], [21, 1, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, (308)
8], [63, 2, 2]]
=
> r72 := getaprodcuspORDS(L72, CW63[1], CW63[2])
r72 := [48, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2, 2, 5, (309)
2, -2, 2, -2, -1, -6, -2, 12, -6, 42, -2, -6, -6, -6, 2, -1, 2, 31, -2, -1, 2,
-2, -1, 2, -7, 2, -1, 25, 5, -6, -6, 2, -5, 2, 13, -1, -1, -11, 3, -6, -6, -11,
-6, -1, 5, 2, -5, 5, -3, -7, -6, -13, 2, -1, -2, -6, -13, 12, -14, 16, -16,
-16, -16, -19, -19, -15, -13]
=
>
> M73 := q^5 * B3 * B4 * C1 * P3 * V2^2;
M73 := (q^5 JAC(4, 21, ∞) JAC(3, 21, ∞) JAC(6, 21, ∞) JAC(1, 7, ∞) JAC(0, 7, (310)
∞) JAC(1, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(3, 7, ∞) JAC(2, 7, ∞) JAC(0, 9, ∞)^2)
=
> GP73 := jac2eprod(M73 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP73 := 1 / (GETA(7, 3) GETA(7, 2)) (GETA(21, 4) GETA(21, 3) GETA(21, 6) GETA(7, (311)
1) GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2)
=
> L73 := GETAP2getalist(GP73);
L73 := [[21, 4, 1], [21, 3, 1], [21, 6, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 1, 2], [63, 1, (312)
8], [63, 2, 2]]
=
> r73 := getaprodcuspORDS(L73, CW63[1], CW63[2])
r73 := [48, 2, 2, -1, 2, 2, -1, 5, 2, 7, 2, 2, -1, 2, 5, -1, 2, 2, 7, 2, 2, 14, 2, 2, -1, 2, 2, 7, 5, (313)
2, -1, 2, -1, -1, -1, -1, 1, -1, 39, -1, -6, -6, -6, -7, -3, -7, 29, -1, -1,
-7, -1, -1, -7, -3, -7, -1, 25, 5, -1, -1, 7, -7, 7, 13, -1, -1, -4, 6, -6, -1,
-4, -6, 2, 5, -7, -7, 5, -5, -3, -1, -11, 7, -3, -1, -6, -13, 1, -17, 14, -16,
-18, -21, -19, -17, -15, -12]

```

```

>
<
> M74 := q5 * B3 * B4 * C6 * P0 * V0 * V2;
M74 := (q5 JAC(4, 21, ∞) JAC(3, 21, ∞) JAC(1, 21, ∞) JAC(3, 7, ∞)2 JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)3 JAC(1, 7, ∞) JAC(2, 7,
∞)2 JAC(0, 9, ∞)2)
(314)
<
> GP74 := jac2eprod(M74 * q5 (-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP74 := 1 / (GETA(7, 1) GETA(7, 2)2) (GETA(21, 4) GETA(21, 3) GETA(21, 1) GETA(7,
3)2 GETA(9, 4) GETA(9, 1) GETA(63, 1)8 GETA(63, 2)2)
(315)
<
> L74 := GETAP2getalist(GP74);
L74 := [[21, 4, 1], [21, 3, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1],
[63, 1, 8], [63, 2, 2]]
(316)
<
> r74 := getaprodcuspORDS(L74, CW63[1], CW63[2])
r74 := [48, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2,
2, -4, 2, -2, 2, -2, 8, 1, -2, 9, 1, 42, -2, -6, -6, -6, -5, -4, -5, 29, -2, 8, -5,
-2, 8, -5, 2, -5, 8, 27, -4, 1, 1, 2, -11, 2, 11, 8, 8, -8, 4, -6, 1, -8, -6, 1, -4,
-5, -11, -4, -6, 2, 1, -9, 2, -4, -2, -6, -14, 9, -15, 16, -15, -17, -18, -19,
-16, -16, -13]
(317)
>
<
> M75 := q5 * B3 * B4 * C6 * P0 * V1^2 ;
M75 := (q5 JAC(4, 21, ∞) JAC(3, 21, ∞) JAC(1, 21, ∞) JAC(3, 7, ∞)2 JAC(0, 7,
∞) JAC(2, 9, ∞)2) / (JAC(0, 21, ∞)3 JAC(1, 7, ∞) JAC(2, 7, ∞)2 JAC(0, 9, ∞)2)
(318)
<
> GP75 := jac2eprod(M75 * q5 (-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;
GP75 := 1 / (GETA(7, 1) GETA(7, 2)2) (GETA(21, 4) GETA(21, 3) GETA(21, 1) GETA(7,
3)2 GETA(9, 2)2 GETA(63, 1)8 GETA(63, 2)2)
(319)
<
> L75 := GETAP2getalist(GP75);
L75 := [[21, 4, 1], [21, 3, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1,
8], [63, 2, 2]]
(320)
<
> r75 := getaprodcuspORDS(L75, CW63[1], CW63[2])
r75 := [48, 2, 2, -2, 2, 2, -2, -4, 2, 2, 2, 2, -2, 2, -4, -2, 2, 2, 2, 2, 16, 2, 2, -2, 2, 2,
2, -4, 2, -2, 2, -2, 8, -6, -2, 9, -6, 41, -2, -6, -6, -6, 2, -4, 2, 30, -2, 8, 2,
-2, 8, 2, 2, 2, 8, 28, -4, -6, -6, 2, -11, 2, 11, 8, 8, -8, 4, -6, -6, -8, -6, 0, -4,
2, -11, -4, -5, 2, -6, -10, 2, -4, -2, -6, -14, 9, -15, 16, -16, -16, -17,
-20, -16, -17, -12]
(321)
>
<
> M76 := q5 * B4^2 * C0 * P3 * V2^2 ;

```

$$M76 := \frac{q^5 JAC(3, 21, \infty)^2 JAC(8, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2} \quad (322)$$

> GP76 := jac2eprod(M76*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;

$$GP76 := \frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 3)^2 GETA(21, 8) GETA(7, 1) GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (323)$$

> L76 := GETAP2getalist(GP76);

$$L76 := [[21, 3, 2], [21, 8, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 1, 2], [63, 1, 8], [63, 2, 2]] \quad (324)$$

> r76 := getaprodcuspORDS(L76, CW63[1], CW63[2])

$$r76 := [48, 2, 2, -1, 2, 2, -1, 5, 2, 7, 2, 2, -1, 2, 5, -1, 2, 2, 7, 2, 2, 14, 2, 2, -1, 2, 2, 7, 5, 2, -1, 2, -1, -1, -1, -1, 4, -1, 40, -1, -6, -6, -6, -7, -9, -7, 27, -1, -1, -7, -1, -1, -7, -3, -7, -1, 25, 5, -1, -1, 7, 2, 7, 16, -1, -1, -10, 4, -6, -1, -10, -6, 0, 5, -7, 2, 5, -2, -3, -1, -11, 7, -9, -1, -6, -15, 4, -16, 14, -16, -18, -20, -21, -17, -12, -14] \quad (325)$$

>

> M77 := q^5 * B4^2 * C6 * P0 * V0 * V1;

$$M77 := (q^5 JAC(3, 21, \infty)^2 JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (326)$$

> GP77 := jac2eprod(M77*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;

$$GP77 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 3)^2 GETA(21, 1) GETA(7, 3)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (327)$$

> L77 := GETAP2getalist(GP77);

$$L77 := [[21, 3, 2], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (328)$$

> r77 := getaprodcuspORDS(L77, CW63[1], CW63[2])

$$r77 := [48, 2, 2, -1, 2, 2, -1, -4, 2, 0, 2, 2, -1, 2, -4, -1, 2, 2, 0, 2, 2, 17, 2, 2, -1, 2, 2, 0, -4, 2, -1, 2, -1, 8, -1, -1, 10, -1, 42, -1, -6, -6, -6, 0, -6, 0, 29, -1, 8, 0, -1, 8, 0, -3, 0, 8, 26, -4, -1, -1, 0, -7, 0, 12, 8, 8, -13, 2, -6, -1, -13, -6, -1, -4, 0, -7, -4, -4, -3, -1, -11, 0, -6, -1, -6, -15, 10, -15, 17, -15, -16, -17, -20, -18, -15, -14] \quad (329)$$

>

> M78 := q^6 * A2 * B4^2 * P4 * V2^2;

$$M78 := \frac{q^6 JAC(5, 21, \infty) JAC(3, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (330)$$

> GP78 := jac2eprod(M78*q^(-457/126))*GETA(63, 1)^8*GETA(63, 2)^2;

$$GP78 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 5) GETA(21, 3)^2 GETA(7, 1)^2 GETA(9, 1) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (331)$$

$$1)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2)$$

> **L78 := GETAP2getalist(GP78);**

$$L78 := [[21, 5, 1], [21, 3, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] \quad (332)$$

> **r78 := getaprodcuspORDS(L78, CW63[1], CW63[2])**

$$r78 := [49, 2, 2, -1, 2, 2, -1, 8, 2, 7, 2, 2, -1, 2, 8, -1, 2, 2, 7, 2, 2, 17, 2, 2, -1, 2, 2, 7, 8, 2, -1, 2, -1, -4, -1, -1, 1, -1, 39, -1, -6, -6, -6, -7, -3, -7, 29, -1, -4, -7, -1, -4, -7, -6, -7, -4, 24, 8, -1, -1, 7, 2, 7, 16, -4, -4, -13, 3, -6, -1, -13, -6, -1, 8, -7, 2, 8, -2, -6, -1, -12, 7, -3, -1, -6, -13, 1, -17, 17, -15, -17, -21, -19, -18, -12, -15] \quad (333)$$

>

> **M79 := q⁶ * A5 * B3 * B4 * P4 * V0 * V2;**

$$M79 := (q^6 \text{JAC}(2, 21, \infty) \text{JAC}(4, 21, \infty) \text{JAC}(3, 21, \infty) \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty) \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2) \quad (334)$$

> **GP79 := jac2eprod(M79 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP79 := \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2} (\text{GETA}(21, 2) \text{GETA}(21, 4) \text{GETA}(21, 3) \text{GETA}(7, 1)^2 \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \quad (335)$$

> **L79 := GETAP2getalist(GP79);**

$$L79 := [[21, 2, 1], [21, 4, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (336)$$

> **r79 := getaprodcuspORDS(L79, CW63[1], CW63[2])**

$$r79 := [49, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 19, 2, 2, -2, 2, 2, 2, 8, 2, -2, 2, -2, -4, 1, -2, 3, 1, 40, -2, -6, -6, -6, -5, -7, -5, 28, -2, -4, -5, -2, -4, -5, -4, -5, -4, 25, 8, 1, 1, 2, -5, 2, 13, -4, -4, -2, 6, -6, 1, -2, -6, 3, 8, -5, -5, 8, -4, -4, 1, -11, 2, -7, -2, -6, -15, 3, -17, 19, -14, -16, -20, -20, -18, -14, -11] \quad (337)$$

>

>

> **M80 := q⁶ * A5 * B3 * B4 * P4 * V1^2;**

$$M80 := (q^6 \text{JAC}(2, 21, \infty) \text{JAC}(4, 21, \infty) \text{JAC}(3, 21, \infty) \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty) \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2) \quad (338)$$

> **GP80 := jac2eprod(M80 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP80 := \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2} (\text{GETA}(21, 2) \text{GETA}(21, 4) \text{GETA}(21, 3) \text{GETA}(7, 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \quad (339)$$

> **L80 := GETAP2getalist(GP80);**

$$L80 := [[21, 2, 1], [21, 4, 1], [21, 3, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (340)$$

8], [63, 2, 2]]

> **r80 := getaprodcuspORDS(L80, CW63[1], CW63[2])**
 $r80 := [49, 2, 2, -2, 2, 2, -2, 8, 2, 2, 2, 2, -2, 2, 8, -2, 2, 2, 2, 2, 19, 2, 2, -2, 2, 2, 2, 8, (341)$
 $2, -2, 2, -2, -4, -6, -2, 3, -6, 39, -2, -6, -6, -6, 2, -7, 2, 29, -2, -4, 2, -2,$
 $-4, 2, -4, 2, -4, 26, 8, -6, -6, 2, -5, 2, 13, -4, -4, -2, 6, -6, -6, -2, -6, 2, 8,$
 $2, -5, 8, -3, -4, -6, -12, 2, -7, -2, -6, -15, 3, -17, 19, -15, -15, -19, -21,$
 $-18, -15, -10]$

> **M81 := q⁶ * A5 * B4^2 * P1 * V2^2;**
$$M81 := \frac{q^6 JAC(2, 21, \infty) JAC(3, 21, \infty)^2 JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (342)$$

> **GP81 := jac2eprod(M81 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**
$$GP81 := \frac{1}{GETA(7, 2)^2} (GETA(21, 2) GETA(21, 3)^2 GETA(7, 3) GETA(9, (343)$$

 $1)^2 GETA(63, 1)^8 GETA(63, 2)^2)$

> **L81 := GETAP2getalist(GP81);**
 $L81 := [[21, 2, 1], [21, 3, 2], [7, 3, 1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] \quad (344)$

> **r81 := getaprodcuspORDS(L81, CW63[1], CW63[2])**
 $r81 := [49, 2, 2, -1, 2, 2, -1, -1, 2, 7, 2, 2, -1, 2, -1, -1, 2, 2, 7, 2, 2, 17, 2, 2, -1, 2, 2, (345)$
 $7, -1, 2, -1, 2, -1, 5, -1, -1, 7, -1, 41, -1, -6, -6, -6, -7, -9, -7, 27, -1, 5,$
 $-7, -1, 5, -7, -6, -7, 5, 24, -1, -1, -1, 7, -4, 7, 14, 5, 5, -7, 5, -6, -1, -7,$
 $-6, 1, -1, -7, -4, -1, -4, -6, -1, -12, 7, -9, -1, -6, -15, 7, -15, 17, -15,$
 $-17, -19, -21, -18, -14, -13]$

> **M82 := q⁶ * A5 * B4^2 * P4 * V0 * V1;**
$$M82 := (q^6 JAC(2, 21, \infty) JAC(3, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, (346)$$

 $\infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$

> **GP82 := jac2eprod(M82 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;**
$$GP82 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 2) GETA(21, 3)^2 GETA(7, 1)^2 GETA(9, (347)$$

 $4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2)$

> **L82 := GETAP2getalist(GP82);**
 $L82 := [[21, 2, 1], [21, 3, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 8], (348)$
 $[63, 2, 2]]$

> **r82 := getaprodcuspORDS(L82, CW63[1], CW63[2])**
 $r82 := [49, 2, 2, -1, 2, 2, -1, 8, 2, 0, 2, 2, -1, 2, 8, -1, 2, 2, 0, 2, 2, 20, 2, 2, -1, 2, 2, 0, 8, (349)$
 $2, -1, 2, -1, -4, -1, -1, 4, -1, 40, -1, -6, -6, -6, 0, -9, 0, 28, -1, -4, 0, -1,$
 $-4, 0, -9, 0, -4, 24, 8, -1, -1, 0, -1, 0, 14, -4, -4, -7, 4, -6, -1, -7, -6, 1, 8,$

0, -1, 8, -2, -9, -1, -13, 0, -9, -1, -6, -16, 4, -17, 20, -14, -15, -19, -21,
-20, -13, -12]

>

> **M83 := q⁶ * B3 * B4 * C6 * P3 * V0 * V2;**

$$M83 := \left(q^6 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (350)$$

> **GP83 := jac2eprod(M83 * q^{-457/126}) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP83 := \frac{1}{GETA(7, 3) GETA(7, 2)} \left(GETA(21, 4) GETA(21, 3) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^8 GETA(63, 2)^2 \right) \quad (351)$$

> **L83 := GETAP2getalist(GP83);**

$$L83 := [[21, 4, 1], [21, 3, 1], [21, 1, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 8], [63, 2, 2]] \quad (352)$$

> **r83 := getaprodcuspORDS(L83, CW63[1], CW63[2])**

$$r83 := [49, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 19, 2, 2, -2, 2, 2, 2, 5, 2, -2, 2, -2, -1, 1, -2, 6, 1, 41, -2, -6, -6, -6, -5, -4, -5, 29, -2, -1, -5, -2, -1, -5, -1, -5, -1, 26, 5, 1, 1, 2, -8, 2, 12, -1, -1, -8, 4, -6, 1, -8, -6, 1, 5, -5, -8, 5, -5, -1, 1, -10, 2, -4, -2, -6, -14, 6, -16, 19, -14, -16, -19, -19, -17, -15, -13] \quad (353)$$

>

> **M84 := q⁶ * B3 * B4 * C6 * P3 * V1^2;**

$$M84 := \left(q^6 JAC(4, 21, \infty) JAC(3, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (354)$$

> **GP84 := jac2eprod(M84 * q^{-457/126}) * GETA(63, 1)^8 * GETA(63, 2)^2;**

$$GP84 := \frac{1}{GETA(7, 3) GETA(7, 2)} \left(GETA(21, 4) GETA(21, 3) GETA(21, 1) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^8 GETA(63, 2)^2 \right) \quad (355)$$

> **L84 := GETAP2getalist(GP84);**

$$L84 := [[21, 4, 1], [21, 3, 1], [21, 1, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 2, 2], [63, 1, 8], [63, 2, 2]] \quad (356)$$

> **r84 := getaprodcuspORDS(L84, CW63[1], CW63[2])**

$$r84 := [49, 2, 2, -2, 2, 2, -2, 5, 2, 2, 2, 2, -2, 2, 5, -2, 2, 2, 2, 2, 19, 2, 2, -2, 2, 2, 2, 5, 2, -2, 2, -2, -1, -6, -2, 6, -6, 40, -2, -6, -6, -6, 2, -4, 2, 30, -2, -1, 2, -2, -1, 2, -1, 2, -1, 27, 5, -6, -6, 2, -8, 2, 12, -1, -1, -8, 4, -6, -6, -8, -6, 0, 5, 2, -8, 5, -4, -1, -6, -11, 2, -4, -2, -6, -14, 6, -16, 19, -15, -15, -18, -20, -17, -16, -12] \quad (357)$$

>

> **M85 := q⁶ * B4^2 * C6 * P0 * V2^2;**

$$M85 := \frac{q^6 JAC(3, 21, \infty)^2 JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (358)$$

> GP85 := jac2eprod(M85 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;

$$GP85 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 3)^2 GETA(21, 1) GETA(7, 3)^2 GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (359)$$

> L85 := GETAP2getalist(GP85);

$$L85 := [[21, 3, 2], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 8], [63, 2, 2]] \quad (360)$$

> r85 := getaprodcuspORDS(L85, CW63[1], CW63[2])

$$r85 := [49, 2, 2, -1, 2, 2, -1, -4, 2, 7, 2, 2, -1, 2, -4, -1, 2, 2, 7, 2, 2, 17, 2, 2, -1, 2, 2, 7, -4, 2, -1, 2, -1, 8, -1, -1, 10, -1, 42, -1, -6, -6, -6, -7, -6, -7, 28, -1, 8, -7, -1, 8, -7, -3, -7, 8, 25, -4, -1, -1, 7, -7, 7, 13, 8, 8, -13, 3, -6, -1, -13, -6, -1, -4, -7, -7, -4, -5, -3, -1, -11, 7, -6, -1, -6, -14, 10, -14, 17, -15, -17, -18, -20, -17, -15, -15] \quad (361)$$

>

> M86 := q^6 * B4^2 * C6 * P3 * V0 * V1;

$$M86 := (q^6 JAC(3, 21, \infty)^2 JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (362)$$

> GP86 := jac2eprod(M86 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;

$$GP86 := \frac{1}{GETA(7, 3) GETA(7, 2)} (GETA(21, 3)^2 GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)^8 GETA(63, 2)^2) \quad (363)$$

> L86 := GETAP2getalist(GP86);

$$L86 := [[21, 3, 2], [21, 1, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1], [63, 1, 8], [63, 2, 2]] \quad (364)$$

> r86 := getaprodcuspORDS(L86, CW63[1], CW63[2])

$$r86 := [49, 2, 2, -1, 2, 2, -1, 5, 2, 0, 2, 2, -1, 2, 5, -1, 2, 2, 0, 2, 2, 20, 2, 2, -1, 2, 2, 0, 5, 2, -1, 2, -1, -1, -1, -1, 7, -1, 41, -1, -6, -6, -6, 0, -6, 0, 29, -1, -1, 0, -1, -1, 0, -6, 0, -1, 25, 5, -1, -1, 0, -4, 0, 13, -1, -1, -13, 2, -6, -1, -13, -6, -1, 5, 0, -4, 5, -3, -6, -1, -12, 0, -6, -1, -6, -15, 7, -16, 20, -14, -15, -18, -20, -19, -14, -14] \quad (365)$$

>

> M87 := q^7 * A5 * B4^2 * P4 * V2^2;

$$M87 := \frac{q^7 JAC(2, 21, \infty) JAC(3, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (366)$$

> GP87 := jac2eprod(M87 * q^(-457/126)) * GETA(63, 1)^8 * GETA(63, 2)^2;

$$GP87 := \frac{1}{GETA(7, 2) GETA(7, 3)^2} (GETA(21, 2) GETA(21, 3)^2 GETA(7, 1)^2 GETA(9, 1)^2 GETA(63, 1)^8 GETA(63, 2)^2) \quad (367)$$

$$\begin{aligned}
& 1)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \\
& > \text{L87} := \text{GETAP2getalist}(\text{GP87}); \\
& \text{L87} := [[21, 2, 1], [21, 3, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 8], [63, 2, \\
& \quad 2]] \quad (368)
\end{aligned}$$

$$\begin{aligned}
& > \text{r87} := \text{getaprodcuspORDS}(\text{L87}, \text{CW63}[1], \text{CW63}[2]) \\
& \text{r87} := [50, 2, 2, -1, 2, 2, -1, 8, 2, 7, 2, 2, -1, 2, 8, -1, 2, 2, 7, 2, 2, 20, 2, 2, -1, 2, 2, 7, 8, \\
& \quad 2, -1, 2, -1, -4, -1, -1, 4, -1, 40, -1, -6, -6, -6, -7, -9, -7, 27, -1, -4, \\
& \quad -7, -1, -4, -7, -9, -7, -4, 23, 8, -1, -1, 7, -1, 7, 15, -4, -4, -7, 5, -6, -1, \\
& \quad -7, -6, 1, 8, -7, -1, 8, -3, -9, -1, -13, 7, -9, -1, -6, -15, 4, -16, 20, -14, \\
& \quad -16, -20, -21, -19, -13, -13] \quad (369)
\end{aligned}$$

$$\begin{aligned}
& > \\
& > \text{M88} := \mathbf{q}^7 * \text{B4}^2 * \text{C6} * \text{P3} * \text{V2}^2; \\
& \text{M88} := \frac{\mathbf{q}^7 \text{JAC}(3, 21, \infty)^2 \text{JAC}(1, 21, \infty) \text{JAC}(1, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(1, 9, \infty)^2}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(3, 7, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 9, \infty)^2} \quad (370)
\end{aligned}$$

$$\begin{aligned}
& > \text{GP88} := \text{jac2eprod}(\text{M88} * \mathbf{q}^{(-457/126)}) * \text{GETA}(63, 1)^8 * \text{GETA}(63, 2)^2; \\
& \text{GP88} := \frac{1}{\text{GETA}(7, 3) \text{GETA}(7, 2)} (\text{GETA}(21, 3)^2 \text{GETA}(21, 1) \text{GETA}(7, 1) \text{GETA}(9, \\
& \quad 1)^2 \text{GETA}(63, 1)^8 \text{GETA}(63, 2)^2) \quad (371)
\end{aligned}$$

$$\begin{aligned}
& > \text{L88} := \text{GETAP2getalist}(\text{GP88}); \\
& \text{L88} := [[21, 3, 2], [21, 1, 1], [7, 1, 1], [7, 3, -1], [7, 2, -1], [9, 1, 2], [63, 1, 8], [63, 2, \\
& \quad 2]] \quad (372)
\end{aligned}$$

$$\begin{aligned}
& > \text{r88} := \text{getaprodcuspORDS}(\text{L88}, \text{CW63}[1], \text{CW63}[2]) \\
& \text{r88} := [50, 2, 2, -1, 2, 2, -1, 5, 2, 7, 2, 2, -1, 2, 5, -1, 2, 2, 7, 2, 2, 20, 2, 2, -1, 2, 2, 7, 5, \\
& \quad 2, -1, 2, -1, -1, -1, -1, 7, -1, 41, -1, -6, -6, -6, -7, -6, -7, 28, -1, -1, \\
& \quad -7, -1, -1, -7, -6, -7, -1, 24, 5, -1, -1, 7, -4, 7, 14, -1, -1, -13, 3, -6, \\
& \quad -1, -13, -6, -1, 5, -7, -4, 5, -4, -6, -1, -12, 7, -6, -1, -6, -14, 7, -15, \\
& \quad 20, -14, -16, -19, -20, -18, -14, -15] \quad (373)
\end{aligned}$$

$$\begin{aligned}
& > \\
& > \text{r88}[96]; \\
& \quad \quad \quad -15 \quad (374)
\end{aligned}$$

$$\begin{aligned}
& > \text{CW63}; \\
& \left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \frac{1}{18}, \frac{1}{19}, \right. \right. \quad (375) \\
& \quad \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \frac{2}{21}, \\
& \quad \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \frac{5}{27}, \\
& \quad \frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28}, \\
& \quad \left. \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21} \right]
\end{aligned}$$

$$\left[\frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, 21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, 3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, 1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1]]$$

> *gpt* := [63, 60];

$$gpt := [63, 60] \quad (376)$$

> *ept* := *gp2etaproduct*(*gpt*);

$$ept := \eta(63\tau)^{60} \quad (377)$$

> *yy* := *cuspsORDS*(*ept*, *CW63*[1], 63);

$$yy := \left[\left[oo, \frac{5}{2} \right], \left[0, \frac{5}{2} \right], \left[\frac{1}{2}, \frac{5}{2} \right], \left[\frac{1}{3}, \frac{5}{2} \right], \left[\frac{1}{4}, \frac{5}{2} \right], \left[\frac{1}{5}, \frac{5}{2} \right], \left[\frac{1}{6}, \frac{5}{2} \right], \left[\frac{1}{7}, \frac{35}{2} \right], \left[\frac{1}{8}, \frac{5}{2} \right], \left[\frac{1}{9}, \frac{45}{2} \right], \left[\frac{1}{10}, \frac{5}{2} \right], \left[\frac{1}{11}, \frac{5}{2} \right], \left[\frac{1}{12}, \frac{5}{2} \right], \left[\frac{1}{13}, \frac{5}{2} \right], \left[\frac{1}{14}, \frac{35}{2} \right], \left[\frac{1}{15}, \frac{5}{2} \right], \left[\frac{1}{16}, \frac{5}{2} \right], \left[\frac{1}{17}, \frac{5}{2} \right], \left[\frac{1}{18}, \frac{45}{2} \right], \left[\frac{1}{19}, \frac{5}{2} \right], \left[\frac{1}{20}, \frac{5}{2} \right], \left[\frac{1}{21}, \frac{35}{2} \right], \left[\frac{1}{22}, \frac{5}{2} \right], \left[\frac{1}{23}, \frac{5}{2} \right], \left[\frac{1}{24}, \frac{5}{2} \right], \left[\frac{1}{25}, \frac{5}{2} \right], \left[\frac{1}{26}, \frac{5}{2} \right], \left[\frac{1}{27}, \frac{45}{2} \right], \left[\frac{1}{28}, \frac{35}{2} \right], \left[\frac{1}{29}, \frac{5}{2} \right], \left[\frac{1}{30}, \frac{5}{2} \right], \left[\frac{1}{31}, \frac{5}{2} \right], \left[\frac{2}{3}, \frac{5}{2} \right], \left[\frac{2}{7}, \frac{35}{2} \right], \left[\frac{2}{9}, \frac{45}{2} \right], \left[\frac{2}{15}, \frac{5}{2} \right], \left[\frac{2}{21}, \frac{35}{2} \right], \left[\frac{2}{27}, \frac{45}{2} \right], \left[\frac{2}{63}, \frac{315}{2} \right], \left[\frac{2}{93}, \frac{5}{2} \right], \left[\frac{3}{7}, \frac{35}{2} \right], \left[\frac{3}{14}, \frac{35}{2} \right], \left[\frac{4}{7}, \frac{35}{2} \right], \left[\frac{4}{9}, \frac{45}{2} \right], \left[\frac{4}{21}, \frac{35}{2} \right], \left[\frac{4}{27}, \frac{45}{2} \right], \left[\frac{4}{63}, \frac{315}{2} \right], \left[\frac{5}{6}, \frac{5}{2} \right], \left[\frac{5}{7}, \frac{35}{2} \right], \left[\frac{5}{9}, \frac{45}{2} \right], \left[\frac{5}{12}, \frac{5}{2} \right], \left[\frac{5}{14}, \frac{35}{2} \right], \left[\frac{5}{18}, \frac{45}{2} \right], \left[\frac{5}{21}, \frac{35}{2} \right], \left[\frac{5}{27}, \frac{45}{2} \right], \left[\frac{5}{28}, \frac{35}{2} \right], \left[\frac{5}{63}, \frac{315}{2} \right], \left[\frac{6}{7}, \frac{35}{2} \right], \left[\frac{7}{9}, \frac{45}{2} \right], \left[\frac{7}{18}, \frac{45}{2} \right], \left[\frac{8}{9}, \frac{45}{2} \right], \left[\frac{8}{21}, \frac{35}{2} \right], \left[\frac{8}{27}, \frac{45}{2} \right], \left[\frac{8}{63}, \frac{315}{2} \right], \left[\frac{9}{14}, \frac{35}{2} \right], \left[\frac{9}{28}, \frac{35}{2} \right], \left[\frac{10}{21}, \frac{35}{2} \right], \left[\frac{10}{63}, \frac{315}{2} \right], \left[\frac{11}{14}, \frac{35}{2} \right], \left[\frac{11}{18}, \frac{45}{2} \right], \left[\frac{11}{21}, \frac{35}{2} \right], \left[\frac{11}{28}, \frac{35}{2} \right], \left[\frac{11}{63}, \frac{315}{2} \right], \left[\frac{13}{14}, \frac{35}{2} \right], \left[\frac{13}{18}, \frac{45}{2} \right], \left[\frac{13}{21}, \frac{35}{2} \right], \left[\frac{13}{28}, \frac{35}{2} \right], \left[\frac{13}{63}, \frac{315}{2} \right], \left[\frac{16}{21}, \frac{35}{2} \right], \left[\frac{16}{27}, \frac{45}{2} \right], \left[\frac{16}{63}, \frac{315}{2} \right], \left[\frac{17}{18}, \frac{45}{2} \right], \left[\frac{17}{21}, \frac{35}{2} \right], \left[\frac{17}{24}, \frac{5}{2} \right], \left[\frac{17}{28}, \frac{35}{2} \right], \left[\frac{17}{63}, \frac{315}{2} \right], \left[\frac{19}{21}, \frac{35}{2} \right], \left[\frac{19}{63}, \frac{315}{2} \right], \left[\frac{20}{21}, \frac{35}{2} \right], \left[\frac{20}{63}, \frac{315}{2} \right], \left[\frac{22}{63}, \frac{315}{2} \right], \left[\frac{23}{63}, \frac{315}{2} \right], \left[\frac{25}{63}, \frac{315}{2} \right], \left[\frac{26}{63}, \frac{315}{2} \right], \left[\frac{29}{63}, \frac{315}{2} \right], \left[\frac{31}{63}, \frac{315}{2} \right] \right]$$

> ?

>

>

> $k := 96$;

$k := 96$

(379)

> ?

> $\min(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k],$
 $r14[k], r15[k], r16[k], r17[k], r18[k], r19[k], r20[k], r21[k], r22[k], r23[k], r24[k], r25[k],$
 $r26[k], r27[k], r28[k], r29[k], r30[k], r31[k], r32[k], r33[k], r34[k], r35[k], r36[k], r37[k],$
 $r38[k], r39[k], r40[k], r41[k], r42[k], r43[k], r44[k], r45[k], r46[k], r47[k], r48[k], r49[k],$
 $r50[k], r51[k], r52[k], r53[k], r54[k], r55[k], r56[k], r57[k], r58[k], r59[k], r60[k], r61[k],$
 $r62[k], r63[k], r64[k], r65[k], r66[k], r67[k], r68[k], r69[k], r70[k], r71[k], r72[k], r73[k],$
 $r74[k], r75[k], r76[k], r77[k], r78[k], r79[k], r80[k], r81[k], r82[k], r83[k], r84[k], r85[k],$
 $r86[k], r87[k], r88[k]) + yy[k][2];$

$\frac{285}{2}$

(380)

> $\min(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k],$
 $r14[k], r15[k], r16[k], r17[k], r18[k], r19[k], r20[k], r21[k], r22[k], r23[k], r24[k], r25[k],$
 $r26[k], r27[k], r28[k], r29[k], r30[k], r31[k], r32[k], r33[k], r34[k], r35[k], r36[k], r37[k],$
 $r38[k], r39[k], r40[k], r41[k], r42[k], r43[k], r44[k], r45[k], r46[k], r47[k], r48[k], r49[k],$
 $r50[k], r51[k], r52[k], r53[k], r54[k], r55[k], r56[k], r57[k], r58[k], r59[k], r60[k], r61[k],$
 $r62[k], r63[k], r64[k], r65[k], r66[k], r67[k], r68[k], r69[k], r70[k], r71[k], r72[k], r73[k],$
 $r74[k], r75[k], r76[k], r77[k], r78[k], r79[k], r80[k], r81[k], r82[k], r83[k], r84[k], r85[k],$
 $r86[k], r87[k], r88[k])$

-15

(381)

>

>