

```
> D:\Garvan;
```

Garvan (1)

```
> read"D:\Garvan:"wmprog";
```

"wmprog" (2)

```
> read"D:\Garvan/wmprog-thetaids.txt";  
Error, unable to read `D:Garvan/wmprog-thetaids.txt`
```

```
> read"D:/Garvan/wprog-thetaids.txt":  
BEGIN thetaids package  
THIS VERSION DATED Sat Jul 21 12:00:05 EDT 2018  
  
Warning, (in thetaids[jacbase]) `j` is implicitly declared local |D:/Garvan/wprog-  
thetaids.txt:906|  
Warning, (in thetaids[mintotORDS]) `j` is implicitly declared local  
|D:/Garvan/wprog-thetaids.txt:1163|  
Warning, (in thetaids[mintotORDS]) `i` is implicitly declared local  
|D:/Garvan/wprog-thetaids.txt:1165|  
Warning, (in thetaids[provemodfuncid]) `k` is implicitly declared local  
|D:/Garvan/wprog-thetaids.txt:1495|  
Warning, (in thetaids[provemodfuncidBATCH]) `k` is implicitly declared local  
|D:/Garvan/wprog-thetaids.txt:1698|  
TABLE TYPE thetaids = true  
  
Error, archive data file "c:\cygwin64/home/Owner/maple/mylib/thetaids.mla" could  
not be created  
END thetaids package
```

```
> read"D:/Garvan/ETA.txt";  
BEGIN ETA package  
THIS VERSION DATED Sat, Jun 29, 2019 9:28:11 PM  
  
ETA := table([ ])  
  
TABLE TYPE ETA = true  
  
Error, archive data file "c:\cygwin64/home/fgarv/maple/mylib/ETA.mla" could not  
be created  
END ETA package
```

(3)

```
> read"D:/Garvan/wmprog.txt":  
Warning, (in qseries[findhomcombo]) `func` is implicitly declared local  
|D:/Garvan/wmprog.txt:321|  
Warning, (in qseries[findhomcombo]) `fq` is implicitly declared local  
|D:/Garvan/wmprog.txt:334|  
Warning, (in qseries[findhomcombo]) `ANSETA` is implicitly declared local  
|D:/Garvan/wmprog.txt:343|  
Warning, (in qseries[findhomcombo]) `geta` is implicitly declared local  
|D:/Garvan/wmprog.txt:348|  
Warning, (in qseries[findlincombo]) `k` is implicitly declared local
```

|D:/Garvan/wmprog.txt:412|
Warning, (in qseries[findlincombomdp]) `k` is implicitly declared local
|D:/Garvan/wmprog.txt:486|
Warning, (in qseries[findhomcombomdp]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:561|
Warning, (in qseries[findhomcombomdp]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:574|
Warning, (in qseries[findhomcombomdp]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:583|
Warning, (in qseries[findhomcombomdp]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:588|
Warning, (in qseries[findnonhomcombo]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:679|
Warning, (in qseries[findnonhomcombo]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:718|
Warning, (in qseries[findnonhomcombo]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:723|
Warning, (in qseries[findnonhomcombo]) `ANS` is implicitly declared local
|D:/Garvan/wmprog.txt:729|
Warning, (in qseries[findnonhomcombo]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:730|
Warning, (in qseries[findnonhomcombo]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:735|
Warning, (in qjac) `t` is implicitly declared local |D:/Garvan/wmprog.txt:1079|
Warning, (in qjac) `c` is implicitly declared local |D:/Garvan/wmprog.txt:1082|
Warning, (in qseries[mprodmake]) `qqprod` is implicitly declared local
|D:/Garvan/wmprog.txt:1150|
Warning, (in qseries[prodmake]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:1166|
Warning, (in qseries[prodmake]) `q` is implicitly declared local
|D:/Garvan/wmprog.txt:1167|
Warning, (in qseries[prodmake]) `T` is implicitly declared local
|D:/Garvan/wmprog.txt:1168|
Warning, (in qseries[prodmake]) `bseq` is implicitly declared local
|D:/Garvan/wmprog.txt:1204|
Warning, (in qseries[prodmake]) `1st` is implicitly declared local
|D:/Garvan/wmprog.txt:1205|
Warning, (in bigqpfac) `conc` is implicitly declared local |D:/Garvan/wmprog.
txt:1525|
Warning, (in qseries[quinprod]) `leftid` is implicitly declared local
|D:/Garvan/wmprog.txt:1637|
Warning, (in qseries[quinprod]) `x1` is implicitly declared local
|D:/Garvan/wmprog.txt:1643|
Warning, (in qseries[quinprod]) `x2` is implicitly declared local
|D:/Garvan/wmprog.txt:1646|

Warning, (in qseries[quinprod]) `rightid` is implicitly declared local
|D:/Garvan/wmprog.txt:1652|
Warning, (in qseries[tripleprod]) `x` is implicitly declared local
|D:/Garvan/wmprog.txt:1709|
Warning, (in qseries[tripleprod]) `lasti` is implicitly declared local
|D:/Garvan/wmprog.txt:1710|
Warning, (in qseries[tripleprod]) `i` is implicitly declared local
|D:/Garvan/wmprog.txt:1711|
Warning, (in qseries[tripleprod]) `leftid` is implicitly declared local
|D:/Garvan/wmprog.txt:1717|
Warning, (in qseries[tripleprod]) `rightid` is implicitly declared local
|D:/Garvan/wmprog.txt:1720|
Warning, (in qseries[zqfactor]) `buglim` is implicitly declared local
|D:/Garvan/wmprog.txt:1751|
Warning, (in qseries[zqfactor]) `F` is implicitly declared local
|D:/Garvan/wmprog.txt:1755|
Warning, (in qseries[zqfactor]) `z` is implicitly declared local
|D:/Garvan/wmprog.txt:1756|
Warning, (in qseries[zqfactor]) `q` is implicitly declared local
|D:/Garvan/wmprog.txt:1757|
Warning, (in qseries[zqfactor]) `N` is implicitly declared local
|D:/Garvan/wmprog.txt:1758|
Error, could not open `c:\Program Files\Maple 11\mylib\qseries.m` for writing

> with(qseries);

[*aqprod, changes, etamake, etaq, findhom, findhomcombo, findhomcombomodp, findhommodp, findlincombo, findlincombomodp, findnonhom, findnonhomcombo, findpoly, jac2prod, jac2series, jacprod, jacprodmake, mprodmake, packageversion, prodmake, qbin, qetamake, qfactor, quinprod, sift, θ , θ_2 , θ_3 , θ_4 , tripleprod, winquist, zqfactor*] (4)

> with(ETA);

[*ETACHanges, ETApversion, Ffind, Fricke, GPmake, POWERPq, POWERPqMODP, POWERq, POWERqMODP, UpLB, cuspORD, cuspORDS, cuspORDSnotoo, cuspmake, cusppord, etaCOF, etaCONSTANT, etaWe, etamult, etanormalid, etaprodWe, etaprodtoqseries, etaprodtoqseries2, etaprodtoqseriesMODP, fanwidth, gamma0FORMCHECK, gammacheck, gammacheckM, gp2etaprod, jacbotstar, jactopstar, mintotGAMMA0ORDS, printETAIDORDStable, printcuspORDS, printcusppords, provemodfuncGAMMA0UpETAid, provemodfuncGAMMA0UpETAidBATCH, provemodfuncGAMMA0id, provemodfuncGAMMA0idBATCH, qetacombos, vetainf, vp*] (5)

> with(thetaids);

[*Acmake, Bord, CUSPSANDWIDMAKE1, DivCheck, GETAP2getalist, Gamma1ModFunc, JACCOF, JACP2jaclist, QP2, Scmake, _ETAn, _ETAnm, _etan, _etanm, cuspequiv1, cuspmake1, cuspsetinequiv1, cuspwid1, eeta, egeta, ejac, eta2geta, eta2jac, fpart, getacuspord, getalist2jacprod, getaprodCUSPORDS, getaprodCUSPORD, gterm2jacprod, jac2eprod, jac2getacombos, jac2getaprod, jacbase, jacnormalid, jcombobase, lqdegree, lqdegree0, mintotORDS, mixedjac2jac, newxy, numcuspequiv1, phiset, printJACIDORDStable,* (6)

processjacid, provemodfuncid, provemodfuncidBATCH, qjacdegree, rmcoffjac, rmcofhotqjac, srep, sset, thetaidschanges, thetaidspsversion, v0, vinf]

> JP1:=JAC(22,50,infinity)/JAC(0,50,infinity)/JAC(11,25,infinity)*JAC(0,25,infinity)*JAC(2,10,infinity)/JAC(0,10,infinity)*JAC(25,50,infinity)^(1/2)/JAC(0,50,infinity)^(1/2)*JAC(10,50,infinity)^2*JAC(20,50,infinity)^2/JAC(0,50,infinity)^4*mul(JAC(2*j,50,infinity)^2/JAC(0,50,infinity)^2,j=1..12);

$$JP1 := \left(JAC(22, 50, \infty)^3 JAC(0, 25, \infty) JAC(2, 10, \infty) \sqrt{JAC(25, 50, \infty)} JAC(10, 50, \infty)^4 JAC(20, 50, \infty)^4 JAC(2, 50, \infty)^2 JAC(4, 50, \infty)^2 JAC(6, 50, \infty)^2 JAC(8, 50, \infty)^2 JAC(12, 50, \infty)^2 JAC(14, 50, \infty)^2 JAC(16, 50, \infty)^2 JAC(18, 50, \infty)^2 JAC(24, 50, \infty)^2 \right) / \left(JAC(0, 50, \infty)^{59/2} JAC(11, 25, \infty) JAC(0, 10, \infty) \right) \quad (7)$$

> f2:=mul(JAC(2*j,50,infinity)/JAC(0,50,infinity),j=1..12);

$$f2 := \frac{1}{JAC(0, 50, \infty)^{12}} (JAC(2, 50, \infty) JAC(4, 50, \infty) JAC(6, 50, \infty) JAC(8, 50, \infty) JAC(10, 50, \infty) JAC(12, 50, \infty) JAC(14, 50, \infty) JAC(16, 50, \infty) JAC(18, 50, \infty) JAC(20, 50, \infty) JAC(22, 50, \infty) JAC(24, 50, \infty)) \quad (8)$$

> f10:=JAC(10,50,infinity)*JAC(20,50,infinity)/JAC(0,50,infinity)^2;

$$f10 := \frac{JAC(10, 50, \infty) JAC(20, 50, \infty)}{JAC(0, 50, \infty)^2} \quad (9)$$

> V0:=JAC(4,9,infinity)/JAC(0,9,infinity);

$$V0 := \frac{JAC(4, 9, \infty)}{JAC(0, 9, \infty)} \quad (10)$$

> V1:=JAC(2,9,infinity)/JAC(0,9,infinity);

$$V1 := \frac{JAC(2, 9, \infty)}{JAC(0, 9, \infty)} \quad (11)$$

> V2:=JAC(1,9,infinity)/JAC(0,9,infinity);

$$V2 := \frac{JAC(1, 9, \infty)}{JAC(0, 9, \infty)} \quad (12)$$

> A0:=JAC(9,21,infinity)/JAC(0,21,infinity); A2:=JAC(5,21,infinity)/JAC(0,21,infinity);A5:=JAC(2,21,infinity)/JAC(0,21,infinity);

$$\begin{aligned} A0 &:= \frac{JAC(9, 21, \infty)}{JAC(0, 21, \infty)} \\ A2 &:= \frac{JAC(5, 21, \infty)}{JAC(0, 21, \infty)} \\ A5 &:= \frac{JAC(2, 21, \infty)}{JAC(0, 21, \infty)} \end{aligned} \quad (13)$$

> B0:=JAC(10,21,infinity)/JAC(0,21,infinity); B3:=JAC(4,21,infinity)/JAC(0,21,infinity);B4:=JAC(3,21,infinity)/JAC(0,21,infinity);

$$\begin{aligned} B0 &:= \frac{JAC(10, 21, \infty)}{JAC(0, 21, \infty)} \\ B3 &:= \frac{JAC(4, 21, \infty)}{JAC(0, 21, \infty)} \end{aligned} \quad (14)$$

$$B4 := \frac{JAC(3, 21, \infty)}{JAC(0, 21, \infty)}$$

> C0:=JAC(8,21,infinity)/JAC(0,21,infinity); C1:=JAC(6,21,infinity)/JAC(0,21,infinity);C6:=JAC(1,21,infinity)/JAC(0,21,infinity);

$$C0 := \frac{JAC(8, 21, \infty)}{JAC(0, 21, \infty)} \quad (15)$$

$$C1 := \frac{JAC(6, 21, \infty)}{JAC(0, 21, \infty)}$$

$$C6 := \frac{JAC(1, 21, \infty)}{JAC(0, 21, \infty)}$$

> f17:=JAC(1,7,infinity)/JAC(0,7,infinity); f27:=JAC(2,7,infinity)/JAC(0,7,infinity);f37:=JAC(3,7,infinity)/JAC(0,7,infinity);

$$f17 := \frac{JAC(1, 7, \infty)}{JAC(0, 7, \infty)} \quad (16)$$

$$f27 := \frac{JAC(2, 7, \infty)}{JAC(0, 7, \infty)}$$

$$f37 := \frac{JAC(3, 7, \infty)}{JAC(0, 7, \infty)}$$

> S0:=f27^2/f17^2/f37;S1:=f27/f17/f37;S3:=f17/f37^2;S4:=f17^2/f27/f37^2;

$$S0 := \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \quad (17)$$

$$S1 := \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(3, 7, \infty)}$$

$$S3 := \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty)^2}$$

$$S4 := \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}$$

> P0:=f37^2/f17/f27^2;P1:=f37/f27^2;P3:=f17/f37/f27;P4:=f17^2/f27/f37^2;

$$P0 := \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2} \quad (18)$$

$$P1 := \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(2, 7, \infty)^2}$$

$$P3 := \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty) JAC(2, 7, \infty)}$$

$$P4 := \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}$$

> H0:=f27^2/f17^2/f37;H1:=f27/f17^2;H3:=f37/f17/f27;H4:=f37^2/f17/f27^2;

$$H0 := \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \quad (19)$$

$$H1 := \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2}$$

$$H3 := \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)}$$

$$H4 := \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2}$$

> M1:=V1*V0*A0^2*H4*C0;

$$M1 := (JAC(2, 9, \infty) JAC(4, 9, \infty) JAC(9, 21, \infty)^2 JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(8, 21, \infty)) / (JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2) \quad (20)$$

> GP1:=jac2eprod(M1*q^(-403/126))*GETA(63,1)^(5)*GETA(63,2)^(5);

$$GP1 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(9, 2) GETA(9, 4) GETA(21, 9)^2 GETA(7, 3)^2 GETA(21, 8) GETA(63, 1)^5 GETA(63, 2)^5) \quad (21)$$

> L1:=GETAP2getalist(GP1);

$$L1 := [[9, 2, 1], [9, 4, 1], [21, 9, 2], [7, 3, 2], [7, 1, -1], [7, 2, -2], [21, 8, 1], [63, 1, 5], [63, 2, 5]] \quad (22)$$

> CW63:=CUSPSANDWIDMAKE1(63);

$$CW63 := \left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \frac{1}{18}, \frac{1}{19}, \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \frac{2}{21}, \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \frac{5}{27}, \frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28}, \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21}, \frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, 21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, 3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, 1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1, 1] \right] \quad (23)$$

> [vinf(L1,63),v0(L1,63)];

$$[84, 4] \quad (24)$$

> r1:=getaprodcuspORDS(L1,CW63[1],CW63[2]);

$$r1 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, 5, -2, -1, 10, -2, 40, -1, -3, -3, -3, 2, -9, 2, 24, -1, 5, 2, -1, 5, 2, 3, 2, 5, 23, -4, -2, -2, -1, -7, -1, 4, 5, 5, -1, -4, -3, -2, -1, -3, -7, -4, 2, -7, -4, -12, 3, -2, -14, -1, -9, -1, -3, -20, 10, -17, 2, -21, -19, -13, -13, -6, 1, 10] \quad (25)$$

> M2:=V1*V0*A0^2*H1*C0;

$$M2 := \frac{1}{JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 (JAC(2, 9, \infty) JAC(4, 9, \infty) JAC(9, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(8, 21, \infty))} \quad (26)$$

> GP2:=jac2eprod(M2*q^(-403/126))*GETA(63,1)^(5)*GETA(63,2)^(5);

$$GP2 := \frac{1}{GETA(7, 1)^2 (GETA(9, 2) GETA(9, 4) GETA(21, 9)^2 GETA(7, 2) GETA(21, 8) GETA(63, 1)^5 GETA(63, 2)^5)} \quad (27)$$

> L2:=GETAP2getalist(GP2);

$$L2 := [[9, 2, 1], [9, 4, 1], [21, 9, 2], [7, 2, 1], [7, 1, -2], [21, 8, 1], [63, 1, 5], [63, 2, 5]] \quad (28)$$

> r2:=getaprodcuspORDS(L2,CW63[1],CW63[2]);

$$r2 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -4, -2, -1, 7, -2, 39, -1, 6, 6, 6, 2, -6, 2, 25, -1, -4, 2, -1, -4, 2, 0, 2, -4, 22, -4, -2, -2, -1, -7, -1, 4, -4, -4, 2, -3, 6, -2, 2, 6, -6, -4, 2, -7, -4, -12, 0, -2, -15, -1, -6, -1, 6, -19, 7, -18, 2, -21, -19, -14, -12, -7, 1, 11] \quad (29)$$

> M3:=A0^2*B0*H3*V0*V1;

$$M3 := (JAC(9, 21, \infty)^2 JAC(10, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (30)$$

> GP3:=jac2eprod(M3*q^(-403/126))*GETA(63,1)^(5)*GETA(63,2)^(5);

$$GP3 := \frac{1}{GETA(7, 1) GETA(7, 2) (GETA(21, 9)^2 GETA(21, 10) GETA(7, 3) GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5)} \quad (31)$$

> L3:=GETAP2getalist(GP3);

$$L3 := [[21, 9, 2], [21, 10, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (32)$$

> r3:=getaprodcuspORDS(L3,CW63[1],CW63[2]);

$$r3 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, 2, -2, -1, 13, -2, 41, -1, 0, 0, 0, 2, -3, 2, 26, -1, 2, 2, -1, 2, 2, -3, 2, 2, 21, -4, -2, -2, -1, -10, -1, 3, 2, 2, -1, -4, 0, -2, -1, 0, -7, -4, 2, -10, -4, -13, -3, -2, -16, -1, -3, -1, 0, -18, 13, -16, 2, -21, -19, -12, -11, -8, 0, 10] \quad (33)$$

> M4:=A0^2*B0*H0*V0*V1 ;

$$M4 := (JAC(9, 21, \infty)^2 JAC(10, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (34)$$

> GP4:=jac2eprod(M1*q^(-403/126))*GETA(63,1)^(5)*GETA(63,2)^(5);

$$GP4 := \frac{1}{GETA(7, 1) GETA(7, 2)^2 (GETA(9, 2) GETA(9, 4) GETA(21, 9)^2 GETA(7, 3)^2 GETA(21, 8) GETA(63, 1)^5 GETA(63, 2)^5)} \quad (35)$$

> L4 := GETAP2getalist(GP4);

$$L4 := [[9, 2, 1], [9, 4, 1], [21, 9, 2], [7, 3, 2], [7, 1, -1], [7, 2, -2], [21, 8, 1], [63, 1, 5], [63, 2, 5]] \quad (36)$$

$$> r4 := \text{getaprodCUSPORDS}(L4, CW63[1], CW63[2]);$$

$$r4 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, 5, -2, -1, 10, -2, 40, -1, -3, -3, -3, 2, -9, 2, 24, -1, 5, 2, -1, 5, 2, 3, 2, 5, 23, -4, -2, -2, -1, -7, -1, 4, 5, 5, -1, -4, -3, -2, -1, -3, -7, -4, 2, -7, -4, -12, 3, -2, -14, -1, -9, -1, -3, -20, 10, -17, 2, -21, -19, -13, -13, -6, 1, 10] \quad (37)$$

$$> M5 := q * A0^2 * B0 * H0 * V2^2;$$

$$M5 := \frac{q JAC(9, 21, \infty)^2 JAC(10, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (38)$$

$$> GP5 := \text{jac2eprod}(M5 * q^{(-403/126)}) * \text{GETA}(63, 1)^{(5)} * \text{GETA}(63, 2)^{(5)};$$

$$GP5 := \frac{1}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) 1)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5} (\text{GETA}(21, 9)^2 \text{GETA}(21, 10) \text{GETA}(7, 2)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (39)$$

$$> L5 := \text{GETAP2getalist}(GP5);$$

$$L5 := [[21, 9, 2], [21, 10, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (40)$$

$$> r5 := \text{getaprodCUSPORDS}(L5, CW63[1], CW63[2]);$$

$$r5 := [43, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 2, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -7, -2, -1, 10, -2, 40, -1, 9, 9, 9, -5, 0, -5, 26, -1, -7, -5, -1, -7, -5, -6, -5, -7, 19, -4, -2, -2, 6, -10, 6, 4, -7, -7, 2, -2, 9, -2, 2, 9, -6, -4, -5, -10, -4, -14, -6, -2, -17, 6, 0, -1, 9, -16, 10, -16, 2, -21, -20, -14, -10, -8, 0, 10] \quad (41)$$

$$> M6 := q * A0^2 * B0 * H3 * V2^2;$$

$$M6 := \frac{q JAC(9, 21, \infty)^2 JAC(10, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2} \quad (42)$$

$$> GP6 := \text{jac2eprod}(M6 * q^{(-403/126)}) * \text{GETA}(63, 1)^{(5)} * \text{GETA}(63, 2)^{(5)};$$

$$GP6 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 2) 1)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5} (\text{GETA}(21, 9)^2 \text{GETA}(21, 10) \text{GETA}(7, 3) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (43)$$

$$> L6 := \text{GETAP2getalist}(GP6);$$

$$L6 := [[21, 9, 2], [21, 10, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (44)$$

$$> r6 := \text{getaprodCUSPORDS}(L6, CW63[1], CW63[2]);$$

$$r6 := [43, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 2, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, 2, -2, -1, 13, -2, 41, -1, 0, 0, 0, -5, -3, -5, 25, -1, 2, -5, -1, \dots] \quad (45)$$

2, -5, -3, -5, 2, 20, -4, -2, -2, 6, -10, 6, 4, 2, 2, -1, -3, 0, -2, -1, 0, -7, -4,
-5, -10, -4, -14, -3, -2, -16, 6, -3, -1, 0, -17, 13, -15, 2, -21, -20, -13,
-11, -7, 0, 9]

>

> M7 := q·A0^2 * B3 * H0 * V0 * V1;

$$M7 := \left(q JAC(9, 21, \infty)^2 JAC(4, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (46)$$

> GP7 := jac2eprod(M7 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP7 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)} \left(GETA(21, 9)^2 GETA(21, 4) GETA(7, 2)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (47)$$

> L7 := GETAP2getalist(GP7);

$$L7 := [[21, 9, 2], [21, 4, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (48)$$

> r7 := getaprodcuspORDS(L7, CW63[1], CW63[2])

$$r7 := [43, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 5, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -7, -2, -1, 4, -2, 38, -1, 9, 9, 9, 2, -3, 2, 26, -1, -7, 2, -1, -7, 2, 0, 2, -7, 22, -4, -2, -2, -1, -13, -1, 2, -7, -7, 5, -2, 9, -2, 5, 9, -5, -4, 2, -13, -4, -14, 0, -2, -15, -1, -3, -1, 9, -18, 4, -19, 5, -20, -18, -15, -11, -7, -1, 12] \quad (49)$$

> M8 := q·A0^2 * B3 * H3 * V0 * V1;

$$M8 := \left(q JAC(9, 21, \infty)^2 JAC(4, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (50)$$

> GP8 := jac2eprod(M8 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP8 := \frac{1}{GETA(7, 1) GETA(7, 2)} \left(GETA(21, 9)^2 GETA(21, 4) GETA(7, 3) GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (51)$$

> L8 := GETAP2getalist(GP8);

$$L8 := [[21, 9, 2], [21, 4, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (52)$$

> r8 := getaprodcuspORDS(L8, CW63[1], CW63[2])

$$r8 := [43, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 5, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -7, -2, -1, 4, -2, 38, -1, 9, 9, 9, 2, -3, 2, 26, -1, -7, 2, -1, -7, 2, 0, 2, -7, 22, -4, -2, -2, -1, -13, -1, 2, -7, -7, 5, -2, 9, -2, 5, 9, -5, -4, 2, -13, -4, -14, 0, -2, -15, -1, -3, -1, 9, -18, 4, -19, 5, -20, -18, -15, -11, -7, -1, 12] \quad (53)$$

> M9 := q·A0^2 * C0 * H1 * V2^2;

$$M9 := \frac{q JAC(9, 21, \infty)^2 JAC(8, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (54)$$

> GP9 := jac2eprod(M9 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);;

$$GP9 := \frac{1}{GETA(7, 1)^2} (GETA(21, 9)^2 GETA(21, 8) GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (55)$$

> L9 := GETAP2getalist(GP9);
L9 := [[21, 9, 2], [21, 8, 1], [7, 2, 1], [7, 1, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] (56)

> r9 := getaprodcuspORDS(L9, CW63[1], CW63[2])
r9 := [43, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 2, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -4, -2, -1, 7, -2, 39, -1, 6, 6, 6, -5, -6, -5, 24, -1, -4, -5, -1, -4, -5, 0, -5, -4, 21, -4, -2, -2, 6, -7, 6, 5, -4, -4, 2, -2, 6, -2, 2, 6, -6, -4, -5, -7, -4, -13, 0, -2, -15, 6, -6, -1, 6, -18, 7, -17, 2, -21, -20, -15, -12, -6, 1, 10] (57)

>

> M10 := q * A0^2 * C0 * H4 * V2^2;

$$M10 := \frac{q JAC(9, 21, \infty)^2 JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (58)$$

> GP10 := jac2eprod(M10 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);

$$GP10 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 9)^2 GETA(21, 8) GETA(7, 3)^2 GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (59)$$

> L10 := GETAP2getalist(GP10);
L10 := [[21, 9, 2], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] (60)

> r10 := getaprodcuspORDS(L10, CW63[1], CW63[2])
r10 := [43, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 2, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, 5, -2, -1, 10, -2, 40, -1, -3, -3, -3, -5, -9, -5, 23, -1, 5, -5, -1, 5, -5, 3, -5, 5, 22, -4, -2, -2, 6, -7, 6, 5, 5, 5, -1, -3, -3, -2, -1, -3, -7, -4, -5, -7, -4, -13, 3, -2, -14, 6, -9, -1, -3, -19, 10, -16, 2, -21, -20, -14, -13, -5, 1, 9] (61)

>

> M11 := q * A0 * A2 * B0 * H0 * V0 * V2;

$$M11 := (q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (62)$$

> GP11 := jac2eprod(M11 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)

$^{(5)};$

$$GP11 := \frac{1}{GETA(7,1)^2 GETA(7,3)} \left(GETA(21,9) GETA(21,5) GETA(21,10) GETA(7,2)^2 GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5 \right) \quad (63)$$

$> L11 := GETAP2getalist(GP11);$

$$L11 := [[21, 9, 1], [21, 5, 1], [21, 10, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (64)$$

$> r11 := getaprodcuspORDS(L11, CW63[1], CW63[2])$

$$r11 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, 0, -2, 6, 0, 39, -2, 9, 9, 9, -3, 5, -3, 28, -2, -7, -3, -2, -7, -3, -7, -3, -7, 19, -4, 0, 0, 1, -5, 1, 5, -7, -7, 1, -3, 9, 0, 1, 9, -6, -4, -3, -5, -4, -12, -7, 0, -17, 1, 5, -2, 9, -15, 6, -18, 4, -20, -19, -15, -8, -9, 2, 10] \quad (65)$$

$> M12 := q * A0 * A2 * B0 * H0 * V1^2;$

$$M12 := (q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (66)$$

$> GP12 := jac2eprod(M12 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$

$$GP12 := \frac{1}{GETA(7,1)^2 GETA(7,3)} \left(GETA(21,9) GETA(21,5) GETA(21,10) GETA(7,2)^2 GETA(9,2)^2 GETA(63,1)^5 GETA(63,2)^5 \right) \quad (67)$$

$> L12 := GETAP2getalist(GP12);$

$$L12 := [[21, 9, 1], [21, 5, 1], [21, 10, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (68)$$

$> r12 := getaprodcuspORDS(L12, CW63[1], CW63[2])$

$$r12 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 6, -7, 38, -2, 9, 9, 9, 4, 5, 4, 29, -2, -7, 4, -2, -7, 4, -7, 4, -7, 20, -4, -7, -7, 1, -5, 1, 5, -7, -7, 1, -3, 9, -7, 1, 9, -7, -4, 4, -5, -4, -11, -7, -7, -18, 1, 5, -2, 9, -15, 6, -18, 4, -21, -18, -14, -9, -9, 1, 11] \quad (69)$$

$>$

$> M13 := q * A0 * A2 * B0 * H3 * V0 * V2;$

$$M13 := (q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(10, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (70)$$

$> GP13 := jac2eprod(M13 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$

$$GP13 := \frac{1}{GETA(7,1) GETA(7,2)} \left(GETA(21,9) GETA(21,5) GETA(21,10) GETA(7,2) \right) \quad (71)$$

$$3) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5)$$

> L13 := GETAP2getalist(GP13);

$$L13 := [[21, 9, 1], [21, 5, 1], [21, 10, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (72)$$

> r13 := getaprodcuspORDS(L12, CW63[1], CW63[2])

$$r13 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 6, -7, 38, -2, 9, 9, 9, 4, 5, 4, 29, -2, -7, 4, -2, -7, 4, -7, 4, -7, 20, -4, -7, -7, 1, -5, 1, 5, -7, -7, 1, -3, 9, -7, 1, 9, -7, -4, 4, -5, -4, -11, -7, -7, -18, 1, 5, -2, 9, -15, 6, -18, 4, -21, -18, -14, -9, -9, 1, 11] \quad (73)$$

>

> M14 := q * A0 * A2 * B0 * H3 * V1^2;

$$M14 := (q \text{JAC}(9, 21, \infty) \text{JAC}(5, 21, \infty) \text{JAC}(10, 21, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 9, \infty)^2) \quad (74)$$

> GP14 := jac2eprod(M14 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP14 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 2)} (\text{GETA}(21, 9) \text{GETA}(21, 5) \text{GETA}(21, 10) \text{GETA}(7, 3) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (75)$$

> L14 := GETAP2getalist(GP14);

$$L14 := [[21, 9, 1], [21, 5, 1], [21, 10, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (76)$$

> r14 := getaprodcuspORDS(L14, CW63[1], CW63[2])

$$r14 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, -7, -2, 9, -7, 39, -2, 0, 0, 0, 4, 2, 4, 28, -2, 2, 4, -2, 2, 4, -4, 4, 2, 21, -4, -7, -7, 1, -5, 1, 5, 2, 2, -2, -4, 0, -7, -2, 0, -8, -4, 4, -5, -4, -11, -4, -7, -17, 1, 2, -2, 0, -16, 9, -17, 4, -21, -18, -13, -10, -8, 1, 10] \quad (77)$$

> M15 := q * A0 * A2 * C0 * H1 * V0 * V2 ;

$$M15 := \frac{1}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2} (q \text{JAC}(9, 21, \infty) \text{JAC}(5, 21, \infty) \text{JAC}(8, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) \quad (78)$$

> GP15 := jac2eprod(M15 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP15 := \frac{1}{\text{GETA}(7, 1)^2} (\text{GETA}(21, 9) \text{GETA}(21, 5) \text{GETA}(21, 8) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (79)$$

> L15 := GETAP2getalist(GP15);

$$L15 := [[21, 9, 1], [21, 5, 1], [21, 8, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (80)$$

> r15 := getaprodcuspORDS(L15, CW63[1], CW63[2])

$$(81)$$

$$r15 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, 0, -2, 3, 0, 38, -2, 6, 6, 6, -3, -1, -3, 26, -2, -4, -3, -2, -4, -3, -1, -3, -4, 21, -4, 0, 0, 1, -2, 1, 6, -4, -4, 1, -3, 6, 0, 1, 6, -6, -4, -3, -2, -4, -11, -1, 0, -15, 1, -1, -2, 6, -17, 3, -19, 4, -20, -19, -16, -10, -7, 3, 10] \quad (81)$$

$$> \mathbf{M16} := \mathbf{q} * \mathbf{A0} * \mathbf{A2} * \mathbf{C0} * \mathbf{H1} * \mathbf{V1}^2;$$

$$M16 := \frac{1}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2} (q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) \quad (82)$$

$$> \mathbf{GP16} := \mathbf{jac2eprod}(\mathbf{M16} * \mathbf{q}^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)};$$

$$GP16 := \frac{1}{GETA(7, 1)^2} (GETA(21, 9) GETA(21, 5) GETA(21, 8) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (83)$$

$$> \mathbf{L16} := \mathbf{GETAP2getalist}(\mathbf{GP16});$$

$$L16 := [[21, 9, 1], [21, 5, 1], [21, 8, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (84)$$

$$> \mathbf{r16} := \mathbf{getaprodcuspORDS}(\mathbf{L16}, \mathbf{CW63}[1], \mathbf{CW63}[2])$$

$$r16 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, -7, -2, 3, -7, 37, -2, 6, 6, 6, 4, -1, 4, 27, -2, -4, 4, -2, -4, 4, -1, 4, -4, 22, -4, -7, -7, 1, -2, 1, 6, -4, -4, 1, -3, 6, -7, 1, 6, -7, -4, 4, -2, -4, -10, -1, -7, -16, 1, -1, -2, 6, -17, 3, -19, 4, -21, -18, -15, -11, -7, 2, 11] \quad (85)$$

>

$$> \mathbf{M17} := \mathbf{q} * \mathbf{A0} * \mathbf{A2} * \mathbf{C0} * \mathbf{H4} * \mathbf{V0} * \mathbf{V2};$$

$$M17 := (q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (86)$$

$$> \mathbf{GP17} := \mathbf{jac2eprod}(\mathbf{M17} * \mathbf{q}^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)};$$

$$GP17 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 9) GETA(21, 5) GETA(21, 8) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5) \quad (87)$$

$$> \mathbf{L17} := \mathbf{GETAP2getalist}(\mathbf{GP17});$$

$$L17 := [[21, 9, 1], [21, 5, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (88)$$

$$> \mathbf{r17} := \mathbf{getaprodcuspORDS}(\mathbf{L17}, \mathbf{CW63}[1], \mathbf{CW63}[2])$$

$$r17 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, 0, -2, 6, 0, 39, -2, -3, -3, -3, -3, -4, -3, 25, -2, 5, -3, -2, 5, -3, 2, -3, 5, 22, -4, 0, 0, 1, -2, 1, 6, 5, 5, -2, -4, -3, 0, -2, -3, -7, -4, -3, -2, -4, -11, 2, 0, -14, 1, -4, -2, -3, -18, 6, -18, 4, -20, -19, -15, -11, \quad (89)$$

−6, 3, 9]

>

> **M18** := **q** * **A0** * **A2** * **C0** * **H4** * **V1**^2 ;

$$M18 := \left(q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (90)$$

> **GP18** := **jac2eprod**(**M18** * **q**^(−403/126)) * **GETA**(63, 1)^5 * **GETA**(63, 2)^5 ;

$$GP18 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} \left(GETA(21, 9) GETA(21, 5) GETA(21, 8) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (91)$$

> **L18** := **GETAP2getalist**(**GP18**) ;

$$L18 := [[21, 9, 1], [21, 5, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (92)$$

> **r18** := **getaprodCUSPORDS**(**L18**, **CW63**[1], **CW63**[2])

$$r18 := [43, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 4, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, -7, -2, 6, -7, 38, -2, -3, -3, -3, 4, -4, 4, 26, -2, 5, 4, -2, 5, 4, 2, 4, 5, 23, -4, -7, -7, 1, -2, 1, 6, 5, 5, -2, -4, -3, -7, -2, -3, -8, -4, 4, -2, -4, -10, 2, -7, -15, 1, -4, -2, -3, -18, 6, -18, 4, -21, -18, -14, -12, -6, 2, 10] \quad (93)$$

>

> **M19** := **q** * **A0** * **A2** * **C1** * **H1** * **V0** * **V1** ;

$$M19 := \frac{1}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2} \left(q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) \quad (94)$$

> **GP19** := **jac2eprod**(**M19** * **q**^(−403/126)) * **GETA**(63, 1)^5 * **GETA**(63, 2)^5 ;

$$GP19 := \frac{1}{GETA(7, 1)^2} \left(GETA(21, 9) GETA(21, 5) GETA(21, 6) GETA(7, 2) GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (95)$$

> **L19** := **GETAP2getalist**(**GP19**) ;

$$L19 := [[21, 9, 1], [21, 5, 1], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (96)$$

> **r19** := **getaprodCUSPORDS**(**L19**, **CW63**[1], **CW63**[2])

$$r19 := [43, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 5, 2, 2, -1, 2, 2, -1, 2, -1, -4, 2, -1, 2, -1, -4, -2, -1, 1, -2, 37, -1, 6, 6, 6, 2, 3, 2, 28, -1, -4, 2, -1, -4, 2, -6, 2, -4, 20, -4, -2, -2, -1, -7, -1, 4, -4, -4, 2, -3, 6, -2, 2, 6, -6, -4, 2, -7, -4, -12, -6, -2, -17, -1, 3, -1, 6, -16, 1, -20, 5, -20, -18, -16, -9, -9, 1, 11] \quad (97)$$

>

> **M20** := **q** * **A0** * **A2** * **C1** * **H4** * **V0** * **V1** ;

$$M20 := \left(q JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (98)$$

$$> GP20 := jac2eprod(M20 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP20 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} \left(GETA(21, 9) GETA(21, 5) GETA(21, 6) GETA(7, 3)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (99)$$

$$> L20 := GETAP2getalist(GP20);$$

$$L20 := [[21, 9, 1], [21, 5, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (100)$$

$$> r20 := getaprodcuspORDS(L20, CW63[1], CW63[2])$$

$$r20 := [43, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 5, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, 5, -2, -1, 4, -2, 38, -1, -3, -3, -3, 2, 0, 2, 27, -1, 5, 2, -1, 5, 2, -3, 2, 5, 21, -4, -2, -2, -1, -7, -1, 4, 5, 5, -1, -4, -3, -2, -1, -3, -7, -4, 2, -7, -4, -12, -3, -2, -16, -1, 0, -1, -3, -17, 4, -19, 5, -20, -18, -15, -10, -8, 1, 10] \quad (101)$$

$$> M21 := q^2 * A0^2 * B3 * H0 * V2^2;$$

$$M21 := \frac{q^2 JAC(9, 21, \infty)^2 JAC(4, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (102)$$

$$> GP21 := jac2eprod(M21 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP21 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)} \left(GETA(21, 9)^2 GETA(21, 4) GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (103)$$

$$> L21 := GETAP2getalist(GP21);$$

$$L21 := [[9, 2, 1], [9, 4, 1], [21, 9, 2], [7, 2, 1], [7, 1, -2], [21, 8, 1], [63, 1, 5], [63, 2, 5]] \quad (104)$$

$$> r21 := getaprodcuspORDS(L21, CW63[1], CW63[2])$$

$$r21 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -4, -2, -1, 7, -2, 39, -1, 6, 6, 6, 2, -6, 2, 25, -1, -4, 2, -1, -4, 2, 0, 2, -4, 22, -4, -2, -2, -1, -7, -1, 4, -4, -4, 2, -3, 6, -2, 2, 6, -6, -4, 2, -7, -4, -12, 0, -2, -15, -1, -6, -1, 6, -19, 7, -18, 2, -21, -19, -14, -12, -7, 1, 11] \quad (105)$$

>

$$> M22 := q^2 * A0^2 * B3 * H3 * V2^2;$$

$$M22 := \frac{q^2 JAC(9, 21, \infty)^2 JAC(4, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2} \quad (106)$$

$$> GP22 := jac2eprod(M22 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP22 := \frac{1}{GETA(7,1) GETA(7,2)} (GETA(21,9)^2 GETA(21,4) GETA(7,3) GETA(9,1)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (107)$$

> L22 := GETAP2getalist(GP2);

$$L22 := [[9, 2, 1], [9, 4, 1], [21, 9, 2], [7, 2, 1], [7, 1, -2], [21, 8, 1], [63, 1, 5], [63, 2, 5]] \quad (108)$$

> r22 := getaprodcuspORDS(L2, CW63[1], CW63[2])

$$r22 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -4, -2, -1, 7, -2, 39, -1, 6, 6, 6, 2, -6, 2, 25, -1, -4, 2, -1, -4, 2, 0, 2, -4, 22, -4, -2, -2, -1, -7, -1, 4, -4, -4, 2, -3, 6, -2, 2, 6, -6, -4, 2, -7, -4, -12, 0, -2, -15, -1, -6, -1, 6, -19, 7, -18, 2, -21, -19, -14, -12, -7, 1, 11] \quad (109)$$

>

> M23 := q^2 * A0^2 * C6 * H1 * V0 * V1;

$$M23 := (q^2 JAC(9, 21, \infty)^2 JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (110)$$

> GP23 := jac2eprod(M23 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);

$$GP23 := \frac{1}{GETA(7,1)^2} (GETA(21,9)^2 GETA(21,1) GETA(7,2) GETA(9,4) GETA(9,2) GETA(63,1)^5 GETA(63,2)^5) \quad (111)$$

> L23 := GETAP2getalist(GP2);

$$L23 := [[9, 2, 1], [9, 4, 1], [21, 9, 2], [7, 2, 1], [7, 1, -2], [21, 8, 1], [63, 1, 5], [63, 2, 5]] \quad (112)$$

> r23 := getaprodcuspORDS(L2, CW63[1], CW63[2])

$$r23 := [42, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -4, -2, -1, 7, -2, 39, -1, 6, 6, 6, 2, -6, 2, 25, -1, -4, 2, -1, -4, 2, 0, 2, -4, 22, -4, -2, -2, -1, -7, -1, 4, -4, -4, 2, -3, 6, -2, 2, 6, -6, -4, 2, -7, -4, -12, 0, -2, -15, -1, -6, -1, 6, -19, 7, -18, 2, -21, -19, -14, -12, -7, 1, 11] \quad (113)$$

>

> M24 := q^2 * A0^2 * C6 * H4 * V0 * V1;

$$M24 := (q^2 JAC(9, 21, \infty)^2 JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (114)$$

> GP24 := jac2eprod(M24 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);

$$GP24 := \frac{1}{GETA(7,1) GETA(7,2)^2} (GETA(21,9)^2 GETA(21,1) GETA(7,3)^2 GETA(9,4) GETA(9,2) GETA(63,1)^5 GETA(63,2)^5) \quad (115)$$

> L24 := GETAP2getalist(GP24);

$$L24 := [[21, 9, 2], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 5], \quad (116)$$

[63, 2, 5]]

```
> r24 := getaprodcuspORDS(L24, CW63[1], CW63[2])
r24 := [44, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 8, 2, 2, -1,  (117)
2, 2, -1, -4, 2, -1, 2, -1, 5, -2, -1, 13, -2, 41, -1, -3, -3, -3, 2, -6, 2, 25,
-1, 5, 2, -1, 5, 2, 0, 2, 5, 22, -4, -2, -2, -1, -13, -1, 2, 5, 5, -4, -5, -3, -2,
-4, -3, -8, -4, 2, -13, -4, -14, 0, -2, -15, -1, -6, -1, -3, -19, 13, -16, 8,
-19, -17, -12, -12, -7, -1, 9]
```

```
>
> M25 := q^2 * A0 * A2 * B3 * H0 * V0 * V2;
M25 := (q^2 JAC(9, 21, ∞) JAC(5, 21, ∞) JAC(4, 21, ∞) JAC(2, 7, ∞)^2 JAC(0, 7,  (118)
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(3, 7,
∞) JAC(0, 9, ∞)^2)
```

```
> GP25 := jac2eprod(M25 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP25 := 1 / (GETA(7, 1)^2 GETA(7, 3) (GETA(21, 9) GETA(21, 5) GETA(21, 4) GETA(7,  (119)
2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5)
```

```
> L25 := GETAP2getalist(GP25);
L25 := [[21, 9, 1], [21, 5, 1], [21, 4, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], (120)
[63, 1, 5], [63, 2, 5]]
```

```
> r25 := getaprodcuspORDS(L25, CW63[1], CW63[2])
r25 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2,  (121)
1, -4, 2, -2, 2, -2, -7, 0, -2, 0, 0, 37, -2, 9, 9, 9, -3, 2, -3, 27, -2, -7, -3, -2,
-7, -3, -1, -3, -7, 21, -4, 0, 0, 1, -8, 1, 4, -7, -7, 4, -2, 9, 0, 4, 9, -5, -4,
-3, -8, -4, -13, -1, 0, -15, 1, 2, -2, 9, -16, 0, -20, 7, -19, -18, -17, -9,
-7, 1, 11]
```

```
>
> M26 := q^2 * A0 * A2 * B3 * H0 * V1^2;
M26 := (q^2 JAC(9, 21, ∞) JAC(5, 21, ∞) JAC(4, 21, ∞) JAC(2, 7, ∞)^2 JAC(0, 7,  (122)
∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(3, 7, ∞) JAC(0, 9, ∞)^2)
```

```
> GP26 := jac2eprod(M26 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP26 := 1 / (GETA(7, 1)^2 GETA(7, 3) (GETA(21, 9) GETA(21, 5) GETA(21, 4) GETA(7,  (123)
2)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5)
```

```
> L26 := GETAP2getalist(GP26);
L26 := [[21, 9, 1], [21, 5, 1], [21, 4, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1,  (124)
5], [63, 2, 5]]
```

```
> r26 := getaprodcuspORDS(L26, CW63[1], CW63[2])
```

$$r26 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 0, -7, 36, -2, 9, 9, 9, 4, 2, 4, 28, -2, -7, 4, -2, -7, 4, -1, 4, -7, 22, -4, -7, -7, 1, -8, 1, 4, -7, -7, 4, -2, 9, -7, 4, 9, -6, -4, 4, -8, -4, -12, -1, -7, -16, 1, 2, -2, 9, -16, 0, -20, 7, -20, -17, -16, -10, -7, 0, 12] \quad (125)$$

$$> \mathbf{M27} := \mathbf{q}^2 \cdot \mathbf{A0} * \mathbf{A2} * \mathbf{B3} * \mathbf{H3} * \mathbf{V0} * \mathbf{V2};$$

$$\mathbf{M27} := \left(q^2 \mathbf{JAC}(9, 21, \infty) \mathbf{JAC}(5, 21, \infty) \mathbf{JAC}(4, 21, \infty) \mathbf{JAC}(3, 7, \infty) \mathbf{JAC}(0, 7, \infty) \mathbf{JAC}(4, 9, \infty) \mathbf{JAC}(1, 9, \infty) \right) / \left(\mathbf{JAC}(0, 21, \infty)^3 \mathbf{JAC}(1, 7, \infty) \mathbf{JAC}(2, 7, \infty) \mathbf{JAC}(0, 9, \infty)^2 \right) \quad (126)$$

$$> \mathbf{GP27} := \mathbf{jac2eprod}(\mathbf{M27} * \mathbf{q}^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)};$$

$$\mathbf{GP27} := \frac{1}{\mathbf{GETA}(7, 1) \mathbf{GETA}(7, 2)} \left(\mathbf{GETA}(21, 9) \mathbf{GETA}(21, 5) \mathbf{GETA}(21, 4) \mathbf{GETA}(7, 3) \mathbf{GETA}(9, 4) \mathbf{GETA}(9, 1) \mathbf{GETA}(63, 1)^5 \mathbf{GETA}(63, 2)^5 \right) \quad (127)$$

$$> \mathbf{L27} := \mathbf{GETAP2getalist}(\mathbf{GP27});$$

$$\mathbf{L27} := [[21, 9, 1], [21, 5, 1], [21, 4, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (128)$$

$$> \mathbf{r27} := \mathbf{getaprodcuspORDS}(\mathbf{L27}, \mathbf{CW63}[1], \mathbf{CW63}[2])$$

$$r27 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, 0, -2, 3, 0, 38, -2, 0, 0, 0, -3, -1, -3, 26, -2, 2, -3, -2, 2, -3, 2, -3, 2, 22, -4, 0, 0, 1, -8, 1, 4, 2, 2, 1, -3, 0, 0, 1, 0, -6, -4, -3, -8, -4, -13, 2, 0, -14, 1, -1, -2, 0, -17, 3, -19, 7, -19, -18, -16, -10, -6, 1, 10] \quad (129)$$

$$> \mathbf{M28} := \mathbf{q}^2 \cdot \mathbf{A0} * \mathbf{A2} * \mathbf{B3} * \mathbf{H3} * \mathbf{V1}^2;$$

$$\mathbf{M28} := \left(q^2 \mathbf{JAC}(9, 21, \infty) \mathbf{JAC}(5, 21, \infty) \mathbf{JAC}(4, 21, \infty) \mathbf{JAC}(3, 7, \infty) \mathbf{JAC}(0, 7, \infty) \mathbf{JAC}(2, 9, \infty)^2 \right) / \left(\mathbf{JAC}(0, 21, \infty)^3 \mathbf{JAC}(1, 7, \infty) \mathbf{JAC}(2, 7, \infty) \mathbf{JAC}(0, 9, \infty)^2 \right) \quad (130)$$

$$> \mathbf{GP28} := \mathbf{jac2eprod}(\mathbf{M28} * \mathbf{q}^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)};$$

$$\mathbf{GP28} := \frac{1}{\mathbf{GETA}(7, 1) \mathbf{GETA}(7, 2)} \left(\mathbf{GETA}(21, 9) \mathbf{GETA}(21, 5) \mathbf{GETA}(21, 4) \mathbf{GETA}(7, 3) \mathbf{GETA}(9, 2)^2 \mathbf{GETA}(63, 1)^5 \mathbf{GETA}(63, 2)^5 \right) \quad (131)$$

$$> \mathbf{L28} := \mathbf{GETAP2getalist}(\mathbf{GP28});$$

$$\mathbf{L28} := [[21, 9, 1], [21, 5, 1], [21, 4, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (132)$$

$$> \mathbf{r28} := \mathbf{getaprodcuspORDS}(\mathbf{L28}, \mathbf{CW63}[1], \mathbf{CW63}[2])$$

$$r28 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, -7, -2, 3, -7, 37, -2, 0, 0, 0, 4, -1, 4, 27, -2, 2, 4, -2, 2, 4, 2, 4, 2, 23, -4, -7, -7, 1, -8, 1, 4, 2, 2, 1, -3, 0, -7, 1, 0, -7, -4, 4, -8, -4, -12, 2, -7, -15, 1, -1, -2, 0, -17, 3, -19, 7, -20, -17, -15, -11, -6, 0, 11] \quad (133)$$

>

$$\begin{aligned}
&> \mathbf{M29} := q^2 \cdot \mathbf{A0} * \mathbf{A2} * \mathbf{B4} * \mathbf{H0} * \mathbf{V0} * \mathbf{V1}; \\
\mathbf{M29} &:= \left(q^2 \mathbf{JAC}(9, 21, \infty) \mathbf{JAC}(5, 21, \infty) \mathbf{JAC}(3, 21, \infty) \mathbf{JAC}(2, 7, \infty)^2 \mathbf{JAC}(0, 7, \right. \\
&\quad \left. \infty) \mathbf{JAC}(4, 9, \infty) \mathbf{JAC}(2, 9, \infty) \right) / \left(\mathbf{JAC}(0, 21, \infty)^3 \mathbf{JAC}(1, 7, \infty)^2 \mathbf{JAC}(3, 7, \right. \\
&\quad \left. \infty) \mathbf{JAC}(0, 9, \infty)^2 \right)
\end{aligned} \tag{134}$$

$$\begin{aligned}
&> \mathbf{GP29} := \mathbf{jac2eprod}(\mathbf{M29} * q^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)} \\
&\quad ^{(5)}; \\
\mathbf{GP29} &:= \frac{1}{\mathbf{GETA}(7, 1)^2 \mathbf{GETA}(7, 3)} \left(\mathbf{GETA}(21, 9) \mathbf{GETA}(21, 5) \mathbf{GETA}(21, 3) \mathbf{GETA}(7, \right. \\
&\quad \left. 2)^2 \mathbf{GETA}(9, 4) \mathbf{GETA}(9, 2) \mathbf{GETA}(63, 1)^5 \mathbf{GETA}(63, 2)^5 \right)
\end{aligned} \tag{135}$$

$$\begin{aligned}
&> \mathbf{L29} := \mathbf{GETAP2getalist}(\mathbf{GP29}); \\
\mathbf{L29} &:= [[21, 9, 1], [21, 5, 1], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1], \\
&\quad [63, 1, 5], [63, 2, 5]]
\end{aligned} \tag{136}$$

$$\begin{aligned}
&> \mathbf{r29} := \mathbf{getaprodcuspORDS}(\mathbf{L29}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
\mathbf{r29} &:= [44, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 8, 2, 2, -1, \\
&\quad 2, 2, -1, -4, 2, -1, 2, -1, -7, -2, -1, 1, -2, 37, -1, 9, 9, 9, 2, 0, 2, 27, -1, -7, 2, \\
&\quad -1, -7, 2, -6, 2, -7, 20, -4, -2, -2, -1, -4, -1, 5, -7, -7, -1, -4, 9, -2, \\
&\quad -1, 9, -7, -4, 2, -4, -4, -11, -6, -2, -17, -1, 0, -1, 9, -17, 1, -20, 8, -19, \\
&\quad -17, -16, -10, -9, 2, 10]
\end{aligned} \tag{137}$$

$$\begin{aligned}
&> \mathbf{M30} := q^2 \cdot \mathbf{A0} * \mathbf{A2} * \mathbf{B4} * \mathbf{H3} * \mathbf{V0} * \mathbf{V1}; \\
\mathbf{M30} &:= \left(q^2 \mathbf{JAC}(9, 21, \infty) \mathbf{JAC}(5, 21, \infty) \mathbf{JAC}(3, 21, \infty) \mathbf{JAC}(3, 7, \infty) \mathbf{JAC}(0, 7, \right. \\
&\quad \left. \infty) \mathbf{JAC}(4, 9, \infty) \mathbf{JAC}(2, 9, \infty) \right) / \left(\mathbf{JAC}(0, 21, \infty)^3 \mathbf{JAC}(1, 7, \infty) \mathbf{JAC}(2, 7, \right. \\
&\quad \left. \infty) \mathbf{JAC}(0, 9, \infty)^2 \right)
\end{aligned} \tag{138}$$

$$\begin{aligned}
&> \mathbf{GP30} := \mathbf{jac2eprod}(\mathbf{M30} * q^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)} \\
&\quad ^{(5)}; \\
\mathbf{GP30} &:= \frac{1}{\mathbf{GETA}(7, 1) \mathbf{GETA}(7, 2)} \left(\mathbf{GETA}(21, 9) \mathbf{GETA}(21, 5) \mathbf{GETA}(21, 3) \mathbf{GETA}(7, \right. \\
&\quad \left. 3) \mathbf{GETA}(9, 4) \mathbf{GETA}(9, 2) \mathbf{GETA}(63, 1)^5 \mathbf{GETA}(63, 2)^5 \right)
\end{aligned} \tag{139}$$

$$\begin{aligned}
&> \mathbf{L30} := \mathbf{GETAP2getalist}(\mathbf{GP30}); \\
\mathbf{L30} &:= [[21, 9, 1], [21, 5, 1], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1], \\
&\quad [63, 1, 5], [63, 2, 5]]
\end{aligned} \tag{140}$$

$$\begin{aligned}
&> \mathbf{r30} := \mathbf{getaprodcuspORDS}(\mathbf{L30}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
\mathbf{r30} &:= [44, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 8, 2, 2, -1, \\
&\quad 2, 2, -1, -4, 2, -1, 2, -1, 2, -2, -1, 4, -2, 38, -1, 0, 0, 0, 2, -3, 2, 26, -1, 2, 2, \\
&\quad -1, 2, 2, -3, 2, 2, 21, -4, -2, -2, -1, -4, -1, 5, 2, 2, -4, -5, 0, -2, -4, 0, -8, \\
&\quad -4, 2, -4, -4, -11, -3, -2, -16, -1, -3, -1, 0, -18, 4, -19, 8, -19, -17, \\
&\quad -15, -11, -8, 2, 9]
\end{aligned} \tag{141}$$

$$\begin{aligned}
&> \mathbf{M31} := q^2 \cdot \mathbf{A0} * \mathbf{A2} * \mathbf{C1} * \mathbf{H1} * \mathbf{V2}^2;
\end{aligned}$$

$$M31 := \left(q^2 JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (142)$$

$$> GP31 := jac2eprod(M31 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP31 := \frac{1}{GETA(7, 1)^2} \left(GETA(21, 9) GETA(21, 5) GETA(21, 6) GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (143)$$

$$> L31 := GETAP2getalist(GP31);$$

$$L31 := [[21, 9, 1], [21, 5, 1], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (144)$$

$$> r31 := getaprodcuspORDS(L31, CW63[1], CW63[2])$$

$$r31 := [44, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 5, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -4, -2, -1, 1, -2, 37, -1, 6, 6, 6, -5, 3, -5, 27, -1, -4, -5, -1, -4, -5, -6, -5, -4, 19, -4, -2, -2, 6, -7, 6, 5, -4, -4, 2, -2, 6, -2, 2, 6, -6, -4, -5, -7, -4, -13, -6, -2, -17, 6, 3, -1, 6, -15, 1, -19, 5, -20, -19, -17, -9, -8, 1, 10] \quad (145)$$

>

$$> M32 := q^2 * A0 * A2 * C1 * H4 * V2^2;$$

$$M32 := \left(q^2 JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (146)$$

$$> GP32 := jac2eprod(M32 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP32 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} \left(GETA(21, 9) GETA(21, 5) GETA(21, 6) GETA(7, 3)^2 GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (147)$$

$$> L32 := GETAP2getalist(GP32);$$

$$L32 := [[21, 9, 1], [21, 5, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (148)$$

$$> r32 := getaprodcuspORDS(L32, CW63[1], CW63[2])$$

$$r32 := [44, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 5, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, 5, -2, -1, 4, -2, 38, -1, -3, -3, -3, -5, 0, -5, 26, -1, 5, -5, -1, 5, -5, -3, -5, 5, 20, -4, -2, -2, 6, -7, 6, 5, 5, 5, -1, -3, -3, -2, -1, -3, -7, -4, -5, -7, -4, -13, -3, -2, -16, 6, 0, -1, -3, -16, 4, -18, 5, -20, -19, -16, -10, -7, 1, 9] \quad (149)$$

>

$$> M33 := q^2 * A0 * A5 * B0 * H0 * V0 * V2;$$

$$M33 := \left(q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(10, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (150)$$

```

> GP33 := jac2eprod(M33 * q^(-403/126) ) * GETA(63, 1)^5 * GETA(63, 2)
    ^5;
GP33 := 1 / (GETA(7, 1)^2 GETA(7, 3) (GETA(21, 9) GETA(21, 2) GETA(21, 10) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5) (151)
=
> L33 := GETAP2getalist(GP33);
L33 := [[21, 9, 1], [21, 2, 1], [21, 10, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] (152)
=
> r33 := getaprodcuspORDS(L33, CW63[1], CW63[2])
r33 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, 0, -2, 9, 0, 40, -2, 9, 9, 9, -3, -1, -3, 26, -2, -7, -3, -2, -7, -3, -10, -3, -7, 18, -4, 0, 0, 1, -8, 1, 4, -7, -7, 7, -1, 9, 0, 7, 9, -4, -4, -3, -8, -4, -13, -10, 0, -18, 1, -1, -2, 9, -17, 9, -17, 7, -19, -18, -14, -10, -10, 1, 12] (153)
=
>
> M34 := q^2 * A0 * A5 * B0 * H0 * V1^2;
M34 := (q^2 JAC(9, 21, infinity) JAC(2, 21, infinity) JAC(10, 21, infinity) JAC(2, 7, infinity)^2 JAC(0, 7, infinity) JAC(2, 9, infinity)^2) / (JAC(0, 21, infinity)^3 JAC(1, 7, infinity)^2 JAC(3, 7, infinity) JAC(0, 9, infinity)^2) (154)
=
> GP34 := jac2eprod(M34 * q^(-403/126) ) * GETA(63, 1)^5 * GETA(63, 2)
    ^5;
GP34 := 1 / (GETA(7, 1)^2 GETA(7, 3) (GETA(21, 9) GETA(21, 2) GETA(21, 10) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5) (155)
=
> L34 := GETAP2getalist(GP34);
L34 := [[21, 9, 1], [21, 2, 1], [21, 10, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] (156)
=
> r34 := getaprodcuspORDS(L34, CW63[1], CW63[2])
r34 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 9, -7, 39, -2, 9, 9, 9, 4, -1, 4, 27, -2, -7, 4, -2, -7, 4, -10, 4, -7, 19, -4, -7, -7, 1, -8, 1, 4, -7, -7, 7, -1, 9, -7, 7, 9, -5, -4, 4, -8, -4, -12, -10, -7, -19, 1, -1, -2, 9, -17, 9, -17, 7, -20, -17, -13, -11, -10, 0, 13] (157)
=
>
> M35 := q^2 * A0 * A5 * B0 * H3 * V0 * V2;
M35 := (q^2 JAC(9, 21, infinity) JAC(2, 21, infinity) JAC(10, 21, infinity) JAC(3, 7, infinity) JAC(0, 7, infinity) JAC(4, 9, infinity) JAC(1, 9, infinity)) / (JAC(0, 21, infinity)^3 JAC(1, 7, infinity) JAC(2, 7, infinity) JAC(0, 9, infinity)^2) (158)
=
> GP35 := jac2eprod(M35 * q^(-403/126) ) * GETA(63, 1)^5 * GETA(63, 2)
    ^5;

```

$$GP35 := \frac{1}{GETA(7,1) GETA(7,2)} (GETA(21,9) GETA(21,2) GETA(21,10) GETA(7,3) GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5) \quad (159)$$

> **L35 := GETAP2getalist(GP35);**

$$L35 := [[21, 9, 1], [21, 2, 1], [21, 10, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (160)$$

> **r35 := getaprodcuspORDS(L35, CW63[1], CW63[2])**

$$r35 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, 0, -2, 12, 0, 41, -2, 0, 0, 0, -3, -4, -3, 25, -2, 2, -3, -2, 2, -3, -7, -3, 2, 19, -4, 0, 0, 1, -8, 1, 4, 2, 2, 4, -2, 0, 0, 4, 0, -5, -4, -3, -8, -4, -13, -7, 0, -17, 1, -4, -2, 0, -18, 12, -16, 7, -19, -18, -13, -11, -9, 1, 11] \quad (161)$$

>

> **M36 := q² * A0 * A5 * B0 * H3 * V1^2;**

$$M36 := (q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(10, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (162)$$

> **GP36 := jac2eprod(M36 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);**

$$GP36 := \frac{1}{GETA(7,1) GETA(7,2)} (GETA(21,9) GETA(21,2) GETA(21,10) GETA(7,3) GETA(9,2)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (163)$$

> **L36 := GETAP2getalist(GP36);**

$$L36 := [[21, 9, 1], [21, 2, 1], [21, 10, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (164)$$

> **r36 := getaprodcuspORDS(L36, CW63[1], CW63[2])**

$$r36 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, -7, -2, 12, -7, 40, -2, 0, 0, 0, 4, -4, 4, 26, -2, 2, 4, -2, 2, 4, -7, 4, 2, 20, -4, -7, -7, 1, -8, 1, 4, 2, 2, 4, -2, 0, -7, 4, 0, -6, -4, 4, -8, -4, -12, -7, -7, -18, 1, -4, -2, 0, -18, 12, -16, 7, -20, -17, -12, -12, -9, 0, 12] \quad (165)$$

> **M37 := q² * A0 * A5 * C0 * H1 * V0 * V2;**

$$M37 := (q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (166)$$

> **GP37 := jac2eprod(M37 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);**

$$GP37 := \frac{1}{GETA(7,1)^2} (GETA(21,9) GETA(21,2) GETA(21,8) GETA(7,2) GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5) \quad (167)$$

> **L37 := GETAP2getalist(GP37);**

$$L37 := [[21, 9, 1], [21, 2, 1], [21, 8, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (168)$$

$$\begin{aligned} &> \mathbf{r37} := \mathbf{getaprodcuspORDS}(L37, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\ r37 &:= [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, \\ &1, -4, 2, -2, 2, -2, -4, 0, -2, 6, 0, 39, -2, 6, 6, 6, -3, -7, -3, 24, -2, -4, -3, \\ &-2, -4, -3, -4, -3, -4, 20, -4, 0, 0, 1, -5, 1, 5, -4, -4, 7, -1, 6, 0, 7, 6, -4, \\ &-4, -3, -5, -4, -12, -4, 0, -16, 1, -7, -2, 6, -19, 6, -18, 7, -19, -18, -15, \\ &-12, -8, 2, 12] \end{aligned} \quad (169)$$

$$\begin{aligned} &> \mathbf{M38} := \mathbf{q}^2 * \mathbf{A0} * \mathbf{A5} * \mathbf{C0} * \mathbf{H1} * \mathbf{V1}^2; \\ M38 &:= (q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \\ &\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (170)$$

$$\begin{aligned} &> \mathbf{GP38} := \mathbf{jac2eprod}(M38 * \mathbf{q}^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)}; \\ GP38 &:= \frac{1}{GETA(7, 1)^2} (GETA(21, 9) GETA(21, 2) GETA(21, 8) GETA(7, 2) GETA(9, \\ &2)^2 GETA(63, 1)^5 GETA(63, 2)^5) \end{aligned} \quad (171)$$

$$\begin{aligned} &> \mathbf{L38} := \mathbf{GETAP2getalist}(GP38); \\ L38 &:= [[21, 9, 1], [21, 2, 1], [21, 8, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \end{aligned} \quad (172)$$

$$\begin{aligned} &> \mathbf{r38} := \mathbf{getaprodcuspORDS}(L38, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\ r38 &:= [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, \\ &1, -4, 2, -2, 2, -2, -4, -7, -2, 6, -7, 38, -2, 6, 6, 6, 4, -7, 4, 25, -2, -4, 4, -2, \\ &-4, 4, -4, 4, -4, 21, -4, -7, -7, 1, -5, 1, 5, -4, -4, 7, -1, 6, -7, 7, 6, -5, -4, \\ &4, -5, -4, -11, -4, -7, -17, 1, -7, -2, 6, -19, 6, -18, 7, -20, -17, -14, -13, \\ &-8, 1, 13] \end{aligned} \quad (173)$$

$$\begin{aligned} &> \mathbf{M39} := \mathbf{q}^2 * \mathbf{A0} * \mathbf{A5} * \mathbf{C0} * \mathbf{H4} * \mathbf{V0} * \mathbf{V2}; \\ M39 &:= (q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \\ &\infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \\ &\infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (174)$$

$$\begin{aligned} &> \mathbf{GP39} := \mathbf{jac2eprod}(M39 * \mathbf{q}^{(-403/126)}) * \mathbf{GETA}(63, 1)^{(5)} * \mathbf{GETA}(63, 2)^{(5)}; \\ GP39 &:= \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 9) GETA(21, 2) GETA(21, 8) GETA(7, \\ &3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5) \end{aligned} \quad (175)$$

$$\begin{aligned} &> \mathbf{L39} := \mathbf{GETAP2getalist}(GP39); \\ L39 &:= [[21, 9, 1], [21, 2, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \end{aligned} \quad (176)$$

$$> \mathbf{r39} := \mathbf{getaprodcuspORDS}(L39, \mathbf{CW63}[1], \mathbf{CW63}[2])$$

$$r39 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, 0, -2, 9, 0, 40, -2, -3, -3, -3, -3, -10, -3, 23, -2, 5, -3, -2, 5, -3, -1, -3, 5, 21, -4, 0, 0, 1, -5, 1, 5, 5, 5, 4, -2, -3, 0, 4, -3, -5, -4, -3, -5, -4, -12, -1, 0, -15, 1, -10, -2, -3, -20, 9, -17, 7, -19, -18, -14, -13, -7, 2, 11] \quad (177)$$

>

$$> M40 := q^2 * A0 * A5 * C0 * H4 * V1^2;$$

$$M40 := (q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (178)$$

$$> GP40 := jac2eprod(M40 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP40 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 9) GETA(21, 2) GETA(21, 8) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (179)$$

$$> L40 := GETAP2getalist(GP40);$$

$$L40 := [[21, 9, 1], [21, 2, 1], [21, 8, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (180)$$

$$> r40 := getaprodcuspORDS(L40, CW63[1], CW63[2])$$

$$r40 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, -7, -2, 9, -7, 39, -2, -3, -3, -3, 4, -10, 4, 24, -2, 5, 4, -2, 5, 4, -1, 4, 5, 22, -4, -7, -7, 1, -5, 1, 5, 5, 5, 4, -2, -3, -7, 4, -3, -6, -4, 4, -5, -4, -11, -1, -7, -16, 1, -10, -2, -3, -20, 9, -17, 7, -20, -17, -13, -14, -7, 1, 12] \quad (181)$$

>

$$> M41 := q^2 * A0 * A5 * C1 * H1 * V0 * V1;$$

$$M41 := (q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (182)$$

$$> GP41 := jac2eprod(M41 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP41 := \frac{1}{GETA(7, 1)^2} (GETA(21, 9) GETA(21, 2) GETA(21, 6) GETA(7, 2) GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5) \quad (183)$$

$$> L41 := GETAP2getalist(GP41);$$

$$L41 := [[21, 9, 1], [21, 2, 1], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (184)$$

$$> r41 := getaprodcuspORDS(L41, CW63[1], CW63[2])$$

$$r41 := [44, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 8, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, -4, -2, -1, 4, -2, 38, -1, 6, 6, 6, 2, -3, 2, 26, -1, -4, 2, -1, -4, 2, -9, 2, -4, 19, -4, -2, -2, -1, -10, -1, 3, -4, -4, 8, -1, 6, -2, 8, \dots] \quad (185)$$

6, -4, -4, 2, -10, -4, -13, -9, -2, -18, -1, -3, -1, 6, -18, 4, -19, 8, -19,
-17, -15, -11, -10, 0, 13]

>

> **M42 := q² * A0 * A5 * C1 * H4 * V0 * V1;**

$$M42 := \left(q^2 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (186)$$

> **GP42 := jac2eprod(M42 * q^{-403/126}) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP42 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} \left(GETA(21, 9) GETA(21, 2) GETA(21, 6) GETA(7, 3)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (187)$$

> **L42 := GETAP2getalist(GP42);**

$$L42 := [[21, 9, 1], [21, 2, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 2, 1], [63, 1, 5], [63, 2, 5]] \quad (188)$$

> **r42 := getaprodcuspORDS(L42, CW63[1], CW63[2])**

$$r42 := [44, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 8, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, -1, 5, -2, -1, 7, -2, 39, -1, -3, -3, -3, 2, -6, 2, 25, -1, 5, 2, -1, 5, 2, -6, 2, 5, 20, -4, -2, -2, -1, -10, -1, 3, 5, 5, 5, -2, -3, -2, 5, -3, -5, -4, 2, -10, -4, -13, -6, -2, -17, -1, -6, -1, -3, -19, 7, -18, 8, -19, -17, -14, -12, -9, 0, 12] \quad (189)$$

>

> **M43 := q² * A2^2 * C1 * H1 * V0 * V2;**

$$M43 := \left(q^2 JAC(5, 21, \infty)^2 JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (190)$$

> **GP43 := jac2eprod(M43 * q^{-403/126}) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP43 := \frac{1}{GETA(7, 1)^2} \left(GETA(21, 5)^2 GETA(21, 6) GETA(7, 2) GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (191)$$

> **L43 := GETAP2getalist(GP43);**

$$L43 := [[21, 5, 2], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (192)$$

> **r43 := getaprodcuspORDS(L43, CW63[1], CW63[2])**

$$r43 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, 0, -2, -3, 0, 36, -2, 6, 6, 6, -3, 8, -3, 29, -2, -4, -3, -2, -4, -3, -7, -3, -4, 19, -4, 0, 0, 1, -2, 1, 6, -4, -4, 1, -3, 6, 0, 1, 6, -6, -4, -3, -2, -4, -11, -7, 0, -17, 1, 8, -2, 6, -14, -3, -21, 7, -19, -18, -18, -7, -9, 3, 10] \quad (193)$$

>

$$\begin{aligned}
&> \text{M44} := q^2 * A2^2 * C1 * H1 * V1^2; \\
\text{M44} &:= \frac{q^2 JAC(5, 21, \infty)^2 JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (194)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP44} := \text{jac2eprod}(\text{M44} * q^{(-403/126)}) * \text{GETA}(63, 1)^{(5)} * \text{GETA}(63, 2)^{(5)}; \\
\text{GP44} &:= \frac{1}{\text{GETA}(7, 1)^2} \left(\text{GETA}(21, 5)^2 \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, \right. \\
&\quad \left. 2)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5 \right) \quad (195)
\end{aligned}$$

$$\begin{aligned}
&> \text{L44} := \text{GETAP2getalist}(\text{GP44}); \\
\text{L44} &:= [[21, 5, 2], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (196)
\end{aligned}$$

$$\begin{aligned}
&> \text{r44} := \text{getaprodcuspORDS}(\text{L44}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r44} &:= [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, \\
&\quad 1, -4, 2, -2, 2, -2, -4, -7, -2, -3, -7, 35, -2, 6, 6, 6, 4, 8, 4, 30, -2, -4, 4, -2, \\
&\quad -4, 4, -7, 4, -4, 20, -4, -7, -7, 1, -2, 1, 6, -4, -4, 1, -3, 6, -7, 1, 6, -7, -4, \\
&\quad 4, -2, -4, -10, -7, -7, -18, 1, 8, -2, 6, -14, -3, -21, 7, -20, -17, -17, -8, \\
&\quad -9, 2, 11] \quad (197)
\end{aligned}$$

$$\begin{aligned}
&> \\
&> \text{M45} := q^2 * A2^2 * C1 * H4 * V0 * V2; \\
\text{M45} &:= \left(q^2 JAC(5, 21, \infty)^2 JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (198)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP45} := \text{jac2eprod}(\text{M45} * q^{(-403/126)}) * \text{GETA}(63, 1)^{(5)} * \text{GETA}(63, 2)^{(5)}; \\
\text{GP45} &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 2)^2} \left(\text{GETA}(21, 5)^2 \text{GETA}(21, 6) \text{GETA}(7, 3)^2 \text{GETA}(9, \right. \\
&\quad \left. 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5 \right) \quad (199)
\end{aligned}$$

$$\begin{aligned}
&> \text{L45} := \text{GETAP2getalist}(\text{GP45}); \\
\text{L45} &:= [[21, 5, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], \\
&\quad [63, 2, 5]] \quad (200)
\end{aligned}$$

$$\begin{aligned}
&> \text{r45} := \text{getaprodcuspORDS}(\text{L45}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r45} &:= [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, \\
&\quad 1, -4, 2, -2, 2, -2, 5, 0, -2, 0, 0, 37, -2, -3, -3, -3, -3, 5, -3, 28, -2, 5, -3, \\
&\quad -2, 5, -3, -4, -3, 5, 20, -4, 0, 0, 1, -2, 1, 6, 5, 5, -2, -4, -3, 0, -2, -3, -7, \\
&\quad -4, -3, -2, -4, -11, -4, 0, -16, 1, 5, -2, -3, -15, 0, -20, 7, -19, -18, -17, \\
&\quad -8, -8, 3, 9] \quad (201)
\end{aligned}$$

$$\begin{aligned}
&> \\
&> \text{M46} := q^2 * A2^2 * C1 * H4 * V1^2; \\
\text{M46} &:= \frac{q^2 JAC(5, 21, \infty)^2 JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (202)
\end{aligned}$$

> GP46 := jac2eprod(M46 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP46 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 5)^2 GETA(21, 6) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (203)$$

> L46 := GETAP2getalist(GP46);

$$L46 := [[21, 5, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (204)$$

> r46 := getaprodcuspORDS(L46, CW63[1], CW63[2])

$$r46 := [44, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 7, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, -7, -2, 0, -7, 36, -2, -3, -3, -3, 4, 5, 4, 29, -2, 5, 4, -2, 5, 4, -4, 4, 5, 21, -4, -7, -7, 1, -2, 1, 6, 5, 5, -2, -4, -3, -7, -2, -3, -8, -4, 4, -2, -4, -10, -4, -7, -17, 1, 5, -2, -3, -15, 0, -20, 7, -20, -17, -16, -9, -8, 2, 10] \quad (205)$$

>

> M47 := q^3 * A0^2 * C6 * H1 * V2^2;

$$M47 := \frac{q^3 JAC(9, 21, \infty)^2 JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (206)$$

> GP47 := jac2eprod(M47 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP47 := \frac{1}{GETA(7, 1)^2} (GETA(21, 9)^2 GETA(21, 1) GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (207)$$

> L47 := GETAP2getalist(GP47);

$$L47 := [[21, 9, 2], [21, 1, 1], [7, 2, 1], [7, 1, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (208)$$

> r47 := getaprodcuspORDS(L47, CW63[1], CW63[2])

$$r47 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 8, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -4, -2, -1, 10, -2, 40, -1, 6, 6, 6, -5, -3, -5, 25, -1, -4, -5, -1, -4, -5, -3, -5, -4, 20, -4, -2, -2, 6, -13, 6, 3, -4, -4, -1, -3, 6, -2, -1, 6, -7, -4, -5, -13, -4, -15, -3, -2, -16, 6, -3, -1, 6, -17, 10, -16, 8, -19, -18, -14, -11, -7, -1, 9] \quad (209)$$

>

> M48 := q^3 * A0^2 * C6 * H4 * V2^2;

$$M48 := \frac{q^3 JAC(9, 21, \infty)^2 JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (210)$$

> GP48 := jac2eprod(M48 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

(211)

$$GP48 := \frac{1}{GETA(7,1) GETA(7,2)^2} (GETA(21,9)^2 GETA(21,1) GETA(7,3)^2 GETA(9,1)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (211)$$

> **L48 := GETAP2getalist(GP48);**

$$L48 := [[21, 9, 2], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (212)$$

> **r48 := getaprodcuspORDS(L48, CW63[1], CW63[2])**

$$r48 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 8, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, 5, -2, -1, 13, -2, 41, -1, -3, -3, -3, -5, -6, -5, 24, -1, 5, -5, -1, 5, -5, 0, -5, 5, 21, -4, -2, -2, 6, -13, 6, 3, 5, 5, -4, -4, -3, -2, -4, -3, -8, -4, -5, -13, -4, -15, 0, -2, -15, 6, -6, -1, -3, -18, 13, -15, 8, -19, -18, -13, -12, -6, -1, 8] \quad (213)$$

>

> **M49 := q³ * A0 * A2 * B4 * H0 * V2^2;**

$$M49 := (q^3 JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (214)$$

> **GP49 := jac2eprod(M49 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);**

$$GP49 := \frac{1}{GETA(7,1)^2 GETA(7,3)} (GETA(21,9) GETA(21,5) GETA(21,3) GETA(7,2)^2 GETA(9,1)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (215)$$

> **L49 := GETAP2getalist(GP49);**

$$L49 := [[21, 9, 1], [21, 5, 1], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (216)$$

> **r49 := getaprodcuspORDS(L49, CW63[1], CW63[2])**

$$r49 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 8, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -7, -2, -1, 1, -2, 37, -1, 9, 9, 9, -5, 0, -5, 26, -1, -7, -5, -1, -7, -5, -6, -5, -7, 19, -4, -2, -2, 6, -4, 6, 6, -7, -7, -1, -3, 9, -2, -1, 9, -7, -4, -5, -4, -4, -12, -6, -2, -17, 6, 0, -1, 9, -16, 1, -19, 8, -19, -18, -17, -10, -8, 2, 9] \quad (217)$$

>

> **M50 := q³ * A0 * A2 * B4 * H3 * V2^2;**

$$M50 := (q^3 JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (218)$$

> **GP50 := jac2eprod(M50 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);**

$$GP50 := \frac{1}{GETA(7,1) GETA(7,2)} (GETA(21,9) GETA(21,5) GETA(21,3) GETA(7,3) GETA(9,1)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (219)$$

> L50 := GETAP2getalist(GP50);
L50 := [[21, 9, 1], [21, 5, 1], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 1, 2], [63, 1, 5], [63, 2, 5]] (220)

> r50 := getaprodCUSPORDS(L50, CW63[1], CW63[2])
r50 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 8, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, 2, -2, -1, 4, -2, 38, -1, 0, 0, 0, -5, -3, -5, 25, -1, 2, -5, -1, 2, -5, -3, -5, 2, 20, -4, -2, -2, 6, -4, 6, 6, 2, 2, -4, -4, 0, -2, -4, 0, -8, -4, -5, -4, -4, -12, -3, -2, -16, 6, -3, -1, 0, -17, 4, -18, 8, -19, -18, -16, -11, -7, 2, 8] (221)

> M51 := q³ * A0 * A2 * C6 * H1 * V0 * V2;
M51 := (q³ JAC(9, 21, ∞) JAC(5, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞) JAC(0, 7, ∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(0, 9, ∞)²) (222)

> GP51 := jac2eprod(M51 * q^{-403/126}) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;
GP51 := $\frac{1}{\text{GETA}(7, 1)^2} (\text{GETA}(21, 9) \text{GETA}(21, 5) \text{GETA}(21, 1) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5)$ (223)

> L51 := GETAP2getalist(GP51);
L51 := [[21, 9, 1], [21, 5, 1], [21, 1, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] (224)

> r51 := getaprodCUSPORDS(L51, CW63[1], CW63[2])
r51 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, 0, -2, 6, 0, 39, -2, 6, 6, 6, -3, 2, -3, 27, -2, -4, -3, -2, -4, -3, -4, -3, -4, 20, -4, 0, 0, 1, -8, 1, 4, -4, -4, -2, -4, 6, 0, -2, 6, -7, -4, -3, -8, -4, -13, -4, 0, -16, 1, 2, -2, 6, -16, 6, -18, 10, -18, -17, -15, -9, -8, 1, 9] (225)

> M52 := q³ * A0 * A2 * C6 * H1 * V1²;
M52 := (q³ JAC(9, 21, ∞) JAC(5, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞) JAC(0, 7, ∞) JAC(2, 9, ∞)²) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(0, 9, ∞)²) (226)

> GP52 := jac2eprod(M52 * q^{-403/126}) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;
GP52 := $\frac{1}{\text{GETA}(7, 1)^2} (\text{GETA}(21, 9) \text{GETA}(21, 5) \text{GETA}(21, 1) \text{GETA}(7, 2) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5)$ (227)

> L52 := GETAP2getalist(GP52);
L52 := [[21, 9, 1], [21, 5, 1], [21, 1, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] (228)
> r52 := getaprodCUSPORDS(L52, CW63[1], CW63[2])

$$r52 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, -7, -2, 6, -7, 38, -2, 6, 6, 6, 4, 2, 4, 28, -2, -4, 4, -2, -4, 4, -4, 4, -4, 21, -4, -7, -7, 1, -8, 1, 4, -4, -4, -2, -4, 6, -7, -2, 6, -8, -4, 4, -8, -4, -12, -4, -7, -17, 1, 2, -2, 6, -16, 6, -18, 10, -19, -16, -14, -10, -8, 0, 10] \quad (229)$$

>

$$> \text{M53} := q^3 * A0 * A2 * C6 * H4 * V0 * V2;$$

$$M53 := (q^3 JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (230)$$

$$> GP53 := jac2eprod(M53 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP53 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 9) GETA(21, 5) GETA(21, 1) GETA(7, 3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5) \quad (231)$$

$$> L53 := GETAP2getalist(GP53);$$

$$L53 := [[21, 9, 1], [21, 5, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (232)$$

$$> r53 := getaprodcuspORDS(L53, CW63[1], CW63[2])$$

$$r53 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, 0, -2, 9, 0, 40, -2, -3, -3, -3, -3, -1, -3, 26, -2, 5, -3, -2, 5, -3, -1, -3, 5, 21, -4, 0, 0, 1, -8, 1, 4, 5, 5, -5, -5, -3, 0, -5, -3, -8, -4, -3, -8, -4, -13, -1, 0, -15, 1, -1, -2, -3, -17, 9, -17, 10, -18, -17, -14, -10, -7, 1, 8] \quad (233)$$

$$> \text{M54} := q^3 * A0 * A2 * C6 * H4 * V1^2;$$

$$M54 := (q^3 JAC(9, 21, \infty) JAC(5, 21, \infty) JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (234)$$

$$> GP54 := jac2eprod(M54 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP54 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} (GETA(21, 9) GETA(21, 5) GETA(21, 1) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (235)$$

$$> L54 := GETAP2getalist(GP54);$$

$$L54 := [[21, 9, 1], [21, 5, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (236)$$

$$> r54 := getaprodcuspORDS(L54, CW63[1], CW63[2])$$

$$r54 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, -7, -2, 9, -7, 39, -2, -3, -3, -3, 4, -1, 4, 27, -2, 5, 4, \dots] \quad (237)$$

-2, 5, 4, -1, 4, 5, 22, -4, -7, -7, 1, -8, 1, 4, 5, 5, -5, -5, -3, -7, -5, -3, -9,
-4, 4, -8, -4, -12, -1, -7, -16, 1, -1, -2, -3, -17, 9, -17, 10, -19, -16,
-13, -11, -7, 0, 9]

>

> **M55 := q³ · A0 · A5 · B3 · H0 · V0 · V2 ;**

$$M55 := (q^3 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(4, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (238)$$

> **GP55 := jac2eprod(M55 * q^{-403/126}) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP55 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)} (GETA(21, 9) GETA(21, 2) GETA(21, 4) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5) \quad (239)$$

> **L55 := GETAP2getalist(GP55);**

$$L55 := [[21, 9, 1], [21, 2, 1], [21, 4, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (240)$$

> **r55 := getaprodcuspORDS(L55, CW63[1], CW63[2])**

$$r55 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, 0, -2, 3, 0, 38, -2, 9, 9, 9, -3, -4, -3, 25, -2, -7, -3, -2, -7, -3, -4, -3, -7, 20, -4, 0, 0, 1, -11, 1, 3, -7, -7, 10, 0, 9, 0, 10, 9, -3, -4, -3, -11, -4, -14, -4, 0, -16, 1, -4, -2, 9, -18, 3, -19, 10, -18, -17, -16, -11, -8, 0, 13] \quad (241)$$

>

> **M56 := q³ · A0 · A5 · B3 · H0 · V1²;**

$$M56 := (q^3 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(4, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (242)$$

> **GP56 := jac2eprod(M56 * q^{-403/126}) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP56 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)} (GETA(21, 9) GETA(21, 2) GETA(21, 4) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5) \quad (243)$$

> **L56 := GETAP2getalist(GP56);**

$$L56 := [[21, 9, 1], [21, 2, 1], [21, 4, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (244)$$

> **r56 := getaprodcuspORDS(L56, CW63[1], CW63[2])**

$$r56 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 3, -7, 37, -2, 9, 9, 9, 4, -4, 4, 26, -2, -7, 4, -2, -7, 4, -4, 4, -7, 21, -4, -7, -7, 1, -11, 1, 3, -7, -7, 10, 0, 9, -7, 10, 9, -4, -4, 4, -11, -4, -13, -4, -7, -17, 1, -4, -2, 9, -18, 3, -19, 10, -19, -16, -15, \quad (245)$$

[-12, -8, -1, 14]

> **M57 := q³ * A0 * A5 * B3 * H3 * V0 * V2;**
$$M57 := \left(q^3 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(4, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (246)$$

> **GP57 := jac2eprod(M57 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**
$$GP57 := \frac{1}{GETA(7, 1) GETA(7, 2)} \left(GETA(21, 9) GETA(21, 2) GETA(21, 4) GETA(7, 3) GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (247)$$

> **L57 := GETAP2getalist(GP57);**
$$L57 := [[21, 9, 1], [21, 2, 1], [21, 4, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (248)$$

> **r57 := getaprodcuspORDS(L57, CW63[1], CW63[2])**
$$r57 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, 0, -2, 6, 0, 39, -2, 0, 0, 0, -3, -7, -3, 24, -2, 2, -3, -2, 2, -3, -1, -3, 2, 21, -4, 0, 0, 1, -11, 1, 3, 2, 2, 7, -1, 0, 0, 7, 0, -4, -4, -3, -11, -4, -14, -1, 0, -15, 1, -7, -2, 0, -19, 6, -18, 10, -18, -17, -15, -12, -7, 0, 12] \quad (249)$$

> **M58 := q³ * A0 * A5 * B3 * H3 * V1²;**
$$M58 := \left(q^3 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(4, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (250)$$

> **GP58 := jac2eprod(M58 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**
$$GP58 := \frac{1}{GETA(7, 1) GETA(7, 2)} \left(GETA(21, 9) GETA(21, 2) GETA(21, 4) GETA(7, 3) GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (251)$$

> **L58 := GETAP2getalist(GP58);**
$$L58 := [[21, 9, 1], [21, 2, 1], [21, 4, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (252)$$

> **r58 := getaprodcuspORDS(L58, CW63[1], CW63[2])**
$$r58 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, -7, -2, 6, -7, 38, -2, 0, 0, 0, 4, -7, 4, 25, -2, 2, 4, -2, 2, 4, -1, 4, 2, 22, -4, -7, -7, 1, -11, 1, 3, 2, 2, 7, -1, 0, -7, 7, 0, -5, -4, 4, -11, -4, -13, -1, -7, -16, 1, -7, -2, 0, -19, 6, -18, 10, -19, -16, -14, -13, -7, -1, 13] \quad (253)$$


```

> M59 := q^3 * A0 * A5 * B4 * H0 * V0 * V1 ;
M59 := (q^3 JAC(9, 21, ∞) JAC(2, 21, ∞) JAC(3, 21, ∞) JAC(2, 7, ∞)^2 JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(3, 7,
∞) JAC(0, 9, ∞)^2)
(254)

> GP59 := jac2eprod(M59 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP59 := 1 / (GETA(7, 1)^2 GETA(7, 3)
2)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5)
(255)

> L59 := GETAP2getalist(GP59);
L59 := [[21, 9, 1], [21, 2, 1], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1],
[63, 1, 5], [63, 2, 5]]
(256)

> r59 := getaprodcuspORDS(L59, CW63[1], CW63[2])
r59 := [45, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 11, 2, 2, -1,
2, 2, -1, -4, 2, -1, 2, -1, -7, -2, -1, 4, -2, 38, -1, 9, 9, 9, 2, -6, 2, 25, -1, -7,
2, -1, -7, 2, -9, 2, -7, 19, -4, -2, -2, -1, -7, -1, 4, -7, -7, 5, -2, 9, -2, 5,
9, -5, -4, 2, -7, -4, -12, -9, -2, -18, -1, -6, -1, 9, -19, 4, -19, 11, -18,
-16, -15, -12, -10, 1, 12]
(257)

>
> M60 := q^3 * A0 * A5 * B4 * H3 * V0 * V1 ;
M60 := (q^3 JAC(9, 21, ∞) JAC(2, 21, ∞) JAC(3, 21, ∞) JAC(3, 7, ∞) JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(2, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7,
∞) JAC(0, 9, ∞)^2)
(258)

> GP60 := jac2eprod(M60 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP60 := 1 / (GETA(7, 1) GETA(7, 2)
3) GETA(9, 4) GETA(9, 2) GETA(63, 1)^5 GETA(63, 2)^5)
(259)

> L60 := GETAP2getalist(GP60);
L60 := [[21, 9, 1], [21, 2, 1], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 2, 1],
[63, 1, 5], [63, 2, 5]]
(260)

> r60 := getaprodcuspORDS(L60, CW63[1], CW63[2])
r60 := [45, 2, 2, -1, 2, 2, -1, -4, 2, -1, 2, 2, -1, 2, -4, -1, 2, 2, -1, 2, 2, 11, 2, 2, -1,
2, 2, -1, -4, 2, -1, 2, -1, 2, -2, -1, 7, -2, 39, -1, 0, 0, 0, 2, -9, 2, 24, -1, 2, 2,
-1, 2, 2, -6, 2, 2, 20, -4, -2, -2, -1, -7, -1, 4, 2, 2, 2, -3, 0, -2, 2, 0, -6, -4,
2, -7, -4, -12, -6, -2, -17, -1, -9, -1, 0, -20, 7, -18, 11, -18, -16, -14,
-13, -9, 1, 11]
(261)

>
> M61 := q^3 * A0 * A5 * C1 * H1 * V2^2 ;

```

$$M61 := \left(q^3 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (262)$$

$$> GP61 := jac2eprod(M61 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP61 := \frac{1}{GETA(7, 1)^2} \left(GETA(21, 9) GETA(21, 2) GETA(21, 6) GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (263)$$

$$> L61 := GETAP2getalist(GP61);$$

$$L61 := [[21, 9, 1], [21, 2, 1], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (264)$$

$$> r61 := getaprodcuspORDS(L61, CW63[1], CW63[2])$$

$$r61 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 8, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -4, -2, -1, 4, -2, 38, -1, 6, 6, 6, -5, -3, -5, 25, -1, -4, -5, -1, -4, -5, -9, -5, -4, 18, -4, -2, -2, 6, -10, 6, 4, -4, -4, 8, 0, 6, -2, 8, 6, -4, -4, -5, -10, -4, -14, -9, -2, -18, 6, -3, -1, 6, -17, 4, -18, 8, -19, -18, -16, -11, -9, 0, 12] \quad (265)$$

>

$$> M62 := q^3 * A0 * A5 * C1 * H4 * V2^2;$$

$$M62 := \left(q^3 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (266)$$

$$> GP62 := jac2eprod(M62 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)^{(5)};$$

$$GP62 := \frac{1}{GETA(7, 1) GETA(7, 2)^2} \left(GETA(21, 9) GETA(21, 2) GETA(21, 6) GETA(7, 3)^2 GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (267)$$

$$> L62 := GETAP2getalist(GP62);$$

$$L62 := [[21, 9, 1], [21, 2, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (268)$$

$$> r62 := getaprodcuspORDS(L62, CW63[1], CW63[2])$$

$$r62 := [45, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 8, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, 5, -2, -1, 7, -2, 39, -1, -3, -3, -3, -5, -6, -5, 24, -1, 5, -5, -1, 5, -5, -6, -5, 5, 19, -4, -2, -2, 6, -10, 6, 4, 5, 5, 5, -1, -3, -2, 5, -3, -5, -4, -5, -10, -4, -14, -6, -2, -17, 6, -6, -1, -3, -18, 7, -17, 8, -19, -18, -15, -12, -8, 0, 11] \quad (269)$$

>

$$> M63 := q^3 * A2^2 * B4 * H0 * V0 * V2;$$

$$M63 := \left(q^3 JAC(5, 21, \infty)^2 JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (270)$$

$$> GP63 := jac2eprod(M63 * q^{(-403/126)}) * GETA(63, 1)^{(5)} * GETA(63, 2)$$

$^{(5)};$

$$GP63 := \frac{1}{GETA(7,1)^2 GETA(7,3)} \left(GETA(21,5)^2 GETA(21,3) GETA(7,2)^2 GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5 \right) \quad (271)$$

> **L63** := GETAP2getalist(**GP63**);

$$L63 := [[21, 5, 2], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (272)$$

> **r63** := getaprodcuspORDS(**L63**, **CW63**[1], **CW63**[2])

$$r63 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, 0, -2, -3, 0, 36, -2, 9, 9, 9, -3, 5, -3, 28, -2, -7, -3, -2, -7, -3, -7, -3, -7, 19, -4, 0, 0, 1, 1, 1, 7, -7, -7, -2, -4, 9, 0, -2, 9, -7, -4, -3, 1, -4, -10, -7, 0, -17, 1, 5, -2, 9, -15, -3, -21, 10, -18, -17, -18, -8, -9, 4, 9] \quad (273)$$

>

> **M64** := $q^3 * A2^2 * B4 * H0 * V1^2$;

$$M64 := \frac{q^3 JAC(5, 21, \infty)^2 JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (274)$$

> **GP64** := jac2eprod(**M64** * $q^{(-403/126)}$) * **GETA**(63, 1) $^{(5)}$ * **GETA**(63, 2) $^{(5)}$;

$$GP64 := \frac{1}{GETA(7,1)^2 GETA(7,3)} \left(GETA(21,5)^2 GETA(21,3) GETA(7,2)^2 GETA(9,2)^2 GETA(63,1)^5 GETA(63,2)^5 \right) \quad (275)$$

> **L64** := GETAP2getalist(**GP64**);

$$L64 := [[21, 5, 2], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (276)$$

> **r64** := getaprodcuspORDS(**L64**, **CW63**[1], **CW63**[2])

$$r64 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, -3, -7, 35, -2, 9, 9, 9, 4, 5, 4, 29, -2, -7, 4, -2, -7, 4, -7, 4, -7, 20, -4, -7, -7, 1, 1, 1, 7, -7, -7, -2, -4, 9, -7, -2, 9, -8, -4, 4, 1, -4, -9, -7, -7, -18, 1, 5, -2, 9, -15, -3, -21, 10, -19, -16, -17, -9, -9, 3, 10] \quad (277)$$

>

> **M65** := $q^3 * A2^2 * B4 * H3 * V0 * V2$;

$$M65 := \left(q^3 JAC(5, 21, \infty)^2 JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (278)$$

> **GP65** := jac2eprod(**M65** * $q^{(-403/126)}$) * **GETA**(63, 1) $^{(5)}$ * **GETA**(63, 2) $^{(5)}$;

$$GP65 := \frac{1}{GETA(7,1) GETA(7,2)} \left(GETA(21,5)^2 GETA(21,3) GETA(7,3) GETA(9, \right. \quad (279)$$

$$4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5)$$

> **L65 := GETAP2getalist(GP65);**

$$L65 := [[21, 5, 2], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (280)$$

> **r65 := getaprodcuspORDS(L65, CW63[1], CW63[2])**

$$r65 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, 0, -2, 0, 0, 37, -2, 0, 0, 0, -3, 2, -3, 27, -2, 2, -3, -2, 2, -3, -4, -3, 2, 20, -4, 0, 0, 1, 1, 1, 7, 2, 2, -5, -5, 0, 0, -5, 0, -8, -4, -3, 1, -4, -10, -4, 0, -16, 1, 2, -2, 0, -16, 0, -20, 10, -18, -17, -17, -9, -8, 4, 8] \quad (281)$$

>

> **M66 := q³ * A2^2 * B4 * H3 * V1^2;**

$$M66 := \frac{q^3 \text{JAC}(5, 21, \infty)^2 \text{JAC}(3, 21, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(2, 9, \infty)^2}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 9, \infty)^2} \quad (282)$$

> **GP66 := jac2eprod(M66 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);**

$$GP66 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 2)} (\text{GETA}(21, 5)^2 \text{GETA}(21, 3) \text{GETA}(7, 3) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (283)$$

> **L66 := GETAP2getalist(GP66);**

$$L66 := [[21, 5, 2], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (284)$$

> **r66 := getaprodcuspORDS(L66, CW63[1], CW63[2])**

$$r66 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, -7, -2, 0, -7, 36, -2, 0, 0, 0, 4, 2, 4, 28, -2, 2, 4, -2, 2, 4, -4, 4, 2, 21, -4, -7, -7, 1, 1, 1, 7, 2, 2, -5, -5, 0, -7, -5, 0, -9, -4, 4, 1, -4, -9, -4, -7, -17, 1, 2, -2, 0, -16, 0, -20, 10, -19, -16, -16, -10, -8, 3, 9] \quad (285)$$

>

> **M67 := q³ * A2 * A5 * C1 * H1 * V0 * V2;**

$$M67 := (q^3 \text{JAC}(5, 21, \infty) \text{JAC}(2, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2) \quad (286)$$

> **GP67 := jac2eprod(M67 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)^(5);**

$$GP67 := \frac{1}{\text{GETA}(7, 1)^2} (\text{GETA}(21, 5) \text{GETA}(21, 2) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (287)$$

> **L67 := GETAP2getalist(GP67);**

$$L67 := [[21, 5, 1], [21, 2, 1], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (288)$$

```
> r67 := getaprodcuspORDS(L67, CW63[1], CW63[2])
r67 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, (289)
1, -4, 2, -2, 2, -2, -4, 0, -2, 0, 0, 37, -2, 6, 6, 6, -3, 2, -3, 27, -2, -4, -3, -2,
-4, -3, -10, -3, -4, 18, -4, 0, 0, 1, -5, 1, 5, -4, -4, 7, -1, 6, 0, 7, 6, -4, -4,
-3, -5, -4, -12, -10, 0, -18, 1, 2, -2, 6, -16, 0, -20, 10, -18, -17, -17, -9,
-10, 2, 12]
```

```
>
> M68 := q^3 * A2 * A5 * C1 * H1 * V1^2;
M68 := (q^3 JAC(5, 21, ∞) JAC(2, 21, ∞) JAC(6, 21, ∞) JAC(2, 7, ∞) JAC(0, 7, (290)
∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(0, 9, ∞)^2)
```

```
> GP68 := jac2eprod(M68 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP68 := 1 / GETA(7, 1)^2 (GETA(21, 5) GETA(21, 2) GETA(21, 6) GETA(7, 2) GETA(9, (291)
2)^2 GETA(63, 1)^5 GETA(63, 2)^5)
```

```
> L68 := GETAP2getalist(GP68);
L68 := [[21, 5, 1], [21, 2, 1], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] (292)
```

```
> r68 := getaprodcuspORDS(L68, CW63[1], CW63[2])
r68 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, (293)
1, -4, 2, -2, 2, -2, -4, -7, -2, 0, -7, 36, -2, 6, 6, 6, 4, 2, 4, 28, -2, -4, 4, -2,
-4, 4, -10, 4, -4, 19, -4, -7, -7, 1, -5, 1, 5, -4, -4, 7, -1, 6, -7, 7, 6, -5, -4,
4, -5, -4, -11, -10, -7, -19, 1, 2, -2, 6, -16, 0, -20, 10, -19, -16, -16, -10,
-10, 1, 13]
```

```
>
> M69 := q^3 * A2 * A5 * C1 * H4 * V0 * V2;
M69 := (q^3 JAC(5, 21, ∞) JAC(2, 21, ∞) JAC(6, 21, ∞) JAC(3, 7, ∞)^2 JAC(0, 7, (294)
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7,
∞)^2 JAC(0, 9, ∞)^2)
```

```
> GP69 := jac2eprod(M69 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP69 := 1 / GETA(7, 1) GETA(7, 2)^2 (GETA(21, 5) GETA(21, 2) GETA(21, 6) GETA(7, (295)
3)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5)
```

```
> L69 := GETAP2getalist(GP69);
L69 := [[21, 5, 1], [21, 2, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], (296)
[63, 1, 5], [63, 2, 5]]
```

```
> r69 := getaprodcuspORDS(L69, CW63[1], CW63[2])
r69 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, (297)
1, -4, 2, -2, 2, -2, 5, 0, -2, 3, 0, 38, -2, -3, -3, -3, -3, -1, -3, 26, -2, 5, -3,
```

-2, 5, -3, -7, -3, 5, 19, -4, 0, 0, 1, -5, 1, 5, 5, 5, 4, -2, -3, 0, 4, -3, -5, -4,
-3, -5, -4, -12, -7, 0, -17, 1, -1, -2, -3, -17, 3, -19, 10, -18, -17, -16,
-10, -9, 2, 11]

>

> **M70 := q³ * A2 * A5 * C1 * H4 * V1^2;**

$$M70 := \left(q^3 JAC(5, 21, \infty) JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (298)$$

> **GP70 := jac2eprod(M70 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;**

$$GP70 := \frac{1}{GETA(7, 1)^2 GETA(7, 2)^2} \left(GETA(21, 5) GETA(21, 2) GETA(21, 6) GETA(7, 3)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (299)$$

> **L70 := GETAP2getalist(GP70);**

$$L70 := [[21, 5, 1], [21, 2, 1], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (300)$$

> **r70 := getaprodCUSPORDS(L70, CW63[1], CW63[2])**

$$r70 := [45, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 10, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, -7, -2, 3, -7, 37, -2, -3, -3, -3, 4, -1, 4, 27, -2, 5, 4, -2, 5, 4, -7, 4, 5, 20, -4, -7, -7, 1, -5, 1, 5, 5, 5, 4, -2, -3, -7, 4, -3, -6, -4, 4, -5, -4, -11, -7, -7, -18, 1, -1, -2, -3, -17, 3, -19, 10, -19, -16, -15, -11, -9, 1, 12] \quad (301)$$

>

> **M71 := q⁴ * A0 * A5 * B4 * H0 * V2^2;**

$$M71 := \left(q^4 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (302)$$

> **GP71 := jac2eprod(M71 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;**

$$GP71 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)^2} \left(GETA(21, 9) GETA(21, 2) GETA(21, 3) GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (303)$$

> **L71 := GETAP2getalist(GP71);**

$$L71 := [[21, 9, 1], [21, 2, 1], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 5], [63, 2, 5]] \quad (304)$$

> **r71 := getaprodCUSPORDS(L71, CW63[1], CW63[2])**

$$r71 := [46, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 11, 2, 2, -1, 2, 2, 6, -4, 2, -1, 2, -1, -7, -2, -1, 4, -2, 38, -1, 9, 9, 9, -5, -6, -5, 24, -1, -7, -5, -1, -7, -5, -9, -5, -7, 18, -4, -2, -2, 6, -7, 6, 5, -7, -7, 5, -1, 9, -2, 5, 9, -5, -4, -5, -7, -4, -13, -9, -2, -18, 6, -6, -1, 9, -18, 4, -18, 11, -18, -17, -16, -12, -9, 1, 11] \quad (305)$$

```

>
=
> M72 := q4 * A0 * A5 * B4 * H3 * V2^2;
M72 := (q4 JAC(9, 21, ∞) JAC(2, 21, ∞) JAC(3, 21, ∞) JAC(3, 7, ∞) JAC(0, 7,
∞) JAC(1, 9, ∞)2) / (JAC(0, 21, ∞)3 JAC(1, 7, ∞) JAC(2, 7, ∞) JAC(0, 9, ∞)2)
(306)
=
> GP72 := jac2eprod(M72 * q(-403/126)) * GETA(63, 1)(5) * GETA(63, 2)(5);
GP72 := 1 / (GETA(7, 1) GETA(7, 2)) (GETA(21, 9) GETA(21, 2) GETA(21, 3) GETA(7,
3) GETA(9, 1)2 GETA(63, 1)5 GETA(63, 2)5)
(307)
=
> L72 := GETAP2getalist(GP72);
L72 := [[21, 9, 1], [21, 2, 1], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 1, 2], [63, 1,
5], [63, 2, 5]]
(308)
=
> r72 := getaprodCUSPORDS(L72, CW63[1], CW63[2])
r72 := [46, 2, 2, -1, 2, 2, -1, -4, 2, 6, 2, 2, -1, 2, -4, -1, 2, 2, 6, 2, 2, 11, 2, 2, -1, 2, 2,
6, -4, 2, -1, 2, -1, 2, -2, -1, 7, -2, 39, -1, 0, 0, 0, -5, -9, -5, 23, -1, 2, -5,
-1, 2, -5, -6, -5, 2, 19, -4, -2, -2, 6, -7, 6, 5, 2, 2, 2, -2, 0, -2, 2, 0, -6, -4,
-5, -7, -4, -13, -6, -2, -17, 6, -9, -1, 0, -19, 7, -17, 11, -18, -17, -15,
-13, -8, 1, 10]
(309)
=
>
=
> M73 := q4 * A0 * A5 * C6 * H1 * V0 * V2;
M73 := (q4 JAC(9, 21, ∞) JAC(2, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞) JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)3 JAC(1, 7, ∞)2 JAC(0, 9, ∞)2)
(310)
=
> GP73 := jac2eprod(M73 * q(-403/126)) * GETA(63, 1)(5) * GETA(63, 2)(5);
GP73 := 1 / (GETA(7, 1)2) (GETA(21, 9) GETA(21, 2) GETA(21, 1) GETA(7, 2) GETA(9,
4) GETA(9, 1) GETA(63, 1)5 GETA(63, 2)5)
(311)
=
> L73 := GETAP2getalist(GP73);
L73 := [[21, 9, 1], [21, 2, 1], [21, 1, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5],
[63, 2, 5]]
(312)
=
> r73 := getaprodCUSPORDS(L73, CW63[1], CW63[2])
r73 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2,
1, -4, 2, -2, 2, -2, -4, 0, -2, 9, 0, 40, -2, 6, 6, 6, -3, -4, -3, 25, -2, -4, -3,
-2, -4, -3, -7, -3, -4, 19, -4, 0, 0, 1, -11, 1, 3, -4, -4, 4, -2, 6, 0, 4, 6, -5,
-4, -3, -11, -4, -14, -7, 0, -17, 1, -4, -2, 6, -18, 9, -17, 13, -17, -16,
-14, -11, -9, 0, 11]
(313)
=
>
=
> M74 := q4 * A0 * A5 * C6 * H1 * V1^2;
M74 := (q4 JAC(9, 21, ∞) JAC(2, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞) JAC(0, 7,
(314)

```

$$\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2)$$

> GP74 := jac2eprod(M74 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP74 := \frac{1}{GETA(7, 1)^2 GETA(7, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5} (GETA(21, 9) GETA(21, 2) GETA(21, 1) GETA(7, 2) GETA(9, 2) GETA(9, 1) GETA(7, 1) GETA(7, 2) GETA(63, 1) GETA(63, 2)) \quad (315)$$

> L74 := GETAP2getalist(GP74);

$$L74 := [[21, 9, 1], [21, 2, 1], [21, 1, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (316)$$

> r74 := getaprodcuspORDS(L74, CW63[1], CW63[2])

$$r74 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, -7, -2, 9, -7, 39, -2, 6, 6, 6, 4, -4, 4, 26, -2, -4, 4, -2, -4, 4, -7, 4, -4, 20, -4, -7, -7, 1, -11, 1, 3, -4, -4, 4, -2, 6, -7, 4, 6, -6, -4, 4, -11, -4, -13, -7, -7, -18, 1, -4, -2, 6, -18, 9, -17, 13, -18, -15, -13, -12, -9, -1, 12] \quad (317)$$

>

> M75 := q^4 * A0 * A5 * C6 * H4 * V0 * V2;

$$M75 := (q^4 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (318)$$

> GP75 := jac2eprod(M75 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$$GP75 := \frac{1}{GETA(7, 1) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5} (GETA(21, 9) GETA(21, 2) GETA(21, 1) GETA(7, 3) GETA(7, 2) GETA(7, 1) GETA(9, 2) GETA(9, 1) GETA(63, 1) GETA(63, 2)) \quad (319)$$

> L75 := GETAP2getalist(GP75);

$$L75 := [[21, 9, 1], [21, 2, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (320)$$

> r75 := getaprodcuspORDS(L75, CW63[1], CW63[2])

$$r75 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, 0, -2, 12, 0, 41, -2, -3, -3, -3, -3, -7, -3, 24, -2, 5, -3, -2, 5, -3, -4, -3, 5, 20, -4, 0, 0, 1, -11, 1, 3, 5, 5, 1, -3, -3, 0, 1, -3, -6, -4, -3, -11, -4, -14, -4, 0, -16, 1, -7, -2, -3, -19, 12, -16, 13, -17, -16, -13, -12, -8, 0, 10] \quad (321)$$

>

> M76 := q^4 * A0 * A5 * C6 * H4 * V1^2 ;

$$M76 := (q^4 JAC(9, 21, \infty) JAC(2, 21, \infty) JAC(1, 21, \infty) JAC(3, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (322)$$

> GP76 := jac2eprod(M76 * q^(-403/126)) * GETA(63, 1)^5 * GETA(63, 2)^5;

$^{(5)};$

$$GP76 := \frac{1}{GETA(7,1) GETA(7,2)^2} (GETA(21,9) GETA(21,2) GETA(21,1) GETA(7,3)^2 GETA(9,2)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (323)$$

> **L76 := GETAP2getalist(GP76);**

$$L76 := [[21, 9, 1], [21, 2, 1], [21, 1, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (324)$$

> **r76 := getaprodcuspORDS(L76, CW63[1], CW63[2])**

$$r76 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 5, -7, -2, 12, -7, 40, -2, -3, -3, -3, 4, -7, 4, 25, -2, 5, 4, -2, 5, 4, -4, 4, 5, 21, -4, -7, -7, 1, -11, 1, 3, 5, 5, 1, -3, -3, -7, 1, -3, -7, -4, 4, -11, -4, -13, -4, -7, -17, 1, -7, -2, -3, -19, 12, -16, 13, -18, -15, -12, -13, -8, -1, 11] \quad (325)$$

>

> **M77 := q⁴ * A2 * A5 * B4 * H0 * V0 * V2;**

$$M77 := (q^4 JAC(5, 21, \infty) JAC(2, 21, \infty) JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (326)$$

> **GP77 := jac2eprod(M77 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP77 := \frac{1}{GETA(7,1)^2 GETA(7,3)} (GETA(21,5) GETA(21,2) GETA(21,3) GETA(7,2)^2 GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5) \quad (327)$$

> **L77 := GETAP2getalist(GP77);**

$$L77 := [[21, 5, 1], [21, 2, 1], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (328)$$

> **r77 := getaprodcuspORDS(L77, CW63[1], CW63[2])**

$$r77 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, 0, -2, 0, 0, 37, -2, 9, 9, 9, -3, -1, -3, 26, -2, -7, -3, -2, -7, -3, -10, -3, -7, 18, -4, 0, 0, 1, -2, 1, 6, -7, -7, 4, -2, 9, 0, 4, 9, -5, -4, -3, -2, -4, -11, -10, 0, -18, 1, -1, -2, 9, -17, 0, -20, 13, -17, -16, -17, -10, -10, 3, 11] \quad (329)$$

>

> **M78 := q⁴ * A2 * A5 * B4 * H0 * V1²;**

$$M78 := (q^4 JAC(5, 21, \infty) JAC(2, 21, \infty) JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (330)$$

> **GP78 := jac2eprod(M78 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

(331)

$$GP78 := \frac{1}{GETA(7,1)^2 GETA(7,3)} (GETA(21,5) GETA(21,2) GETA(21,3) GETA(7,2)^2 GETA(9,2)^2 GETA(63,1)^5 GETA(63,2)^5) \quad (331)$$

> **L78 := GETAP2getalist(GP78);**

$$L78 := [[21, 5, 1], [21, 2, 1], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (332)$$

> **r78 := getaprodcuspORDS(L78, CW63[1], CW63[2])**

$$r78 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 0, -7, 36, -2, 9, 9, 9, 4, -1, 4, 27, -2, -7, 4, -2, -7, 4, -10, 4, -7, 19, -4, -7, -7, 1, -2, 1, 6, -7, -7, 4, -2, 9, -7, 4, 9, -6, -4, 4, -2, -4, -10, -10, -7, -19, 1, -1, -2, 9, -17, 0, -20, 13, -18, -15, -16, -11, -10, 2, 12] \quad (333)$$

>

> **M79 := q⁴ * A2 * A5 * B4 * H3 * V0 * V2;**

$$M79 := (q^4 JAC(5, 21, \infty) JAC(2, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (334)$$

> **GP79 := jac2eprod(M79 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP79 := \frac{1}{GETA(7,1) GETA(7,2)} (GETA(21,5) GETA(21,2) GETA(21,3) GETA(7,3) GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5) \quad (335)$$

> **L79 := GETAP2getalist(GP79);**

$$L79 := [[21, 5, 1], [21, 2, 1], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (336)$$

> **r79 := getaprodcuspORDS(L79, CW63[1], CW63[2])**

$$r79 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, 0, -2, 3, 0, 38, -2, 0, 0, 0, -3, -4, -3, 25, -2, 2, -3, -2, 2, -3, -7, -3, 2, 19, -4, 0, 0, 1, -2, 1, 6, 2, 2, 1, -3, 0, 0, 1, 0, -6, -4, -3, -2, -4, -11, -7, 0, -17, 1, -4, -2, 0, -18, 3, -19, 13, -17, -16, -16, -11, -9, 3, 10] \quad (337)$$

>

>

> **M80 := q⁴ * A2 * A5 * B4 * H3 * V1²;**

$$M80 := (q^4 JAC(5, 21, \infty) JAC(2, 21, \infty) JAC(3, 21, \infty) JAC(3, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(2, 7, \infty) JAC(0, 9, \infty)^2) \quad (338)$$

> **GP80 := jac2eprod(M80 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP80 := \frac{1}{GETA(7,1) GETA(7,2)} (GETA(21,5) GETA(21,2) GETA(21,3) GETA(7,3) GETA(9,4) GETA(9,1) GETA(63,1)^5 GETA(63,2)^5) \quad (339)$$

$$3) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5)$$

> **L80 := GETAP2getalist(GP80);**

$$L80 := [[21, 5, 1], [21, 2, 1], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (340)$$

> **r80 := getaprodcuspORDS(L80, CW63[1], CW63[2])**

$$r80 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, 2, -7, -2, 3, -7, 37, -2, 0, 0, 0, 4, -4, 4, 26, -2, 2, 4, -2, 2, 4, -7, 4, 2, 20, -4, -7, -7, 1, -2, 1, 6, 2, 2, 1, -3, 0, -7, 1, 0, -7, -4, 4, -2, -4, -10, -7, -7, -18, 1, -4, -2, 0, -18, 3, -19, 13, -18, -15, -15, -12, -9, 2, 11] \quad (341)$$

>

> **M81 := q⁴ * A5^2 * C1 * H1 * V0 * V2;**

$$M81 := (q^4 JAC(2, 21, \infty)^2 JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (342)$$

> **GP81 := jac2eprod(M81 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP81 := \frac{1}{\text{GETA}(7, 1)^2} (\text{GETA}(21, 2)^2 \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (343)$$

> **L81 := GETAP2getalist(GP81);**

$$L81 := [[21, 2, 2], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (344)$$

> **r81 := getaprodcuspORDS(L81, CW63[1], CW63[2])**

$$r81 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -4, 0, -2, 3, 0, 38, -2, 6, 6, 6, -3, -4, -3, 25, -2, -4, -3, -2, -4, -3, -13, -3, -4, 17, -4, 0, 0, 1, -8, 1, 4, -4, -4, 13, 1, 6, 0, 13, 6, -2, -4, -3, -8, -4, -13, -13, 0, -19, 1, -4, -2, 6, -18, 3, -19, 13, -17, -16, -16, -11, -11, 1, 14] \quad (345)$$

>

>

> **M82 := q⁴ * A5^2 * C1 * H1 * V1^2;**

$$M82 := \frac{q^4 JAC(2, 21, \infty)^2 JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (346)$$

> **GP82 := jac2eprod(M82 * q^(-403/126)) * GETA(63, 1)⁽⁵⁾ * GETA(63, 2)⁽⁵⁾;**

$$GP82 := \frac{1}{\text{GETA}(7, 1)^2} (\text{GETA}(21, 2)^2 \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^5 \text{GETA}(63, 2)^5) \quad (347)$$

> **L82 := GETAP2getalist(GP82);**

$$L82 := [[21, 2, 2], [21, 6, 1], [7, 2, 1], [7, 1, -2], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (348)$$

```

> r82 := getaprodcuspORDS(L82, CW63[1], CW63[2])
r82 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, (349)
1, -4, 2, -2, 2, -2, -4, -7, -2, 3, -7, 37, -2, 6, 6, 6, 4, -4, 4, 26, -2, -4, 4, -2,
-4, 4, -13, 4, -4, 18, -4, -7, -7, 1, -8, 1, 4, -4, -4, 13, 1, 6, -7, 13, 6, -3, -4,
4, -8, -4, -12, -13, -7, -20, 1, -4, -2, 6, -18, 3, -19, 13, -18, -15, -15,
-12, -11, 0, 15]
>
>
> M83 := q^4 * A5^2 * C1 * H4 * V0 * V2;
M83 := (q^4 JAC(2, 21, ∞)^2 JAC(6, 21, ∞) JAC(3, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9, (350)
∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2)
> GP83 := jac2eprod(M83 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP83 := 1 / (GETA(7, 1) GETA(7, 2))^2 (GETA(21, 2)^2 GETA(21, 6) GETA(7, 3)^2 GETA(9, (351)
4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5)
> L83 := GETAP2getalist(GP83);
L83 := [[21, 2, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 4, 1], [9, 1, 1], [63, 1, 5], (352)
[63, 2, 5]]
> r83 := getaprodcuspORDS(L83, CW63[1], CW63[2])
r83 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, (353)
1, -4, 2, -2, 2, -2, 5, 0, -2, 6, 0, 39, -2, -3, -3, -3, -3, -7, -3, 24, -2, 5, -3,
-2, 5, -3, -10, -3, 5, 18, -4, 0, 0, 1, -8, 1, 4, 5, 5, 10, 0, -3, 0, 10, -3, -3, -4,
-3, -8, -4, -13, -10, 0, -18, 1, -7, -2, -3, -19, 6, -18, 13, -17, -16, -15,
-12, -10, 1, 13]
>
>
> M84 := q^4 * A5^2 * C1 * H4 * V1^2;
M84 := (q^4 JAC(2, 21, ∞)^2 JAC(6, 21, ∞) JAC(3, 7, ∞)^2 JAC(0, 7, ∞) JAC(2, 9, ∞)^2 (354)
JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7, ∞)^2 JAC(0, 9, ∞)^2)
> GP84 := jac2eprod(M84 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP84 := 1 / (GETA(7, 1) GETA(7, 2))^2 (GETA(21, 2)^2 GETA(21, 6) GETA(7, 3)^2 GETA(9, (355)
2)^2 GETA(63, 1)^5 GETA(63, 2)^5)
> L84 := GETAP2getalist(GP84);
L84 := [[21, 2, 2], [21, 6, 1], [7, 3, 2], [7, 1, -1], [7, 2, -2], [9, 2, 2], [63, 1, 5], [63, 2, (356)
5]]
> r84 := getaprodcuspORDS(L84, CW63[1], CW63[2])
r84 := [46, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 13, 2, 2, -2, 2, 2, (357)
1, -4, 2, -2, 2, -2, 5, -7, -2, 6, -7, 38, -2, -3, -3, -3, 4, -7, 4, 25, -2, 5, 4,

```

-2, 5, 4, -10, 4, 5, 19, -4, -7, -7, 1, -8, 1, 4, 5, 5, 10, 0, -3, -7, 10, -3, -4, -4,
4, -8, -4, -12, -10, -7, -19, 1, -7, -2, -3, -19, 6, -18, 13, -18, -15, -14,
-13, -10, 0, 14]

>

> **M85** := $q^5 * A5^2 * B4 * H0 * V0 * V2$;

$$M85 := \left(q^5 JAC(2, 21, \infty)^2 JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (358)$$

> **GP85** := jac2eprod(**M85** * $q^{(-403/126)}$) * **GETA**(63, 1)⁽⁵⁾ * **GETA**(63, 2)⁽⁵⁾;

$$GP85 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)} \left(GETA(21, 2)^2 GETA(21, 3) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (359)$$

> **L85** := **GETAP2getalist**(**GP85**);

$$L85 := [[21, 2, 2], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5], [63, 2, 5]] \quad (360)$$

> **r85** := **getaprodcuspORDS**(**L85**, **CW63**[1], **CW63**[2])

$$r85 := [47, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 16, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, 0, -2, 3, 0, 38, -2, 9, 9, 9, -3, -7, -3, 24, -2, -7, -3, -2, -7, -3, -13, -3, -7, 17, -4, 0, 0, 1, -5, 1, 5, -7, -7, 10, 0, 9, 0, 10, 9, -3, -4, -3, -5, -4, -12, -13, 0, -19, 1, -7, -2, 9, -19, 3, -19, 16, -16, -15, -16, -12, -11, 2, 13] \quad (361)$$

>

> **M86** := $q^5 * A5^2 * B4 * H0 * V1^2$;

$$M86 := \frac{q^5 JAC(2, 21, \infty)^2 JAC(3, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (362)$$

> **GP86** := jac2eprod(**M86** * $q^{(-403/126)}$) * **GETA**(63, 1)⁽⁵⁾ * **GETA**(63, 2)⁽⁵⁾;

$$GP86 := \frac{1}{GETA(7, 1)^2 GETA(7, 3)} \left(GETA(21, 2)^2 GETA(21, 3) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^5 GETA(63, 2)^5 \right) \quad (363)$$

> **L86** := **GETAP2getalist**(**GP86**);

$$L86 := [[21, 2, 2], [21, 3, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 5], [63, 2, 5]] \quad (364)$$

> **r86** := **getaprodcuspORDS**(**L86**, **CW63**[1], **CW63**[2])

$$r86 := [47, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 16, 2, 2, -2, 2, 2, 1, -4, 2, -2, 2, -2, -7, -7, -2, 3, -7, 37, -2, 9, 9, 9, 4, -7, 4, 25, -2, -7, 4, -2, -7, 4, -13, 4, -7, 18, -4, -7, -7, 1, -5, 1, 5, -7, -7, 10, 0, 9, -7, 10, 9, -4, -4, 4, -5, -4, -11, -13, -7, -20, 1, -7, -2, 9, -19, 3, -19, 16, -17, -14, -15, -13, -11, 1, 14] \quad (365)$$

```

>
=
> M87 := q^5 * A5^2 * B4 * H3 * V0 * V2;
M87 := (q^5 JAC(2, 21, ∞)^2 JAC(3, 21, ∞) JAC(3, 7, ∞) JAC(0, 7, ∞) JAC(4, 9,
∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7, ∞) JAC(0, 9, ∞)^2)
(366)
=
> GP87 := jac2eprod(M87 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP87 := 1 / (GETA(7, 1) GETA(7, 2)) (GETA(21, 2)^2 GETA(21, 3) GETA(7, 3) GETA(9,
4) GETA(9, 1) GETA(63, 1)^5 GETA(63, 2)^5)
(367)
=
> L87 := GETAP2getalist(GP87);
L87 := [[21, 2, 2], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 4, 1], [9, 1, 1], [63, 1, 5],
[63, 2, 5]]
(368)
=
> r87 := getaprodcuspORDS(L87, CW63[1], CW63[2])
r87 := [47, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 16, 2, 2, -2, 2, 2,
1, -4, 2, -2, 2, -2, 2, 0, -2, 6, 0, 39, -2, 0, 0, 0, -3, -10, -3, 23, -2, 2, -3, -2,
2, -3, -10, -3, 2, 18, -4, 0, 0, 1, -5, 1, 5, 2, 2, 7, -1, 0, 0, 7, 0, -4, -4, -3, -5,
-4, -12, -10, 0, -18, 1, -10, -2, 0, -20, 6, -18, 16, -16, -15, -15, -13, -10,
2, 12]
(369)
=
>
=
> M88 := q^5 * A5^2 * B4 * H3 * V1^2;
M88 := q^5 JAC(2, 21, ∞)^2 JAC(3, 21, ∞) JAC(3, 7, ∞) JAC(0, 7, ∞) JAC(2, 9, ∞)^2
JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(2, 7, ∞) JAC(0, 9, ∞)^2
(370)
=
> GP88 := jac2eprod(M88 * q^(-403/126)) * GETA(63, 1)^(5) * GETA(63, 2)
^(5);
GP88 := 1 / (GETA(7, 1) GETA(7, 2)) (GETA(21, 2)^2 GETA(21, 3) GETA(7, 3) GETA(9,
2)^2 GETA(63, 1)^5 GETA(63, 2)^5)
(371)
=
> L88 := GETAP2getalist(GP88);
L88 := [[21, 2, 2], [21, 3, 1], [7, 3, 1], [7, 1, -1], [7, 2, -1], [9, 2, 2], [63, 1, 5], [63, 2,
5]]
(372)
=
> r88 := getaprodcuspORDS(L88, CW63[1], CW63[2])
r88 := [47, 2, 2, -2, 2, 2, -2, -4, 2, 1, 2, 2, -2, 2, -4, -2, 2, 2, 1, 2, 2, 16, 2, 2, -2, 2, 2,
1, -4, 2, -2, 2, -2, 2, -7, -2, 6, -7, 38, -2, 0, 0, 0, 4, -10, 4, 24, -2, 2, 4, -2, 2,
4, -10, 4, 2, 19, -4, -7, -7, 1, -5, 1, 5, 2, 2, 7, -1, 0, -7, 7, 0, -5, -4, 4, -5, -4,
-11, -10, -7, -19, 1, -10, -2, 0, -20, 6, -18, 16, -17, -14, -14, -14, -10, 1,
13]
(373)
=
>
=
> r88[96];
(374)

```

> CW63;

$$\left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \frac{1}{18}, \frac{1}{19}, \right. \right. \quad (375)$$

$$\frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{1}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \frac{2}{21},$$

$$\frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \frac{5}{27},$$

$$\frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28},$$

$$\frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21},$$

$$\left. \frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9,$$

$$21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7,$$

$$3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7,$$

$$1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1]]$$

>

> gpt := [63, 62];

$$gpt := [63, 62] \quad (376)$$

> ept := gp2etaprod(gpt);

$$ept := \eta(63\tau)^{62} \quad (377)$$

> yy := cuspORDS(ept, CW63[1], 63);

$$yy := \left[\left[oo, \frac{31}{12} \right], \left[0, \frac{31}{12} \right], \left[\frac{1}{2}, \frac{31}{12} \right], \left[\frac{1}{3}, \frac{31}{12} \right], \left[\frac{1}{4}, \frac{31}{12} \right], \left[\frac{1}{5}, \frac{31}{12} \right], \left[\frac{1}{6}, \frac{31}{12} \right], \left[\frac{1}{7}, \right. \right. \quad (378)$$

$$\frac{217}{12} \left. \right], \left[\frac{1}{8}, \frac{31}{12} \right], \left[\frac{1}{9}, \frac{93}{4} \right], \left[\frac{1}{10}, \frac{31}{12} \right], \left[\frac{1}{11}, \frac{31}{12} \right], \left[\frac{1}{12}, \frac{31}{12} \right], \left[\frac{1}{13}, \frac{31}{12} \right], \left[\frac{1}{14}, \right.$$

$$\frac{217}{12} \left. \right], \left[\frac{1}{15}, \frac{31}{12} \right], \left[\frac{1}{16}, \frac{31}{12} \right], \left[\frac{1}{17}, \frac{31}{12} \right], \left[\frac{1}{18}, \frac{93}{4} \right], \left[\frac{1}{19}, \frac{31}{12} \right], \left[\frac{1}{20}, \frac{31}{12} \right],$$

$$\left[\frac{1}{21}, \frac{217}{12} \right], \left[\frac{1}{22}, \frac{31}{12} \right], \left[\frac{1}{23}, \frac{31}{12} \right], \left[\frac{1}{24}, \frac{31}{12} \right], \left[\frac{1}{25}, \frac{31}{12} \right], \left[\frac{1}{26}, \frac{31}{12} \right], \left[\frac{1}{27}, \right.$$

$$\frac{93}{4} \left. \right], \left[\frac{1}{28}, \frac{217}{12} \right], \left[\frac{1}{29}, \frac{31}{12} \right], \left[\frac{1}{30}, \frac{31}{12} \right], \left[\frac{1}{31}, \frac{31}{12} \right], \left[\frac{2}{3}, \frac{31}{12} \right], \left[\frac{2}{7}, \frac{217}{12} \right], \left[\frac{2}{9}, \right.$$

$$\frac{93}{4} \left. \right], \left[\frac{2}{15}, \frac{31}{12} \right], \left[\frac{2}{21}, \frac{217}{12} \right], \left[\frac{2}{27}, \frac{93}{4} \right], \left[\frac{2}{63}, \frac{651}{4} \right], \left[\frac{2}{93}, \frac{31}{12} \right], \left[\frac{3}{7}, \frac{217}{12} \right],$$

$$\left[\frac{3}{14}, \frac{217}{12} \right], \left[\frac{4}{7}, \frac{217}{12} \right], \left[\frac{4}{9}, \frac{93}{4} \right], \left[\frac{4}{21}, \frac{217}{12} \right], \left[\frac{4}{27}, \frac{93}{4} \right], \left[\frac{4}{63}, \frac{651}{4} \right], \left[\frac{5}{6}, \right.$$

$$\frac{31}{12} \left. \right], \left[\frac{5}{7}, \frac{217}{12} \right], \left[\frac{5}{9}, \frac{93}{4} \right], \left[\frac{5}{12}, \frac{31}{12} \right], \left[\frac{5}{14}, \frac{217}{12} \right], \left[\frac{5}{18}, \frac{93}{4} \right], \left[\frac{5}{21}, \frac{217}{12} \right],$$

$$\left[\frac{5}{27}, \frac{93}{4} \right], \left[\frac{5}{28}, \frac{217}{12} \right], \left[\frac{5}{63}, \frac{651}{4} \right], \left[\frac{6}{7}, \frac{217}{12} \right], \left[\frac{7}{9}, \frac{93}{4} \right], \left[\frac{7}{18}, \frac{93}{4} \right], \left[\frac{8}{9}, \frac{93}{4} \right],$$

$$\begin{aligned}
& \left[\begin{array}{l} \left[\frac{8}{21}, \frac{217}{12} \right], \left[\frac{8}{27}, \frac{93}{4} \right], \left[\frac{8}{63}, \frac{651}{4} \right], \left[\frac{9}{14}, \frac{217}{12} \right], \left[\frac{9}{28}, \frac{217}{12} \right], \left[\frac{10}{21}, \frac{217}{12} \right], \left[\frac{10}{63}, \frac{651}{4} \right], \left[\frac{11}{14}, \frac{217}{12} \right], \left[\frac{11}{18}, \frac{93}{4} \right], \left[\frac{11}{21}, \frac{217}{12} \right], \left[\frac{11}{28}, \frac{217}{12} \right], \left[\frac{11}{63}, \frac{651}{4} \right], \left[\frac{13}{14}, \frac{217}{12} \right], \\ \left[\frac{13}{18}, \frac{93}{4} \right], \left[\frac{13}{21}, \frac{217}{12} \right], \left[\frac{13}{28}, \frac{217}{12} \right], \left[\frac{13}{63}, \frac{651}{4} \right], \left[\frac{16}{21}, \frac{217}{12} \right], \left[\frac{16}{27}, \frac{93}{4} \right], \left[\frac{16}{63}, \frac{651}{4} \right], \left[\frac{17}{18}, \frac{93}{4} \right], \left[\frac{17}{21}, \frac{217}{12} \right], \left[\frac{17}{24}, \frac{31}{12} \right], \left[\frac{17}{28}, \frac{217}{12} \right], \left[\frac{17}{63}, \frac{651}{4} \right], \left[\frac{19}{21}, \frac{217}{12} \right], \\ \left[\frac{19}{63}, \frac{651}{4} \right], \left[\frac{20}{21}, \frac{217}{12} \right], \left[\frac{20}{63}, \frac{651}{4} \right], \left[\frac{22}{63}, \frac{651}{4} \right], \left[\frac{23}{63}, \frac{651}{4} \right], \left[\frac{25}{63}, \frac{651}{4} \right], \\ \left[\frac{26}{63}, \frac{651}{4} \right], \left[\frac{29}{63}, \frac{651}{4} \right], \left[\frac{31}{63}, \frac{651}{4} \right] \end{array} \right] \\
& \begin{aligned} & \text{?} \\ & k := 96; \end{aligned} \\
& k := 96 \tag{379}
\end{aligned}$$

> ?

$$\begin{aligned}
& \text{min}(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k], \\ & r14[k], r15[k], r16[k], r17[k], r18[k], r19[k], r20[k], r21[k], r22[k], r23[k], r24[k], r25[k], \\ & r26[k], r27[k], r28[k], r29[k], r30[k], r31[k], r32[k], r33[k], r34[k], r35[k], r36[k], r37[k], \\ & r38[k], r39[k], r40[k], r41[k], r42[k], r43[k], r44[k], r45[k], r46[k], r47[k], r48[k], r49[k], \\ & r50[k], r51[k], r52[k], r53[k], r54[k], r55[k], r56[k], r57[k], r58[k], r59[k], r60[k], r61[k], \\ & r62[k], r63[k], r64[k], r65[k], r66[k], r67[k], r68[k], r69[k], r70[k], r71[k], r72[k], r73[k], \\ & r74[k], r75[k], r76[k], r77[k], r78[k], r79[k], r80[k], r81[k], r82[k], r83[k], r84[k], r85[k], \\ & r86[k], r87[k], r88[k]) + yy[k][2] \\
& \frac{683}{4} \tag{380}
\end{aligned}$$

>

$$\begin{aligned}
& \text{min}(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k], \\ & r14[k], r15[k], r16[k], r17[k], r18[k], r19[k], r20[k], r21[k], r22[k], r23[k], r24[k], r25[k], \\ & r26[k], r27[k], r28[k], r29[k], r30[k], r31[k], r32[k], r33[k], r34[k], r35[k], r36[k], r37[k], \\ & r38[k], r39[k], r40[k], r41[k], r42[k], r43[k], r44[k], r45[k], r46[k], r47[k], r48[k], r49[k], \\ & r50[k], r51[k], r52[k], r53[k], r54[k], r55[k], r56[k], r57[k], r58[k], r59[k], r60[k], r61[k], \\ & r62[k], r63[k], r64[k], r65[k], r66[k], r67[k], r68[k], r69[k], r70[k], r71[k], r72[k], r73[k], \\ & r74[k], r75[k], r76[k], r77[k], r78[k], r79[k], r80[k], r81[k], r82[k], r83[k], r84[k], r85[k], \\ & r86[k], r87[k], r88[k]) \\
& -21 \tag{381}
\end{aligned}$$

>

>

>

>

>
=>
>
=>
>
=>
>