

```
> D:\Garvan;
```

Garvan (1)

```
> read"D:\Garvan:"wmprog";
```

"wmprog" (2)

```
> read"D:\Garvan/wmprog-thetaids.txt";
```

Error, unable to read `D:Garvan/wmprog-thetaids.txt`

```
> read"D:/Garvan/wprog-thetaids.txt":
```

BEGIN thetaids package
THIS VERSION DATED Sat Jul 21 12:00:05 EDT 2018

Warning, (in thetaids[jacbase]) `j` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:906|
Warning, (in thetaids[mintotORDS]) `j` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1163|
Warning, (in thetaids[mintotORDS]) `i` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1165|
Warning, (in thetaids[provemodfuncid]) `k` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1495|
Warning, (in thetaids[provemodfuncidBATCH]) `k` is implicitly declared local |D:/Garvan/wprog-thetaids.txt:1698|
TABLE TYPE thetaids = true

Error, archive data file "c:\cygwin64/home/Owner/maple/mylib/thetaids.mla" could not be created
END thetaids package

```
> read"D:/Garvan/ETA.txt";
```

BEGIN ETA package
THIS VERSION DATED Sat, Jun 29, 2019 9:28:11 PM

ETA := table([]) (3)

TABLE TYPE ETA = true

Error, archive data file "c:\cygwin64/home/fgarv/maple/mylib/ETA.mla" could not be created
END ETA package

```
> read"D:/Garvan/wmprog.txt":
```

Warning, (in qseries[findhomcombo]) `func` is implicitly declared local |D:/Garvan/wmprog.txt:321|
Warning, (in qseries[findhomcombo]) `fq` is implicitly declared local |D:/Garvan/wmprog.txt:334|
Warning, (in qseries[findhomcombo]) `ANSETA` is implicitly declared local |D:/Garvan/wmprog.txt:343|
Warning, (in qseries[findhomcombo]) `geta` is implicitly declared local

|D:/Garvan/wmprog.txt:348|
Warning, (in qseries[findlincombo]) `k` is implicitly declared local
|D:/Garvan/wmprog.txt:412|
Warning, (in qseries[findlincombomodp]) `k` is implicitly declared local
|D:/Garvan/wmprog.txt:486|
Warning, (in qseries[findhomcombomodp]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:561|
Warning, (in qseries[findhomcombomodp]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:574|
Warning, (in qseries[findhomcombomodp]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:583|
Warning, (in qseries[findhomcombomodp]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:588|
Warning, (in qseries[findnonhomcombo]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:679|
Warning, (in qseries[findnonhomcombo]) `func` is implicitly declared local
|D:/Garvan/wmprog.txt:718|
Warning, (in qseries[findnonhomcombo]) `fq` is implicitly declared local
|D:/Garvan/wmprog.txt:723|
Warning, (in qseries[findnonhomcombo]) `ANS` is implicitly declared local
|D:/Garvan/wmprog.txt:729|
Warning, (in qseries[findnonhomcombo]) `ANSETA` is implicitly declared local
|D:/Garvan/wmprog.txt:730|
Warning, (in qseries[findnonhomcombo]) `geta` is implicitly declared local
|D:/Garvan/wmprog.txt:735|
Warning, (in qjac) `t` is implicitly declared local |D:/Garvan/wmprog.txt:1079|
Warning, (in qjac) `c` is implicitly declared local |D:/Garvan/wmprog.txt:1082|
Warning, (in qseries[mprodmake]) `qqprod` is implicitly declared local
|D:/Garvan/wmprog.txt:1150|
Warning, (in qseries[prodmake]) `f` is implicitly declared local
|D:/Garvan/wmprog.txt:1166|
Warning, (in qseries[prodmake]) `q` is implicitly declared local
|D:/Garvan/wmprog.txt:1167|
Warning, (in qseries[prodmake]) `T` is implicitly declared local
|D:/Garvan/wmprog.txt:1168|
Warning, (in qseries[prodmake]) `bseq` is implicitly declared local
|D:/Garvan/wmprog.txt:1204|
Warning, (in qseries[prodmake]) `lst` is implicitly declared local
|D:/Garvan/wmprog.txt:1205|
Warning, (in bigqpfac) `conc` is implicitly declared local |D:/Garvan/wmprog.
txt:1525|
Warning, (in qseries[quinprod]) `leftid` is implicitly declared local

[|D:/Garvan/wmprog.txt:1637|](#)

[Warning, \(in qseries\[quinprod\]\) `x1` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1643|](#)

[Warning, \(in qseries\[quinprod\]\) `x2` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1646|](#)

[Warning, \(in qseries\[quinprod\]\) `rightid` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1652|](#)

[Warning, \(in qseries\[tripleprod\]\) `x` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1709|](#)

[Warning, \(in qseries\[tripleprod\]\) `lasti` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1710|](#)

[Warning, \(in qseries\[tripleprod\]\) `i` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1711|](#)

[Warning, \(in qseries\[tripleprod\]\) `leftid` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1717|](#)

[Warning, \(in qseries\[tripleprod\]\) `rightid` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1720|](#)

[Warning, \(in qseries\[zqfactor\]\) `buglim` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1751|](#)

[Warning, \(in qseries\[zqfactor\]\) `F` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1755|](#)

[Warning, \(in qseries\[zqfactor\]\) `z` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1756|](#)

[Warning, \(in qseries\[zqfactor\]\) `q` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1757|](#)

[Warning, \(in qseries\[zqfactor\]\) `N` is implicitly declared local](#)

[|D:/Garvan/wmprog.txt:1758|](#)

[Error, could not open `c:\Program Files\Maple 11\mylib\qseries.m` for writing](#)

> with(qseries);

[aqprod, changes, etamake, etaq, findhom, findhomcombo, findhomcombomodp, findhommodp, findlincombo, findlincombomodp, findnonhom, findnonhomcombo, findpoly, jac2prod, jac2series, jacprod, jacprodmade, mprodmake, packageversion, prodmake, qbin, qetamake, qfactor, quinprod, sift, θ , θ_2 , θ_3 , θ_4 , tripleprod, winquist, zqfactor] (4)

> with(ETA);

[ETACHanges, ETApversion, Ffind, Fricke, GPmake, POWERPq, POWERPqMODP, POWERq, POWERqMODP, UpLB, cuspORD, cuspORDS, cuspORDSnotoo, cuspmake, cusprod, etaCOF, etaCONSTANT, etaWe, etamult, etanormalid, etaprodWe, etaprodtoqseries, etaprodtoqseries2, etaprodtoqseriesMODP, fanwidth, gamma0FORMCHECK, gammacheck, gammacheckM, gp2etaprod, jacbotstar, jactopstar, mintotGAMMA0ORDS, printETAIDORDSStable, printcuspORDS, printcuspords, provemodfuncGAMMA0UpETAid, provemodfuncGAMMA0UpETAidBATCH, provemodfuncGAMMA0id, provemodfuncGAMMA0idBATCH, qetacombo, vetainf, vp] (5)

> with(thetaids);

[Acmake, Bord, CUSPSANDWIDMAKE1, DivCheck, GETAP2getalist, Gamma1ModFunc, JACCOF, JACP2jaclist, QP2, Scmake, _ETAn, _ETAnm, _etan, _etanm, cuspequiv1, cuspmake1, cuspsetinequiv1, cuspwid1, eeta, egeta, ejac, eta2geta, eta2jac, fpart, getacuspord, getalist2jacprod, getaprodcuspORDS, getaprodcuspord, gterm2jacprod, jac2eprod, jac2getacombos, jac2getaprod, jacobase, jacnormalid, jcombobase, lqdegree, lqdegree0, mintotORDS, mixedjac2jac, newxy, numcuspequiv1, phiset, printJACIDORDSable, processjacid, provemodfuncid, provemodfuncidBATCH, qjacdegree, rmcoffjac, rmcofnotqjac, srep, sset, thetaidschanges, thetaidspsversion, v0, vinf]

> JP1:=JAC(22,50,infinity)/JAC(0,50,infinity)/JAC(11,25,infinity)*JAC(0,25,infinity)*JAC(2,10,infinity)/JAC(0,10,infinity)*JAC(25,50,infinity)^(1/2)/JAC(0,50,infinity)^(1/2)*JAC(10,50,infinity)^2*JAC(20,50,infinity)^2/JAC(0,50,infinity)^4*mul(JAC(2*j,50,infinity)^2/JAC(0,50,infinity)^2,j=1..12);

$$JP1 := \left(JAC(22, 50, \infty)^3 JAC(0, 25, \infty) JAC(2, 10, \infty) \sqrt{JAC(25, 50, \infty)} JAC(10, 50, \infty)^4 JAC(20, 50, \infty)^4 JAC(2, 50, \infty)^2 JAC(4, 50, \infty)^2 JAC(6, 50, \infty)^2 JAC(8, 50, \infty)^2 JAC(12, 50, \infty)^2 JAC(14, 50, \infty)^2 JAC(16, 50, \infty)^2 JAC(18, 50, \infty)^2 JAC(24, 50, \infty)^2 \right) / \left(JAC(0, 50, \infty)^{59/2} JAC(11, 25, \infty) JAC(0, 10, \infty) \right) \quad (7)$$

> f2:=mul(JAC(2*j,50,infinity)/JAC(0,50,infinity),j=1..12);

$$f2 := \frac{1}{JAC(0, 50, \infty)^{12}} (JAC(2, 50, \infty) JAC(4, 50, \infty) JAC(6, 50, \infty) JAC(8, 50, \infty) JAC(10, 50, \infty) JAC(12, 50, \infty) JAC(14, 50, \infty) JAC(16, 50, \infty) JAC(18, 50, \infty) JAC(20, 50, \infty) JAC(22, 50, \infty) JAC(24, 50, \infty)) \quad (8)$$

> f10:=JAC(10,50,infinity)*JAC(20,50,infinity)/JAC(0,50,infinity)^2;

$$f10 := \frac{JAC(10, 50, \infty) JAC(20, 50, \infty)}{JAC(0, 50, \infty)^2} \quad (9)$$

> V0:=JAC(4,9,infinity)/JAC(0,9,infinity);

$$V0 := \frac{JAC(4, 9, \infty)}{JAC(0, 9, \infty)} \quad (10)$$

> V1:=JAC(2,9,infinity)/JAC(0,9,infinity);

$$V1 := \frac{JAC(2, 9, \infty)}{JAC(0, 9, \infty)} \quad (11)$$

> V2:=JAC(1,9,infinity)/JAC(0,9,infinity);

$$V2 := \frac{JAC(1, 9, \infty)}{JAC(0, 9, \infty)} \quad (12)$$

> A0:=JAC(9,21,infinity)/JAC(0,21,infinity); A2:=JAC(5,21,infinity)/JAC(0,21,infinity);A5:=JAC(2,21,infinity)/JAC(0,21,infinity);

$$A0 := \frac{JAC(9, 21, \infty)}{JAC(0, 21, \infty)} \quad (13)$$

$$A2 := \frac{JAC(5, 21, \infty)}{JAC(0, 21, \infty)}$$

$$A5 := \frac{JAC(2, 21, \infty)}{JAC(0, 21, \infty)}$$

> B0:=JAC(10,21,infinity)/JAC(0,21,infinity); B3:=JAC(4,21,infinity)/JAC(0,21,infinity);B4:=JAC(3,21,infinity)/JAC(0,21,infinity);

$$B0 := \frac{JAC(10, 21, \infty)}{JAC(0, 21, \infty)} \quad (14)$$

$$B3 := \frac{JAC(4, 21, \infty)}{JAC(0, 21, \infty)}$$

$$B4 := \frac{JAC(3, 21, \infty)}{JAC(0, 21, \infty)}$$

> C0:=JAC(8,21,infinity)/JAC(0,21,infinity); C1:=JAC(6,21,infinity)/JAC(0,21,infinity);C6:=JAC(1,21,infinity)/JAC(0,21,infinity);

$$C0 := \frac{JAC(8, 21, \infty)}{JAC(0, 21, \infty)} \quad (15)$$

$$C1 := \frac{JAC(6, 21, \infty)}{JAC(0, 21, \infty)}$$

$$C6 := \frac{JAC(1, 21, \infty)}{JAC(0, 21, \infty)}$$

> f17:=JAC(1,7,infinity)/JAC(0,7,infinity); f27:=JAC(2,7,infinity)/JAC(0,7,infinity);f37:=JAC(3,7,infinity)/JAC(0,7,infinity);

$$f17 := \frac{JAC(1, 7, \infty)}{JAC(0, 7, \infty)} \quad (16)$$

$$f27 := \frac{JAC(2, 7, \infty)}{JAC(0, 7, \infty)}$$

$$f37 := \frac{JAC(3, 7, \infty)}{JAC(0, 7, \infty)}$$

> S0:=f27^2/f17^2/f37;S1:=f27/f17/f37;S3:=f17/f37^2;S4:=f17^2/f27/f37^2;

$$S0 := \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \quad (17)$$

$$S1 := \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(3, 7, \infty)}$$

$$S3 := \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty)^2}$$

$$S4 := \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}$$

> P0:=f37^2/f17/f27^2;P1:=f37/f27^2;P3:=f17/f37/f27;P4:=f17^2/f27/f37^2;

$$P0 := \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2} \quad (18)$$

$$P1 := \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(2, 7, \infty)^2}$$

$$P3 := \frac{JAC(1, 7, \infty) JAC(0, 7, \infty)}{JAC(3, 7, \infty) JAC(2, 7, \infty)}$$

$$P4 := \frac{JAC(1, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(2, 7, \infty) JAC(3, 7, \infty)^2}$$

> H0:=f27^2/f17^2/f37;H1:=f27/f17^2;H3:=f37/f17/f27;H4:=f37^2/f17/f27^2;

$$H0 := \frac{JAC(2, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2 JAC(3, 7, \infty)} \quad (19)$$

$$H1 := \frac{JAC(2, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty)^2}$$

$$H3 := \frac{JAC(3, 7, \infty) JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)}$$

$$H4 := \frac{JAC(3, 7, \infty)^2 JAC(0, 7, \infty)}{JAC(1, 7, \infty) JAC(2, 7, \infty)^2}$$

> M1:=q*V1^2*C0^2*S1*A0;

$$M1 := \frac{q JAC(2, 9, \infty)^2 JAC(8, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty)}{JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty)} \quad (20)$$

> GP1:=jac2eprod(M1*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);

$$GP1 := \frac{GETA(9, 2)^2 GETA(21, 8)^2 GETA(7, 2) GETA(21, 9) GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (21)$$

> L1:=GETAP2getalist(GP1);

$$L1 := [[9, 2, 2], [21, 8, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \quad (22)$$

> CW63:=CUSPSANDWIDMAKE1(63);

$$CW63 := \left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \right. \right. \quad (23)$$

$$\left. \frac{1}{18}, \frac{1}{19}, \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \right.$$

$$\frac{2}{21}, \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21},$$

$$\frac{5}{27}, \frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28},$$

$$\left. \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21} \right]$$

$$\left. \frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, 21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, 3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, 1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1]]$$

```
> r1:=getaprodcuspORDS(L1,CW63[1],CW63[2]);
```

```
> M2:=q*V1*V0*C0*C1*S1*A0;
```

```
> GP2:=jac2eprod(M2*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);
```

```
> L2:=GETAP2getalist(GP2);
```

```
> r2:=getaprodcuspORDS(L2,CW63[1],CW63[2]);
```

```
> M3:=q*V2*V0*C0*C1*S0*B0;
```

```
> GP3:=jac2eprod(M3*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);
```

```
> L3:=GETAP2getalist(GP3);
```

> r3:=getaprodcuspORDS(L3,CW63[1],CW63[2]);

$$r3 := [-9, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, \\ 1, -1, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 5, 5, 5, -6, 9, -6, 4, -1, -3, -6, -1, \\ -3, -6, 1, -6, -3, 4, -1, 4, 4, 1, 0, 1, 12, -3, -3, -7, 15, 5, 4, -7, 5, 16, -1, -6, 0, \\ -1, 15, 1, 4, 12, 1, 9, -1, 5, 13, 2, 8, -7, 4, -2, -3, -8, -15, -27, -38] \quad (33)$$

> M4:=q*V1*V0*C1^2*S0*B0;

$$M4 := (q JAC(2, 9, \infty) JAC(4, 9, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \\ \infty) JAC(10, 21, \infty)) / (JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty)) \quad (34)$$

> GP4:=jac2eprod(M4*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);

$$GP4 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(9, 2) GETA(9, 4) GETA(21, \\ 6)^2 GETA(7, 2)^2 GETA(21, 10) GETA(63, 1)^4) \quad (35)$$

> L4 := GETAP2getalist(GP4);

$$L4 := [[9, 2, 1], [9, 4, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [21, 10, 1], [63, 1, 4], \\ [63, 2, -6]] \quad (36)$$

> r4 := getaprodcuspORDS(L4, CW63[1], CW63[2]);

$$r4 := [-9, 1, 1, 0, 1, 1, 0, -1, 1, -1, 1, 1, 0, 1, -1, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, \\ -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -1, 13, -1, 6, 0, -3, -1, 0, -3, -1, -4, \\ -1, -3, 3, -1, 2, 2, -1, -5, -1, 10, -3, -3, -6, 15, 5, 2, -6, 5, 16, -1, -1, -5, \\ -1, 14, -4, 2, 10, -1, 13, 0, 5, 14, 0, 7, -6, 4, -1, -3, -7, -17, -29, -37] \quad (37)$$

> M5 := q*V1^2*C0*C1*S0*B0;

$$M5 := (q JAC(2, 9, \infty)^2 JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \\ \infty) JAC(10, 21, \infty)) / (JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty)) \quad (38)$$

> GP5 := jac2eprod(M5*q^(-421/126))*GETA(63,1)^(4)*GETA(63,2)^(-6);

$$GP5 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(9, 2)^2 GETA(21, 8) GETA(21, \\ 6) GETA(7, 2)^2 GETA(21, 10) GETA(63, 1)^4) \quad (39)$$

> L5 := GETAP2getalist(GP5);

$$L5 := [[9, 2, 2], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [21, 10, 1], [63, 1, 4], \\ [63, 2, -6]] \quad (40)$$

> r5 := getaprodcuspORDS(L5, CW63[1], CW63[2]);

$$r5 := [-9, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, \\ 1, -1, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, 5, 5, 5, 1, 9, 1, 5, -1, -3, 1, -1, \\ -3, 1, 1, 1, -3, 5, -1, -3, -3, 1, 0, 1, 12, -3, -3, -7, 15, 5, -3, -7, 5, 15, -1, 1, 0, \\ -1, 15, 1, 4, 12, 1, 9, -1, 5, 13, 2, 8, -7, 4, -2, -3, -8, -15, -27, -38] \quad (41)$$

$-1, 16, 1, -3, 11, 1, 9, -1, 5, 13, 2, 8, -7, 3, -1, -2, -9, -15, -28, -37]$

> M6 := q·V2·V0·C0² * S1 * A0;

$$M6 := \left(q JAC(1, 9, \infty) JAC(4, 9, \infty) JAC(8, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(9, 21, \infty) \right) / \left(JAC(0, 9, \infty)^2 JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) \right) \quad (42)$$

> GP6 := jac2eprod(M6 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP6 := \frac{GETA(9, 1) GETA(9, 4) GETA(21, 8)^2 GETA(7, 2) GETA(21, 9) GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (43)$$

> L6 := GETAP2getalist(GP6);

$$L6 := [[9, 1, 1], [9, 4, 1], [21, 8, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \quad (44)$$

> r6 := getaprodcuspORDS(L6, CW63[1], CW63[2]);

$$r6 := [-9, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -7, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 2, 2, 2, -6, 0, -6, 1, -1, -3, -6, -1, -3, -6, 10, -6, -3, 7, 2, 4, 4, 1, 3, 1, 13, -3, -3, -10, 14, 2, 4, -10, 2, 15, 2, -6, 3, 2, 16, 10, 4, 15, 1, 0, -1, 2, 10, 2, 8, -7, 4, -2, -3, -11, -12, -26, -39] \quad (45)$$

>

> M7 := q² * A0 * C0² * S4 * V0 * V2;

$$M7 := \left(q^2 JAC(9, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (46)$$

> GP7 := jac2eprod(M7 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP7 := \frac{GETA(21, 9) GETA(21, 8)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \quad (47)$$

> L7 := GETAP2getalist(GP7);

$$L7 := [[21, 9, 1], [21, 8, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (48)$$

> r7 := getaprodcuspORDS(L7, CW63[1], CW63[2]);

$$r7 := [-8, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 11, 1, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -7, -7, -7, -6, -3, -6, 0, -1, -3, -6, -1, -3, -6, 10, -6, -3, 7, 11, 4, 4, 1, 6, 1, 14, -3, -3, -13, 13, -7, 4, -13, -7, 14, 11, -6, 6, 11, 17, 10, 4, 15, 1, -3, -1, -7, 9, 2, 8, -4, 5, -1, -3, -12, -12, -25, -40] \quad (49)$$

> M8 := q² * A0 * C0² * S4 * V1²;

$$M8 := \frac{q^2 JAC(9, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (50)$$

> GP8 := jac2eprod(M8 * q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$-6);$$

$$GP8 := \frac{GETA(21, 9) GETA(21, 8)^2 GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \quad (51)$$

$$> L8 := GETAP2getalist(GP8);$$

$$L8 := [[21, 9, 1], [21, 8, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (52)$$

$$> r8 := getaprodcuspORDS(L8, CW63[1], CW63[2])$$

$$r8 := [-8, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -7, -7, -7, -6, -3, -6, 0, -1, -3, -6, -1, -3, -6, 10, -6, -3, 7, 11, 4, 4, 1, 6, 1, 14, -3, -3, -13, 13, -7, 4, -13, -7, 14, 11, -6, 6, 11, 17, 10, 4, 15, 1, -3, -1, -7, 9, 2, 8, -4, 5, -1, -3, -12, -12, -25, -40] \quad (53)$$

$$> M9 := q^2 * A0 * C0 * C1 * S1 * V2^2;$$

$$M9 := (q^2 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (54)$$

$$> GP9 := jac2eprod(M9 * q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP9 := \frac{GETA(21, 9) GETA(21, 8) GETA(21, 6) GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (55)$$

$$> L9 := GETAP2getalist(GP9);$$

$$L9 := [[21, 9, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (56)$$

$$> r9 := getaprodcuspORDS(L9, CW63[1], CW63[2])$$

$$r9 := [-8, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, -6, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, 5, -8, -3, 5, 2, 2, 2, 6, -2, 6, 12, -3, -3, -9, 15, 2, 2, -9, 2, 15, 2, -8, -2, 2, 14, 5, 2, 13, 6, 4, 0, 2, 12, 0, 8, -6, 4, -2, -4, -10, -13, -28, -39] \quad (57)$$

$$>$$

$$> M10 := q^2 * A0 * C0 * C1 * S4 * V0 * V1;$$

$$M10 := (q^2 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (58)$$

$$> GP10 := jac2eprod(M10 * q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP10 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 9) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4) \quad (59)$$

```
> L10 := GETAP2getalist(GP10);
L10 := [[21, 9, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], (60)
        [63, 1, 4], [63, 2, -6]]
```

```
> r10 := getaprodcuspORDS(L10, CW63[1], CW63[2])
r10 := [-8, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, -3, 1, 1, 0, 1, 1, -1, 11, (61)
        1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -7, -7, -7, -1, 1, -1, 2, 0, -3, -1, 0, -3, -1, 5,
        -1, -3, 6, 11, 2, 2, -1, 1, -1, 12, -3, -3, -12, 13, -7, 2, -12, -7, 14, 11, -1, 1,
        11, 16, 5, 2, 13, -1, 1, 0, -7, 10, 0, 7, -3, 5, 0, -3, -11, -14, -27, -39]
```

```
>
> M11 := q^2 * A2 * C0 * C1 * S1 * V0 * V2;
M11 := (q^2 JAC(5, 21, ∞) JAC(8, 21, ∞) JAC(6, 21, ∞) JAC(2, 7, ∞) JAC(0, 7, (62)
        ∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(3, 7,
        ∞) JAC(0, 9, ∞)^2)
```

```
> GP11 := jac2eprod(M11 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
        -6);
GP11 := 1 / (GETA(7, 1) GETA(7, 3) GETA(63, 2)^6 (GETA(21, 5) GETA(21, 8) GETA(21, (63)
        6) GETA(7, 2) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)
```

```
> L11 := GETAP2getalist(GP11);
L11 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], (64)
        [63, 1, 4], [63, 2, -6]]
```

```
> r11 := getaprodcuspORDS(L11, CW63[1], CW63[2])
r11 := [-8, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, (65)
        2, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, 2, 2, 2, -6, 9, -6, 4, -1, -3, -6, -1,
        -3, -6, 4, -6, -3, 5, 2, 4, 4, 1, 3, 1, 13, -3, -3, -10, 14, 2, 4, -10, 2, 15, 2, -6, 3, 2,
        16, 4, 4, 13, 1, 9, -1, 2, 13, -4, 6, -4, 5, -1, -5, -8, -14, -26, -39]
```

```
> M12 := q^2 * A2 * C0 * C1 * S1 * V1^2;
M12 := (q^2 JAC(5, 21, ∞) JAC(8, 21, ∞) JAC(6, 21, ∞) JAC(2, 7, ∞) JAC(0, 7, (66)
        ∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞) JAC(3, 7, ∞) JAC(0, 9, ∞)^2)
```

```
> GP12 := jac2eprod(M12 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
        -6);
GP12 := 1 / (GETA(7, 1) GETA(7, 3) GETA(63, 2)^6 (GETA(21, 5) GETA(21, 8) GETA(21, (67)
        6) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4)
```

```
> L12 := GETAP2getalist(GP12);
L12 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], (68)
        [63, 2, -6]]
```

$$\begin{aligned}
&> \mathbf{r12} := \text{getaprodCUSPORDS}(\mathbf{L12}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
r12 &:= [-8, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, \\
&\quad 2, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 2, 2, 2, 1, 9, 1, 5, -1, -3, 1, -1, -3, \\
&\quad 1, 4, 1, -3, 6, 2, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, 2, -3, -10, 2, 14, 2, 1, 3, 2, 17, \\
&\quad 4, -3, 12, 1, 9, -1, 2, 13, -4, 6, -4, 4, 0, -4, -9, -14, -27, -38]
\end{aligned} \tag{69}$$

$$\begin{aligned}
&> \mathbf{M13} := \mathbf{q}^2 * \mathbf{A2} * \mathbf{C1}^2 * \mathbf{S1} * \mathbf{V0} * \mathbf{V1}; \\
M13 &:= \left(q^2 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{70}$$

$$\begin{aligned}
&> \mathbf{GP13} := \text{jac2eprod}(\mathbf{M13} * \mathbf{q}^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
GP13 &:= \frac{\text{GETA}(21, 5) \text{GETA}(21, 6)^2 \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6}
\end{aligned} \tag{71}$$

$$\begin{aligned}
&> \mathbf{L13} := \text{GETAP2getalist}(\mathbf{GP13}); \\
L13 &:= [[21, 5, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], \\
&\quad [63, 2, -6]]
\end{aligned} \tag{72}$$

$$\begin{aligned}
&> \mathbf{r13} := \text{getaprodCUSPORDS}(\mathbf{L12}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
r13 &:= [-8, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, \\
&\quad 2, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 2, 2, 2, 1, 9, 1, 5, -1, -3, 1, -1, -3, \\
&\quad 1, 4, 1, -3, 6, 2, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, 2, -3, -10, 2, 14, 2, 1, 3, 2, 17, \\
&\quad 4, -3, 12, 1, 9, -1, 2, 13, -4, 6, -4, 4, 0, -4, -9, -14, -27, -38]
\end{aligned} \tag{73}$$

$$\begin{aligned}
&> \mathbf{M14} := \mathbf{q}^2 * \mathbf{B0} * \mathbf{C0} * \mathbf{C1} * \mathbf{S3} * \mathbf{V0} * \mathbf{V2}; \\
M14 &:= \frac{1}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \left(q^2 JAC(10, 21, \infty) JAC(8, 21, \right. \\
&\quad \left. \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right)
\end{aligned} \tag{74}$$

$$\begin{aligned}
&> \mathbf{GP14} := \text{jac2eprod}(\mathbf{M14} * \mathbf{q}^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
GP14 &:= \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 10) \text{GETA}(21, 8) \text{GETA}(21, \right. \\
&\quad \left. 6) \text{GETA}(7, 1) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4 \right)
\end{aligned} \tag{75}$$

$$\begin{aligned}
&> \mathbf{L14} := \text{GETAP2getalist}(\mathbf{GP14}); \\
L14 &:= [[21, 10, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], \\
&\quad [63, 2, -6]]
\end{aligned} \tag{76}$$

$$\begin{aligned}
&> \mathbf{r14} := \text{getaprodCUSPORDS}(\mathbf{L14}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
r14 &:= [-8, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, \\
&\quad 8, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -4, -4, -4, -6, 6, -6, 3, -1, -3, -6, \\
&\quad -1, -3, -6, 1, -6, -3, 4, 8, 4, 4, 1, 3, 1, 13, -3, -3, -10, 14, -4, 4, -10, -4, 15, 8,
\end{aligned} \tag{77}$$

−6, 3, 8, 16, 1, 4, 12, 1, 6, −1, −4, 12, 2, 8, −4, 5, −1, −3, −9, −15, −26, −39]

> **M15** := $q^2 * B0 * C0 * C1 * S3 * V1^2$;

$$M15 := \frac{1}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(10, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) \quad (78)$$

> **GP15** := $\text{jac2eprod}(M15 * q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}$;

$$GP15 := \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} (\text{GETA}(21, 10) \text{GETA}(21, 8) \text{GETA}(21, 6) \text{GETA}(7, 1) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4) \quad (79)$$

> **L15** := $\text{GETAP2getalist}(GP15)$;

$$L15 := [[21, 10, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (80)$$

> **r15** := $\text{getaprodcuspORDS}(L15, \text{CW63}[1], \text{CW63}[2])$

$$r15 := [-8, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, -4, -4, -4, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 8, -3, -3, 1, 3, 1, 13, -3, -3, -10, 14, -4, -3, -10, -4, 14, 8, 1, 3, 8, 17, 1, -3, 11, 1, 6, -1, -4, 12, 2, 8, -4, 4, 0, -2, -10, -15, -27, -38] \quad (81)$$

> **M16** := $q^2 * B0 * C1^2 * S0 * V2^2$;

$$M16 := \frac{q^2 JAC(10, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (82)$$

> **GP16** := $\text{jac2eprod}(M16 * q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}$;

$$GP16 := \frac{\text{GETA}(21, 10) \text{GETA}(21, 6)^2 \text{GETA}(7, 2)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \quad (83)$$

> **L16** := $\text{GETAP2getalist}(GP16)$;

$$L16 := [[21, 10, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (84)$$

> **r16** := $\text{getaprodcuspORDS}(L16, \text{CW63}[1], \text{CW63}[2])$

$$r16 := [-8, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, -6, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -8, 13, -8, 5, 0, -3, -8, 0, -3, -8, -4, -8, -3, 2, -1, 2, 2, 6, -5, 6, 11, -3, -3, -6, 16, 5, 2, -6, 5, 16, -1, -8, -5, -1, 13, -4, 2, 10, 6, 13, 0, 5, 15, 0, 8, -6, 4, -2, -4, -7, -16, -29, -38] \quad (85)$$

>

> **M17** := $q^2 * B0 * C1^2 * S3 * V0 * V1$;

$$M17 := \frac{1}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} (q^2 JAC(10, 21, \infty) JAC(6, 21, \infty) \dots) \quad (86)$$

$$\infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)$$

$$> GP17 := jac2eprod(M17 * q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP17 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 10) GETA(21, 6)^2 GETA(7, 1) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4) \quad (87)$$

$$> L17 := GETAP2getalist(GP17);$$

$$L17 := [[21, 10, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (88)$$

$$> r17 := getaprodcuspORDS(L17, CW63[1], CW63[2])$$

$$r17 := [-8, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, -3, 1, 1, 0, 1, 1, -1, 8, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -1, 10, -1, 5, 0, -3, -1, 0, -3, -1, -4, -1, -3, 3, 8, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, -4, 2, -9, -4, 15, 8, -1, -2, 8, 15, -4, 2, 10, -1, 10, 0, -4, 13, 0, 7, -3, 5, 0, -3, -8, -17, -28, -38] \quad (89)$$

>

$$> M18 := q^2 * B3 * C0 * C1 * S0 * V0 * V2;$$

$$M18 := (q^2 JAC(4, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (90)$$

$$> GP18 := jac2eprod(M18 * q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP18 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 4) GETA(21, 8) GETA(21, 6) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (91)$$

$$> L18 := GETAP2getalist(GP18);$$

$$L18 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (92)$$

$$> r18 := getaprodcuspORDS(L18, CW63[1], CW63[2])$$

$$r18 := [-8, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, 5, 5, 5, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 7, -6, -3, 6, -1, 4, 4, 1, -3, 1, 11, -3, -3, -4, 16, 5, 4, -4, 5, 17, -1, -6, -3, -1, 14, 7, 4, 14, 1, 6, -1, 5, 12, -4, 6, -4, 5, -1, -5, -9, -13, -28, -37] \quad (93)$$

>

$$> M19 := q^2 * B3 * C0 * C1 * S0 * V1^2;$$

$$M19 := (q^2 JAC(4, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (94)$$

$$> GP19 := jac2eprod(M19 * q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP19 := \frac{1}{GETA(7,1)^2 GETA(7,3) GETA(63,2)^6} (GETA(21,4) GETA(21,8) GETA(21,6) GETA(7,2)^2 GETA(9,2)^2 GETA(63,1)^4) \quad (95)$$

> L19 := GETAP2getalist(GP19);

$$L19 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (96)$$

> r19 := getaprodcuspORDS(L19, CW63[1], CW63[2])

$$r19 := [-8, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -4, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, 5, 5, 5, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, -1, -3, -3, 1, -3, 1, 11, -3, -3, -4, 16, 5, -3, -4, 5, 16, -1, 1, -3, -1, 15, 7, -3, 13, 1, 6, -1, 5, 12, -4, 6, -4, 4, 0, -4, -10, -13, -29, -36] \quad (97)$$

>

> M20 := q^2 * B3 * C1^2 * S0 * V0 * V1;

$$M20 := (q^2 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (98)$$

> GP20 := jac2eprod(M20 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP20 := \frac{1}{GETA(7,1)^2 GETA(7,3) GETA(63,2)^6} (GETA(21,4) GETA(21,6)^2 GETA(7,2)^2 GETA(9,4) GETA(9,2) GETA(63,1)^4) \quad (99)$$

> L20 := GETAP2getalist(GP20);

$$L20 := [[21, 4, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (100)$$

> r20 := getaprodcuspORDS(L20, CW63[1], CW63[2])

$$r20 := [-8, 1, 1, 0, 1, 1, 0, -1, 1, -1, 1, 1, 0, 1, -1, 0, 1, 1, -1, 1, 1, -3, 1, 1, 0, 1, 1, -1, -1, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, 5, 5, 5, -1, 10, -1, 5, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, -1, 2, 2, -1, -8, -1, 9, -3, -3, -3, 16, 5, 2, -3, 5, 17, -1, -1, -8, -1, 13, 2, 2, 12, -1, 10, 0, 5, 13, -6, 5, -3, 5, 0, -5, -8, -15, -30, -36] \quad (101)$$

> M21 := q^2 * B4 * C0^2 * S0 * V0 * V2;

$$M21 := (q^2 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (102)$$

> GP21 := jac2eprod(M21 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP21 := \frac{1}{GETA(7,1)^2 GETA(7,3) GETA(63,2)^6} (GETA(21,3) GETA(21,8)^2 GETA(7,2)^2 GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (103)$$

> L21 := GETAP2getalist(GP21);

$$L21 := [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \quad (104)$$

$$\begin{aligned} &> \text{r21} := \text{getaprodcuspORDS}(L21, CW63[1], CW63[2]) \\ r21 &:= [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, \\ &0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6, \\ &2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13, \\ &-1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38] \end{aligned} \quad (105)$$

$$\begin{aligned} &> M22 := q^2 * B4 * C0^2 * S0 * V1^2; \\ M22 &:= \frac{q^2 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \end{aligned} \quad (106)$$

$$\begin{aligned} &> GP22 := \text{jac2eprod}(M2 * q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ GP22 &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \left(\text{GETA}(9, 2) \text{GETA}(9, 4) \text{GETA}(21, \right. \\ &8) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(21, 9) \text{GETA}(63, 1)^4 \left. \right) \end{aligned} \quad (107)$$

$$\begin{aligned} &> L22 := \text{GETAP2getalist}(GP2); \\ L22 &:= [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (108)$$

$$\begin{aligned} &> r22 := \text{getaprodcuspORDS}(L2, CW63[1], CW63[2]) \\ r22 &:= [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, \\ &0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6, \\ &2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13, \\ &-1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38] \end{aligned} \quad (109)$$

$$\begin{aligned} &> M23 := q^2 * B4 * C0 * C1 * S0 * V0 * V1; \\ M23 &:= \left(q^2 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \right. \\ &\infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \left. \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \right. \\ &\infty) JAC(0, 9, \infty)^2 \left. \right) \end{aligned} \quad (110)$$

$$\begin{aligned} &> GP23 := \text{jac2eprod}(M2 * q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\ GP23 &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} \left(\text{GETA}(9, 2) \text{GETA}(9, 4) \text{GETA}(21, \right. \\ &8) \text{GETA}(21, 6) \text{GETA}(7, 2) \text{GETA}(21, 9) \text{GETA}(63, 1)^4 \left. \right) \end{aligned} \quad (111)$$

$$\begin{aligned} &> L23 := \text{GETAP2getalist}(GP2); \\ L23 &:= [[9, 2, 1], [9, 4, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [21, 9, 1], [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (112)$$

$$> r23 := \text{getaprodcuspORDS}(L2, CW63[1], CW63[2])$$

$$r23 := [-9, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, -6, 1, 1, 0, 1, 1, -1, 2, 1, \quad (113)$$

$$0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 2, 2, 2, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 5, -1, -3, 6,$$

$$2, 2, 2, -1, -2, -1, 11, -3, -3, -9, 14, 2, 2, -9, 2, 15, 2, -1, -2, 2, 15, 5, 2, 13,$$

$$-1, 4, 0, 2, 11, 0, 7, -6, 4, -1, -3, -10, -14, -28, -38]$$

>

$$> M24 := q^3 \cdot A0 \cdot C0 \cdot C1 \cdot S4 \cdot V2^2;$$

$$M24 := (q^3 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \quad (114)$$

$$\infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$$

$$> GP24 := jac2eprod(M24 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP24 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 9) GETA(21, \quad (115)$$

$$8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 1)^2 GETA(63, 1)^4)$$

$$> L24 := GETAP2getalist(GP24);$$

$$L24 := [[21, 9, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, \quad (116)$$

$$4], [63, 2, -6]]$$

$$> r24 := getaprodcuspORDS(L24, CW63[1], CW63[2])$$

$$r24 := [-7, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, 11, 1, 0, \quad (117)$$

$$1, 0, -3, 2, 0, 0, 2, -4, 0, -7, -7, -7, -8, 1, -8, 1, 0, -3, -8, 0, -3, -8, 5, -8,$$

$$-3, 5, 11, 2, 2, 6, 1, 6, 13, -3, -3, -12, 14, -7, 2, -12, -7, 14, 11, -8, 1, 11, 15, 5,$$

$$2, 13, 6, 1, 0, -7, 11, 0, 8, -3, 5, -1, -4, -11, -13, -27, -40]$$

>

$$> M25 := q^3 \cdot A0 \cdot C0 \cdot C6 \cdot S1 \cdot V0 \cdot V2;$$

$$M25 := (q^3 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \quad (118)$$

$$\infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7,$$

$$\infty) JAC(0, 9, \infty)^2)$$

$$> GP25 := jac2eprod(M25 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP25 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(21, 9) GETA(21, 8) GETA(21, \quad (119)$$

$$1) GETA(7, 2) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)$$

$$> L25 := GETAP2getalist(GP25);$$

$$L25 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], \quad (120)$$

$$[63, 1, 4], [63, 2, -6]]$$

$$> r25 := getaprodcuspORDS(L25, CW63[1], CW63[2])$$

$$r25 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, \quad (121)$$

$$2, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, 2, 2, 2, -6, 3, -6, 2, -1, -3, -6, -1, -3,$$

−6, 7, −6, −3, 6, 2, 4, 4, 1, −3, 1, 11, −3, −3, −13, 13, 2, 4, −13, 2, 14, 2, −6, −3,
2, 14, 7, 4, 14, 1, 3, −1, 2, 11, 5, 9, −1, 6, 0, −2, −10, −13, −28, −40]

>

> **M26** := $q^3 \cdot A0 \cdot C0 \cdot C6 \cdot S1 \cdot V1^2$;

$$M26 := \left(q^3 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (122)$$

> **GP26** := jac2eprod(**M26**· $q^{(-421/126)}$) * **GETA**(63, 1)^(4) * **GETA**(63, 2)^(−6);

$$GP26 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \left(GETA(21, 9) GETA(21, 8) GETA(21, 1) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4 \right) \quad (123)$$

> **L26** := **GETAP2getalist**(**GP26**);

$$L26 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (124)$$

> **r26** := **getaprodcuspORDS**(**L26**, **CW63**[1], **CW63**[2])

$$r26 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, 2, 2, 2, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 2, -3, -3, 1, -3, 1, 11, -3, -3, -13, 13, 2, -3, -13, 2, 13, 2, 1, -3, 2, 15, 7, -3, 13, 1, 3, -1, 2, 11, 5, 9, -1, 5, 1, -1, -11, -13, -29, -39] \quad (125)$$

> **M27** := $q^3 \cdot A0 \cdot C1 \cdot C6 \cdot S1 \cdot V0 \cdot V1$;

$$M27 := \left(q^3 JAC(9, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \quad (126)$$

> **GP27** := jac2eprod(**M27**· $q^{(-421/126)}$) * **GETA**(63, 1)^(4) * **GETA**(63, 2)^(−6);

$$GP27 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \left(GETA(21, 9) GETA(21, 6) GETA(21, 1) GETA(7, 2) GETA(9, 4) GETA(9, 2) GETA(63, 1)^4 \right) \quad (127)$$

> **L27** := **GETAP2getalist**(**GP27**);

$$L27 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (128)$$

> **r27** := **getaprodcuspORDS**(**L27**, **CW63**[1], **CW63**[2])

$$r27 := [-7, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 2, 1, 0, 1, 0, -3, 2, 0, 3, 2, -3, 0, 2, 2, 2, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, 2, 2, 2, -1, -8, -1, 9, -3, -3, -12, 13, 2, 2, -12, 2, 14, 2, -1, -8, 2, 13, 2, 2, 12, -1, 7, 0, 2, 12, 3, 8, 0, 6, 1, -2, -9, -15, -30, -39] \quad (129)$$

> **M28** := $q^3 \cdot A2 \cdot C0 \cdot C1 \cdot S4 \cdot V0 \cdot V2$;

$$M28 := \left(q^3 JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (130)$$

$$> GP28 := jac2eprod(M28 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP28 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \left(GETA(21, 5) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4 \right) \quad (131)$$

$$> L28 := GETAP2getalist(GP28);$$

$$L28 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (132)$$

$$> r28 := getaprodcuspORDS(L28, CW63[1], CW63[2])$$

$$r28 := [-7, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, -7, -7, -7, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 11, 4, 4, 1, 6, 1, 14, -3, -3, -13, 13, -7, 4, -13, -7, 14, 11, -6, 6, 11, 17, 4, 4, 13, 1, 6, -1, -7, 12, -4, 6, -1, 6, 0, -5, -9, -14, -25, -40] \quad (133)$$

>

$$> M29 := q^3 \cdot A2 * C0 * C1 * S4 * V1^2;$$

$$M29 := \left(q^3 JAC(5, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (134)$$

$$> GP29 := jac2eprod(M29 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP29 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} \left(GETA(21, 5) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4 \right) \quad (135)$$

$$> L29 := GETAP2getalist(GP29);$$

$$L29 := [[21, 5, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (136)$$

$$> r29 := getaprodcuspORDS(L29, CW63[1], CW63[2])$$

$$r29 := [-7, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, -7, -7, -7, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 11, -3, -3, 1, 6, 1, 14, -3, -3, -13, 13, -7, -3, -13, -7, 13, 11, 1, 6, 11, 18, 4, -3, 12, 1, 6, -1, -7, 12, -4, 6, -1, 5, 1, -4, -10, -14, -26, -39] \quad (137)$$

>

$$> M30 := q^3 \cdot A2 * C1^2 * S1 * V2^2;$$

$$M30 := \frac{q^3 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (138)$$

> GP30 := jac2eprod(M30·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP30 := \frac{GETA(21, 5) GETA(21, 6)^2 GETA(7, 2) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (139)$$

> L30 := GETAP2getalist(GP30);

$$L30 := [[21, 5, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (140)$$

> r30 := getaprodcuspORDS(L30, CW63[1], CW63[2])

$$r30 := [-7, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, 2, 2, 2, -8, 13, -8, 5, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, 2, 2, 2, 6, -2, 6, 12, -3, -3, -9, 15, 2, 2, -9, 2, 15, 2, -8, -2, 2, 14, -1, 2, 11, 6, 13, 0, 2, 15, -6, 6, -3, 5, -1, -6, -7, -15, -28, -39] \quad (141)$$

> M31 := q³ * A2 * C1² * S4 * V0 * V1;

$$M31 := (q^3 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (142)$$

> GP31 := jac2eprod(M31·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP31 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 5) GETA(21, 6)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4) \quad (143)$$

> L31 := GETAP2getalist(GP31);

$$L31 := [[21, 5, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (144)$$

> r31 := getaprodcuspORDS(L31, CW63[1], CW63[2])

$$r31 := [-7, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 11, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, -7, -7, -7, -1, 10, -1, 5, 0, -3, -1, 0, -3, -1, -1, -1, -3, 4, 11, 2, 2, -1, 1, -1, 12, -3, -3, -12, 13, -7, 2, -12, -7, 14, 11, -1, 1, 11, 16, -1, 2, 11, -1, 10, 0, -7, 13, -6, 5, 0, 6, 1, -5, -8, -16, -27, -39] \quad (145)$$

> M32 := q³ * A5 * C0 * C1 * S1 * V0 * V2;

$$M32 := (q^3 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (146)$$

> GP32 := jac2eprod(M32·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾

-6);

$$GP32 := \frac{1}{GETA(7,1) GETA(7,3) GETA(63,2)^6} (GETA(21,2) GETA(21,8) GETA(21,6) GETA(7,2) GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (147)$$

> L32 := GETAP2getalist(GP32);

$$L32 := [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (148)$$

> r32 := getaprodcuspORDS(L32, CW63[1], CW63[2])

$$r32 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, 2, 2, 2, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 2, 4, 4, 1, 0, 1, 12, -3, -3, -4, 16, 2, 4, -4, 2, 17, 2, -6, 0, 2, 15, 1, 4, 12, 1, 3, -1, 2, 11, -1, 7, -1, 6, 0, -4, -10, -15, -27, -37] \quad (149)$$

>

> M33 := q^3 * A5 * C0 * C1 * S1 * V1^2;

$$M33 := (q^3 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (150)$$

> GP33 := jac2eprod(M33*q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP33 := \frac{1}{GETA(7,1) GETA(7,3) GETA(63,2)^6} (GETA(21,2) GETA(21,8) GETA(21,6) GETA(7,2) GETA(9,2)^2 GETA(63,1)^4) \quad (151)$$

> L33 := GETAP2getalist(GP33);

$$L33 := [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (152)$$

> r33 := getaprodcuspORDS(L33, CW63[1], CW63[2])

$$r33 := [-7, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, 2, 2, 2, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 2, -3, -3, 1, 0, 1, 12, -3, -3, -4, 16, 2, -3, -4, 2, 16, 2, 1, 0, 2, 16, 1, -3, 11, 1, 3, -1, 2, 11, -1, 7, -1, 5, 1, -3, -11, -15, -28, -36] \quad (153)$$

>

> M34 := q^3 * A5 * C1^2 * S1 * V0 * V1;

$$M34 := (q^3 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (154)$$

> GP34 := jac2eprod(M34*q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP34 := \frac{1}{GETA(7,1) GETA(7,3) GETA(63,2)^6} (GETA(21,2) GETA(21,6)^2 GETA(7, \quad (155)$$

$$2) \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4)$$

> **L34 := GETAP2getalist(GP34);**

$$L34 := [[21, 2, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (156)$$

> **r34 := getaprodcuspORDS(L34, CW63[1], CW63[2])**

$$r34 := [-7, 1, 1, 0, 1, 1, 0, 2, 1, -1, 1, 1, 0, 1, 2, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 2, 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, 2, 2, 2, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, -4, -1, -3, 3, 2, 2, 2, -1, -5, -1, 10, -3, -3, -3, 16, 2, 2, -3, 2, 17, 2, -1, -5, 2, 14, -4, 2, 10, -1, 7, 0, 2, 12, -3, 6, 0, 6, 1, -4, -9, -17, -29, -36] \quad (157)$$

> **M35 := q³ * B0 * C1^2 * S3 * V2^2;**

$$M35 := \frac{q^3 \text{JAC}(10, 21, \infty) \text{JAC}(6, 21, \infty)^2 \text{JAC}(1, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(1, 9, \infty)^2}{\text{JAC}(0, 21, \infty)^3 \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2} \quad (158)$$

> **GP35 := jac2eprod(M35 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP35 := \frac{\text{GETA}(21, 10) \text{GETA}(21, 6)^2 \text{GETA}(7, 1) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (159)$$

> **L35 := GETAP2getalist(GP35);**

$$L35 := [[21, 10, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (160)$$

> **r35 := getaprodcuspORDS(L35, CW63[1], CW63[2])**

$$r35 := [-7, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -8, 10, -8, 4, 0, -3, -8, 0, -3, -8, -4, -8, -3, 2, 8, 2, 2, 6, -2, 6, 12, -3, -3, -9, 15, -4, 2, -9, -4, 15, 8, -8, -2, 8, 14, -4, 2, 10, 6, 10, 0, -4, 14, 0, 8, -3, 5, -1, -4, -8, -16, -28, -39] \quad (161)$$

> **M36 := q³ * B0 * C1 * C6 * S0 * V0 * V2;**

$$M36 := (q^3 \text{JAC}(10, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(1, 21, \infty) \text{JAC}(2, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(1, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty)^2 \text{JAC}(3, 7, \infty) \text{JAC}(0, 9, \infty)^2) \quad (162)$$

> **GP36 := jac2eprod(M36 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP36 := \frac{1}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 10) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2)^2 \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \quad (163)$$

> **L36 := GETAP2getalist(GP36);**

$$L36 := [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (164)$$

```

> r36 := getaprodCUSPORDS(L36, CW63[1], CW63[2])
r36 := [-7, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -1, 1, 1, -1, 1,
1, 1, -1, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, 5, 5, 5, -6, 12, -6, 5, -1, -3, -6,
-1, -3, -6, -2, -6, -3, 3, -1, 4, 4, 1, -6, 1, 10, -3, -3, -10, 14, 5, 4, -10, 5,
15, -1, -6, -6, -1, 13, -2, 4, 11, 1, 12, -1, 5, 14, 5, 9, -1, 6, 0, -2, -7, -16,
-29, -39]

```

```

> M37 := q^3 * B0 * C1 * C6 * S0 * V1^2;
M37 := (q^3 JAC(10, 21, infinity) JAC(6, 21, infinity) JAC(1, 21, infinity) JAC(2, 7, infinity)^2 JAC(0, 7,
infinity) JAC(2, 9, infinity)^2) / (JAC(0, 21, infinity)^3 JAC(1, 7, infinity)^2 JAC(3, 7, infinity) JAC(0, 9, infinity)^2)

```

```

> GP37 := jac2eprod(M37 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP37 := 1 / (GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6 (GETA(21, 10) GETA(21,
6) GETA(21, 1) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4))

```

```

> L37 := GETAP2getalist(GP37);
L37 := [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1,
4], [63, 2, -6]]

```

```

> r37 := getaprodCUSPORDS(L37, CW63[1], CW63[2])
r37 := [-7, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, -1, 1, 1, -1, 1,
1, 1, -1, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, 5, 5, 5, 1, 12, 1, 6, -1, -3, 1,
-1, -3, 1, -2, 1, -3, 4, -1, -3, -3, 1, -6, 1, 10, -3, -3, -10, 14, 5, -3, -10, 5,
14, -1, 1, -6, -1, 14, -2, -3, 10, 1, 12, -1, 5, 14, 5, 9, -1, 5, 1, -1, -8, -16,
-30, -38]

```

```

>
> M38 := q^3 * B3 * C0 * C1 * S3 * V0 * V2;
M38 := (q^3 JAC(4, 21, infinity) JAC(8, 21, infinity) JAC(6, 21, infinity) JAC(1, 7, infinity) JAC(0, 7,
infinity) JAC(4, 9, infinity) JAC(1, 9, infinity)) / (JAC(0, 21, infinity)^3 JAC(3, 7, infinity)^2 JAC(0, 9, infinity)^2)

```

```

> GP38 := jac2eprod(M38 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP38 := 1 / (GETA(7, 3)^2 GETA(63, 2)^6 (GETA(21, 4) GETA(21, 8) GETA(21,
6) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4))

```

```

> L38 := GETAP2getalist(GP38);
L38 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4],
[63, 2, -6]]

```

```

> r38 := getaprodCUSPORDS(L38, CW63[1], CW63[2])
r38 := [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1,

```

8, 1, -1, 1, -1, -3, 4, -1, -4, 4, -5, -1, -4, -4, -4, -6, 3, -6, 2, -1, -3, -6,
-1, -3, -6, 7, -6, -3, 6, 8, 4, 4, 1, 0, 1, 12, -3, -3, -7, 15, -4, 4, -7, -4, 16, 8,
-6, 0, 8, 15, 7, 4, 14, 1, 3, -1, -4, 11, -4, 6, -1, 6, 0, -5, -10, -13, -27, -38]

>

> **M39 := q³ * B3 * C0 * C1 * S3 * V1^2;**

$$M39 := \left(q^3 JAC(4, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (174)$$

> **GP39 := jac2eprod(M39 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP39 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} \left(GETA(21, 4) GETA(21, 8) GETA(21, 6) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4 \right) \quad (175)$$

> **L39 := GETAP2getalist(GP39);**

$$L39 := [[21, 4, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (176)$$

> **r39 := getaprodcuspORDS(L39, CW63[1], CW63[2])**

$$r39 := [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, -4, -3, -6, -1, -4, -4, -4, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 8, -3, -3, 1, 0, 1, 12, -3, -3, -7, 15, -4, -3, -7, -4, 15, 8, 1, 0, 8, 16, 7, -3, 13, 1, 3, -1, -4, 11, -4, 6, -1, 5, 1, -4, -11, -13, -28, -37] \quad (177)$$

>

> **M40 := q³ * B3 * C1^2 * S0 * V2^2;**

$$M40 := \frac{q^3 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (178)$$

> **GP40 := jac2eprod(M40 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP40 := \frac{GETA(21, 4) GETA(21, 6)^2 GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} \quad (179)$$

> **L40 := GETAP2getalist(GP40);**

$$L40 := [[21, 4, 1], [21, 6, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (180)$$

> **r40 := getaprodcuspORDS(L40, CW63[1], CW63[2])**

$$r40 := [-7, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, 5, 5, 5, -8, 10, -8, 4, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, -1, 2, 2, 6, -8, 6, 10, -3, -3, -3, 17, 5, 2, -3, 5, 17, -1, -8, -8, -1, 12, 2, 2, 12, 6, 10, 0, 5, 14, -6, 6, -3, 5, -1, -6, -8, -14, -30, -37] \quad (181)$$

>

$$\begin{aligned}
&> \text{M41} := q^3 * B3 * C1^2 * S3 * V0 * V1; \\
\text{M41} &:= \left(q^3 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (182)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP41} := \text{jac2eprod}(\text{M41} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP41} &:= \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 4) \text{GETA}(21, 6)^2 \text{GETA}(7, 1) \text{GETA}(9, \right. \\
&\quad \left. 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4 \right) \quad (183)
\end{aligned}$$

$$\begin{aligned}
&> \text{L41} := \text{GETAP2getalist}(\text{GP41}); \\
\text{L41} &:= [[21, 4, 1], [21, 6, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, \\
&\quad -6]] \quad (184)
\end{aligned}$$

$$\begin{aligned}
&> \text{r41} := \text{getaprodcuspORDS}(\text{L41}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r41} &:= [-7, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 8, 1, 0, \\
&\quad 1, 0, -3, 2, 0, -6, 2, -6, 0, -4, -4, -4, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, 2, -1, \\
&\quad -3, 5, 8, 2, 2, -1, -5, -1, 10, -3, -3, -6, 15, -4, 2, -6, -4, 16, 8, -1, -5, 8, 14, \\
&\quad 2, 2, 12, -1, 7, 0, -4, 12, -6, 5, 0, 6, 1, -5, -9, -15, -29, -37] \quad (185)
\end{aligned}$$

$$\begin{aligned}
&> \text{M42} := q^3 * B4 * C0^2 * S3 * V0 * V2; \\
\text{M42} &:= \left(q^3 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right) \quad (186)
\end{aligned}$$

$$\begin{aligned}
&> \text{GP42} := \text{jac2eprod}(\text{M42} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP42} &:= \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 3) \text{GETA}(21, 8)^2 \text{GETA}(7, 1) \text{GETA}(9, \right. \\
&\quad \left. 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4 \right) \quad (187)
\end{aligned}$$

$$\begin{aligned}
&> \text{L42} := \text{GETAP2getalist}(\text{GP42}); \\
\text{L42} &:= [[21, 3, 1], [21, 8, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, \\
&\quad -6]] \quad (188)
\end{aligned}$$

$$\begin{aligned}
&> \text{r42} := \text{getaprodcuspORDS}(\text{L42}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r42} &:= [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, \\
&\quad 8, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -4, -4, -4, -6, -3, -6, 0, -1, -3, \\
&\quad -6, -1, -3, -6, 7, -6, -3, 6, 8, 4, 4, 1, 9, 1, 15, -3, -3, -13, 13, -4, 4, -13, -4, \\
&\quad 14, 8, -6, 9, 8, 18, 7, 4, 14, 1, -3, -1, -4, 9, -1, 7, -1, 6, 0, -4, -12, -13, -24, \\
&\quad -40] \quad (189)
\end{aligned}$$

$$\begin{aligned}
&> \text{M43} := q^3 * B4 * C0^2 * S3 * V1^2; \\
&\quad \quad \quad (190)
\end{aligned}$$

$$M43 := \frac{q^3 JAC(3, 21, \infty) JAC(8, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (190)$$

> GP43 := jac2eprod(M43·q^(−421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(−6);

$$GP43 := \frac{GETA(21, 3) GETA(21, 8)^2 GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \quad (191)$$

> L43 := GETAP2getalist(GP43);

$$L43 := [[21, 3, 1], [21, 8, 2], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (192)$$

> r43 := getaprodcuspORDS(L43, CW63[1], CW63[2])

$$r43 := [-7, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, -1, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -4, -4, -4, 1, -3, 1, 1, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 8, -3, -3, 1, 9, 1, 15, -3, -3, -13, 13, -4, -3, -13, -4, 13, 8, 1, 9, 8, 19, 7, -3, 13, 1, -3, -1, -4, 9, -1, 7, -1, 5, 1, -3, -13, -13, -25, -39] \quad (193)$$

>

> M44 := q³ * B4 * C0 * C1 * S0 * V2^2 ;

$$M44 := (q^3 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (194)$$

> GP44 := jac2eprod(M44·q^(−421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(−6);

$$GP44 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21, 6) GETA(7, 2)^2 GETA(9, 1)^2 GETA(63, 1)^4) \quad (195)$$

> L44 := GETAP2getalist(GP44);

$$L44 := [[21, 3, 1], [21, 8, 1], [21, 6, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (196)$$

> r44 := getaprodcuspORDS(L44, CW63[1], CW63[2])

$$r44 := [-7, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, -3, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, 5, 5, 5, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, -1, 2, 2, 6, 1, 6, 13, -3, -3, -9, 15, 5, 2, -9, 5, 15, -1, -8, 1, -1, 15, 2, 2, 12, 6, 4, 0, 5, 12, -3, 7, -3, 5, -1, -5, -10, -14, -27, -39] \quad (197)$$

>

> M45 := q³ * B4 * C0 * C1 * S3 * V0 * V1;

$$M45 := (q^3 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (198)$$

> GP45 := jac2eprod(M45·q^(−421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(−6);

$$GP45 := \frac{1}{GETA(7,3)^2 GETA(63,2)^6} (GETA(21,3) GETA(21,8) GETA(21,6) GETA(7,1) GETA(9,4) GETA(9,2) GETA(63,1)^4) \quad (199)$$

> **L45 := GETAP2getalist(GP45);**
 $L45 := [[21, 3, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (200)$

> **r45 := getaprodcuspORDS(L45, CW63[1], CW63[2])**
 $r45 := [-7, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, 0, 1, 1, 0, 1, 1, -1, 8, 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, -4, -4, -4, -1, 1, -1, 2, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, 8, 2, 2, -1, 4, -1, 13, -3, -3, -12, 13, -4, 2, -12, -4, 14, 8, -1, 4, 8, 17, 2, 2, 12, -1, 1, 0, -4, 10, -3, 6, 0, 6, 1, -4, -11, -15, -26, -39] \quad (201)$

> **M46 := q⁴ * A0 * C0 * C6 * S4 * V0 * V2;**
 $M46 := (q^4 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (202)$

> **GP46 := jac2eprod(M46·q⁴ * A0 * C0 * C6 * S4 * V0 * V2) * GETA(63, 1)⁴ * GETA(63, 2)⁽⁻⁶⁾;**
 $GP46 := \frac{1}{GETA(7,2) GETA(7,3)^2 GETA(63,2)^6} (GETA(21,9) GETA(21,8) GETA(21,1) GETA(7,1)^2 GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (203)$

> **L46 := GETAP2getalist(GP46);**
 $L46 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (204)$

> **r46 := getaprodcuspORDS(L46, CW63[1], CW63[2])**
 $r46 := [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, -7, -7, -7, -6, 0, -6, 1, -1, -3, -6, -1, -3, -6, 7, -6, -3, 6, 11, 4, 4, 1, 0, 1, 12, -3, -3, -16, 12, -7, 4, -16, -7, 13, 11, -6, 0, 11, 15, 7, 4, 14, 1, 0, -1, -7, 10, 5, 9, 2, 7, 1, -2, -11, -13, -27, -41] \quad (205)$

> **M47 := q⁴ * A0 * C0 * C6 * S4 * V1²;**
 $M47 := (q^4 JAC(9, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (206)$

> **GP47 := jac2eprod(M47·q⁴ * A0 * C0 * C6 * S4 * V1²) * GETA(63, 1)⁴ * GETA(63, 2)⁽⁻⁶⁾;**
 $GP47 := \frac{1}{GETA(7,2) GETA(7,3)^2 GETA(63,2)^6} (GETA(21,9) GETA(21,8) GETA(21,1) GETA(7,1)^2 GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (207)$

$$8) \text{GETA}(21, 1) \text{GETA}(7, 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4)$$

> **L47 := GETAP2getalist(GP47);**

$$L47 := [[21, 9, 1], [21, 8, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (208)$$

> **r47 := getaprodcuspORDS(L47, CW63[1], CW63[2])**

$$r47 := [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, -7, -7, -7, 1, 0, 1, 2, -1, -3, 1, -1, -3, 1, 7, 1, -3, 7, 11, -3, -3, 1, 0, 1, 12, -3, -3, -16, 12, -7, -3, -16, -7, 12, 11, 1, 0, 11, 16, 7, -3, 13, 1, 0, -1, -7, 10, 5, 9, 2, 6, 2, -1, -12, -13, -28, -40] \quad (209)$$

>

> **M48 := q⁴ * A0 * C1 * C6 * S1 * V2^2;**

$$M48 := (q^4 \text{JAC}(9, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(1, 21, \infty) \text{JAC}(2, 7, \infty) \text{JAC}(0, 7, \infty) \text{JAC}(1, 9, \infty)^2) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(1, 7, \infty) \text{JAC}(3, 7, \infty) \text{JAC}(0, 9, \infty)^2) \quad (210)$$

> **GP48 := jac2eprod(M48 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(**

$$GP48 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 9) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4) \quad (211)$$

> **L48 := GETAP2getalist(GP48);**

$$L48 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (212)$$

> **r48 := getaprodcuspORDS(L48, CW63[1], CW63[2])**

$$r48 := [-6, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, -3, 2, 0, 3, 2, -3, 0, 2, 2, 2, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, 2, 2, 2, 6, -8, 6, 10, -3, -3, -12, 14, 2, 2, -12, 2, 14, 2, -8, -8, 2, 12, 2, 2, 12, 6, 7, 0, 2, 13, 3, 9, 0, 6, 0, -3, -9, -14, -30, -40] \quad (213)$$

>

> **M49 := q⁴ * A0 * C1 * C6 * S4 * V0 * V1;**

$$M49 := (q^4 \text{JAC}(9, 21, \infty) \text{JAC}(6, 21, \infty) \text{JAC}(1, 21, \infty) \text{JAC}(1, 7, \infty)^2 \text{JAC}(0, 7, \infty) \text{JAC}(4, 9, \infty) \text{JAC}(2, 9, \infty)) / (\text{JAC}(0, 21, \infty)^3 \text{JAC}(2, 7, \infty) \text{JAC}(3, 7, \infty)^2 \text{JAC}(0, 9, \infty)^2) \quad (214)$$

> **GP49 := jac2eprod(M49 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(**

$$GP49 := \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} (\text{GETA}(21, 9) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 1)^2 \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4) \quad (215)$$

> **L49 := GETAP2getalist(GP49);**

$$L49 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]] \quad (216)$$

$$> r49 := \text{getaprodcuspORDS}(L49, CW63[1], CW63[2])$$

$$r49 := [-6, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, 3, 1, 1, 0, 1, 1, -1, 11, 1, 0, 1, 0, -3, 2, 0, 3, 2, -3, 0, -7, -7, -7, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, 2, -1, -3, 5, 11, 2, 2, -1, -5, -1, 10, -3, -3, -15, 12, -7, 2, -15, -7, 13, 11, -1, -5, 11, 14, 2, 2, 12, -1, 4, 0, -7, 11, 3, 8, 3, 7, 2, -2, -10, -15, -29, -40] \quad (217)$$

>

$$> M50 := q^4 * A2 * C1^2 * S4 * V2^2;$$

$$M50 := \frac{q^4 JAC(5, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (218)$$

$$> GP50 := \text{jac2eprod}(M50 \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)};$$

$$GP50 := \frac{\text{GETA}(21, 5) \text{GETA}(21, 6)^2 \text{GETA}(7, 1)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (219)$$

$$> L50 := \text{GETAP2getalist}(GP50);$$

$$L50 := [[21, 5, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (220)$$

$$> r50 := \text{getaprodcuspORDS}(L50, CW63[1], CW63[2])$$

$$r50 := [-6, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 11, 1, 0, 1, 0, -3, 2, 0, -6, 2, -6, 0, -7, -7, -7, -8, 10, -8, 4, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, 11, 2, 2, 6, 1, 6, 13, -3, -3, -12, 14, -7, 2, -12, -7, 14, 11, -8, 1, 11, 15, -1, 2, 11, 6, 10, 0, -7, 14, -6, 6, 0, 6, 0, -6, -8, -15, -27, -40] \quad (221)$$

>

$$> M51 := q^4 * A2 * C1 * C6 * S1 * V0 * V2;$$

$$M51 := (q^4 JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (222)$$

$$> GP51 := \text{jac2eprod}(M51 \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)};$$

$$GP51 := \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 5) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \quad (223)$$

$$> L51 := \text{GETAP2getalist}(GP51);$$

$$L51 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (224)$$

$$> r51 := \text{getaprodcuspORDS}(L51, CW63[1], CW63[2])$$

(225)

$$r5I := [-6, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, \quad (225)$$

$$1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, 2, 2, 2, -6, 12, -6, 5, -1, -3, -6, -1,$$

$$-3, -6, 1, -6, -3, 4, 2, 4, 4, 1, -3, 1, 11, -3, -3, -13, 13, 2, 4, -13, 2, 14, 2, -6,$$

$$-3, 2, 14, 1, 4, 12, 1, 12, -1, 2, 14, -1, 7, 2, 7, 1, -4, -7, -15, -28, -40]$$

$$\begin{aligned} & \textcolor{red}{> M52 := q^4 * A2 * C1 * C6 * S1 * V1^2 ;} \\ M52 &:= \left(q^4 JAC(5, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \right. \\ & \quad \left. \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right) \end{aligned} \quad (226)$$

$$GP52 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6 (GETA(21, 5) GETA(21, 6) GETA(21, 1) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4)} (GETA(63, 1)^4 * GETA(63, 2)^{-6}); \quad (227)$$

$$\begin{aligned} & \text{L52} := \text{GETAP2getalist}(\text{GP52}); \\ & \text{L52} := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, \\ & \quad 4], [63, 2, -6]] \end{aligned} \quad (228)$$

$$r52 := [-6, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 2, 1, 1, -1, 1, 1, -1, -1, -3, -3, -1, -1, -3, -5, -1, 2, 2, 2, 1, 12, 1, 6, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, 2, -3, -3, 1, -3, 1, 11, -3, -3, -13, 13, 2, -3, -13, 2, 13, 2, 1, -3, 2, 15, 1, -3, 11, 1, 12, -1, 2, 14, -1, 7, 2, 6, 2, -3, -8, -15, -29, -39] \quad (229)$$

$$\begin{aligned}
& \textcolor{red}{M53} := \textcolor{red}{q}^4 * \textcolor{red}{A5} * \textcolor{red}{C0} * \textcolor{red}{C1} * \textcolor{red}{S4} * \textcolor{red}{V0} * \textcolor{red}{V2}; \\
M53 &:= \left(q^4 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \right. \\
& \quad \left. \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \right. \\
& \quad \left. \infty)^2 JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{230}$$

$$GP53 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 2) GETA(21, 8) GETA(21, 6) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (231)$$

$$L53 := \begin{bmatrix} [21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], \\ [63, 1, 4], [63, 2, -6] \end{bmatrix} \quad (232)$$

$$\begin{aligned} & \text{r53} := \text{getaprodCUSPORDS}(\text{L53}, \text{CW63}[1], \text{CW63}[2]) \\ \text{r53} &:= [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, \\ & 11, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -7, -7, -7, -6, 0, -6, 1, -1, -3, \end{aligned} \quad (233)$$

$-6, -1, -3, -6, 1, -6, -3, 4, 11, 4, 4, 1, 3, 1, 13, -3, -3, -7, 15, -7, 4, -7, -7,$
 $16, 11, -6, 3, 11, 16, 1, 4, 12, 1, 0, -1, -7, 10, -1, 7, 2, 7, 1, -4, -11, -15, -26,$
 $-38]$

$$\begin{aligned}
 &> \text{M54} := q^4 * A5 * C0 * C1 * S4 * V1^2; \\
 \text{M54} &:= \left(q^4 JAC(2, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \right. \\
 &\quad \left. \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right)
 \end{aligned} \tag{234}$$

$$\begin{aligned}
 &> \text{GP54} := \text{jac2eprod}(\text{M54} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
 \text{GP54} &:= \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 2) \text{GETA}(21, \right. \\
 &\quad \left. 8) \text{GETA}(21, 6) \text{GETA}(7, 1)^2 \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4 \right)
 \end{aligned} \tag{235}$$

$$\begin{aligned}
 &> \text{L54} := \text{GETAP2getalist}(\text{GP54}); \\
 \text{L54} &:= [[21, 2, 1], [21, 8, 1], [21, 6, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, \\
 &\quad 4], [63, 2, -6]]
 \end{aligned} \tag{236}$$

$$\begin{aligned}
 &> \text{r54} := \text{getaprodcuspORDS}(\text{L54}, \text{CW63}[1], \text{CW63}[2]) \\
 \text{r54} &:= [-6, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, \\
 &\quad 11, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -7, -7, -7, 1, 0, 1, 2, -1, -3, 1, \\
 &\quad -1, -3, 1, 1, 1, -3, 5, 11, -3, -3, 1, 3, 1, 13, -3, -3, -7, 15, -7, -3, -7, -7, 15, \\
 &\quad 11, 1, 3, 11, 17, 1, -3, 11, 1, 0, -1, -7, 10, -1, 7, 2, 6, 2, -3, -12, -15, -27, -37]
 \end{aligned} \tag{237}$$

$$\begin{aligned}
 &> \\
 &> \text{M55} := q^4 * A5 * C1^2 * S1 * V2^2; \\
 \text{M55} &:= \frac{q^4 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2}
 \end{aligned} \tag{238}$$

$$\begin{aligned}
 &> \text{GP55} := \text{jac2eprod}(\text{M55} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
 \text{GP55} &:= \frac{\text{GETA}(21, 2) \text{GETA}(21, 6)^2 \text{GETA}(7, 2) \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6}
 \end{aligned} \tag{239}$$

$$\begin{aligned}
 &> \text{L55} := \text{GETAP2getalist}(\text{GP55}); \\
 \text{L55} &:= [[21, 2, 1], [21, 6, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, \\
 &\quad -6]]
 \end{aligned} \tag{240}$$

$$\begin{aligned}
 &> \text{r55} := \text{getaprodcuspORDS}(\text{L55}, \text{CW63}[1], \text{CW63}[2]) \\
 \text{r55} &:= [-6, 1, 1, 0, 1, 1, 0, 2, 1, 6, 1, 1, 0, 1, 2, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 2, 1, 0, 1, 0, \\
 &\quad -3, 2, 0, -3, 2, -5, 0, 2, 2, 2, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, -4, -8, -3, 2, 2, \\
 &\quad 2, 2, 6, -5, 6, 11, -3, -3, -3, 17, 2, 2, -3, 2, 17, 2, -8, -5, 2, 13, -4, 2, 10, 6, 7, 0, \\
 &\quad 2, 13, -3, 7, 0, 6, 0, -5, -9, -16, -29, -37]
 \end{aligned} \tag{241}$$

>

$$\begin{aligned}
&> \text{M56} := q^4 * A5 * C1^2 * S4 * V0 * V1; \\
\text{M56} &:= \left(q^4 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{242}$$

$$\begin{aligned}
&> \text{GP56} := \text{jac2eprod}(\text{M56} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP56} &:= \frac{1}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 2) \text{GETA}(21, \right. \\
&\quad \left. 6)^2 \text{GETA}(7, 1)^2 \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4 \right)
\end{aligned} \tag{243}$$

$$\begin{aligned}
&> \text{L56} := \text{GETAP2getalist}(\text{GP56}); \\
\text{L56} &:= [[21, 2, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], \\
&\quad [63, 2, -6]]
\end{aligned} \tag{244}$$

$$\begin{aligned}
&> \text{r56} := \text{getaprodcuspORDS}(\text{L56}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r56} &:= [-6, 1, 1, 0, 1, 1, 0, 11, 1, -1, 1, 1, 0, 1, 11, 0, 1, 1, -1, 1, 1, 3, 1, 1, 0, 1, 1, -1, 11, \\
&\quad 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, -7, -7, -7, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, \\
&\quad -4, -1, -3, 3, 11, 2, 2, -1, -2, -1, 11, -3, -3, -6, 15, -7, 2, -6, -7, 16, 11, \\
&\quad -1, -2, 11, 15, -4, 2, 10, -1, 4, 0, -7, 11, -3, 6, 3, 7, 2, -4, -10, -17, -28, -37]
\end{aligned} \tag{245}$$

$$\begin{aligned}
&> \text{M57} := q^4 * B0 * C1 * C6 * S3 * V0 * V2; \\
\text{M57} &:= \left(q^4 JAC(10, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(4, 9, \infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{246}$$

$$\begin{aligned}
&> \text{GP57} := \text{jac2eprod}(\text{M57} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP57} &:= \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \left(\text{GETA}(21, 10) \text{GETA}(21, 6) \text{GETA}(21, \right. \\
&\quad \left. 1) \text{GETA}(7, 1) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4 \right)
\end{aligned} \tag{247}$$

$$\begin{aligned}
&> \text{L57} := \text{GETAP2getalist}(\text{GP57}); \\
\text{L57} &:= [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], \\
&\quad [63, 2, -6]]
\end{aligned} \tag{248}$$

$$\begin{aligned}
&> \text{r57} := \text{getaprodcuspORDS}(\text{L57}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r57} &:= [-6, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, 8, \\
&\quad 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, -4, -4, -4, -6, 9, -6, 4, -1, -3, -6, -1, \\
&\quad -3, -6, -2, -6, -3, 3, 8, 4, 4, 1, -3, 1, 11, -3, -3, -13, 13, -4, 4, -13, -4, 14, \\
&\quad 8, -6, -3, 8, 14, -2, 4, 11, 1, 9, -1, -4, 13, 5, 9, 2, 7, 1, -2, -8, -16, -28, -40]
\end{aligned} \tag{249}$$

$$\begin{aligned}
&> \text{M58} := q^4 * B0 * C1 * C6 * S3 * V1^2; \\
\text{M58} &:= \left(q^4 JAC(10, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \right. \\
&\quad \left. \infty) JAC(2, 9, \infty)^2 \right) / \left(JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2 \right)
\end{aligned} \tag{250}$$

> GP58 := jac2eprod(M58·q^(−421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(−6);

$$GP58 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 10) GETA(21, 6) GETA(21, 1) GETA(7, 1) GETA(9, 2)^2 GETA(63, 1)^4) \quad (251)$$

> L58 := GETAP2getalist(GP58);
L58 := [[21, 10, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, −2], [9, 2, 2], [63, 1, 4], [63, 2, −6]]

> r58 := getaprodcuspORDS(L58, CW63[1], CW63[2])
r58 := [−6, 1, 1, −1, 1, 1, −1, 8, 1, 1, 1, 1, −1, 1, 8, −1, 1, 1, 1, 1, 1, 2, 1, 1, −1, 1, 1, 1, 8, 1, −1, 1, −1, −3, −3, −1, 5, −3, −3, −1, −4, −4, −4, 1, 9, 1, 5, −1, −3, 1, −1, −3, 1, −2, 1, −3, 4, 8, −3, −3, 1, −3, 1, 11, −3, −3, −13, 13, −4, −3, −13, −4, 13, 8, 1, −3, 8, 15, −2, −3, 10, 1, 9, −1, −4, 13, 5, 9, 2, 6, 2, −1, −9, −16, −29, −39]

> M59 := q⁴ * B3 * C1^2 * S3 * V2^2 ;

$$M59 := \frac{q^4 JAC(4, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (254)$$

> GP59 := jac2eprod(M59·q^(−421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(−6);

$$GP59 := \frac{GETA(21, 4) GETA(21, 6)^2 GETA(7, 1) GETA(9, 1)^2 GETA(63, 1)^4}{GETA(7, 3)^2 GETA(63, 2)^6} \quad (255)$$

> L59 := GETAP2getalist(GP59);
L59 := [[21, 4, 1], [21, 6, 2], [7, 1, 1], [7, 3, −2], [9, 1, 2], [63, 1, 4], [63, 2, −6]]

> r59 := getaprodcuspORDS(L59, CW63[1], CW63[2])
r59 := [−6, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, −3, 2, 0, −6, 2, −6, 0, −4, −4, −4, −8, 7, −8, 3, 0, −3, −8, 0, −3, −8, 2, −8, −3, 4, 8, 2, 2, 6, −5, 6, 11, −3, −3, −6, 16, −4, 2, −6, −4, 16, 8, −8, −5, 8, 13, 2, 2, 12, 6, 7, 0, −4, 13, −6, 6, 0, 6, 0, −6, −9, −14, −29, −38]

> M60 := q⁴ * B3 * C1 * C6 * S0 * V0 * V2;

$$M60 := (q^4 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (258)$$

> GP60 := jac2eprod(M60·q^(−421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(−6);

(259)

$$GP60 := \frac{1}{GETA(7,1)^2 GETA(7,3) GETA(63,2)^6} (GETA(21,4) GETA(21,6) GETA(21,1) GETA(7,2)^2 GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (259)$$

> L60 := GETAP2getalist(GP60);

$$L60 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (260)$$

> r60 := getaprodcuspORDS(L60, CW63[1], CW63[2])

$$r60 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, -1, -3, 4, -1, -1, 4, -4, -1, 5, 5, 5, -6, 9, -6, 4, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, -1, 4, 4, 1, -9, 1, 9, -3, -3, -7, 15, 5, 4, -7, 5, 16, -1, -6, -9, -1, 12, 4, 4, 13, 1, 9, -1, 5, 13, -1, 7, 2, 7, 1, -4, -8, -14, -30, -38] \quad (261)$$

>

> M61 := q⁴ * B3 * C1 * C6 * S0 * V1^2;

$$M61 := (q^4 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (262)$$

> GP61 := jac2eprod(M61 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP61 := \frac{1}{GETA(7,1)^2 GETA(7,3) GETA(63,2)^6} (GETA(21,4) GETA(21,6) GETA(21,1) GETA(7,2)^2 GETA(9,2)^2 GETA(63,1)^4) \quad (263)$$

> L61 := GETAP2getalist(GP61);

$$L61 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (264)$$

> r61 := getaprodcuspORDS(L61, CW63[1], CW63[2])

$$r61 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, -1, -3, -3, -1, -1, -3, -5, -1, 5, 5, 5, 1, 9, 1, 5, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, -1, -3, -3, 1, -9, 1, 9, -3, -3, -7, 15, 5, -3, -7, 5, 15, -1, 1, -9, -1, 13, 4, -3, 12, 1, 9, -1, 5, 13, -1, 7, 2, 6, 2, -3, -9, -14, -31, -37] \quad (265)$$

>

> M62 := q⁴ * B4 * C0 * C1 * S3 * V2^2;

$$M62 := (q^4 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(6, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (266)$$

> GP62 := jac2eprod(M62 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);

$$GP62 := \frac{1}{GETA(7,3)^2 GETA(63,2)^6} (GETA(21,3) GETA(21,8) GETA(21,6) GETA(7,1) GETA(9,1)^2 GETA(63,1)^4) \quad (267)$$

> **L62 := GETAP2getalist(GP62);**
L62 := [[21, 3, 1], [21, 8, 1], [21, 6, 1], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] (268)

> **r62 := getaprodcuspORDS(L62, CW63[1], CW63[2])**
r62 := [-6, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, 0, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, -3, 2, 0, -3, 2, -5, 0, -4, -4, -4, -8, 1, -8, 1, 0, -3, -8, 0, -3, -8, 2, -8, -3, 4, 8, 2, 2, 6, 4, 6, 14, -3, -3, -12, 14, -4, 2, -12, -4, 14, 8, -8, 4, 8, 16, 2, 2, 12, 6, 1, 0, -4, 11, -3, 7, 0, 6, 0, -5, -11, -14, -26, -40] (269)

> **M63 := q⁴ * B4 * C0 * C6 * S0 * V0 * V2;**
M63 := (q⁴ JAC(3, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞)² JAC(0, 7, ∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(3, 7, ∞) JAC(0, 9, ∞)²) (270)

> **GP63 := jac2eprod(M63·q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**
GP63 := $\frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)$ (271)

> **L63 := GETAP2getalist(GP63);**
L63 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] (272)

> **r63 := getaprodcuspORDS(L63, CW63[1], CW63[2])**
r63 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, -1, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 5, 5, 5, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, -1, 4, 4, 1, 0, 1, 12, -3, -3, -13, 13, 5, 4, -13, 5, 14, -1, -6, 0, -1, 15, 4, 4, 13, 1, 3, -1, 5, 11, 2, 8, 2, 7, 1, -3, -10, -14, -27, -40] (273)

> **M64 := q⁴ * B4 * C0 * C6 * S0 * V1² ;**
M64 := (q⁴ JAC(3, 21, ∞) JAC(8, 21, ∞) JAC(1, 21, ∞) JAC(2, 7, ∞)² JAC(0, 7, ∞) JAC(2, 9, ∞)²) / (JAC(0, 21, ∞)³ JAC(1, 7, ∞)² JAC(3, 7, ∞) JAC(0, 9, ∞)²) (274)

> **GP64 := jac2eprod(M64·q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**
GP64 := $\frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 3) GETA(21, 8) GETA(21, 1) GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4)$ (275)

> **L64 := GETAP2getalist(GP64);**
L64 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] (276)

4], [63, 2, -6]]

> **r64 := getaprodcuspORDS(L64, CW63[1], CW63[2])**

$r64 := [-6, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 2, 1, 1, -1, 1, 1, 1, -1, 1, 1, -1, 1, 1, -1, 1, -1, -1, -3, -3, -1, 2, -3, -4, -1, 5, 5, 5, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, -1, -3, -3, 1, 0, 1, 12, -3, -3, -13, 13, 5, -3, -13, 5, 13, -1, 1, 0, -1, 16, 4, -3, 12, 1, 3, -1, 5, 11, 2, 8, 2, 6, 2, -2, -11, -14, -28, -39]$ (277)

> **M65 := q⁴ * B4 * C1 * C6 * S0 * V0 * V1;**

$M65 := (q^4 JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$ (278)

> **GP65 := jac2eprod(M65 * q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$GP65 := \frac{1}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} (GETA(21, 3) GETA(21, 6) GETA(21, 1) GETA(7, 2)^2 GETA(9, 4) GETA(9, 2) GETA(63, 1)^4)$ (279)

> **L65 := GETAP2getalist(GP65);**

$L65 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 2, 1], [63, 1, 4], [63, 2, -6]]$ (280)

> **r65 := getaprodcuspORDS(L65, CW63[1], CW63[2])**

$r65 := [-6, 1, 1, 0, 1, 1, 0, -1, 1, -1, 1, 1, 0, 1, -1, 0, 1, 1, -1, 1, 1, 3, 1, 1, 0, 1, 1, -1, -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -1, 7, -1, 4, 0, -3, -1, 0, -3, -1, -1, -1, -3, 4, -1, 2, 2, -1, -5, -1, 10, -3, -3, -12, 13, 5, 2, -12, 5, 14, -1, -1, -5, -1, 14, -1, 2, 11, -1, 7, 0, 5, 12, 0, 7, 3, 7, 2, -3, -9, -16, -29, -39]$ (281)

> **M66 := q⁵ * A0 * C1 * C6 * S4 * V2²;**

$M66 := (q^5 JAC(9, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ (282)

> **GP66 := jac2eprod(M66 * q^{-421/126}) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;**

$GP66 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 9) GETA(21, 6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 1)^2 GETA(63, 1)^4)$ (283)

> **L66 := GETAP2getalist(GP66);**

$L66 := [[21, 9, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]]$ (284)

> **r66 := getaprodcuspORDS(L66, CW63[1], CW63[2])**

(285)

$$r66 := [-5, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, 3, 1, 1, 0, 1, 1, 6, 11, 1, 0, 1, \quad (285)$$

$$0, -3, 2, 0, 3, 2, -3, 0, -7, -7, -7, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, 2, -8, -3,$$

$$4, 11, 2, 2, 6, -5, 6, 11, -3, -3, -15, 13, -7, 2, -15, -7, 13, 11, -8, -5, 11, 13, 2,$$

$$2, 12, 6, 4, 0, -7, 12, 3, 9, 3, 7, 1, -3, -10, -14, -29, -41]$$

>

$$> M67 := q^5 * A0 * C6^2 * S1 * V0 * V2;$$

$$M67 := \left(q^5 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \quad (286)$$

$$\infty) JAC(1, 9, \infty) \right) / \left(JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2 \right)$$

$$> GP67 := jac2eprod(M67 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP67 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \left(GETA(21, 9) GETA(21, 1)^2 GETA(7, \quad (287)$$

$$2) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4 \right)$$

$$> L67 := GETAP2getalist(GP67);$$

$$L67 := [[21, 9, 1], [21, 1, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], \quad (288)$$

$$[63, 2, -6]]$$

$$> r67 := getaprodcuspORDS(L67, CW63[1], CW63[2])$$

$$r67 := [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, \quad (289)$$

$$1, -1, 1, -1, -3, 4, -1, 8, 4, -1, -1, 2, 2, 2, -6, 6, -6, 3, -1, -3, -6, -1, -3,$$

$$-6, 4, -6, -3, 5, 2, 4, 4, 1, -9, 1, 9, -3, -3, -16, 12, 2, 4, -16, 2, 13, 2, -6, -9, 2,$$

$$12, 4, 4, 13, 1, 6, -1, 2, 12, 8, 10, 5, 8, 2, -1, -9, -14, -30, -41]$$

>

$$> M68 := q^5 * A0 * C6^2 * S1 * V1^2;$$

$$M68 := \frac{q^5 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (290)$$

$$> GP68 := jac2eprod(M68 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)};$$

$$GP68 := \frac{GETA(21, 9) GETA(21, 1)^2 GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} \quad (291)$$

$$> L68 := GETAP2getalist(GP68);$$

$$L68 := [[21, 9, 1], [21, 1, 2], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, \quad (292)$$

$$-6]]$$

$$> r68 := getaprodcuspORDS(L68, CW63[1], CW63[2])$$

$$r68 := [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, \quad (293)$$

$$1, -1, 1, -1, -3, -3, -1, 8, -3, -2, -1, 2, 2, 2, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 4,$$

$$1, -3, 6, 2, -3, -3, 1, -9, 1, 9, -3, -3, -16, 12, 2, -3, -16, 2, 12, 2, 1, -9, 2, 13,$$

$$4, -3, 12, 1, 6, -1, 2, 12, 8, 10, 5, 7, 3, 0, -10, -14, -31, -40]$$

```

>
=
> M69 := q^5 * A2 * C1 * C6 * S4 * V0 * V2;
M69 := (q^5 JAC(5, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7,
∞) JAC(4, 9, ∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7,
∞)^2 JAC(0, 9, ∞)^2)
(294)
> GP69 := jac2eprod(M69·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP69 := 1 / (GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6 (GETA(21, 5) GETA(21,
6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4))
(295)
> L69 := GETAP2getalist(GP69);
L69 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1],
[63, 1, 4], [63, 2, -6]]
(296)
> r69 := getaprodcuspORDS(L69, CW63[1], CW63[2])
r69 := [-5, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1,
11, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -7, -7, -7, -6, 9, -6, 4, -1, -3,
-6, -1, -3, -6, 1, -6, -3, 4, 11, 4, 4, 1, 0, 1, 12, -3, -3, -16, 12, -7, 4, -16,
-7, 13, 11, -6, 0, 11, 15, 1, 4, 12, 1, 9, -1, -7, 13, -1, 7, 5, 8, 2, -4, -8, -15, -27,
-41]
(297)
>
=
> M70 := q^5 * A2 * C1 * C6 * S4 * V1^2;
M70 := (q^5 JAC(5, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞)^2 JAC(0, 7,
∞) JAC(2, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(2, 7, ∞) JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
(298)
> GP70 := jac2eprod(M70·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP70 := 1 / (GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6 (GETA(21, 5) GETA(21,
6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4))
(299)
> L70 := GETAP2getalist(GP70);
L70 := [[21, 5, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1,
4], [63, 2, -6]]
(300)
> r70 := getaprodcuspORDS(L70, CW63[1], CW63[2])
r70 := [-5, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1,
11, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -7, -7, -7, 1, 9, 1, 5, -1, -3, 1,
-1, -3, 1, 1, 1, -3, 5, 11, -3, -3, 1, 0, 1, 12, -3, -3, -16, 12, -7, -3, -16, -7,
12, 11, 1, 0, 11, 16, 1, -3, 11, 1, 9, -1, -7, 13, -1, 7, 5, 7, 3, -3, -9, -15, -28,
-40]
(301)

```

$$\begin{aligned}
& > \text{M71} := q^5 * A5 * C1^2 * S4 * V2^2; \\
\text{M71} &:= \frac{q^5 JAC(2, 21, \infty) JAC(6, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2} \quad (302)
\end{aligned}$$

$$\begin{aligned}
& > \text{GP71} := \text{jac2eprod}(\text{M71} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP71} &:= \frac{\text{GETA}(21, 2) \text{GETA}(21, 6)^2 \text{GETA}(7, 1)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4}{\text{GETA}(7, 2) \text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} \quad (303)
\end{aligned}$$

$$\begin{aligned}
& > \text{L71} := \text{GETAP2getalist}(\text{GP71}); \\
\text{L71} &:= [[21, 2, 1], [21, 6, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (304)
\end{aligned}$$

$$\begin{aligned}
& > \text{r71} := \text{getaprodcuspORDS}(\text{L71}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r71} &:= [-5, 1, 1, 0, 1, 1, 0, 11, 1, 6, 1, 1, 0, 1, 11, 0, 1, 1, 6, 1, 1, 3, 1, 1, 0, 1, 1, 6, 11, 1, 0, 1, \\ & 0, -3, 2, 0, -3, 2, -5, 0, -7, -7, -7, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, -4, -8, \\ & -3, 2, 11, 2, 2, 6, -2, 6, 12, -3, -3, -6, 16, -7, 2, -6, -7, 16, 11, -8, -2, 11, 14, \\ & -4, 2, 10, 6, 4, 0, -7, 12, -3, 7, 3, 7, 1, -5, -10, -16, -28, -38] \quad (305)
\end{aligned}$$

$$\begin{aligned}
& > \text{M72} := q^5 * A5 * C1 * C6 * S1 * V0 * V2; \\
\text{M72} &:= (q^5 JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \\ & \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \\ & \infty) JAC(0, 9, \infty)^2) \quad (306)
\end{aligned}$$

$$\begin{aligned}
& > \text{GP72} := \text{jac2eprod}(\text{M72} \cdot q^{(-421/126)}) * \text{GETA}(63, 1)^{(4)} * \text{GETA}(63, 2)^{(-6)}; \\
\text{GP72} &:= \frac{1}{\text{GETA}(7, 1) \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 2) \text{GETA}(21, 6) \text{GETA}(21, \\ & 1) \text{GETA}(7, 2) \text{GETA}(9, 4) \text{GETA}(9, 1) \text{GETA}(63, 1)^4) \quad (307)
\end{aligned}$$

$$\begin{aligned}
& > \text{L72} := \text{GETAP2getalist}(\text{GP72}); \\
\text{L72} &:= [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 4, 1], [9, 1, 1], \\ & [63, 1, 4], [63, 2, -6]] \quad (308)
\end{aligned}$$

$$\begin{aligned}
& > \text{r72} := \text{getaprodcuspORDS}(\text{L72}, \text{CW63}[1], \text{CW63}[2]) \\
\text{r72} &:= [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, \\ & 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, 2, 2, 2, -6, 6, -6, 3, -1, -3, -6, -1, -3, \\ & -6, -2, -6, -3, 3, 2, 4, 4, 1, -6, 1, 10, -3, -3, -7, 15, 2, 4, -7, 2, 16, 2, -6, -6, \\ & 2, 13, -2, 4, 11, 1, 6, -1, 2, 12, 2, 8, 5, 8, 2, -3, -9, -16, -29, -38] \quad (309)
\end{aligned}$$

$$\begin{aligned}
& > \text{M73} := q^5 * A5 * C1 * C6 * S1 * V1^2; \\
\text{M73} &:= (q^5 JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (310)
\end{aligned}$$

$$\infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty) JAC(3, 7, \infty) JAC(0, 9, \infty)^2)$$

> GP73 := jac2eprod(M73·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP73 := \frac{1}{GETA(7, 1) GETA(7, 3) GETA(63, 2)^6} (GETA(21, 2) GETA(21, 6) GETA(21, 1) GETA(7, 2) GETA(9, 2)^2 GETA(63, 1)^4) \quad (311)$$

> L73 := GETAP2getalist(GP73);

$$L73 := [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 2, 1], [7, 1, -1], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (312)$$

> r73 := getaprodcuspORDS(L73, CW63[1], CW63[2])

$$r73 := [-5, 1, 1, -1, 1, 1, -1, 2, 1, 1, 1, 1, -1, 1, 2, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 2, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, 2, 2, 2, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, -2, 1, -3, 4, 2, -3, -3, 1, -6, 1, 10, -3, -3, -7, 15, 2, -3, -7, 2, 15, 2, 1, -6, 2, 14, -2, -3, 10, 1, 6, -1, 2, 12, 2, 8, 5, 7, 3, -2, -10, -16, -30, -37] \quad (313)$$

>

> M74 := q⁵ * B3 * C1 * C6 * S3 * V0 * V2;

$$M74 := (q^5 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (314)$$

> GP74 := jac2eprod(M74·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾;

$$GP74 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 4) GETA(21, 6) GETA(21, 1) GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (315)$$

> L74 := GETAP2getalist(GP74);

$$L74 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (316)$$

> r74 := getaprodcuspORDS(L74, CW63[1], CW63[2])

$$r74 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, -1, 4, -4, -1, -4, -4, -4, -6, 6, -6, 3, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 8, 4, 4, 1, -6, 1, 10, -3, -3, -10, 14, -4, 4, -10, -4, 15, 8, -6, -6, 8, 13, 4, 4, 13, 1, 6, -1, -4, 12, -1, 7, 5, 8, 2, -4, -9, -14, -29, -39] \quad (317)$$

>

> M75 := q⁵ * B3 * C1 * C6 * S3 * V1²;

$$M75 := (q^5 JAC(4, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (318)$$

> GP75 := jac2eprod(M75·q^(-421/126)) * GETA(63, 1)⁽⁴⁾ * GETA(63, 2)⁽⁻⁶⁾

-6);

$$GP75 := \frac{1}{GETA(7,3)^2 GETA(63,2)^6} (GETA(21,4) GETA(21,6) GETA(21,1) GETA(7,1) GETA(9,2)^2 GETA(63,1)^4) \quad (319)$$

> L75 := GETAP2getalist(GP75);

$$L75 := [[21, 4, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (320)$$

> r75 := getaprodcuspORDS(L75, CW63[1], CW63[2])

$$r75 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, -1, -3, -5, -1, -4, -4, -4, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 8, -3, -3, 1, -6, 1, 10, -3, -3, -10, 14, -4, -3, -10, -4, 14, 8, 1, -6, 8, 14, 4, -3, 12, 1, 6, -1, -4, 12, -1, 7, 5, 7, 3, -3, -10, -14, -30, -38] \quad (321)$$

>

> M76 := q⁵ * B4 * C0 * C6 * S3 * V0 * V2 ;

$$M76 := (q^5 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (322)$$

> GP76 := jac2eprod(M76·q^{-421/126}) * GETA(63, 1)⁴ * GETA(63, 2)⁻⁶;

$$GP76 := \frac{1}{GETA(7,3)^2 GETA(63,2)^6} (GETA(21,3) GETA(21,8) GETA(21,1) GETA(7,1) GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (323)$$

> L76 := GETAP2getalist(GP76);

$$L76 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (324)$$

> r76 := getaprodcuspORDS(L76, CW63[1], CW63[2])

$$r76 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -4, -4, -4, -6, 0, -6, 1, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 8, 4, 4, 1, 3, 1, 13, -3, -3, -16, 12, -4, 4, -16, -4, 13, 8, -6, 3, 8, 16, 4, 4, 13, 1, 0, -1, -4, 10, 2, 8, 5, 8, 2, -3, -11, -14, -26, -41] \quad (325)$$

>

> M77 := q⁵ * B4 * C0 * C6 * S3 * V1²;

$$M77 := (q^5 JAC(3, 21, \infty) JAC(8, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (326)$$

> GP77 := jac2eprod(M77·q^{-421/126}) * GETA(63, 1)⁴ * GETA(63, 2)⁻⁶;

$$GP77 := \frac{1}{GETA(7,3)^2 GETA(63,2)^6} (GETA(21,3) GETA(21,8) GETA(21,1) GETA(7,1) GETA(9,4) GETA(9,1) GETA(63,1)^4) \quad (327)$$

$$1) \text{GETA}(7, 1) \text{GETA}(9, 2)^2 \text{GETA}(63, 1)^4$$

> **L77 := GETAP2getalist(GP77);**

$$L77 := [[21, 3, 1], [21, 8, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (328)$$

> **r77 := getaprodcuspORDS(L77, CW63[1], CW63[2])**

$$r77 := [-5, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 5, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, -4, -4, -4, 1, 0, 1, 2, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 8, -3, -3, 1, 3, 1, 13, -3, -3, -16, 12, -4, -3, -16, -4, 12, 8, 1, 3, 8, 17, 4, -3, 12, 1, 0, -1, -4, 10, 2, 8, 5, 7, 3, -2, -12, -14, -27, -40] \quad (329)$$

>

> **M78 := q⁵ * B4 * C1 * C6 * S0 * V2^2;**

$$M78 := (q^5 JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(1, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2) \quad (330)$$

> **GP78 := jac2eprod(M78 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP78 := \frac{1}{\text{GETA}(7, 1)^2 \text{GETA}(7, 3) \text{GETA}(63, 2)^6} (\text{GETA}(21, 3) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 2)^2 \text{GETA}(9, 1)^2 \text{GETA}(63, 1)^4) \quad (331)$$

> **L78 := GETAP2getalist(GP78);**

$$L78 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 1, 2], [63, 1, 4], [63, 2, -6]] \quad (332)$$

> **r78 := getaprodcuspORDS(L78, CW63[1], CW63[2])**

$$r78 := [-5, 1, 1, 0, 1, 1, 0, -1, 1, 6, 1, 1, 0, 1, -1, 0, 1, 1, 6, 1, 1, 3, 1, 1, 0, 1, 1, 6, -1, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, 5, 5, 5, -8, 7, -8, 3, 0, -3, -8, 0, -3, -8, -1, -8, -3, 3, -1, 2, 2, 6, -5, 6, 11, -3, -3, -12, 14, 5, 2, -12, 5, 14, -1, -8, -5, -1, 13, -1, 2, 11, 6, 7, 0, 5, 13, 0, 8, 3, 7, 1, -4, -9, -15, -29, -40] \quad (333)$$

>

> **M79 := q⁵ * B4 * C1 * C6 * S3 * V0 * V1;**

$$M79 := (q^5 JAC(3, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(2, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (334)$$

> **GP79 := jac2eprod(M79 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$$GP79 := \frac{1}{\text{GETA}(7, 3)^2 \text{GETA}(63, 2)^6} (\text{GETA}(21, 3) \text{GETA}(21, 6) \text{GETA}(21, 1) \text{GETA}(7, 1) \text{GETA}(9, 4) \text{GETA}(9, 2) \text{GETA}(63, 1)^4) \quad (335)$$

> **L79 := GETAP2getalist(GP79);**

$$L79 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 2, 1], [63, 1, 4], \quad (336)$$

[63, 2, -6]]

> **r79 := getaprodcuspORDS(L79, CW63[1], CW63[2])**

$r79 := [-5, 1, 1, 0, 1, 1, 0, 8, 1, -1, 1, 1, 0, 1, 8, 0, 1, 1, -1, 1, 1, 6, 1, 1, 0, 1, 1, -1, 8, 1, 0, 1, 0, -3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -1, 4, -1, 3, 0, -3, -1, 0, -3, -1, -1, -1, -3, 4, 8, 2, 2, -1, -2, -1, 11, -3, -3, -15, 12, -4, 2, -15, -4, 13, 8, -1, -2, 8, 15, -1, 2, 11, -1, 4, 0, -4, 11, 0, 7, 6, 8, 3, -3, -10, -16, -28, -40]$ (337)

> **M80 := q⁶ * A0 * C6^2 * S4 * V0 * V2;**

$M80 := (q^6 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2)$ (338)

> **GP80 := jac2eprod(M80 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$GP80 := \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6 (GETA(21, 9) GETA(21, 1)^2 GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)}$ (339)

> **L80 := GETAP2getalist(GP80);**

$L80 := [[21, 9, 1], [21, 1, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]]$ (340)

> **r80 := getaprodcuspORDS(L80, CW63[1], CW63[2])**

$r80 := [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, 8, 4, -1, -1, -7, -7, -7, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 4, -6, -3, 5, 11, 4, 4, 1, -6, 1, 10, -3, -3, -19, 11, -7, 4, -19, -7, 12, 11, -6, -6, 11, 13, 4, 4, 13, 1, 3, -1, -7, 11, 8, 10, 8, 9, 3, -1, -10, -14, -29, -42]$ (341)

> **M81 := q⁶ * A0 * C6^2 * S4 * V1^2;**

$M81 := \frac{q^6 JAC(9, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2}$ (342)

> **GP81 := jac2eprod(M81 * q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(-6);**

$GP81 := \frac{GETA(21, 9) GETA(21, 1)^2 GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6}$ (343)

> **L81 := GETAP2getalist(GP81);**

$L81 := [[21, 9, 1], [21, 1, 2], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]]$ (344)

> **r81 := getaprodcuspORDS(L81, CW63[1], CW63[2])**

(345)

$$r8l := [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, -3, -1, 8, -3, -2, -1, -7, -7, -7, 1, 3, 1, 3, -1, -3, 1, -1, -3, 1, 4, 1, -3, 6, 11, -3, -3, 1, -6, 1, 10, -3, -3, -19, 11, -7, -3, -19, -7, 11, 11, 1, -6, 11, 14, 4, -3, 12, 1, 3, -1, -7, 11, 8, 10, 8, 8, 4, 0, -11, -14, -30, -41] \quad (345)$$

>
=>
>

$$\begin{aligned} &> \text{M82} := q^6 * A5 * C1 * C6 * S4 * V0 * V2; \\ M82 &:= (q^6 JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \\ &\quad \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \\ &\quad \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (346)$$

$$\begin{aligned} &> GP82 := jac2eprod(M82 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)}; \\ GP82 &:= \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 2) GETA(21, \\ &\quad 6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \end{aligned} \quad (347)$$

$$\begin{aligned} &> L82 := GETAP2getalist(GP82); \\ L82 &:= [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 4, 1], [9, 1, 1], \\ &\quad [63, 1, 4], [63, 2, -6]] \end{aligned} \quad (348)$$

$$\begin{aligned} &> r82 := getaprodcuspORDS(L82, CW63[1], CW63[2]); \\ r82 &:= [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, 11, 1, -1, 1, -1, -3, 4, -1, 2, 4, -3, -1, -7, -7, -7, -6, 3, -6, 2, -1, -3, -6, \\ &\quad -1, -3, -6, -2, -6, -3, 3, 11, 4, 4, 1, -3, 1, 11, -3, -3, -10, 14, -7, 4, -10, \\ &\quad -7, 15, 11, -6, -3, 11, 14, -2, 4, 11, 1, 3, -1, -7, 11, 2, 8, 8, 9, 3, -3, -10, -16, \\ &\quad -28, -39] \end{aligned} \quad (349)$$

>

$$\begin{aligned} &> \text{M83} := q^6 * A5 * C1 * C6 * S4 * V1^2; \\ M83 &:= (q^6 JAC(2, 21, \infty) JAC(6, 21, \infty) JAC(1, 21, \infty) JAC(1, 7, \infty)^2 JAC(0, 7, \\ &\quad \infty) JAC(2, 9, \infty)^2) / (JAC(0, 21, \infty)^3 JAC(2, 7, \infty) JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \end{aligned} \quad (350)$$

$$\begin{aligned} &> GP83 := jac2eprod(M83 \cdot q^{(-421/126)}) * GETA(63, 1)^{(4)} * GETA(63, 2)^{(-6)}; \\ GP83 &:= \frac{1}{GETA(7, 2) GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 2) GETA(21, \\ &\quad 6) GETA(21, 1) GETA(7, 1)^2 GETA(9, 2)^2 GETA(63, 1)^4) \end{aligned} \quad (351)$$

$$\begin{aligned} &> L83 := GETAP2getalist(GP83); \\ L83 &:= [[21, 2, 1], [21, 6, 1], [21, 1, 1], [7, 1, 2], [7, 2, -1], [7, 3, -2], [9, 2, 2], [63, 1, \\ &\quad 4], [63, 2, -6]] \end{aligned} \quad (352)$$

```

> r83 := getaprodcuspORDS(L83, CW63[1], CW63[2])
r83 := [-4, 1, 1, -1, 1, 1, -1, 11, 1, 1, 1, 1, -1, 1, 11, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, (353)
11, 1, -1, 1, -1, -3, -3, -1, 2, -3, -4, -1, -7, -7, -7, 1, 3, 1, 3, -1, -3, 1,
-1, -3, 1, -2, 1, -3, 4, 11, -3, -3, 1, -3, 1, 11, -3, -3, -10, 14, -7, -3, -10,
-7, 14, 11, 1, -3, 11, 15, -2, -3, 10, 1, 3, -1, -7, 11, 2, 8, 8, 8, 4, -2, -11, -16,
-29, -38]
=
>
> M84 := q^6 * B4 * C1 * C6 * S3 * V2^2;
M84 := (q^6 JAC(3, 21, ∞) JAC(6, 21, ∞) JAC(1, 21, ∞) JAC(1, 7, ∞) JAC(0, 7, (354)
∞) JAC(1, 9, ∞)^2) / (JAC(0, 21, ∞)^3 JAC(3, 7, ∞)^2 JAC(0, 9, ∞)^2)
=
> GP84 := jac2eprod(M84·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP84 := 1 / (GETA(7, 3)^2 GETA(63, 2)^6 (GETA(21, 3) GETA(21, 6) GETA(21, (355)
1) GETA(7, 1) GETA(9, 1)^2 GETA(63, 1)^4)
=
> L84 := GETAP2getalist(GP84);
L84 := [[21, 3, 1], [21, 6, 1], [21, 1, 1], [7, 1, 1], [7, 3, -2], [9, 1, 2], [63, 1, 4], [63, 2, (356)
-6]]
=
> r84 := getaprodcuspORDS(L84, CW63[1], CW63[2])
r84 := [-4, 1, 1, 0, 1, 1, 0, 8, 1, 6, 1, 1, 0, 1, 8, 0, 1, 1, 6, 1, 1, 6, 1, 1, 0, 1, 1, 6, 8, 1, 0, 1, 0, (357)
-3, 2, 0, 0, 2, -4, 0, -4, -4, -4, -8, 4, -8, 2, 0, -3, -8, 0, -3, -8, -1, -8, -3,
3, 8, 2, 2, 6, -2, 6, 12, -3, -3, -15, 13, -4, 2, -15, -4, 13, 8, -8, -2, 8, 14, -1, 2,
11, 6, 4, 0, -4, 12, 0, 8, 6, 8, 2, -4, -10, -15, -28, -41]
=
>
> M85 := q^6 * B4 * C6^2 * S0 * V0 * V2;
M85 := (q^6 JAC(3, 21, ∞) JAC(1, 21, ∞)^2 JAC(2, 7, ∞)^2 JAC(0, 7, ∞) JAC(4, 9, (358)
∞) JAC(1, 9, ∞)) / (JAC(0, 21, ∞)^3 JAC(1, 7, ∞)^2 JAC(3, 7, ∞) JAC(0, 9, ∞)^2)
=
> GP85 := jac2eprod(M85·q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);
GP85 := 1 / (GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6 (GETA(21, 3) GETA(21, (359)
1)^2 GETA(7, 2)^2 GETA(9, 4) GETA(9, 1) GETA(63, 1)^4)
=
> L85 := GETAP2getalist(GP85);
L85 := [[21, 3, 1], [21, 1, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 4, 1], [9, 1, 1], [63, 1, 4], (360)
[63, 2, -6]]
=
> r85 := getaprodcuspORDS(L85, CW63[1], CW63[2])
r85 := [-4, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, (361)
1, -1, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, 5, 5, 5, -6, 6, -6, 3, -1, -3, -6, -1,

```

-3, -6, 1, -6, -3, 4, -1, 4, 4, 1, -6, 1, 10, -3, -3, -16, 12, 5, 4, -16, 5, 13, -1,
-6, -6, -1, 13, 1, 4, 12, 1, 6, -1, 5, 12, 5, 9, 8, 9, 3, -2, -9, -15, -29, -41]

>

> M86 := q⁶ * B4 * C6^2 * S0 * V1^2;

$$M86 := \frac{q^6 JAC(3, 21, \infty) JAC(1, 21, \infty)^2 JAC(2, 7, \infty)^2 JAC(0, 7, \infty) JAC(2, 9, \infty)^2}{JAC(0, 21, \infty)^3 JAC(1, 7, \infty)^2 JAC(3, 7, \infty) JAC(0, 9, \infty)^2} \quad (362)$$

> GP86 := jac2eprod(M86*q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);

$$GP86 := \frac{GETA(21, 3) GETA(21, 1)^2 GETA(7, 2)^2 GETA(9, 2)^2 GETA(63, 1)^4}{GETA(7, 1)^2 GETA(7, 3) GETA(63, 2)^6} \quad (363)$$

> L86 := GETAP2getalist(GP86);

$$L86 := [[21, 3, 1], [21, 1, 2], [7, 2, 2], [7, 1, -2], [7, 3, -1], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (364)$$

> r86 := getaprodcuspORDS(L86, CW63[1], CW63[2])

$$r86 := [-4, 1, 1, -1, 1, 1, -1, -1, 1, 1, 1, 1, -1, 1, -1, -1, 1, 1, 1, 1, 8, 1, 1, -1, 1, 1, 1, -1, 1, 1, 1, -1, 1, 1, -1, -3, -3, -1, 5, -3, -3, -1, 5, 5, 5, 1, 6, 1, 4, -1, -3, 1, -1, -3, 1, 1, 1, -3, 5, -1, -3, -3, 1, -6, 1, 10, -3, -3, -16, 12, 5, -3, -16, 5, 12, -1, 1, -6, -1, 14, 1, -3, 11, 1, 6, -1, 5, 12, 5, 9, 8, 8, 4, -1, -10, -15, -30, -40] \quad (365)$$

>

> M87 := q⁷ * B4 * C6^2 * S3 * V0 * V2;

$$M87 := (q^7 JAC(3, 21, \infty) JAC(1, 21, \infty)^2 JAC(1, 7, \infty) JAC(0, 7, \infty) JAC(4, 9, \infty) JAC(1, 9, \infty)) / (JAC(0, 21, \infty)^3 JAC(3, 7, \infty)^2 JAC(0, 9, \infty)^2) \quad (366)$$

> GP87 := jac2eprod(M87*q^(-421/126)) * GETA(63, 1)^(4) * GETA(63, 2)^(
-6);

$$GP87 := \frac{1}{GETA(7, 3)^2 GETA(63, 2)^6} (GETA(21, 3) GETA(21, 1)^2 GETA(7, 1) GETA(9, 4) GETA(9, 1) GETA(63, 1)^4) \quad (367)$$

> L87 := GETAP2getalist(GP87);

$$L87 := [[21, 3, 1], [21, 1, 2], [7, 1, 1], [7, 3, -2], [9, 4, 1], [9, 1, 1], [63, 1, 4], [63, 2, -6]] \quad (368)$$

> r87 := getaprodcuspORDS(L87, CW63[1], CW63[2])

$$r87 := [-3, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 1, 11, 1, 1, -1, 1, 1, 1, 8, 1, -1, 1, -1, -3, 4, -1, 5, 4, -2, -1, -4, -4, -4, -6, 3, -6, 2, -1, -3, -6, -1, -3, -6, 1, -6, -3, 4, 8, 4, 4, 1, -3, 1, 11, -3, -3, -19, 11, -4, 4, -19, -4, 12, 8, -6, -3, 8, 14, 1, 4, 12, 1, 3, -1, -4, 11, 5, 9, 11, 10, 4, -2, -10, -15, -28, -42] \quad (369)$$

>

$$\begin{aligned}
&> \mathbf{M88} := \mathbf{q}^7 * \mathbf{B4} * \mathbf{C6}^2 * \mathbf{S3} * \mathbf{V1}^2; \\
\mathbf{M88} &:= \frac{\mathbf{q}^7 \mathbf{JAC}(3, 21, \infty) \mathbf{JAC}(1, 21, \infty)^2 \mathbf{JAC}(1, 7, \infty) \mathbf{JAC}(0, 7, \infty) \mathbf{JAC}(2, 9, \infty)^2}{\mathbf{JAC}(0, 21, \infty)^3 \mathbf{JAC}(3, 7, \infty)^2 \mathbf{JAC}(0, 9, \infty)^2} \quad (370)
\end{aligned}$$

$$\begin{aligned}
&> \mathbf{GP88} := \mathbf{jac2eprod}(\mathbf{M88} \cdot \mathbf{q}^{(-421/126)}) * \mathbf{GETA}(63, 1)^{(4)} * \mathbf{GETA}(63, 2)^{(-6)}; \\
\mathbf{GP88} &:= \frac{\mathbf{GETA}(21, 3) \mathbf{GETA}(21, 1)^2 \mathbf{GETA}(7, 1) \mathbf{GETA}(9, 2)^2 \mathbf{GETA}(63, 1)^4}{\mathbf{GETA}(7, 3)^2 \mathbf{GETA}(63, 2)^6} \quad (371)
\end{aligned}$$

$$\begin{aligned}
&> \mathbf{L88} := \mathbf{GETAP2getalist}(\mathbf{GP88}); \\
\mathbf{L88} &:= [[21, 3, 1], [21, 1, 2], [7, 1, 1], [7, 3, -2], [9, 2, 2], [63, 1, 4], [63, 2, -6]] \quad (372)
\end{aligned}$$

$$\begin{aligned}
&> \mathbf{r88} := \mathbf{getaprodcuspORDS}(\mathbf{L88}, \mathbf{CW63}[1], \mathbf{CW63}[2]) \\
\mathbf{r88} &:= [-3, 1, 1, -1, 1, 1, -1, 8, 1, 1, 1, 1, -1, 1, 8, -1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, -1, 1, 1, 1, \\
&8, 1, -1, 1, -1, -3, -3, -1, 5, -3, -3, -1, -4, -4, -4, 1, 3, 1, 3, -1, -3, 1, -1, \\
&-3, 1, 1, 1, -3, 5, 8, -3, -3, 1, -3, 1, 11, -3, -3, -19, 11, -4, -3, -19, -4, 11, \\
&8, 1, -3, 8, 15, 1, -3, 11, 1, 3, -1, -4, 11, 5, 9, 11, 9, 5, -1, -11, -15, -29, -41] \quad (373)
\end{aligned}$$

$$\begin{aligned}
&> \\
&> \mathbf{r88}[2]; \\
&1 \quad (374)
\end{aligned}$$

$$\begin{aligned}
&> \mathbf{CW63}; \\
&\left[\left[oo, 0, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \frac{1}{5}, \frac{1}{6}, \frac{1}{7}, \frac{1}{8}, \frac{1}{9}, \frac{1}{10}, \frac{1}{11}, \frac{1}{12}, \frac{1}{13}, \frac{1}{14}, \frac{1}{15}, \frac{1}{16}, \frac{1}{17}, \frac{1}{18}, \frac{1}{19}, \right. \right. \quad (375) \\
&\quad \frac{1}{20}, \frac{1}{21}, \frac{1}{22}, \frac{1}{23}, \frac{1}{24}, \frac{1}{25}, \frac{1}{26}, \frac{1}{27}, \frac{1}{28}, \frac{1}{29}, \frac{1}{30}, \frac{1}{31}, \frac{2}{3}, \frac{2}{7}, \frac{2}{9}, \frac{2}{15}, \frac{2}{21}, \\
&\quad \frac{2}{27}, \frac{2}{63}, \frac{2}{93}, \frac{3}{7}, \frac{3}{14}, \frac{4}{7}, \frac{4}{9}, \frac{4}{21}, \frac{4}{27}, \frac{4}{63}, \frac{5}{6}, \frac{5}{7}, \frac{5}{9}, \frac{5}{12}, \frac{5}{14}, \frac{5}{18}, \frac{5}{21}, \frac{5}{27}, \\
&\quad \frac{5}{28}, \frac{5}{63}, \frac{6}{7}, \frac{7}{9}, \frac{7}{18}, \frac{8}{9}, \frac{8}{21}, \frac{8}{27}, \frac{8}{63}, \frac{9}{14}, \frac{9}{28}, \frac{10}{21}, \frac{10}{63}, \frac{11}{14}, \frac{11}{18}, \frac{11}{21}, \frac{11}{28}, \\
&\quad \frac{11}{63}, \frac{13}{14}, \frac{13}{18}, \frac{13}{21}, \frac{13}{28}, \frac{13}{63}, \frac{16}{21}, \frac{16}{27}, \frac{16}{63}, \frac{17}{18}, \frac{17}{21}, \frac{17}{24}, \frac{17}{28}, \frac{17}{63}, \frac{19}{21}, \frac{19}{63}, \frac{20}{21}, \\
&\quad \left. \frac{20}{63}, \frac{22}{63}, \frac{23}{63}, \frac{25}{63}, \frac{26}{63}, \frac{29}{63}, \frac{31}{63} \right], [1, 63, 63, 21, 63, 63, 21, 9, 63, 7, 63, 63, 21, 63, 9, \\
&21, 63, 63, 7, 63, 63, 3, 63, 63, 21, 63, 63, 7, 9, 63, 21, 63, 21, 9, 7, 21, 3, 7, 1, 21, 9, 9, 9, 7, \\
&3, 7, 1, 21, 9, 7, 21, 9, 7, 3, 7, 9, 1, 9, 7, 7, 7, 3, 7, 1, 9, 9, 3, 1, 9, 7, 3, 9, 1, 9, 7, 3, 9, 1, 3, 7, \\
&1, 7, 3, 21, 9, 1, 3, 1, 3, 1, 1, 1, 1, 1, 1, 1]]
\end{aligned}$$

$$\begin{aligned}
&> \mathbf{gpt} := [63, 216]; \\
&\mathbf{gpt} := [63, 216] \quad (376)
\end{aligned}$$

$$\begin{aligned}
&> \mathbf{ept} := \mathbf{gp2etaproduct}(\mathbf{gpt}); \\
&\mathbf{ept} := \eta(63 \tau)^{216} \quad (377)
\end{aligned}$$

```
> yy := cuspORDS(ept, CW63[1], 63);
```

$$yy := \left[\begin{aligned} &[oo, 9], [0, 9], \left[\frac{1}{2}, 9\right], \left[\frac{1}{3}, 9\right], \left[\frac{1}{4}, 9\right], \left[\frac{1}{5}, 9\right], \left[\frac{1}{6}, 9\right], \left[\frac{1}{7}, 63\right], \left[\frac{1}{8}, 9\right], \left[\frac{1}{9}, \right. \\ &81], \left[\frac{1}{10}, 9\right], \left[\frac{1}{11}, 9\right], \left[\frac{1}{12}, 9\right], \left[\frac{1}{13}, 9\right], \left[\frac{1}{14}, 63\right], \left[\frac{1}{15}, 9\right], \left[\frac{1}{16}, 9\right], \left[\frac{1}{17}, 9\right], \\ &\left[\frac{1}{18}, 81\right], \left[\frac{1}{19}, 9\right], \left[\frac{1}{20}, 9\right], \left[\frac{1}{21}, 63\right], \left[\frac{1}{22}, 9\right], \left[\frac{1}{23}, 9\right], \left[\frac{1}{24}, 9\right], \left[\frac{1}{25}, 9\right], \left[\frac{1}{26}, \right. \\ &9], \left[\frac{1}{27}, 81\right], \left[\frac{1}{28}, 63\right], \left[\frac{1}{29}, 9\right], \left[\frac{1}{30}, 9\right], \left[\frac{1}{31}, 9\right], \left[\frac{2}{3}, 9\right], \left[\frac{2}{7}, 63\right], \left[\frac{2}{9}, 81\right], \\ &\left[\frac{2}{15}, 9\right], \left[\frac{2}{21}, 63\right], \left[\frac{2}{27}, 81\right], \left[\frac{2}{63}, 567\right], \left[\frac{2}{93}, 9\right], \left[\frac{3}{7}, 63\right], \left[\frac{3}{14}, 63\right], \left[\frac{4}{7}, 63\right], \\ &\left[\frac{4}{9}, 81\right], \left[\frac{4}{21}, 63\right], \left[\frac{4}{27}, 81\right], \left[\frac{4}{63}, 567\right], \left[\frac{5}{6}, 9\right], \left[\frac{5}{7}, 63\right], \left[\frac{5}{9}, 81\right], \left[\frac{5}{12}, 9\right], \left[\frac{5}{14}, \right. \\ &63], \left[\frac{5}{18}, 81\right], \left[\frac{5}{21}, 63\right], \left[\frac{5}{27}, 81\right], \left[\frac{5}{28}, 63\right], \left[\frac{5}{63}, 567\right], \left[\frac{6}{7}, 63\right], \left[\frac{7}{9}, 81\right], \left[\frac{7}{18}, \right. \\ &81], \left[\frac{8}{9}, 81\right], \left[\frac{8}{21}, 63\right], \left[\frac{8}{27}, 81\right], \left[\frac{8}{63}, 567\right], \left[\frac{9}{14}, 63\right], \left[\frac{9}{28}, 63\right], \left[\frac{10}{21}, 63\right], \left[\frac{10}{63}, \right. \\ &567], \left[\frac{11}{14}, 63\right], \left[\frac{11}{18}, 81\right], \left[\frac{11}{21}, 63\right], \left[\frac{11}{28}, 63\right], \left[\frac{11}{63}, 567\right], \left[\frac{13}{14}, 63\right], \left[\frac{13}{18}, 81\right], \\ &\left[\frac{13}{21}, 63\right], \left[\frac{13}{28}, 63\right], \left[\frac{13}{63}, 567\right], \left[\frac{16}{21}, 63\right], \left[\frac{16}{27}, 81\right], \left[\frac{16}{63}, 567\right], \left[\frac{17}{18}, 81\right], \left[\frac{17}{21}, \right. \\ &63], \left[\frac{17}{24}, 9\right], \left[\frac{17}{28}, 63\right], \left[\frac{17}{63}, 567\right], \left[\frac{19}{21}, 63\right], \left[\frac{19}{63}, 567\right], \left[\frac{20}{21}, 63\right], \left[\frac{20}{63}, 567\right], \\ &\left[\frac{22}{63}, 567\right], \left[\frac{23}{63}, 567\right], \left[\frac{25}{63}, 567\right], \left[\frac{26}{63}, 567\right], \left[\frac{29}{63}, 567\right], \left[\frac{31}{63}, 567\right] \end{aligned} \right] \quad (378)$$

```
> k := 96;
```

$$k := 96 \quad (379)$$

```
>
```

```
> min(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k],
r14[k], r15[k], r16[k], r17[k], r18[k], r19[k], r20[k], r21[k], r22[k], r23[k], r24[k], r25[k],
r26[k], r27[k], r28[k], r29[k], r30[k], r31[k], r32[k], r33[k], r34[k], r35[k], r36[k], r37[k],
r38[k], r39[k], r40[k], r41[k], r42[k], r43[k], r44[k], r45[k], r46[k], r47[k], r48[k], r49[k],
r50[k], r51[k], r52[k], r53[k], r54[k], r55[k], r56[k], r57[k], r58[k], r59[k], r60[k], r61[k],
r62[k], r63[k], r64[k], r65[k], r66[k], r67[k], r68[k], r69[k], r70[k], r71[k], r72[k], r73[k],
r74[k], r75[k], r76[k], r77[k], r78[k], r79[k], r80[k], r81[k], r82[k], r83[k], r84[k], r85[k],
r86[k], r87[k], r88[k]) + yy[k][2]
```

$$525 \quad (380)$$

```
>
```

```
>
```



```

>
> min(r1[k], r2[k], r3[k], r4[k], r5[k], r6[k], r7[k], r8[k], r9[k], r10[k], r11[k], r12[k], r13[k],
r14[k], r15[k], r16[k], r17[k], r18[k], r19[k], r20[k], r21[k], r22[k], r23[k], r24[k], r25[k],
r26[k], r27[k], r28[k], r29[k], r30[k], r31[k], r32[k], r33[k], r34[k], r35[k], r36[k], r37[k],
r38[k], r39[k], r40[k], r41[k], r42[k], r43[k], r44[k], r45[k], r46[k], r47[k], r48[k], r49[k],
r50[k], r51[k], r52[k], r53[k], r54[k], r55[k], r56[k], r57[k], r58[k], r59[k], r60[k], r61[k],
r62[k], r63[k], r64[k], r65[k], r66[k], r67[k], r68[k], r69[k], r70[k], r71[k], r72[k], r73[k],
r74[k], r75[k], r76[k], r77[k], r78[k], r79[k], r80[k], r81[k], r82[k], r83[k], r84[k], r85[k],
r86[k], r87[k], r88[k])

```

1

(381)

```

>
>
>
>
>
>
>

```