

```
[{"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/614","IssueName":"Kemal should not generate a HEAD handler implicitly from a GET handler"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/592","IssueName":"[feature] allow middleware to transform a response"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/591","IssueName":"send_file HTTP::Server::ClientError"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/489","IssueName":"Strange behaviour on greedy routes (/*)"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/467","IssueName":"Remove dependency on Kilt"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/441","IssueName":"multiple kemals"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/403","IssueName":"Router Conditions"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/347","IssueName":"finish implementing ranges"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/343","IssueName":"Add a before_send middleware feature in development mode for better tooling integration"}, {"Topic":"crystal","Repository":"kemal","IssueLink":"https://github.com/kemalcr/kemal/issues/308","IssueName":"Improve Benchmarks?"}]
```