

CompTIA Network+ Certification Exam Objectives

EXAM NUMBER: N10-006





About the Exam

Candidates are encouraged to use this document to help prepare for the CompTIA Network+ N10-006 exam. This exam will certify that the successful candidate has the knowledge and skills required to troubleshoot, configure and manage common network wireless and wired devices.

Knowledge and skills include:

- · Establishing basic network design and connectivity
- · Understanding and maintaining network documentation
- · Identifying network limitations and weaknesses
- · Implementing network security, standards and protocols

The successful candidate will have a basic understanding of emerging technologies including unified communications, mobile, cloud and virtualization technologies.

These content examples are meant to clarify the test objectives and should not be construed as a comprehensive listing of all the content of this examination.

EXAM ACCREDITATION

The CompTIA Network+ exam is accredited by the American National Standards Institute (ANSI) to show compliance with the International Organization for Standardization (ISO) 17024 Standard and, as such, undergoes regular reviews and updates to the exam objectives.

EXAM DEVELOPMENT

CompTIA exams result from subject matter expert workshops and industry-wide survey results regarding the skills and knowledge required of an entry-level IT professional.

COMPTIA AUTHORIZED MATERIALS USE POLICY

CompTIA Certifications, LLC is not affiliated with and does not authorize, endorse or condone utilizing any content provided by unauthorized third-party training sites (aka "brain dumps"). Individuals who utilize such materials in preparation for any CompTIA examination will have their certifications revoked and be suspended from future testing in accordance with the CompTIA Candidate Agreement. In an effort to more clearly communicate CompTIA's exam policies on use of unauthorized study materials, CompTIA directs all certification candidates to the **CompTIA Certification Exam Policies**. Please review all CompTIA policies before beginning the study process for any CompTIA exam. Candidates will be required to abide by the **CompTIA Candidate Agreement**. If a candidate has a question as to whether study materials are considered unauthorized (aka "brain dumps"), he/she should contact CompTIA at examsecurity@comptia.org to confirm.

PLEASE NOTE

The lists of examples provided in bulleted format are not exhaustive lists. Other examples of technologies, processes or tasks pertaining to each objective may also be included on the exam although not listed or covered in this objectives document. CompTIA is constantly reviewing the content of our exams and updating test questions to be sure our exams are current and the security of the questions is protected. When necessary, we will publish updated exams based on existing exam objectives. Please know that all related exam preparation materials will still be valid.



TEST DETAILS

Required exam N10-006

JKo-023 (for CompTIA Academy Partners only)

Number of questions Maximum of 90

Types of questions Multiple choice and performance-based

Length of test 90 minutes

Recommended experience • CompTIA A+ Certified, or equivalent

• Minimum of 9 months of experience in

network support or administration; or academic training

Passing score 720 (on a scale of 100—900)

EXAM OBJECTIVES (DOMAINS)

The table below lists the domains measured by this examination and the extent to which they are represented:

DOMAIN PERC	ENTAGE OF EXAMINATION
1.0 Network Architecture	22%
2.0 Network Operations	20%
3.0 Network Security	18%
4.0 Troubleshooting	24%
5.0 Industrial Standards, Practices and Network T	heory 16%
Total	100%





· 1.0 Network Architecture

- Explain the functions and applications of various network devices.
 - Router
 - Switch
 - · Multilayer switch
 - Firewall
 - HIDS

- IDS/IPS
- Access point (wireless/wired)
- · Content filter
- · Load balancer
- Hub

- · Analog modem
- Packet shaper
- VPN concentrator
- Compare and contrast the use of networking services and applications.
 - VPN
 - Site-to-site/host-to-site/host-to-host
 - Protocols
 - IPSec
 - GRE
 - SSL VPN
 - PTP/PPTP

- TACACS/RADIUS
- RAS
- Web services
- Unified voice services
- Network controllers
- Install and configure the following networking services/applications.
 - DHCP
 - Static vs. dynamic IP addressing
 - Reservations
 - Scopes
 - Leases
 - Options (DNS servers, suffixes)
 - IP helper/DHCP relay

- DNS
 - DNS servers
 - DNS records (A, MX, AAAA, CNAME, PTR)
 - Dynamic DNS
- Proxy/reverse proxy

- NAT
 - PAT
 - SNAT
 - DNAT
- Port forwarding
- Explain the characteristics and benefits of various WAN technologies.
 - Fiber
 - SONET
 - DWDM
 - CWDM
 - Frame relay
 - Satellite
 - · Broadband cable
 - DSL/ADSL
 - ISDN
 - ATM

- PPP/multilink PPP
- MPLS
- · GSM/CDMA
 - LTE/4G
 - HSPA+
 - 3G
 - 50
- Edge
- Dialup
- WiMAX
- MetroEthernet

- · Leased lines
 - T-1
 - T-3
 - E-1
 - E-3
 - 0012
- Circuit switch vs. packet switch



1.5 Install and properly terminate various cable types and connectors using appropriate tools.

- Copper connectors
 - RJ-11
 - RI-45
 - RJ-48C
 - DB-9/RS-232
 - DB-25
 - UTP coupler
 - BNC coupler
 - BNC
 - F-connector
 - 110 block
 - -66 block
- Copper cables
 - Shielded vs. unshielded
 - CAT3, CAT5, CAT5e, CAT6, CAT6a
 - PVC vs. plenum
 - RG-59
 - RG-6

- Straight-through vs. crossover vs. rollover
- Fiber connectors
 - ST
 - SC
 - LC
 - MTRI
 - FC
 - Fiber coupler
- Fiber cables
 - Single-mode
 - Multimode
 - APC vs. UPC
- Media converters
 - Single-mode fiber to Ethernet
 - Multimode fiber to Ethernet
 - Fiber to coaxial
 - Single-mode to multimode fiber

- Tools
 - Cable crimpers
 - Punchdown tool
 - Wire strippers
 - Snips
 - OTDR
 - Cable certifier

Differentiate between common network topologies.

- Mesh
 - Partial
 - Full

- Bus
- Ring • Star
- Hybrid

- Point-to-point
- · Point-to-multipoint
- Client-server
- · Peer-to-peer
- Differentiate between network infrastructure implementations.
 - WAN
 - MAN
 - LAN
 - WLAN
 - Hotspot
 - PAN
 - Bluetooth

 - NFC

- SCADA/ICS
 - ICS server
 - DCS/closed network
 - Remote terminal unit
 - Programmable logic controller
- Medianets
 - VTC
 - ISDN
 - IP/SIP

Given a scenario, implement and configure the appropriate addressing schema.

- · IPv6
 - Auto-configuration
 - EUI 64
 - DHCP6
 - Link local
 - Address structure
 - Address compression

- Tunneling 6to4, 4to6
 - Teredo, miredo
- IPv4
 - Address structure
 - Subnetting
 - APIPA
 - Classful A, B, C, D
 - Classless

- · Private vs. public
- NAT/PAT
- · MAC addressing
- Multicast
- Unicast
- Broadcast
- Broadcast domains vs. collision domains

Explain the basics of routing concepts and protocols.

- Loopback interface
- · Routing loops
- Routing tables
- Static vs. dynamic routes
- Default route
- Distance vector routing protocols
 - RIPva
- Hybrid routing protocols
 - BGP

- · Link state routing protocols
 - OSPF
 - IS-IS
- Interior vs. exterior gateway
- routing protocols
- Autonomous system numbers
- Route redistribution
- · High availability
 - VRRP
 - Virtual IP
 - HSRP

- · Route aggregation
- · Routing metrics
 - Hop counts
 - MTU, bandwidth
 - Costs
 - Latency
 - Administrative distance
 - SPB

1.10 Identify the basics elements of unified communication technologies.

- VoIP
- Video
- · Real-time services
 - Presence
 - Multicast vs. unicast

- QoS
 - DSCP
 - COS

- Devices
 - UC servers
 - UC devices
 - UC gateways

Compare and contrast technologies that support cloud and virtualization.

- Virtualization
 - Virtual switches
 - Virtual routers
 - Virtual firewall
 - Virtual vs. physical NICs
 - Software-defined networking
- · Storage area network
 - iSCSI
 - Jumbo frame
 - Fibre Channel
 - Network attached storage
- Cloud concepts
 - Public IaaS, SaaS, PaaS
 - Private IaaS, SaaS, PaaS
 - Hybrid IaaS, SaaS, PaaS
 - Community IaaS, SaaS, PaaS

Given a set of requirements, implement a basic network.

- List of requirements
- Device types/requirements
- Environment limitations
- Equipment limitations
- · Compatibility requirements
- · Wired/wireless considerations
- Security considerations





2.0 Network Operations

- Given a scenario, use appropriate monitoring tools.
 - Packet/network analyzer
 - · Interface monitoring tools
 - Port scanner
 - Top talkers/listeners
 - · SNMP management software
 - Trap
 - Get
 - Walk
 - MIBS

- Alerts
 - Email
 - SMS
- · Packet flow monitoring
- SYSLOG
- SIEM
- · Environmental monitoring tools
 - Temperature
 - Humidity

- Power monitoring tools
- · Wireless survey tools
- · Wireless analyzers

- Given a scenario, analyze metrics and reports from monitoring and tracking performance tools.
 - Baseline
 - Bottleneck
 - Log management
 - Graphing
 - Utilization
 - Bandwidth
 - Storage

- Network device CPU
- Network device memory
- Wireless channel utilization
- Link status
- · Interface monitoring
 - Errors
 - Utilization

- Discards
- Packet drops
- Interface resets
- Speed and duplex

- Given a scenario, use appropriate resources to support configuration management.
 - Archives/backups
 - Baselines
 - On-boarding and off-boarding of mobile devices
- NA0
- Documentation
 - Network diagrams (logical/physical)
 - Asset management

- IP address utilization
- Vendor documentation
- Internal operating procedures/ policies/standards
- Explain the importance of implementing network segmentation.
 - SCADA systems/industrial control systems
 - · Legacy systems
 - · Separate private/public networks
- · Honeypot/honeynet
- · Testing lab
- · Load balancing

- · Performance optimization
- Security
- Compliance



^{2.5} Given a scenario, install and apply patches and updates.

- OS updates
- · Firmware updates
- Driver updates

- · Feature changes/updates
- · Major vs. minor updates
- · Vulnerability patches

- · Upgrading vs. downgrading
 - Configuration backup

2.6 Given a scenario, configure a switch using proper features.

- VLAN
 - Native VLAN/default VLAN
 - VTP
- Spanning tree (802.1d)/rapid spanning tree (802.1w)
 - Flooding
 - Forwarding/blocking
 - Filtering
- · Interface configuration

- Trunking/802.1q
- Tag vs. untag VLANs
- Port bonding (LACP)
- Port mirroring (local vs. remote)
- Speed and duplexing
- IP address assignment
- VLAN assignment
- Default gateway
- PoE and PoE+ (802.3af, 802.3at)

- · Switch management
 - User/passwords
 - AAA configuration
 - Console
 - Virtual terminals
 - In-band/out-of-band management
- · Managed vs. unmanaged

Install and configure wireless LAN infrastructure and implement the appropriate technologies in support of wireless capable devices.

- · Small office, home office wireless router
- Wireless access points
 - Device density
 - Roaming
 - Wireless controllers
 - VLAN pooling
 - LWAPP
- · Wireless bridge
- Site surveys
 - Heat maps
- Frequencies
 - 2.4 Ghz
 - 5.0 Ghz
- Channels

- Goodput
- Connection types
 - -802.11a-ht
 - -802.11g-ht
- · Antenna placement
- Antenna types
 - Omnidirectional
 - Unidirectional
- MIMO/MU-MIMO
- Signal strength
 - Coverage
 - Differences between device antennas
- SSID broadcast

- Topologies
 - Ad hoc
 - Mesh
 - Infrastructure
- Mobile devices
 - Cell phones
 - Laptops
 - Tablets
 - Gaming devices
 - Media devices



--3.0 Network Security

- Compare and contrast risk related concepts.
 - Disaster recovery
 - · Business continuity
 - Battery backups/UPS
 - First responders
 - · Data breach

- · End user awareness and training
- · Single point of failure
 - Critical nodes
 - Critical assets
 - Redundancy

- · Adherence to standards and policies
- · Vulnerability scanning
- · Penetration testing
- Compare and contrast common network vulnerabilities and threats.
- · Attacks/threats
 - DoS
 - Distributed DoS
 - Botnet
 - Traffic spike
 - Coordinated attack
 - Reflective/amplified
 - DNS
 - NTP
 - Smurfing
 - Friendly/unintentional DoS
 - Physical attack
 - Permanent DoS
 - ARP cache poisoning
 - Packet/protocol abuse
 - Spoofing

- Wireless
 - Evil twin
 - Rogue AP
 - War driving
 - War chalking
 - Bluejacking
 - Bluesnarfing
 - WPA/WEP/WPS attacks
- Brute force
- Session hijacking
- Social engineering
- Man-in-the-middle
- VLAN hopping
- Compromised system
- Effect of malware on the network
- Insider threat/malicious employee

- Zero-day attacks
- Vulnerabilities
 - Unnecessary running services
 - Open ports
 - Unpatched/legacy systems
 - Unencrypted channels
 - Clear text credentials
 - Unsecure protocols
 - TELNET
 - HTTP
 - SLIP
 - FTP
 - TFTP
 - SNMPv1 and SNMPv2
 - TEMPEST/RF emanation
- Given a scenario, implement network hardening techniques.
 - · Anti-malware software
 - Host-based
 - Cloud/server-based
 - Network-based
 - Switch port security
 - DHCP snooping
 - ARP inspection
 - MAC address filtering
 - VLAN assignments
 - Network segmentation
 - Security policies
 - Disable unneeded network services
 - Use secure protocols
 - SSH
 - SNMPv3

- TLS/SSL
- SFTP
- HTTPS
- IPSec
- Access lists
 - Web/content filtering
 - Port filtering
 - IP filtering
 - Implicit deny
- · Wireless security
 - WEP
 - WPA/WPA2
 - Enterprise
 - Personal

- -802.1X
- TLS/TTLS
- MAC filtering
- User authentication
 - CHAP/MSCHAP
 - PAP
 - EAP
 - Kerberos
 - Multifactor authentication
 - Two-factor authentication
 - Single sign-on
- Hashes
 - MD5

 - SHA



Compare and contrast physical security controls.

- Mantraps
- Network closets
- Video monitoring- IP cameras/CCTVs

- Door access controls
- Proximity readers/key fob
- Biometrics

- Keypad/cipher locks
- · Security guard

Given a scenario, install and configure a basic firewall.

- Types of firewalls
 - Host-based
 - Network-based
 - Software vs. hardware
 - Application aware/context aware
 - Small office, home office firewall
 - Stateful vs. stateless inspection
 - UTM

- Settings/techniques
 - ACI
 - Virtual wire vs. routed
 - DMZ
 - Implicit deny
 - Block/allow
 - Outbound traffic
 - Inbound traffic

- Firewall placement
 - Internal/external

- Explain the purpose of various network access control models.
 - 802.1X
 - · Posture assessment
 - Guest network
 - Persistent vs. non-persistent agents
 - · Quarantine network
 - · Edge vs. access control
- 37 Summarize basic forensic concepts.
 - First responder
 - · Secure the area
 - Escalate when necessary
 - Document the scene
 - eDiscovery
 - · Evidence/data collection
 - · Chain of custody
 - Data transport
 - · Forensics report
 - · Legal hold





4.0 Troubleshooting

- Given a scenario, implement the following network troubleshooting methodology.
 - · Identify the problem
 - Gather information
 - Duplicate the problem, if possible
 - Question users
 - Identify symptoms
 - Determine if anything has changed
 - Approach multiple problems individually
 - · Establish a theory of probable cause
 - Question the obvious
 - Consider multiple approaches

- Top-to-bottom/
 bottom-to-top OSI model
- Divide and conquer
- Test the theory to determine cause
 - Once theory is confirmed, determine next steps to resolve problem
 - If theory is not confirmed, reestablish new theory or escalate
- Establish a plan of action to resolve the problem and identify potential effects

- Implement the solution or escalate as necessary
- Verify full system functionality and, if applicable, implement preventative measures
- · Document findings, actions and outcomes

- Given a scenario, analyze and interpret the output of troubleshooting tools.
 - Command line tools
 - ipconfig
 - netstat
 - ifconfig
 - ping/ping6/ping -6tracert/tracert -6/
 - traceroute6/traceroute -6
 - nbtstat

- nslookup
- arp
- mac address lookup table
- pathping
- Line testers
- Certifiers
- Multimeter
- · Cable tester

- Light meter
- Toner probe
- Speed test sites
- · Looking glass sites
- WiFi analyzer
- · Protocol analyzer
- Given a scenario, troubleshoot and resolve common wireless issues.
 - · Signal loss
 - Interference
 - · Overlapping channels
 - Mismatched channels
 - · Signal-to-noise ratio
 - Device saturation
 - · Bandwidth saturation
 - Untested updates
 - Wrong SSID
 - Power levels
 - Open networks

- Rogue access point
- Wrong antenna type
- Incompatibilities
- Wrong encryption
- Bounce
- · MIMO
- AP placement
- AP configurations
 - LWAPP
 - Thin vs. thick

- Environmental factors
 - Concrete walls
 - Window film
 - Metal studs
- Wireless-standard-related issues
 - Throughput
 - Frequency
 - Distance
 - Channels



Given a scenario, troubleshoot and resolve common copper cable issues.

- Shorts
- Opens
- Incorrect termination (mismatched standards)
 - Straight-through
 - Crossover
- Cross-talk
 - Near end
 - Far end

- · EMI/RFI
- Distance limitations
- · Attenuation/Db loss
- Bad connector
- · Bad wiring
- Split pairs
- Tx/Rx reverse
- · Cable placement
- Bad SFP/GBIC cable or transceiver
- Given a scenario, troubleshoot and resolve common fiber cable issues.
 - Attenuation/Db loss
 - SFP/GBIC cable mismatch
 - Bad SFP/GBIC cable or transceiver
 - Wavelength mismatch
 - · Fiber type mismatch

- Dirty connectors
- · Connector mismatch
- · Bend radius limitations
- · Distance limitations
- Given a scenario, troubleshoot and resolve common network issues.
 - Incorrect IP configuration/default gateway
 - · Broadcast storms/switching loop
 - · Duplicate IP
 - · Speed and duplex mismatch
 - · End-to-end connectivity
 - Incorrect VLAN assignment
 - · Hardware failure
 - Misconfigured DHCP
 - Misconfigured DNS
 - Incorrect interface/interface misconfiguration
 - · Cable placement

- Interface errors
- Simultaneous wired/wireless connections
- · Discovering neighboring devices/nodes
- · Power failure/power anomalies
- MTU/MTU black hole
- Missing IP routes
- NIC teaming misconfiguration
 - Active-active vs. active-passive
 - Multicast vs. broadcast



Given a scenario, troubleshoot and resolve common security issues.

- · Misconfigured firewall
- · Misconfigured ACLs/applications
- Malware
- DoS
- Open/closed ports
- ICMP-related issues
 - Ping of death
 - Unreachable default gateway
- Unpatched firmware/OSs
- Malicious users
 - Trusted
 - Untrusted users
 - Packet sniffing

- Authentication issues
 - TACACS/RADIUS misconfigurations
 - Default passwords/settings
- Improper access/backdoor access
- ARP issues
- Banner grabbing/OUI/TCP ports
- Domain/local group configurations
- Jamming

Given a scenario, troubleshoot and resolve common WAN issues.

- Loss of Internet connectivity
- Interface errors
- Split horizon
- DNS issues
- Interference
- Router configurations

- Customer premise equipment
 - Smart jack/NIU
 - Demarc
 - Loopback
 - CSU/DSU
 - Copper line drivers/repeaters
- Company security policy
 - Throttling
 - Blocking
 - Fair access policy/utilization limits
- Satellite issues
 - Latency





5.0 Industry Standards, Practices and Network Theory

- Analyze a scenario and determine the corresponding OSI layer.
 - Layer 1 Physical
 - · Layer 2 Data link
 - · Layer 3 Network
 - Layer 4 Transport

- Layer 5 Session
- Layer 6 Presentation
- · Layer 7 Application
- 5.2 Explain the basics of network theory and concepts.
 - · Encapsulation/de-encapsulation
 - Modulation techniques
 - Multiplexing
 - De-multiplexing
 - Analog and digital techniques
 - TDM
 - · Numbering systems
 - Binary

- Hexadecimal
- Octal
- · Broadband/baseband
- · Bit rates vs. baud rates
- · Sampling size
- · CDMA
- · CSMA/CD and CSMA/CA
- · Carrier detect/sense

- · Wavelength
- TCP/IP suite
 - ICMP
 - UDP
 - TCP
- Collision
- Given a scenario, deploy the appropriate wireless standard.
 - · 802.11a

• 802.11n

·802.11b

• 802.11ac

- •802.11g
- 64 Given a scenario, deploy the appropriate wired connectivity standard.
 - Ethernet standards
 - 10BaseT
 - 100BaseT
 - 1000BaseT
 - 1000BaseTX
 - 1000Base1X
 - 10GBaseT - 100BaseFX
- seT 100
- 10Base2
- 10GBaseSR
 - 10GBaseER
 - 10GBaseSW
 - IEEE 1905.1-2013
 - Ethernet over HDMI
 - Ethernet over power line

- Wiring standards
 - EIA/TIA 568A/568B
- Broadband standards
 - DOCSIS





Given a scenario, implement the appropriate policies or procedures.

Security policies

- Consent to monitoring Network policies

· Acceptable use policy

· Standard business documents

- SLA - MOU - MSA

- SOW

Summarize safety practices.

· Electrical safety

- Grounding

• ESD

- Static

· Installation safety

- Lifting equipment - Rack installation

- Placement

- Tool safety

· Emergency procedures

- Building layout - Fire escape plan

- Safety/emergency exits

- Fail open/fail close

- Emergency alert system

• Fire suppression systems

HVAC

- ⁵⁻⁷ Given a scenario, install and configure equipment in the appropriate location using best practices.
 - · Intermediate distribution frame
 - · Main distribution frame
 - Cable management
 - Patch panels
 - · Power management
 - Power converters
 - Circuits
 - UPS
 - Inverters
 - Power redundancy

- Device placement
- · Air flow
- · Cable trays
- · Rack systems
 - Server rail racks
 - Two-post racks - Four-post racks
 - Free-standing racks

- Labeling
 - Port labeling
 - System labeling
 - Circuit labeling
 - Naming conventions
 - Patch panel labeling
- · Rack monitoring
- Rack security
- Explain the basics of change management procedures.
 - · Document reason for a change
 - · Change request
 - Configuration procedures
 - Rollback process
 - Potential impact
 - Notification
 - · Approval process

- Maintenance window
 - Authorized downtime
- · Notification of change
- Documentation
 - Network configurations
 - Additions to network
 - Physical location changes





^{5.9} Compare and contrast the following ports and protocols.

• 80	НТТР	• 25	SMTP	• TCP
• 443	HTTPS	• 5060/5061	SIP	- Connection-oriented
• 137-139	NetBIOS	• 2427/2727	MGCP	• UDP
• 110	POP	• 5004/5005	RTP	- Connectionless
• 143	IMAP	• 1720	H.323	

Given a scenario, configure and apply the appropriate ports and protocols.

```
• 20,21 FTP
• 161 SNMP
• 22 SSH
• 23 Telnet
• 53 DNS
• 67,68 DHCP
• 69 TFTP
• 445 SMB
• 3389 RDP
```



Network+ Acronym List

The following is a list of acronyms that appear on the CompTIA Network+ exam. Candidates are encouraged to review the complete list and attain a working knowledge of all listed acronyms as a part of a comprehensive exam preparation program.

ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
Α	Address	CDMA	Code Division Multiple Access
AAA	Authentication, Authorization and Accounting	CDMA/CD	Carrier Sense Multiple Access/Collision Detection
AAAA	Authentication, Authorization,	CHAP	Challenge Handshake Authentication Protocol
	Accounting and Address	CIDR	Classless Inter-Domain Routing
ACL	Access Control List	CNAME	Canonical Name
ADSL	Asymmetric Digital Subscriber Line	COS	Class Of Service
AES	Advanced Encryption Standard	CPU	Central Processing Unit
AH	Authentication Header	CRAM	Challenge-Response Authentication
AP	Access Point		Mechanism–Message Digest 5
APC	Angle Polished Connector	CRC	Cyclic Redundancy Checking
APIPA	Automatic Private Internet Protocol Addressing	CSMA/CA	Carrier Sense Multiple Access/Collision Avoidance
APT	Advanced Persistent Protocol	CSU	Channel Service Unit
ARIN	American Registry for Internet Numbers	CWDM	Course Wave Division Multiplexing
ARP	Address Resolution Protocol	dB	Decibels
AS	Autonomous System	DCS	Distributed Computer System
ASIC	Application Specific Integrated Circuit	DDoS	Distributed Denial of Service
ASP	Application Service Provider	DHCP	Dynamic Host Configuration Protocol
ATM	Asynchronous Transfer Mode	DLC	Data Link Control
AUP	Acceptable Use Policy	DLP	Data Leak Prevention
BCP	Business Continuity Plan	DLR	Device Level Ring
BERT	Bit Error Rate Test	DMZ	Demilitarized Zone
BGP	Border Gateway Protocol	DNAT	Destination Network Address Translation
BLE	Bluetooth Low Energy	DNS	Domain Name Service or Domain Name
BNC	British Naval Connector		Server or Domain Name System
	or Bayonet Neill-Concelman	DOCSIS	Data-Over-Cable Service Interface Specification
BootP	Boot Protocol or Bootstrap Protocol	DoS	Denial of Service
BPDU	Bridge Protocol Data Unit	DR	Designated Router
BRI	Basic Rate Interface	DSCP	Differentiated Services Code Point
BSSID	Basic Service Set Identifier	DSL	Digital Subscriber Line
BYOD	Bring Your Own Device	DSSS	Direct Sequence Spread Spectrum
CAM	Channel Access Method	DSU	Data Service Unit
CAN	Campus Area Network	DWDM	Dense Wavelength Division Multiplexing
CARP	Common Address Redundancy Protocol	E1	E-Carrier Level 1
CAT	Computer And Telephone	EAP	Extensible Authentication Protocol
CCTV	Closed Circuit TV	EDNS	Extension Mechanisms for DNS



ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
EGP	Exterior Gateway Protocol	IGRP	Interior Gateway Routing Protocol
EIA/TIA	Electronic Industries Alliance/	IKE	Internet Key Exchange
	Telecommunication Industries Association	IMAP4	Internet Message Access Protocol version 4
EMI	Electromagnetic Interference	InterNIC	Internet Network Information Center
ESD	Electrostatic Discharge	IP	Internet Protocol
ESP	Encapsulated Security Packets	IPS	Intrusion Prevention System
ESSID	Extended Service Set Identifier	IPSec	Internet Protocol Security
EUI	Extended Unique Identifier	IPv4	Internet Protocol version 4
FC	Fibre Channel	IPv6	Internet Protocol version 6
FCS	Frame Check Sequence	ISAKMP	Internet Security Association and Key
FDM	Frequency Division Multiplexing		Management Protocol
FHSS	Frequency Hopping Spread Spectrum	ISDN	Integrated Services Digital Network
FM	Frequency Modulation	IS-IS	Intermediate System to Intermediate System
FQDN	Fully Qualified Domain Name	ISP	Internet Service Provider
FTP	File Transfer Protocol	IT	Information Technology
FTPS	File Transfer Protocol Security	ITS	Intelligent Transportation System
GBIC	Gigabit Interface Converter	IV	Initialization Vector
Gbps	Gigabits per second	Kbps	Kilobits per second
GLBP	Gateway Load Balancing Protocol	KVM	Keyboard Video Mouse
GPG	GNU Privacy Guard	L2F	Layer 2 Forwarding
GRE	Generic Routing Encapsulation	L2TP	Layer 2 Tunneling Protocol
GSM	Global System for Mobile communications	LACP	Link Aggregation Control Protocol
HDLC	High-level Data Link Control	LAN	Local Area Network
HDMI	High Definition Multimedia Interface	LC	Local Connector
HIDS	Host Intrusion Detection System	LDAP	Lightweight Directory Access Protocol
HIPS	Host Intrusion Prevention System	LEC	Local Exchange Carrier
HSPA	High-Speed Packet Access	LED	Light Emitting Diode
HSRP	Hot Standby Router Protocol	LLC	Logical Link Control
HT	High Throughput	LSA	Link State Advertisement
HTTP	Hypertext Transfer Protocol	LTE	Long Term Evolution
HTTPS	Hypertext Transfer Protocol Secure	LWAPP	Light Weight Access Point Protocol
HVAC	Heating, Ventilation and Air Conditioning	MAC	Media Access Control or Medium Access Control
Hz	Hertz	MAN	Metropolitan Area Network
IaaS	Infrastructure as a Service	Mbps	Megabits per second
IANA	Internet Assigned Numbers Authority	MBps	Megabytes per second
ICA	Independent Computer Architecture	MDF	Main Distribution Frame
ICANN	Internet Corporation for Assigned	MDI	Media Dependent Interface
	Names and Numbers	MDIX	Media Dependent Interface Crossover
ICMP	Internet Control Message Protocol	MGCP	Media Gateway Control Protocol
ICS	Internet Connection Sharing or Industrial	MIB	Management Information Base
	Control System	MIBS	Management Information Bases
IDF	Intermediate Distribution Frame	MIMO	Multiple Input, Multiple Output
IDS	Intrusion Detection System	MLA	Master License Agreement
IEEE	Institute of Electrical and Electronics Engineers	MLA	Multilateral Agreement
IGMP	Internet Group Multicast Protocol	MMF	Multimode Fiber
IGP	Interior Gateway Protocol	MOA	Memorandum Of Agreement
101	interior dateway riotocor	MOA	Memorandum of Agreement



ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
MOU	Memorandum Of Understanding	POTS	Plain Old Telephone System
MPLS	Multi-Protocol Label Switching	PPP	Point-to-Point Protocol
MS-CHAP	Microsoft Challenge Handshake	PPPoE	Point-to-Point Protocol over Ethernet
	Authentication Protocol	PPTP	Point-to-Point Tunneling Protocol
MSA	Master Service Agreement	PRI	Primary Rate Interface
MSDS	Material Safety Data Sheet	PSK	Pre-Shared Key
MT-RJ	Mechanical Transfer-Registered Jack	PSTN	Public Switched Telephone Network
MTU	Maximum Transmission Unit	PTP	Point-to-Point
MUMIMO	Multiuser Multiple Input, Multiple Output	PTR	Pointer
MX	Mail Exchanger	PVC	Permanent Virtual Circuit
NAC	Network Access Control	QoS	Quality of Service
NAS	Network Attached Storage	RADIUS	Remote Authentication Dial-In User Service
NAT	Network Address Translation	RARP	Reverse Address Resolution Protocol
NCP	Network Control Protocol	RAS	Remote Access Service
NDR	Non-Delivery Receipt	RDP	Remote Desktop Protocol
NetBEUI	Network Basic Input/Output	RF	Radio Frequency
	Extended User Interface	RFI	Radio Frequency Interference
NetBIOS	Network Basic Input/Output System	RG	Radio Guide
NFC	Near Field Communication	RIP	Routing Internet Protocol
NFS	Network File Service	RJ	Registered Jack
NIC	Network Interface Card	RPO	Recovery Point Objective
NIDS	Network Intrusion Detection System	RSA	Rivest, Shamir, Adelman
NIPS	Network Intrusion Prevention System	RSH	Remote Shell
NIU	Network Interface Unit	RTP	Real-Time Protocol
nm	Nanometer	RTSP	Real-Time Streaming Protocol
NNTP	Network News Transport Protocol	RTT	Round-Trip Time or Real Transfer Time
NTP	Network Time Protocol	SA	Security Association
OCx	Optical Carrier	SaaS	Software as a Service
OS	Operating Systems	SC	Standard Connector or Subscriber Connector
OSI	Open Systems Interconnect	SCADA	Supervisory Control And Data Acquisition
OSPF	Open Shortest Path First	SCP	Secure Copy Protocol
OTDR	Optical Time Domain Reflectometer	SDLC	Software Development Life Cycle
OUI	Organizationally Unique Identifier	SDP	Session Description Protocol
PaaS	Platform as a Service	SDSL	Symmetrical Digital Subscriber Line
PAN	Personal Area Network	SFP	Small Form-factor Pluggable
PAP	Password Authentication Protocol	SFTP	Secure File Transfer Protocol
PAT	Port Address Translation	SGCP	Simple Gateway Control Protocol
PC	Personal Computer	SHA	Secure Hash Algorithm
PCM	Phase Change Memory	SIEM	Security Information and Event Management
PDU	Protocol Data Unit	SIP	Session Initiation Protocol
PGP	Pretty Good Privacy	SLA	Service Level Agreement
PKI	Public Key Infrastructure	SLAAC	Stateless Address Auto Configuration
PoE	Power over Ethernet	SLIP	Serial Line Internet Protocol
POP	Post Office Protocol	SMF	Single-Mode Fiber
POP3	Post Office Protocol version 3	SMS	Short Message Service



ACRONYM	SPELLED OUT	ACRONYM	SPELLED OUT
SMTP	Simple Mail Transfer Protocol	TTLS	Tunneled Transport Layer Security
SNAT	Static Network Address Translation/	UC	Unified Communications
	Source Network Address Translation	UDP	User Datagram Protocol
SNMP	Simple Network Management Protocol	UNC	Universal Naming Convention
SNTP	Simple Network Time Protocol	UPC	Ultra Polished Connector
SOA	Start Of Authority	UPS	Uninterruptible Power Supply
SOHO	Small Office, Home Office	URL	Uniform Resource Locator
SONET	Synchronous Optical Network	USB	Universal Serial Bus
SOW	Statement Of Work	UTM	Unified Threat Management
SPB	Shortest Path Bridging	UTP	Unshielded Twisted Pair
SPI	Stateful Packet Inspection	VDSL	Variable Digital Subscriber Line
SPS	Standby Power Supply	VLAN	Virtual Local Area Network
SSH	Secure Shell	VNC	Virtual Network Connection
SSID	Service Set Identifier	VoIP	Voice over IP
SSL	Secure Sockets Layer	VPN	Virtual Private Network
ST	Straight Tip or Snap Twist	VRF	Virtual Routing Forwarding
STP	Spanning Tree Protocol or Shielded Twisted Pair	VRRP	Virtual Router Redundancy Protocol
SVC	Switched Virtual Circuit	VTC	Video Teleconference
SYSLOG	System Log	VTP	VLAN Trunk Protocol
Tı	Terrestrial Carrier Level 1	WAN	Wide Area Network
TA	Terminal Adaptor	WAP	Wireless Application Protocol or
TACACS	Terminal Access Control Access Control System		Wireless Access Point
TACACS+	Terminal Access Control Access Control System Plus	WEP	Wired Equivalent Privacy
TCP	Transmission Control Protocol	WINS	Window Internet Name Service
TCP/IP	Transmission Control Protocol/Internet Protocol	WLAN	Wireless Local Area Network
TDM	Time Division Multiplexing	WMS	Warehouse Management System
TDR	Time Domain Reflectometer	WPA	WiFi Protected Access
Telco	Telephone company	WPS	WiFi Protected Setup
TFTP	Trivial File Transfer Protocol	WWN	World Wide Name
TKIP	Temporal Key Integrity Protocol	WWW	World Wide Web
TLS	Transport Layer Security	XDSL	Extended Digital Subscriber Line
TMS	Transportation Management System	XML	Extensible Markup Language
TOS	Type Of Service	ZEROCONF	Zero configuration
TTL	Time To Live		



Network+ Proposed Hardware and Software List

CompTIA has included this sample list of hardware and software to assist candidates as they prepare for the Network+ exam. This list may also be helpful for training companies who wish to create a lab component to their training offering. The bulleted lists below each topic are a sample list and not exhaustive.

EQUIPMENT

- · Optical and copper patch panels
- Punchdown blocks (110)
- · Layer 3 switch/router
- · Layer 2 switch
- Firewall
- VPN concentrator
- DHCP server
- DNS server
- IDS/IPS
- Wireless access point
- Two basic PCs
- Media converters
- Configuration terminal (with Telnet and SSH)
- VoIP system (including a phone)
- KVM switch

SPARE HARDWARE

- NICs
- Power supplies
- GBICs
- SFPs
- Switch
- Hub
- · Wireless access point
- UPS

SPARE PARTS

- Patch cables
- RJ-45 connectors, modular jacks
- RJ-11 connectors
- · Cable spool
- · Coaxial cable spool
- F-connectors
- Fiber connectors
- Antennas
- Bluetooth/wireless adapters
- Console cables

TOOLS

- Telco/network crimper
- Cable tester
- Punchdown tool
- Cable striper
- · Coaxial crimper
- Wire cutter
- Tone generator
- Fiber termination kit
- Snips
- Butt set
- · Optical power meter

SOFTWARE

- · Packet sniffer
- Protocol analyzer
- Terminal emulation software
- Linux/Windows OSs
- Software firewall
- Software IDS/IPS
- Network mapper
- Virtual network environment
- · WiFi analyzer
- Spectrum analyzer
- Anti-malware software
- Network monitoring software

OTHER

- · Sample network documentation
- Sample logs
- · Defective cables
- Sample malware/viruses

