

[Return to Order of Business](#)

TAB 16



Los Angeles Unified School District

149
333 South Beaudry Ave,
Los Angeles, CA 90017

Board of Education Report

File #: ROC-005-22/23, Version: 1

Report of Correspondence, including two Williams Settlement Uniform Complaint Quarterly Report Summaries (ROC-005-22/23)

**WILLIAMS UNIFORM COMPLAINT
QUARTERLY REPORT SUMMARY
1st Quarter 2022/2023**

DISTRICT NAME: Los Angeles Unified School District

DATE: November 9, 2022

QUARTER COVERED BY THIS REPORT:

July, August, and September 2022

	Number of Complaints Received in Quarter	Number of Complaints Resolved	Number of Complaints Unresolved
Instructional Materials	0	0	0
Facilities	92	92	0
Teacher Vacancy and Misassignment	0	0	0
Totals	92	92	0

SUBMITTED BY: Julie Hall-Panameño

TITLE: Director, Educational Equity Compliance Office

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
151
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5661	11-Aug-22	Gardner St ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning HVAC: A/C has not been working from summer school and up to now. Plant Manager reported the problem and M&O department was informed but NO solution yet to fix the problem. When will the problem be fixed? This kind of summer heat is really endangering our health. Location: Main Office	The Williams Complaint for Gardner Street ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/23/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) technician responded on August 12th to assess the issue and found that the time clock that controls the AC was not working properly. The HVAC technician returned during the following week of 8/15-8/19 and replaced the time clock. The HVAC department has observed the operation of the AC at Gardner ES for the past month and can confirm that no new issues have arisen. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	23-Sep-22	17-Oct-22	22-Sep-22	Yes	West	4

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

152
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5662	12-Aug-22	Elizabeth Learning Center	Kimberly Parker	Facility Conditions	Nonfunctioning Heating, Ventilation, and Air Conditioning (HVAC) systems: My classroom air conditioning system does not work and hasn't worked in over four months. The room gets up to 80-85 degrees over the course of many days. This situation is absolutely unacceptable. Temperatures will be in the 90s next week! I have 7 classes of 45+ students! Please repair HVAC in classroom 9 ASAP. Thank you. Teacher: Kimberly Parker: Rm: 9; Gr: 9/10 Secondary Art 8/24/22 - Complainant submitted the following update; Subject: Air Conditioning NOT WORKING!!!: To whom it may concern, HELLO??? IS ANYONE THERE? It's almost 90 degrees in my room and I have classes with over 40 students. My air conditioner NEEDS TO BE FIXED NOW. How has no one officially responded to me yet? I have emailed and faxed my Williams Complaint. Please, someone, anyone, let me know what is going on. Apologies for the frustration -- Ms. Parker	The Williams Complaint for Elizabeth Learning Center 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM visited room 9 on 09/13/2022 to confirm that the HVAC has been repaired. The HVAC unit had the blower motor and thermostat replaced. As of 09/13/2022 CPM confirmed the temperature in room 9 was 72 degrees Fahrenheit. Therefore, this Williams Uniform Complaint has been resolved and is now closed	26-Sep-22	18-Oct-22	21-Sep-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 153 Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5663	12-Aug-22	Bell HS	Aurora Casillas	Facility Conditions	Nonfunctioning Heating, Ventilation, and Air Conditioning (HVAC) system; The air conditioning system has been down since last semester of last school year 2021-2022. Administration at Bell HS site have tried their best to accommodate me by providing me with room fans. However, due to the increasing summer temperatures the fans fail to alleviate the problem. Because of a previously diagnosed health problem, I have a weak immune system. I must wear a mask in the classroom and for my safety and that of my students. I am hoping that this health hazard can be alleviated as soon as possible. Therefore, my request is for MGO, HVAC unit repair the air conditioning system in my room ASAP. Thank you. Teacher: Aurora Casillas; Rm: 326; Gr: 10th grade/Science.	The Williams Complaint for Bell HS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The WUC for room 326, at Bell HS, has been resolved. I visited room 326 at Bell HS on 9/20/2022 and observed that the air conditioning is functioning normally and maintaining 68 degrees Fahrenheit. The Heating Ventilation & Air Conditioning (HVAC) Fitters repaired the refrigerant leaks. Replaced the compressor unloader, refrigerant line valve, high pressure relief valve, condenser fan motor, and the fan belts. The fitters also tightened loose refrigerant service ports, cleaned condenser coils, and charged the system with refrigerant. The CPM confirmed the unit is now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Sep-22	18-Oct-22	22-Sep-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

154
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5664	15-Aug-22	Thomas Starr King MS	Lee Isenberg	Facility Conditions	Auditorium and side room to auditorium air conditioner is broken and will not turn on. Please correct the problem ASAP. Thank you. Teacher: Lee Isenberg; Rm: Theatre/Auditorium and side room to Aud Gr: 7/8	The Williams Complaint for Thomas Starr King Film/Media Middle School 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work order (WO) 33440778 was generated to address WUC 5664 and 5665. Upon inspection of the chiller, it was discovered that it had a bad condenser fan motor. The condenser fan motor has been replaced the coils have been cleaned. The unit is now functioning properly. During my school site visit on 8/30/22 the unit continued to be functioning properly. The Auditorium had a room temperature of 72 degrees, and it was discharging 70 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Sep-22	19-Oct-22	9-Sep-22	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5665	15-Aug-22	Thomas Starr King MS	William Page	Facility Conditions	I am a parent of a newly enrolled student. Today, there were several students and parents who were waiting to be processed for enrollment and we were directed to the school's auditorium as it is the largest, on-site facility to accommodate a large group with the appropriate space and ventilation. To my great surprise and displeasure, the air conditioning was not working and the room was extremely stuffy and as time went on, we as occupants began to swelter. When we contacted the principal, he told us he was surprised that it was not working as he had been assured that the unit would be back up and running prior to the first day of school. We find this situation intolerable and request that the situation be remedied immediately for the benefit not only of ourselves, but for our children especially. Parent: William Page; Location: Auditorium	The Williams Complaint for Thomas Starr King Film/Media Middle School 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work order (WO) 33440778 was generated to address WUC 5664 and 5665. Upon inspection of the chiller, it was discovered that it had a bad condenser fan motor. The condenser fan motor has been replaced the coils have been cleaned. The unit is now functioning properly. During my school site visit on 8/30/22 the unit continued to be functioning properly. The Auditorium had a room temperature of 72 degrees, and it was discharging 70 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Sep-22	19-Oct-22	9-Sep-22	Yes	Central	2
5666	15-Aug-22	2nd Street ES	Donna K. Lohran	Facility Conditions	The pedestrian gate between the parking lot and the campus does not lock. This poses a safety hazard for all staff and students. Anyone off the street can easily gain access to the school and put all staff and students in a dangerous position. Complainant: Donna K. Lohran; Location: pedestrian gate from parking lot to campus	The Williams Complaint for 2nd Street ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 3387585-ZM was used to address this WUC. On 09/12/2022, Locksmith installed a new mortise lock, and rekeyed the cylinder to a "MM" key. A new mortise lock (Schlage 9080) and "MM" cylinder was put in lock box at Staff gate/parking. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Sep-22	19-Oct-22	21-Sep-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

156
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5667	16-Aug-22	Elizabeth Learning Center	Janet Herrera	Facility Conditions	Our office has a broken air conditioning system. We are concerned with ventilation and heat in the office. We see many students and it is a safety concern at this point. Complainant: Janet Herrera; Room: Counseling Office	The Williams Complaint for Elizabeth Learning Center 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM visited the counseling office on 09/13/2022 to confirm that it has been repaired. In addition, the HVAC unit had a faulty blower motor repaired and a new thermostat installed. As of 09/13/2022 CPM confirmed the temperature is 68 degrees Fahrenheit in the counseling office. The Counseling Office HVAC system has been repaired and is functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Sep-22	20-Oct-22	21-Sep-22	Yes	East	5
5668	18-Aug-22	Soto St ES	Ms Vasquez	Facility Conditions	Nonfunctioning air conditioning systems: Room 12 has extreme temperatures since 2014. The Heating, Ventilation and Air Conditioning (HVAC) system has temperatures from 50 degrees to 98 degrees sometimes on the same day. The temperature/thermostat has been "worked-on" and the problem has yet to be corrected. The temperature today in room 12 is 89 degrees and the outside temperature was 104 degrees. Just last year, both students and staff continuously experienced symptoms of heat exhaustion (dizziness, vomiting, weakness, headaches, and nausea). This is an urgent matter that must be corrected immediately. Teacher: Ms. Vasquez; Rm: 12; Gr: ES	The Williams Complaint for Soto St ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 33496596 was generated to address WUC # 5668 & WO 33499506 was generated to address WUC # 5669 and have now been completed. Portable Air Conditioning units and floor fans were delivered and set up in room 1 & room 12. Room 12 has been confirmed to be at 77 degrees and Room 1 has been confirmed to be at 76 degrees. This Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	25-Aug-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
157
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5669	18-Aug-22	Soto St ES	Maria Arevalos	Facility Conditions	Nonfunctioning air conditioning systems: teacher states, it is very hot and uncomfortable in my classroom for students and teacher without air conditioning (A/C). Students and teacher complain of headaches, dizziness, and nausea. Please repair (Heating, Ventilation, and Air Conditioning (HVAC) system immediately. Teacher: Maria Arevalos; Rm: 1, Main Bldg., 1st floor.	The Williams Complaint for Soto St ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 33498596 was generated to address WUC # 5668 & WO 33499506 was generated to address WUC # 5669 and have now been completed. Portable Air Conditioning units and Floor fans were delivered and set up in room 1 & room 12. Room 12 has been confirmed to be at 77 degrees and Room 1 has been confirmed to be at 76 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	25-Aug-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

158
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5670	18-Aug-22	Normandie Ave ES	Sandra Airtam	Facility Conditions	Nonfunctioning air conditioning systems: My name is Sandra Airtam. I am a teacher at Normandie Ave ES. Since the first day of school, South Bldg., Rm 54, 2nd floor has no air conditioning. I was told by admin that LAUSD is waiting on a part needed to fix the A/C. There are 4 regular Ed classrooms and 2 Sp Ed classrooms on the 2nd floor. Temperatures have been in the 80's and 90's in our classrooms. Admin has supplied fans that help very little and tries to find other areas (coach classrooms, auditorium), for us to share and use. It is very disruptive to have to move from place to place with our students not to mention inconvenient to move materials and technology. It is a loss of instructional minutes and difficult to teach new students routine and procedures when we are having to travel around the school. By 10 a.m. our classrooms are unbearable. Students are constantly requesting water breaks and understandably complaining about being hot. Teacher: Sandra Airtam; Rm 54, 2nd Floor, South Bldg. Gr: ES	The Williams Complaint for Normandie Ave ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The AC in the South Building including the second floor and room 54 are currently providing satisfying temperatures as per district specifications. Project Unit South (PUS) assisted Area SI with the repairs of the Heating, Ventilation and Air Conditioning (HVAC) system by using a Task order Purchase Order. The Contractor worked on the south unit serving the South building on 8-23-22 to 8-23-22 and found defective Variable Frequency Drive (VFD) that drives one of the compressors. The contractor installed VFD and calibrated pneumatic thermostats as needed. The contractor also worked on the second unit that is installed on the north side of the building on 8-9-22 and found multiple problems, bad electrical disconnect and defective VFD for a compressor. On 8-30 and 8-31 the contractor installed new VFD and electrical disconnect and got the unit operating at 75% capacity per contractor report. PUS is currently waiting on the contractor to go back and finish programing the VFD to finalize the work. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	30-Sep-22	Yes	Central	I

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
159
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5671	18-Aug-22	Bryson Ave Science/Tech/Math Magnet	Denise Vitela	Facility Conditions	Nonfunctioning air conditioning system: The air conditioning system have not been working properly and the temperature has been very hot. Please correct the Heating, Ventilation, and Air Conditioning (HVAC) system problem(s) for it to function properly. Thank you. Teacher: Ms Lopez; Rm: 23, Gr: Kindergarten	The Williams Complaint for Bryson Ave Science/Tech/Math Magnet 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 33447281 was generated to address this WUC # 5671 and has now been completed. The Heating, Ventilation, and Air Conditioning (HVAC) systems department repaired the exterior fan to the AC unit. As of 08/22/2022, the AC has been confirmed to be back to its normal operation and functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	25-Aug-22	Yes	East	5
5672	22-Aug-22	Samuel Gompers MS	Steve Barba	Facility Conditions	Nonfunctioning air conditioning systems: 1) Girls P.E. office air conditioner does not work. 2) Dance Room above boys locker room's HVAC is cautioned off. 3) Boys office restroom has no lock on door. Teacher: Steve Barba; Location: Girls PE Office; Boys PE Office, and dance room above the boys office needs repair. Gr: 6-8;	The Williams Complaint for Samuel Gompers MS 1st Quarter (2022-2023) has been remedied/resolved as of 10/07/2022. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A window air conditioning unit was installed on October 7th, 2022. The dance room floor above the boy's locker room has been repaired and cleared inspection from the Office of Environmental Health and Safety. The wood floor in the dance room above the boy's office has been repaired and the Boys office restroom lock has been repaired. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	4-Oct-22	26-Oct-22	7-Oct-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

160
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5673	29-Aug-22	Eagle Rock ES	Julia Rose	Facility Conditions	Nonfunctioning Air Conditioning (A/C): The A/C in my son's class has not been working since school started. The class is tracking how hot the room temperature gets and often during the day. Strangely, the A/C unit next door in my other son's class, (Rm 17, Ms. Gotz) has the opposite problem; the students are freezing due to cold temperature. Please fix the Heating, Ventilation and Air Conditioning (HVAC) system problems in the two classrooms. Teacher: Thomas Rm: 18; Gr: 5/6 and Teacher: Ms. Gotz; Rm: 17	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore this Williams Uniform Complaint has been resolved and is now closed.	12-Oct-22	2-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
161
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5674	30-Aug-22	Eagle Rock ES	Angela Vawter	Facility Conditions	Nonfunctioning Air Conditioning. Unsafe conditions in the classroom. The A/C unit in my son Henry's classroom has not been functioning properly since the very first day of school on 8/15/22. His teacher was able to get a technician out on-site to look at the unit, but the tech did not properly fix the unit. As of 8/15, the temperature only hovers around 73 degrees in the early morning and heats up to 80 by day's end (see attached <u>temperature study</u>). My son has been coming home most days dripping in sweat and overly exhausted and drained because of the conditions in his classroom. This is completely unacceptable. It's not only unhealthy, but unsafe for the children to be forced to return to an overheated classroom after being out in the sun at recess. They cannot learn or focus in these conditions. I'm also very worried about the airflow in the classroom and my child contracting COVID-19 because of it. Next week, the weather is supposed to reach 100 degrees. If the temperature in the classroom is just below 80 during an 85-90 degree week like this past week, imagine what temperature the classroom will heat up to next week. These kids should not have to suffer through the heat without a properly working A/C. Please send a technician out and fix this unit properly as soon as possible, for the health and safety of the students. Thank you	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	13-Oct-22	3-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

162
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5675	30-Aug-22	Porter Ranch Community School	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: The A/C at the Middle School's gymnasium is not working and has not worked since May 2021. Please repair A/C ASAP. Thank you. Location: MS gym; Gr: K-8	The Williams Complaint for Porter Ranch Community School 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/13/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, and Air Conditioning (HVAC) Technician evaluated the Energy Management System (EMS) to verify which unit was down and to begin troubleshooting the process. It was determined that the control wiring had a short, the wiring was repaired, and the service call was completed as the HVAC system was functioning properly at that time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	13-Oct-22	3-Nov-22	7-Oct-22	Yes	Northwest	3
5676	8-Sep-22	Teresa Hughes ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: The A/C in my son's room #9 at Hughes ES is not working. My son has a medical condition and should not be inside a 'steaming hot' classroom. Please repair HVAC system in classroom #9 ASAP. Thank you. Parent of student assigned to Rm: 9	The Williams Complaint for Teresa Hughes ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Heating, Ventilation, & Air Conditioning Supervisor reported to Hughes on 9/28/2022 to trouble shoot and repair the system. He determined that the Variable Frequency Drive (VFD) was malfunctioning. He recalibrated the VFD, reset the thermostat, and monitored the HVAC system while it was operating to make sure that it continued to function normally. CPM visited room 9 and used a temperature meter on 10/17/2022 and observed that room 10 is still maintaining in-between 68 to 73 degrees Fahrenheit temperature. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 163 Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5677	8-Sep-22	Eagle Rock Highly Gifted Magnet	Grace Kvrilanovich	Facility Conditions	Nonfunctioning air-conditioning systems: No A/C since 8/30/22. A/C is not working properly in classroom #18. Temperatures of 79 degrees recorded by the teacher consistently. Please repair HVAC ASAP Thank you. Thank you. Teacher: Mr. Thomas; Rm 18; Gr: 5/6	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	13-Oct-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

164
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5678	8-Sep-22	Elizabeth Learning Center	Noemi Villasenor	Facility Conditions	Nonfunctioning air-conditioning systems: My room has a non-operational A/C unit. My room is extremely hot due to the number of students that occupy the room which has added additional fatigue for them and myself. My room is the only one without a functioning HVAC; neighboring rooms have functional HVACs. Please repair A/C ASAP. Thank you. Teacher; Noemi Villasenor; Rm: 310; Gr: ELA 9 & 11.	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter, diagnosed and made repairs to Rooms 310, 424, & 420. On 9/30/2022, repairs to room 420 were made by replacing a faulty HVAC timer and replacing (2) blown fuses. On 9/30/2022, repairs to the HVAC unit in room 424 were made by reprogramming the HVAC timer. On 10/5/2022, repairs to room 310 were made by replacing a burnt-out compressor motor, recharging the refrigerant, and adjusting the thermostat. All rooms are maintaining a desired temperature between 68 to 73 degrees Fahrenheit. CPM has confirmed that all units are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5
5679	8-Sep-22	Bell HS	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: No HVAC in Room 131, Main Bldg. and Upstairs Gym. There has been no A/C in these rooms since 8/15/22 at the start of fall semester. It is really hot in the classrooms. Please repair HVAC ASAP. Thank you. Location: Main Bldg., Rm 131 and Upstairs gym.	The Williams Complaint for Bell HS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter made the repairs to room 131 on 10/13/2022. He reset the cooling tower breakers and thermostats for the main building classrooms. The blower motor for room 131 was replaced, the breakers were reset and the thermostat for the 2nd floor gymnasium was adjusted. CPM has confirmed that the HVAC systems are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed. Location: Main Bldg., Rm 131 and Upstairs gym.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
165
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5680	8-Sep-22	Ramona HS	Maria Cristina Quitequi	Facility Conditions	Nonfunctioning air-conditioning systems: I reported this problem for the first time in April 2022. Still no solution. 1) The A/C doesn't work. The temperature in Room 211 today is 85 degrees 2) The students complain about the excessive heat: it makes them feel dizzy, out of breath and sleepy; Teacher: Maria Cristina Quitequi; Rm: 211; Gr: HS	The Williams Complaints for Ramona HS 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/21/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On October 4th, 2022, a new thermostat was installed. CPM has confirmed temperature in the room is now at 73 degrees, and the system is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed..	21-Oct-22	12-Nov-22	10-Oct-22	Yes	East	2
5681	8-Sep-22	Ramona HS	Anonymous School Student Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: Room 211 is very hot this affects my learning. All I can think about while in the classroom is how hot it is and the thought distracts me. Rm 211; Teacher: Maria Cristina Quitequi; Gr: HS	The Williams Complaints for Ramona HS 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/21/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On October 4th, 2022, a new thermostat was installed. CPM has confirmed temperature in the room is now at 73 degrees, and the system is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed..	21-Oct-22	12-Nov-22	10-Oct-22	Yes	East	2
5682	8-Sep-22	Ramona HS	Anonymous School Student Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: Room 211 is very stuffy and hot. This affects my ability to focus because it is so uncomfortable. Rm 211; Teacher: Maria Cristina Quitequi; Gr: HS	The Williams Complaints for Ramona HS 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/21/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On October 4th, 2022, a new thermostat was installed. CPM has confirmed temperature in the room is now at 73 degrees, and the system is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed..	21-Oct-22	12-Nov-22	10-Oct-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

166
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5683	8-Sep-22	Elizabeth Learning Center	Fabiola Espinoza Osnaya	Facility Conditions	Nonfunctioning air-conditioning systems: My room air conditioning system does not work and water has built-up somewhere in the ceiling and is leaking into my classroom. It is hot and humid, the perfect situation for mold to grow. I am pregnant! My students and I shouldn't have to deal with this issue. This HVAC condition is totally unacceptable! Temperatures continue to be exceedingly hot! I don't want to breath in mold spores. This situation needs to be rectified ASAP! Please repair HVAC. Thank you for your time and consideration in this matter. Teacher: Fabiola Espinoza Osnaya; Rm: 424; Gr: 9/10 Science	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter, diagnosed and made repairs to Rooms 310, 424, & 420. On 9/30/2022, repairs to room 420 were made by replacing a faulty HVAC timer and replacing (2) blown fuses. On 9/30/2022, repairs to the HVAC unit in room 424 were made by reprogramming the HVAC timer. On 10/5/2022, repairs to room 310 were made by replacing a burnt-out compressor motor, recharging the refrigerant, and adjusting the thermostat. All rooms are maintaining a desired temperature between 68 to 73 degrees Fahrenheit. CPM has confirmed that all HVAC units are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
167
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5684	8-Sep-22	Elizabeth Learning Center	Dean Howell	Facility Conditions	Nonfunctioning air-conditioning systems: inoperable air conditioning is blowing hot air; current classroom temp is 91 degrees Fahrenheit. Please repair HVAC ASAP. Thank you. Teacher: Dean Howell; Room 420; Gr: 9-12	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter, diagnosed and made repairs to Rooms 310, 424, & 420. On 9/30/2022, repairs to room 420 were made by replacing a faulty HVAC timer and replacing (2) blown fuses. On 9/30/2022, repairs to the HVAC unit in room 424 were made by reprogramming the HVAC timer. On 10/5/2022, repairs to room 310 were made by replacing a burnt-out compressor motor, recharging the refrigerant, and adjusting the thermostat. All rooms are maintaining a desired temperature between 68 to 73 degrees Fahrenheit. CPM has confirmed that all units are now functioning properly. Therefore, this Williams Uniform	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

168
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5685	8-Sep-22	Solano ES	Nicole Fisher	Facility Conditions	Nonfunctioning air-conditioning systems: Old Bldg., Teacher: Yim; Room II; Gr: 4 and Teacher: Bow; Room 4, Kindergarten;	The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50006356 was generated for room II to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room II on 9/30/22. As of 10/3/2022, the AC has been confirmed to be back to its normal operation. Work Order (WO) #50107119 was generated for room 4 to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room 4 on 10/19/22. As of 10/20/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	2
5686	8-Sep-22	Solano ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: Teacher: Yim; Room II; Gr: 4 and Teacher: Bow; Room 4, Kindergarten;	The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50006356 was generated for room II to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room II on 9/30/22. As of 10/3/2022, the AC has been confirmed to be back to its normal operation. Work Order (WO) #50107119 was generated for room 4 to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room 4 on 10/19/22. As of 10/20/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
169
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5687	9-Sep-22	Miramonte ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: The classroom's air conditioning is not working. No portable A/C or fans were provided. My daughter couldn't concentrate with the heat, and came back home with a headache. Teacher: Ms. Jones; Rm: 19; Gr: 4	The Williams Complaint for Miramonte ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On September 8, 2022, Plant Manager inspected room 19 and noticed that the thermostat was set to 88 degrees. He proceeded to adjust the temperature on the thermostat to district specs and the unit began to provide cool air circulation. The teacher assigned to room 19 was satisfied with the room temperature. On October 20, 2022, Plant Manager verified that the Air Conditioning Unit in room 19 is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	South	7
5688	8-Sep-22	Bridge St ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctional air-conditioning systems: Bridge St ES is a small school with only one Main Bldg. and bungalows located across from the hard surface play area. On Thursday, 9/1/22, the A/C for the Main Building broke down. Students returned to class on 9/6/22 during 'a heatwave.' I walked into (3) three Special Education classrooms where students were crying, irritable, and lethargic due to over 90 degree temperature in the classrooms. The portable A/C units were ineffective. The majority of the classrooms are located in the Main Bldg. on the 1st or 2nd floor including rooms #3, 4, 16, 17, 18, and 22. Once everyone enters the Main Building, it would be very apparent, because all lights inside the building were off and there are fans everywhere. Please follow-up with the school situation to assist and possibly repair their existing HVAC. Thank you.	The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50006206 was generated to address this WUC and has now been completed. The HVAC department cleaned the chiller condensers for the AC system affecting rooms 3, 4, 16, 17, 18, & 22 on 9/8/22. As of 9/9/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

170
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5689	12-Sep-22	118th St ES	Noemi Martinez	Facility Conditions	Since the 1st day of school on 8/15/22, my son's classroom has had no working A/C. We currently went through a severe heat wave this week and my son and his classmates had to sit in their class with only one fan for the entire class period. I believe that this is a threat to the health and safety for the kids and their teacher. Ms. Gonzalez has voiced her concern in regards to A/C, but nothing has been done. I would like for this situation to be fixed ASAP. Thank you. Teacher: Ms. Gonzalez; Rm: 7; Gr: 4	The Williams Complaint for 118th ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) # 50121483 was used to address WUC #5689. A Heating, Ventilation, & Air Conditioning (HVAC) technician found a bad transformer and a shorted out time delay. All parts have been replaced and CPM has confirmed system is now functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	24-Oct-22	Yes	South	7
5690	12-Sep-22	T. Starr King MS	Kirk Pelayan	Facility Conditions	Nonfunctioning air-conditioning systems: The heat in the room is unbearable, the air has been broken down for more than 2 weeks, and it leaks water so I have placed a bucket under the A/C so that it won't spill on the electronics, please help and repair the HVAC ASAP. Teacher: Kirk Pelayan; Rm: 206, Main Bldg., Gr: 7,8 Thank you.	The Williams Complaint for T. Starr King MS Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On September 28, 2022, a new indoor blower motor was installed. On October 3rd, 2022, the thermostat was checked and found to be operating normally. CPM has confirmed that the unit is now working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	25-Oct-22	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5691	12-Sep-22	Nimitz MS	Melissa Lundberg	Facility Conditions	1) Teachers do not have a bathroom close enough to use during the time between class. 2) There is open unfinished construction/fencing; 3) restrooms have not been maintained or cleaned regularly, or has not been stocked at all times with toilet paper, soap, and paper towels or functional hand dryers. Teacher: Lundberg; Rm: bungalows; Gr: 6	The Williams Complaint for Nimitz MS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/23/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Architectural & Engineering Services provided the attached policy concerning the maximum allowed travel distance from classrooms to the nearest faculty restroom. According to the attached policy, California Code states that the maximum travel distance is 500 ft between the classroom and nearest faculty restroom. I attached a google map that illustrates that the travel path from the furthest classrooms to the nearest restrooms are 283 ft. to the PE faculty, and 364 ft to the 1st floor Science Building hallway faculty. Should the administration desire to continue to pursue providing closer faculty restrooms, I made recommendations to the school administration to consider purchasing portable ADA Accessible trailer restrooms that can be installed in near proximity to the furthest classrooms. I also informed them that the LAUSD Relocatable Housing Unit (RHU) provided a ROW cost of \$700,000.00 to \$1,000,000.00 to install a J-Building faculty restroom near the furthest classrooms. The pavement department filled the construction trench, installed asphalt patch, all the tools and temporary fencing have been removed as of 09/21/2022. The school admin and plant manager have been updated. (3) I investigated the allegations concerning 'unclean, poorly stocked, and unserviceable hand blow dryers' in restrooms by visiting the school restrooms to inspect on 9/20/2022, 09/26/2022, and 09/27/2022. The Plant Manager and I visited the restrooms and performed inspections. We observed that the restrooms were tidy, the dispensers were stocked (filled with toilet supplies), and the hand blow dryers were working properly. I observed on each of my inspections that there is a supervision aide posted to monitor the restrooms. The aide informed me that the restrooms are frequently cleaned and stocked by the restroom attendant. In addition, I visited the teacher (Ms. Lundberg) who informed me that the reason why she made the complaint was because on one occasion a student claimed that the restroom ran out of toilet supplies. However, she stated that upon notification the custodial staff always promptly responds to service needs, and routinely inspect and maintains the restroom in a satisfactory manner. Finally, all the administrators and plant manager have been updated. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	25-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

172
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5692	12-Sep-22	Narbonne HS	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: Air conditioning has been broken since Sept 1, 2022. It was reported to plant manager that morning. Everyday since, there have been excessive heat warnings. Fans were requested but not delivered. Please repair HVAC ASAP. Thank you. Teacher: Paskowitz; Rm: F-4; Gr: HS	The Williams Complaint for Narbonne HS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM's response below: A service request was placed, Work Order (WO) # 50009344, with regards to a non-functioning Air Conditioning unit in Rm. F4 at Narbonne HS. A Heating, Ventilation, & Air Conditioning (HVAC) technician was dispatched on 09/14/2022 to perform repairs. The HVAC technician replaced a condenser fan motor to address the issue. Repairs were completed on 09/14/2022. Upon completion of the repairs, the temperature inside Rm. F4 was checked by the technician and was verified to be at 71°F with adequate airflow. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	18-Oct-22	Yes	South	7
5693	12-Sep-22	Girls Academic Leadership Academy (GALA)	Lindsay Herz	Facility Conditions	Nonfunctioning air-conditioning systems: The air conditioning does not work. The high today is 97 degrees. And there are no rooms to move classes to. Our school has already had to call an ambulance multiple times this week for heat-related health emergencies. The lack of A/C is dangerous. Please repair the HVAC ASAP. Thank you. Teacher(s): up to 26 educators are impacted; Rooms: LA High School buildings 100 and 300 and room 701; Gr: 6-12, all subjects	The Williams Complaint for Girls Academic Leadership Academy (GALA) 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The issue with the Heating Ventilation & Air Conditioning (HVAC) unit was the fan was not coming on and cold-water valves not opening to allow cold air through. Repairs to the chiller unit for the entire 3rd floor classrooms, which includes the GALA classrooms, were completed on 9/13/22. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	18-Oct-22	Yes	West	1

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
173
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5694	12-Sep-22	Griffith MS STEAM Magnet	Lisa Monie-Peralta	Facility Conditions	Nonfunctioning air-conditioning systems: Our A/C has been out for over a week. Students are struggling to learn in hot, humid, suffocating rooms. Staff also are struggling with sinus and headaches due to the prolonged heat without relief. Teacher: Mrs. Monie-Peralta, Rms: Main Office + 200 Bldg. classrooms (please contact SAA, Main Office or Plant Manager for additional classroom locations w/o A/C); Gr: 7/8 ELA	The Williams Complaint for Griffith MS STEAM Magnet 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A safety switch turned off the A/C unit due to extreme hot temperature. A technician reset the unit on 09/14/2022. A follow up visit was conducted on 09/16/2022, and confirmed the HVAC system is functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	21-Sep-22	Yes	East	2
5695	13-Sep-22	Pio Pico MS	Maria Salas	Facility Conditions	Nonfunctioning air-conditioning systems: No A/C Room 41, 40, 36, and 34; Gr 8; Teacher(s): Unknown	The Williams Complaint for Pio Pico MS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/26/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 50110621 was generated to address this WUC and has now been completed. The Heating, Ventilation, & Air Conditioning (HVAC) department resolved a programming issue with the air conditioning (AC) unit system affecting rooms 34, 36, 40 and 41 on 9/13/22. As of 09/13/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Oct-22	17-Nov-22	26-Oct-22	Yes	West	1

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

174
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5696	13-Sep-22	Lucille Roybal-Allard ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Lack of air conditioning in the instructional classroom. The condition is disrupting the continuity of learning as current placement does not have immediate access to instructional materials. (Movement between rooms has been disruptive.) Teacher: Maribel Vasquez; Room: Bldg. A. Rm 10; Gr: 4	The Williams Complaint for Lucille Roybal-Allard ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/26/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 10/5/2022 a Heating, Ventilation, & Air Conditioning (HVAC) fitter reported to Roybal to repair the HVAC in room # 10. HVAC Fitter determined that the Energy Management System (EMS) was malfunctioning. He recalibrated the EMS, reset the thermostat, and monitored the HVAC system while it was running to make sure that it continued to function properly. CPM has confirmed the unit is working properly and teacher and students have returned to the room. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Oct-22	17-Nov-22	26-Oct-22	Yes	East	5
5697	14-Sep-22	Westchester EMS	Kazumi Igus	Facility Conditions	Nonfunctioning air conditioning systems: 1) The HVAC system needs to be replaced with updated equipment. The classrooms are oppressively hot every year. This year and with an heat wave, is no exception. Students and teachers are getting light-headed. 2) Toilets are not installed in Girls Restroom in Bldg. C. Teacher: Kazuzmi Igus; HVAC Locations: Bldg. C- Rm. 4, 5, 7, 9, & 10; & 11; Bldg. F- Rm 5, 6, 8, 9, & 10; Bldg.-G Rm 3, 4, 5, 7, & 10; Bldg. H-Rm 1, 6, & 7; Bldg.-S Rm 1, & 2; and Bldg. T-Rm 1; Bldg.-C Girls Restroom: Gr: 9-12	The Williams Complaint for Westchester EMS Trk #5697 and 5698, 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Area's CPM determined that the Heating, Ventilation, & Air Conditioning Unit chiller was not working for buildings C,F,G,H, and shop building. On September 12, 2022, a temporary chiller was installed while a permanent replacement is planned. Repairs to the C building restroom were completed on September 29, 2022. The CPM has confirmed that the restroom and HVAC units are now in working condition. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	17-Oct-22	Yes	West	4

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
175
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5698	14-Sep-22	Westchester EMS	Justin Cohen	Facility Conditions	Nonfunctioning air conditioning systems: 1) bloody noses due to extreme heat and no A/C is disgusting. The classrooms are oppressively hot every year. This year and during a heat wave is no exception. Students and teachers are getting lightheaded. 2) Bldg. C-Girls Restroom is inoperable; toilets are not installed. Teacher: Cohen, et al; Bldg. C- Rm. 4, 5, 7, 9, & 10, & 11; Bldg. F- Rm 5, 6, 8, 9, & 10; Bldg.-G Rm 3, 4, 5, 7, & 10; Bldg. H-Rm 1, 6, & 7; Bldg.-S Rm 1, & 2; Bldg. T-Rm 1 and Bldg.-C Girls Restroom; Gr: 9-12	The Williams Complaint for Westchester EMS 1st Quarter (2022-2023) Trk #5698 have been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Area's CPM determined that the Heating, Ventilation, & Air Conditioning Unit chiller was not working for buildings C,F,G,H, and shop building. On September 12, 2022, a temporary chiller was installed while a permanent replacement is planned. Repairs to the C building restroom were completed on September 29, 2022. The CPM has confirmed that the restroom and HVAC units are now in working condition. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	17-Oct-22	Yes	West	4
5699	14-Sep-22	Eagle Rock ES	Denise Manaloto	Facility Conditions	Nonfunctioning air conditioning systems: The 1st week of school my daughter came home stating her classroom's air conditioning system was broken and the children were trying their best to stay focused in the excessive heat. I was notified by her teacher, Mr. Thomas that they were working on it being fixed. After maintenance came to fix it, they were told they could only set it as low as 73 degrees, but the daily log of temperatures was much higher...Please address this issue now! Teacher: Mr. Thomas; Rm: 18; Gr: 5/6	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	13-Oct-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

176
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5700	14-Sep-22	Eagle Rock ES	Ms. Stanco, and Parent & Student Stakeholders	Facility Conditions	The air conditioning system in Room 40 has not been functional since the start of school on 8/15/22. A portable air conditioner was brought in which does not cool the air effectively and is extremely loud. The extreme condition is interfering with students' equal access to safe and decent school facilities... Healthy air circulation is critically important...The lack of proper circulation due to the non--functioning air conditioning system is interfering with students' equal access to safe and decent school facilities. The hot temperatures inside the classroom are also interfering with students' equal access to safe and decent school facilities...hot temperatures inside the classroom also obstruct learning. The conditions in the classroom are also in conflict with LAUSD policy encouraging the use of face masks...The high temperatures are interfering with students' ability to tolerate wearing a mask for their own and one another's safety...it is a challenge for students and teachers to make themselves heard while wearing a mask. Adding in the din of the portable A/C unit is interfering with students equal access to the educational experience. Teacher: Ms. Stanco; Gr: 5; Rm: 40	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: An HVAC Technician washed the indoor and outdoor coils, and Recovered and verified refrigerant charge. CPM has confirmed that the Unit is now back to normal operation. Therefore this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
177
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5701	14-Sep-22	Walnut Park MS SJ/SAS	Mayra Cazares	Facility Conditions	Nonfunctioning air conditioning system since August 8, 2022. A/C is not functioning in the Girls PE Office and Girls PE locker room. Teacher: Mayra Cazares; Rm: Girl's PE Locker Room and Girls PE Office; Gr: 6-8	The Williams Complaint for Walnut Park MS SJ/SAS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 10/4/2022, Heating, ventilation, & Air Conditioning (HVAC) fitter, reported to Walnut Park MS to trouble shoot the non-functioning girl's PE locker room and the girl's PE coach's office HVAC system. It was determined that the same HVAC unit provided air-conditioning to both the girl's PE office and girl's locker room. Upon inspection, it was also determined that the reason why the HVAC system failed to function properly is that there was refrigerant leaking out of a deteriorated compressor condenser coil. On 10/12/2022, the air-conditioning unit was repaired by installing a new condenser coil, charging the system with refrigerant, and recalibrating the thermostat. Now, both the girl's locker room and PE coach's office are maintaining between 68 degrees and 72 degrees Fahrenheit. CPM has confirmed the HVAC system is functioning properly. Therefore, this Williams Uniform Complaint has been resolved and	27-Oct-22	18-Nov-22	27-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

178
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5702	14-Sep-22	Los Angeles Center Enriched Studies (LACES)	Aaron Baskin	Facility Conditions	The school has not kept all restroom open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. The bathrooms have been out of service for an extended period of time, and once fixed, almost immediately go out-of-service again with clogged sewer lines...students and staff have long wait times taking longer out of class missing instructional minutes. One student not being able to find a bathroom had diarrhea in a hallway. The Blue Building (aka Math and Science Bldg.) have approximately 20% of all the bathrooms on the campus, and closing them has a significant impact on the school community. Though it has been addressed by on site Administration to the best of their abilities (they are not plumbers) and the District MGD and private contractors have been dispatched, the consistent closing of the facilities must be addressed in a more permanent solution. The closure of restrooms during class hours is a violation of Ca. Ed Code of the Williams Legislation and should be addressed accordingly. Teacher: Aaron Baskin, UTLA Vice-Chair; Rm: Restrooms in Blue & Green Bldg.; Gr: 6-12	The Williams Complaint for Los Angeles Enriched Studies Magnet (LACES) 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) # 33456576 was created to address the Plumbing issue. Our Plumbing department has responded to several emergency main line stoppages and the issues have been addressed and restrooms have been cleared for use. As of October 3, 2022, CPM has confirmed that no restrooms have been shut down and all plumbing issues have been resolved. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	17-Oct-22	Yes	West	1
5703	14-Sep-22	El Sereno ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Teacher: Ms. Garcia; Rm: 9; Gr: 3	The Williams Complaint for El Sereno ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 09/22/2022 a Heating, Ventilation, and Air Conditioning (HVAC) Technician discovered that a bad condenser motor affected the AC Unit. The condenser motor was removed and ordered. On 09/26/2022, the condenser motor was received and installed on the affected HVAC Unit. CPM has confirmed that the HVAC Unit is now back to normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	30-Sep-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

179
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5704	14-Sep-22	El Sereno ES	Melissa Favela	Facility Conditions	Nonfunctioning air conditioning systems: No A/C since beginning of school 8/15/22. My son is very hot in class. Please repair HVAC ASAP. Teacher: Ms. Garcia; Rm: 9; Gr: 3	The Williams Complaint for El Sereno ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 09/22/2022 a Heating, Ventilation, and Air Conditioning (HVAC) Technician discovered that a bad condenser motor affected the AC Unit. The condenser motor was removed and ordered. On 09/26/2022, the condenser motor was received and installed on the affected HVAC Unit. CPM has confirmed that the HVAC Unit is now back to normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	30-Sep-22	Yes	East	2
5705	15-Sep-22	Carson HS Academy of Medical Arts	Various Parents, Students and Faculty School Stakeholders	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianfranco; Locations: AMA Bldg, entire 2nd Fl; H-Bldg, Rooms 23, 24, 26, 29; Gr: 9-12	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

180
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5706	15-Sep-22	Carson HS Academy of Medical Arts	Carmen P. Corral	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, I attended the back to school night and I'm here at math room. Just to report 5 minutes to pla her A/C wa broken. Its really hot. I'm ?. My daughter complaint it is me first. She's seen ? a lot and not only her but everyone of them. Please fix the A/C It's hard to study and not comfortable. Thank you so much. Carmen Corral. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg. Math room at Carson HS	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore these Williams Uniform Complaints have been resolved and are now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5707	16-Sep-22	Carson HS Academy of Medical Arts	Sal Moon Ibarra	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, A/C is broken. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg. Rm H-29	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5708	16-Sep-22	Carson HS Academy of Medical Arts	Maria Theresa C. Luuna	Facility Conditions	non functioning air conditioning systems: Complainant states, there is no A/C Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg. Rm H-29, Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
181
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Grd Mbr
5709	16-Sep-22	Carson HS Academy of Medical Arts	Ghencia Gimerez	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, the classroom is not conducive to learning because there is no A/C. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5710	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, the classroom is not conducive to learning because there is no A/C. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5711	16-Sep-22	Carson HS Academy of Medical Arts	Efren Guzman	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

182
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5712	16-Sep-22	Carson HS Academy of Medical Arts	Danielle Rose	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, the HVAC System in this classroom as well as others on this floor is not working. A portable A/C unit that was installed does not sufficiently cool off a classroom this size. We are in the middle of 90-170 degree weather and our children are very uncomfortable. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
183
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5713	16-Sep-22	Carson HS Academy of Medical Arts	Isela Reyes	Facility Conditions	Nonfunctioning air conditioning systems: The complainant states, there is no A/C unit in the classroom; extreme heat and health hazard. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflecce; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore these Williams Uniform Complaints have been resolved and are now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

184
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5714	16-Sep-22	Carson HS Academy of Medical Arts	Luis E. Reyes	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C unit in the room; no A/C unit and extreme heat; this is a health hazard. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

185
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5715	16-Sep-22	Carson HS Academy of Medical Arts	Mercy Gabriel	Facility Conditions	Nonfunctioning air conditioning systems: please fix the A/C in our classroom. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5716	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5717	16-Sep-22	Carson HS Academy of Medical Arts	Melanie Cecena	Facility Conditions	Nonfunctioning air conditioning systems: there is no working A/C in some of our classes Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., and upstairs classrooms, Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

186
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5718	16-Sep-22	Carson HS Academy of Medical Arts	Maribel Bravo	Facility Conditions	Nonfunctioning air conditioning systems: there is no air conditioning; students are sweating all the time. Please repair HVAC. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5719	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the classroom is not conducive to learning because there is no A/C. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	<i>(See Trk #5705 response that is provide above.)</i>	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
187
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5720	16-Sep-22	Carson HS Academy of Medical Arts	Kendra Sanchez	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5721	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is now working A/C even during heat wave. It is super hot inside classrooms making us unable to work properly, do work, and/or focus. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: 10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5722	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: 10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

188
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5723	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	non functioning air conditioning systems: the air conditioning has stopped working and we've been using fans during the heat wave. Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5724	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the air conditioning has stopped working and we've been using fans during the heat wave. Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5725	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5726	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: IO	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5727	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the A/Cs doesn't work upstairs. So we are dying in this heat. Please repair A/C ASAP. Thank you. Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5728	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: I	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5729	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C! Please repair ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg and J Bldg, Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5730	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Non functioning air conditioning systems: there is no A/C! Please repair ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg Gr: ID	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5731	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C on 2nd floor classrooms and H-23, H-24. Air conditioning on the 2nd level classrooms do not work. classrooms are up to 95 degrees, without proper ventilation or working A/C. This does not facilitate a learning environment. Please repair HVAC ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5732	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: A/C and everyone goes to the AMA and everyone is in a "hug line". Hot and not A/C can't focus. Please repair HVAC ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: I2	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

190
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5733	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: A/C doesn't work in upstairs classes. It is extremely hot which makes it hard to focus in class. Please repair HVAC ASAP. Thank you. Note: EECOD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: 12	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5734	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECOD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: 11	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5735	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Students are sitting in 90 degree classrooms during a heat wave, with non-functioning air conditioning systems. Unhealthy environment. Principal won't do anything to help. Note: EECOD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: 10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5736	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Non functioning air conditioning systems. 2) Restrooms has not been maintained or cleaned regularly, is not fully operational, or has not been stocked at all times with toilet peper, soap, and peper towels or functional hand dryers. 3) The school has not kept all restrooms open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. Note: EECOD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: 11	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

191
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5737	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	1) Nonfunctioning air conditioning systems. 2) Restrooms are not open during school hours when pupils are in class. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H-26 Bldg, Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5738	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	1) Nonfunctioning air conditioning systems. 2) Restrooms always closed; never any toilet paper in bathrooms. 3) Bathrooms are always closed. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5739	16-Sep-22	Carson HS Academy of Medical Arts	Fofoga Lea'ea	Facility Conditions	1) Nonfunctioning air conditioning systems. 2) Restrooms has not been maintained or cleaned regularly, is not fully operational, or has not been stocked at all times with toilet peper, soap, and peper towels or functional hand dryers. 3) The school has not kept all restrooms open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA upstairs classrooms, Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

192
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5740	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	1) non functioning air conditioning systems. 2) The school has not kept all restrooms open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. Bathrooms is always busy and there's only 2 functioning bathrooms. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg.	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5741	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. There is no A/C at all! It is very hot and hard to focus becaus of this heat. Please repair ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg.	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5742	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. There is no working A/C in H-Building. Mainly upstairs. Portable A/Cs were given to us but, they do not do much. No repairs have been made. Two students have had to leave early due to heat-related issues. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg, upstairs; Gr:10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5743	16-Sep-22	Carson HS Academy of Medical Arts	Steve Knyden	Facility Conditions	Nonfunctioning air conditioning systems. There is no air conditioning. I think it would be hard for students to learn in extreme heat. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg, upstairs; Gr:10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5744	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. A/C doesn't work. Please repair HVAC ASAP. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg., Gr:12	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5745	16-Sep-22	Carson HS Academy of Medical Arts	Piper Watkins, School Parent Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. A/C is not working. Please repair HVAC ASAP. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg., entire 2nd floor Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5746	16-Sep-22	Carson HS Academy of Medical Arts	Alfonso Burricga	Facility Conditions	Nonfunctioning air conditioning systems. A. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg., entire 2nd floor Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5747	15-Sep-22	Glassell Park STEAM Magnet ES	Anonymous School Stakeholder	Facility Conditions	Since the return to school after the Labor Day weekend, the air conditioning in the Main building, second floor has not been working. Teacher(s): There are seven (7) teachers in Main Bldg., 2nd Fl: Rms: all classrooms on 2nd floor; Gr: 3,4,5, & RSP. Please correct the HVAC problem. Thank you.	The Williams Complaint for Glassell Park ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) technician secured the loose relay for 1st stage. On Sept 19, 2022 HVAC technician verified operation of A/C unit was found normal. On Sept. 22, 2022 CPM took temperature discharge reading in the following rooms 9, 11, 12, and the library. Temperature being discharged at 11:45 a.m. was found to be from 64-66 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

194
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5748	19-Sep-22	Glassell Park STEAM Magnet ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: A/C in Main Bldg. has not been working. It is very hot in the rooms. Cannot work under these conditions. In addition, it is also unsafe to work under these conditions. Location: Main Bldg.	The Williams Complaint for Glassell Park ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) technician secured the loose relay for 1st stage. On Sept 19, 2022 HVAC technician verified operation of A/C unit was found normal. On Sept. 22, 2022 CPM took temperature discharge reading in the following rooms 9, 11, 12, and the library. Temperature being discharged at 11:45 a.m. was found to be from 64-66 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	1-Nov-22	23-Nov-22	28-Sep-22	Yes	Central	5
5749	20-Sep-22	Elizabeth LC	Dean Howell	Facility Conditions	Nonfunctioning air-conditioning systems: Inoperable air conditioning for 3 weeks; the A/C blows hot air. Current room temperature is 91 degrees. Teacher: Dean Howell; Rm: 420, Gr: 9-12	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/28/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 10/5/2022, Heating, ventilation, & Air Conditioning (HVAC) fitter diagnosed that the HVAC timer and two (2) faulty fuses were the cause of the non-functioning HVAC system in room 420. HVAC fitter installed and programmed a new HVAC timer and two (2) new fuses. I observed that room 420 is maintaining between 68 degrees to 73 degrees Fahrenheit. CPM has confirmed that the HVAC system has been repaired and is functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	2-Nov-22	28-Nov-22	26-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

195
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5750	27-Sep-22	Virginia Road ES	Annick Lagarde-Harvey	Facility Conditions	A condition at the school poses an urgent or emergency threat to the health or safety of pupils or staff. Complainant states, I am concerned about the quality of the air, possible exposure to asbestos or other toxins, and the general safety of the room environment as a result of two staff members who have become sick with cancer after working in Room 23. I cough and sneeze constantly in the classroom. Teacher: Annick Lagarde-Harvey; Rm 23; Gr: K-3	The Williams Complaint for Virginia Road ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/09/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: No Safety or Health issues were found from Pest Management, Office of Environmental Health and Safety, or Facilities Environmental Technical Unit. As of 11/07/2022, there have not been any other safety or health issues to address in room 23 at Virginia Rd El. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	9-Nov-22	5-Dec-22	7-Nov-22	Yes	West	I
5751	27-Sep-22	Eagle Rock ES	Kenneth Fandell	Facility Conditions	Nonfunctioning air-conditioning systems. Air conditioning system does not work. Portable unit brought in is ineffective and noisy preventing the students in class from concentrating. The room has been unbearably hot during recent heat wave. I have considered keeping my daughter home due to the horrid classroom conditions. Teacher: Alicia Stanco; Rm: 40; Gr: 5	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/09/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The indoor and outdoor coils of the Heating, Ventilation, & Air Conditioning Unit have been washed. The refrigerant charge has been recovered and verified. CPM has confirmed that the unit is back to normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	9-Nov-22	5-Dec-22	28-Sep-22	Yes	West	I

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

196
Report sorted by Tracking Number
Trk #5661 to 5752

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5752	29-Sep-22	Eagle Rock ES	Carmel Levitan	Facility Conditions	Inadequate HVAC. See attached documentation. Teacher: McBride; Rm: 15, Main Bldg.; Gr: 2	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/14/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50106423 was generated to address this WUC and has now been completed. The Heating, Ventilation, & Air Conditioning (HVAC) department adjusted the vent louvers to direct air flow downward for the Air Conditioning (AC) system affecting room 15 on 10/21/22. Office of Environmental Health and Safety (OEHS) was also present and was satisfied with the air flow. As of 10/24/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	14-Nov-22	7-Dec-22	26-Oct-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

197
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5670	18-Aug-22	Normandie Ave ES	Sandra Airitam	Facility Conditions	Nonfunctioning air conditioning systems: My name is Sandra Airitam. I am a teacher at Normandie Ave ES. Since the first day of school, South Bldg., Rm 54, 2nd floor has no air conditioning. I was told by admin that LAUSD is waiting on a part needed to fix the A/C. There are 4 regular Ed classrooms and 2 Sp Ed classrooms on the 2nd floor. Temperatures have been in the 80's and 90's in our classrooms. Admin has supplied fans that help very little and tries to find other areas (coach classrooms, auditorium), for us to share and use. It is very disruptive to have to move from place to place with our students not to mention inconvenient to move materials and technology. It is a loss of instructional minutes and difficult to teach new students routine and procedures when we are having to travel around the school. By 10 a.m. our classrooms are unbearable. Students are constantly requesting water breaks and understandably complaining about being hot. Teacher: Sandra Airitam; Rm 54, 2nd Floor, South Bldg. Gr: ES	The Williams Complaint for Normandie Ave ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The AC in the South Building including the second floor and room 54 are currently providing satisfying temperatures as per district specifications. Project Unit South (PUS) assisted Area SI with the repairs of the Heating, Ventilation and Air Conditioning (HVAC) system by using a Task order Purchase Order. The Contractor worked on the south unit serving the South building on 8-23-22 to 8-23-22 and found defective Variable Frequency Drive (VFD) that drives one of the compressors. The contractor installed VFD and calibrated pneumatic thermostats as needed. The contractor also worked on the second unit that is installed on the north side of the building on 8-8-22 and found multiple problems, bad electrical disconnect and defective VFD for a compressor. On 8-30 and 8-31 the contractor installed new VFD and electrical disconnect and got the unit operating at 75% capacity per contractor report. PUS is currently waiting on the contractor to go back and finish programming the VFD to finalize the work. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	30-Sep-22	Yes	Central	I

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

198
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5693	12-Sep-22	Girls Academic Leadership Academy (GALA)	Lindsay Herz	Facility Conditions	Nonfunctioning air-conditioning systems: The air conditioning does not work. The high today is 97 degrees. And there are no rooms to move classes to. Our school has already had to call an ambulance multiple times this week for heat-related health emergencies. The lack of A/C is dangerous. Please repair the HVAC ASAP. Thank you. Teacher(s): up to 26 educators are impacted; Rooms: LA High School buildings 100 and 300 and room 70t Gr: 6-12, all subjects	The Williams Complaint for Girls Academic Leadership Academy (GALA) 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The issue with the Heating Ventilation & Air Conditioning (HVAC) unit was the fan was not coming on and cold-water valves not opening to allow cold air through. Repairs to the chiller unit for the entire 3rd floor classrooms, which includes the GALA classrooms, were completed on 9/13/22. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	18-Oct-22	Yes	West	I
5695	13-Sep-22	Pio Pico MS	Maria Salas	Facility Conditions	Nonfunctioning air-conditioning systems: No A/C Room 41, 40, 36, and 34; Gr 8; Teacher(s): Unknown	The Williams Complaint for Pio Pico MS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/26/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 50110621 was generated to address this WUC and has now been completed. The Heating, Ventilation, & Air Conditioning (HVAC) department resolved a programming issue with the air conditioning (AC) unit system affecting rooms 34, 36, 40 and 41 on 9/13/22. As of 09/13/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Oct-22	17-Nov-22	26-Oct-22	Yes	West	I

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

199
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5702	14-Sep-22	Los Angeles Center Enriched Studies (LACES)	Aaron Baskin	Facility Conditions	The school has not kept all restroom open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. The bathrooms have been out of service for an extended period of time, and once fixed, almost immediately go out-of-service again with clogged sewer lines...students and staff have long wait times taking longer out of class missing instructional minutes. One student not being able to find a bathroom had diarrhea in a hallway. The Blue Building (aka Math and Science Bldg.) have approximately 20% of all the bathrooms on the campus, and closing them has a significant impact on the school community. Though it has been addressed by on site Administration to the best of their abilities (they are not plumbers) and the District M&O and private contractors have been dispatched, the consistent closing of the facilities must be addressed in a more permanent solution. The closure of restrooms during class hours is a violation of Ca. Ed Code of the Williams Legislation and should be addressed accordingly. Teacher: Aaron Baskin, UTLA Vice-Chair; Rm: Restrooms in Blue & Green Bldg.; Gr: 6-12	The Williams Complaint for Los Angeles Enriched Studies Magnet (LACES) 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) # 33456576 was created to address the Plumbing issue. Our Plumbing department has responded to several emergency main line stoppages and the issues have been addressed and restrooms have been cleared for use. As of October 3, 2022, CPM has confirmed that no restrooms have been shut down and all plumbing issues have been resolved. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	17-Oct-22	Yes	West	I
5750	27-Sep-22	Virginia Road ES	Annick Lagarde-Harvey	Facility Conditions	A condition at the school poses an urgent or emergency threat to the health or safety of pupils or staff: Complainant states, I am concerned about the quality of the air, possible exposure to asbestos or other toxins, and the general safety of the room environment as a result of two staff members who have become sick with cancer after working in Room 23. I cough and sneeze constantly in the classroom. Teacher: Annick Lagarde-Harvey; Rm 23; Gr: K-3	The Williams Complaint for Virginia Road ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/09/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: No Safety or Health issues were found from Pest Management, Office of Environmental Health and Safety, or Facilities Environmental Technical Unit. As of 11/07/2022, there have not been any other safety or health issues to address in room 23 at Virginia Rd EL. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	9-Nov-22	5-Dec-22	7-Nov-22	Yes	West	I

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

200
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5751	27-Sep-22	Eagle Rock ES	Kenneth Fandell	Facility Conditions	Nonfunctioning air-conditioning systems. Air conditioning system does not work. Portable unit brought in is ineffective and noisy preventing the students in class from concentrating. The room has been unbearably hot during recent heat wave. I have considered keeping my daughter home due to the horrid classroom conditions. Teacher: Alicia Stanco; Rm: 40; Gr: 5	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/09/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The indoor and outdoor coils of the Heating, Ventilation, & Air Conditioning Unit have been washed. The refrigerant charge has been recovered and verified. CPM has confirmed that the unit is back to normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	9-Nov-22	5-Dec-22	28-Sep-22	Yes	West	1
5664	15-Aug-22	Thomas Starr King MS	Lee Isenberg	Facility Conditions	Auditorium and side room to auditorium air conditioner is broken and will not turn on. Please correct the problem ASAP. Thank you. Teacher: Lee Isenberg; Rm: Theatre/Auditorium and side room to Aud Gr: 7/8	The Williams Complaint for Thomas Starr King Film/Media Middle School 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work order (WO) 33440778 was generated to address WUC 5664 and 5665. Upon inspection of the chiller, it was discovered that it had a bad condenser fan motor. The condenser fan motor has been replaced the coils have been cleaned. The unit is now functioning properly. During my school site visit on 8/30/22 the unit continued to be functioning properly. The Auditorium had a room temperature of 72 degrees, and it was discharging 70 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Sep-22	19-Oct-22	9-Sep-22	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

201
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Ord Mbr
5665	15-Aug-22	Thomas Starr King MS	William Page	Facility Conditions	I am a parent of a newly enrolled student. Today, there were several students and parents who were waiting to be processed for enrollment and we were directed to the school's auditorium as it is the largest, on-site facility to accommodate a large group with the appropriate space and ventilation. To my great surprise and displeasure, the air conditioning was not working and the room was extremely stuffy and as time went on, we as occupants began to swelter. When we contacted the principal, he told us he was surprised that it was not working as he had been assured that the unit would be back up and running prior to the first day of school. We find this situation intolerable and request that the situation be remedied immediately for the benefit not only of ourselves, but for our children especially. Parent: William Page; Location: Auditorium	The Williams Complaint for Thomas Starr King Film/Media Middle School 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work order (WO) 33440778 was generated to address WUC 5664 and 5665. Upon inspection of the chiller, it was discovered that it had a bad condenser fan motor. The condenser fan motor has been replaced the coils have been cleaned. The unit is now functioning properly. During my school site visit on 8/30/22 the unit continued to be functioning properly. The Auditorium had a room temperature of 72 degrees, and it was discharging 70 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Sep-22	19-Oct-22	9-Sep-22	Yes	Central	2
5666	15-Aug-22	2nd Street ES	Donna K. Lohran	Facility Conditions	The pedestrian gate between the parking lot and the campus does not lock. This poses a safety hazard for all staff and students. Anyone off the street can easily gain access to the school and put all staff and students in a dangerous position. Complainant: Donna K. Lohran; Location: pedestrian gate from parking lot to campus	The Williams Complaint for 2nd Street ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 3387585-ZM was used to address this WUC. On 09/12/2022, Locksmith installed a new mortise lock and rekeyed the cylinder to a "MM" key. A new mortise lock (Schlage 9080) and "MM" cylinder was put in a lock box at the Staff gate/parking. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Sep-22	19-Oct-22	21-Sep-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

202
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5668	18-Aug-22	Soto St ES	Ms Vasquez	Facility Conditions	Nonfunctioning air conditioning systems: Room 12 has extreme temperatures since 2014. The Heating, Ventilation and Air Conditioning (HVAC) system has temperatures from 50 degrees to 98 degrees sometimes on the same day. The temperature/thermostat has been "worked-on" and the problem has yet to be corrected. The temperature today in room 12 is 89 degrees and the outside temperature was 104 degrees. Just last year, both students and staff continuously experienced symptoms of heat exhaustion (dizziness, vomiting, weakness, headaches, and nausea). This is an urgent matter that must be corrected immediately. Teacher: Ms. Vasquez; Rm: 12; Gr: ES	The Williams Complaint for Soto St ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 33496596 was generated to address WUC # 5668 & WO 33499506 was generated to address WUC # 5669 and have now been completed. Portable Air Conditioning units and Floor fans were delivered and set up in room 1 & room 12. Room 12 has been confirmed to be at 77 degrees and Room 1 has been confirmed to be at 76 degrees. This Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	25-Aug-22	Yes	East	2
5669	18-Aug-22	Soto St ES	Maria Arevalos	Facility Conditions	Nonfunctioning air conditioning systems: teacher states, it is very hot and uncomfortable in my classroom for students and teacher without air conditioning (A/C). Students and teacher complain of headaches, dizziness, and nausea. Please repair (Heating, Ventilation, and Air Conditioning (HVAC) system immediately. Teacher: Maria Arevalos; Rm: 1, Main Bldg., 1st floor.	The Williams Complaint for Soto St ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 33496596 was generated to address WUC # 5668 & WO 33499506 was generated to address WUC # 5669 and have now been completed. Portable Air Conditioning units and Floor fans were delivered and set up in room 1 & room 12. Room 12 has been confirmed to be at 77 degrees and Room 1 has been confirmed to be at 76 degrees. Therefore, This Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	25-Aug-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5680	8-Sep-22	Ramona HS	Maria Cristina Quitequi	Facility Conditions	Nonfunctioning air-conditioning systems; I reported this problem for the first time in April 2022. Still no solution. 1) The A/C doesn't work. The temperature in Room 211 today is 85 degrees 2) The students complain about the excessive heat; it makes them feel dizzy, out of breath and sleepy; Teacher: Maria Cristina Quitequi; Rm: 211; Gr: HS	The Williams Complaints for Ramona HS 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/21/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On October 4th, 2022, a new thermostat was installed. CPM has confirmed temperature in the room is now at 73 degrees, and the system is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	10-Oct-22	Yes	East	2
5681	8-Sep-22	Ramona HS	Anonymous School Student Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems; Room 211 is very hot this affects my learning. All I can think about while in the classroom is how hot it is and the thought distracts me. Rm 211; Teacher: Maria Cristina Quitequi; Gr: HS	The Williams Complaints for Ramona HS 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/21/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On October 4th, 2022, a new thermostat was installed. CPM has confirmed temperature in the room is now at 73 degrees, and the system is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	10-Oct-22	Yes	East	2
5682	8-Sep-22	Ramona HS	Anonymous School Student Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems; Room 211 is very stuffy and hot. This affects my ability to focus because it is so uncomfortable. Rm 211; Teacher: Maria Cristina Quitequi; Gr: HS	The Williams Complaints for Ramona HS 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/21/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On October 4th, 2022, a new thermostat was installed. CPM has confirmed temperature in the room is now at 73 degrees, and the system is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	10-Oct-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

204
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5685	8-Sep-22	Solano ES	Nicole Fisher	Facility Conditions	Nonfunctioning air-conditioning systems: Old Bldg., Teacher: Yim; Room 11; Gr: 4 and Teacher: Bay; Room 4, Kindergarten;	The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50006356 was generated for room 11 to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room 11 on 9/30/22. As of 10/3/2022, the AC has been confirmed to be back to its normal operation. Work Order (WO) #50107119 was generated for room 4 to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room 4 on 10/19/22. As of 10/20/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	2
5686	8-Sep-22	Solano ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: Teacher: Yim; Room 11; Gr: 4 and Teacher: Bay; Room 4, Kindergarten;	The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50006356 was generated for room 11 to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room 11 on 9/30/22. As of 10/3/2022, the AC has been confirmed to be back to its normal operation. Work Order (WO) #50107119 was generated for room 4 to address this WUC and has now been completed. An HVAC contractor resolved a water piping issue with the AC unit system affecting room 4 on 10/19/22. As of 10/20/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5688	8-Sep-22	Bridge St ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctional air-conditioning systems: Bridge St ES is a small school with only one Main Bldg. and bungalows located across from the hard surface play area. On Thursday, 9/1/22, the A/C for the Main Building broke down. Students returned to class on 9/6/22 during 'a heatwave.' I walked into (3) three Special Education classrooms where students were crying, irritable, and lethargic due to over 90 degree temperature in the classrooms. The portable A/C units were ineffective. The majority of the classrooms are located in the Main Bldg. on the 1st or 2nd floor including rooms #3, 4, 16, 17, 18, and 22. Once everyone enters the Main Building, it would be very apparent, because all lights inside the building were off and there are fans everywhere. Please follow-up with the school situation to assist and possibly repair their existing HVAC. Thank you.	The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50006206 was generated to address this WUC and has now been completed. The HVAC department cleaned the chiller condensers for the AC system affecting rooms 3, 4, 16, 17, 18, & 22 on 9/8/22. As of 9/9/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	2
5690	12-Sep-22	T. Starr King MS	Kirk Palayan	Facility Conditions	Nonfunctioning air-conditioning systems: The heat in the room is unbearable, the air has been broken down for more than 2 weeks, and it leaks water so I have placed a bucket under the A/C so that it won't spill on the electronics, please help and repair the HVAC ASAP. Teacher: Kirk Palayan. Rm: 206, Main Bldg., Gr: 7.8 Thank you.	The Williams Complaint for T. Starr King MS Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On September 28, 2022, a new indoor blower motor was installed. On October 3rd, 2022, the thermostat was checked and found to be operating normally. CPM has confirmed that the unit is now working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	25-Oct-22	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

206
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5694	12-Sep-22	Griffith MS STEAM Magnet	Lisa Monie-Peralta	Facility Conditions	Nonfunctioning air-conditioning systems: Our A/C has been out for over a week. Students are struggling to learn in hot, humid, suffocating rooms. Staff also are struggling with sinus and headaches due to the prolonged heat without relief. Teacher: Mrs. Monie-Peralta, Rms: Main Office + 200 Bldg. classrooms (please contact SAA, Main Office or Plant Manager for additional classroom locations w/o A/C); Gr: 7/8 ELA	The Williams Complaint for Griffith MS STEAM Magnet 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A safety switch turned off the A/C unit due to extreme hot temperature. A technician reset the unit on 09/14/2022. A follow up visit was conducted on 09/16/2022, and confirmed the HVAC system is functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	21-Sep-22	Yes	East	2
5703	14-Sep-22	El Sereno ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Teacher: Ms. Garcia; Rm: 9; Gr: 3	The Williams Complaint for El Sereno ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 09/22/2022 a Heating, Ventilation, and Air Conditioning (HVAC) Technician discovered that a bad condenser motor affected the AC Unit. The condenser motor was removed and ordered. On 09/26/2022, the condenser motor was received and installed on the affected HVAC Unit. CPM has confirmed that the HVAC Unit is now back to normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	30-Sep-22	Yes	East	2

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5704	14-Sep-22	El Sereno ES	Melissa Favela	Facility Conditions	Nonfunctioning air conditioning systems: No A/C since beginning of school 8/15/22. My son is very hot in class. Please repair HVAC ASAP. Teacher: Ms. Garcia. Rm: 9; Gr: 3	The Williams Complaint for El Sereno ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 09/22/2022 a Heating, Ventilation, and Air Conditioning (HVAC) Technician discovered that a bad condenser motor affected the AC Unit. The condenser motor was removed and ordered. On 09/26/2022, the condenser motor was received and installed on the affected HVAC Unit. CPM has confirmed that the HVAC Unit is now back to normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	30-Sep-22	Yes	East	2
5675	30-Aug-22	Porter Ranch Community School	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: The A/C at the Middle School's gymnasium is not working and has not worked since May 2021. Please repair A/C ASAP. Thank you. Location: MS gym; Gr: K-8	The Williams Complaint for Porter Ranch Community School 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/13/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, and Air Conditioning (HVAC) Technician evaluated the Energy Management System (EMS) to verify which unit was down and to begin troubleshooting the process. It was determined that the control wiring had a short, the wiring was repaired, and the service call was completed as the HVAC system was functioning properly at that time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	13-Oct-22	3-Nov-22	7-Oct-22	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

208
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5661	11-Aug-22	Gardner St ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning HVAC: A/C has not been working from summer school and up to now. Plant Manager reported the problem and M&O department was informed but NO solution yet to fix the problem. When will the problem be fixed? This kind of summer heat is really endangering our health. Location: Main Office	The Williams Complaint for Gardner Street ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/23/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) technician responded on August 12th to assess the issue and found that the time clock that controls the AC was not working properly. The HVAC technician returned during the following week of 8/15-8/19 and replaced the time clock. The HVAC department has observed the operation of the AC at Gardner ES for the past month and can confirm that no new issues have arisen. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	23-Sep-22	17-Oct-22	22-Sep-22	Yes	West	4
5697	14-Sep-22	Westchester EMS	Kazumi Igus	Facility Conditions	Nonfunctioning air conditioning systems: 1) The HVAC system needs to be replaced with updated equipment. The classrooms are oppressively hot, every year. This year and with an heat wave, is no exception. Students and teachers are getting light-headed. 2) Toilets are not installed in Girls Restroom in Bldg. C. Teacher: Kazuzmi Igus; HVAC Locations: Bldg. C- Rm. 4, 5, 7, 9, & 10, & 11; Bldg. F- Rm 5, 6, 8, 9, & 10; Bldg.-G Rm 3, 4, 5, 7, & 10; Bldg. H-Rm 1, 6, & 7; Bldg.-S Rm 1 & 2; and Bldg. T-Rm 1; Bldg.-C Girls Restroom; Gr: 9-12	The Williams Complaint for Westchester EMS Trk #5697 and 5698, 1st Quarter (2022-2023) have been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Area's CPM determined that the Heating, Ventilation, & Air Conditioning Unit chiller was not working for buildings C,F,G,H, and shop building. On September 12, 2022, a temporary chiller was installed while a permanent replacement is planned. Repairs to the C building restroom were completed on September 29, 2022. The CPM has confirmed that the restroom and HVAC units are now in working condition. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	17-Oct-22	Yes	West	4

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5698	14-Sep-22	Westchester EMS	Justin Cohen	Facility Conditions	Nonfunctioning air conditioning systems: 1) bloody noses due to extreme heat and no A/C is disgusting. The classrooms are oppressively hot, every year. This year and during a heat wave is no exception. Students and teachers are getting lightheaded. 2) Bldg. C-Girls Restroom is inoperable; toilets are not installed. Teacher: Cohen, et al; Bldg. C- Rm. 4, 5, 7, 9, & 10; Bldg. F- Rm 5, 6, 8, 9, & 10; Bldg.-G Rm 3, 4, 5, 7, & 10; Bldg. H-Rm 1, 6, & 7; Bldg.-S Rm 1, & 2; Bldg. T-Rm 1 and Bldg.-C Girls Restroom; Gr: 9-12	The Williams Complaint for Westchester EMS 1st Quarter (2022-2023) Trk #5698 have been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Area's CPM determined that the Heating, Ventilation, & Air Conditioning Unit chiller was not working for buildings C,F,G,H, and shop building. On September 12, 2022, a temporary chiller was installed while a permanent replacement is planned. Repairs to the C building restroom were completed on September 29, 2022. The CPM has confirmed that the restroom and HVAC units are now in working condition. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	17-Oct-22	Yes	West	4

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

210
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5662	12-Aug-22	Elizabeth Learning Center	Kimberly Parker	Facility Conditions	Nonfunctioning Heating, Ventilation, and Air Conditioning (HVAC) systems: My classroom air conditioning system does not work and hasn't worked in over four months. The room gets up to 80-85 degrees over the course of many days. This situation is absolutely unacceptable. Temperatures will be in the 90s next week! I have 7 classes of 45+ students! Please repair HVAC in classroom 9 ASAP. Thank you. Teacher: Kimberly Parker; Rm: 9; Gr: 9/10 Secondary Art 8/24/22 - Complainant submitted the following update; Subject: Air Conditioning NOT WORKING!!!: To whom it may concern, HELLO??? IS ANYONE THERE? It's almost 90 degrees in my room and I have classes with over 40 students. My air conditioner NEEDS TO BE FIXED NOW. How has no one officially responded to me yet? I have emailed and faxed my Williams Complaint. Please, someone, anyone, let me know what is going on. Apologies for the frustration -- Ms. Parker	The Williams Complaint for Elizabeth Learning Center 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM visited room 9 on 09/13/2022 to confirm that the HVAC has been repaired. The HVAC unit had the blower motor and thermostat replaced. As of 09/13/2022 CPM confirmed the temperature in room 9 was 72 degrees Fahrenheit. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Sep-22	18-Oct-22	21-Sep-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5663	12-Aug-22	Bell HS	Aurora Casillas	Facility Conditions	Nonfunctioning Heating, Ventilation, and Air Conditioning (HVAC) system; The air conditioning system has been down since last semester of last school year 2021-2022. Administration at Bell HS site have tried their best to accommodate me by providing me with room fans. However, due to the increasing summer temperatures the fans fail to alleviate the problem. Because of a previously diagnosed health problem, I have a weak immune system. I must wear a mask in the classroom and for my safety and that of my students. I am hoping that this health hazard can be alleviated as soon as possible. Therefore, my request is for MGO, HVAC unit repair the air conditioning system in my room ASAP. Thank you. Teacher: Aurora Casillas; Rm: 326; Gr: 10th grade/Science.	The Williams Complaint for Bell HS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/26/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The WUC for room 326, at Bell HS, has been resolved. I visited room 326 at Bell HS on 9/20/2022 and observed that the air conditioning is functioning normally and maintaining 68 degrees Fahrenheit. The Heating Ventilation & Air Conditioning (HVAC) Fitters repaired the refrigerant leaks. Replaced the compressor unloader, refrigerant line valve, high pressure relief valve, condenser fan motor, and the fan belts. The fitters also tightened loose refrigerant service ports, cleaned condenser coils, and charged the system with refrigerant. The CPM confirmed the unit is now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Sep-22	18-Oct-22	22-Sep-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

212
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5667	16-Aug-22	Elizabeth Learning Center	Janet Herrera	Facility Conditions	Our office has a broken air conditioning system. We are concerned with ventilation and heat in the office. We see many students and it is a safety concern at this point. Complainant: Janet Herrera; Room: Counseling Office	The Williams Complaint for Elizabeth Learning Center 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM visited the counseling office on 09/13/2022 to confirm that it has been repaired. In addition, the HVAC unit had a faulty blower motor repaired and a new thermostat installed. As of 09/13/2022 CPM confirmed the temperature is 68 degrees Fahrenheit in the counseling office. The Counseling Office HVAC system has been repaired and is functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Sep-22	20-Oct-22	21-Sep-22	Yes	East	5
5671	18-Aug-22	Bryson Ave Science/Tech/Math Magnet	Denise Vitela	Facility Conditions	Nonfunctioning air conditioning system: The air conditioning system have not been working properly and the temperature has been very hot. Please correct the Heating, Ventilation, and Air Conditioning (HVAC) system problem(s) for it to function properly. Thank you. Teacher: Ms Lopez; Rm: 23, Gr: Kindergarten	The Williams Complaint for Bryson Ave Science/Tech/Math Magnet 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/30/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) 33447281 was generated to address this WUC # 5671 and has now been completed. The Heating, Ventilation, and Air Conditioning (HVAC) systems department repaired the exterior fan to the AC unit. As of 08/22/2022, the AC has been confirmed to be back to its normal operation and functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	30-Sep-22	24-Oct-22	25-Aug-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5673	29-Aug-22	Eagle Rock ES	Julia Rose	Facility Conditions	Nonfunctioning Air Conditioning (A/C): The A/C in my son's class has not been working since school started. The class is tracking how hot the room temperature gets and often during the day. Strangely, the A/C unit next door in my other son's class, (Rm 17, Ms. Gotz) has the opposite problem; the students are freezing due to cold temperature. Please fix the Heating, Ventilation and Air Conditioning (HVAC) system problems in the two classrooms. Teacher: Thomas Rm: 18; Gr: 5/6 and Teacher: Ms. Gotz: Rm: 17	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	12-Oct-22	2-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

214
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5674	30-Aug-22	Eagle Rock ES	Angela Vawter	Facility Conditions	Nonfunctioning Air Conditioning. Unsafe conditions in the classroom. The A/C unit in my son Henry's classroom has not been functioning properly since the very first day of school on 8/15/22. His teacher was able to get a technician out on-site to look at the unit, but the tech did not properly fix the unit. As of 8/15, the temperature only hovers around 73 degrees in the early morning and heats up to 80 by day's end (see attached temperature study). My son has been coming home most days dripping in sweat and overly exhausted and drained because of the conditions in his classroom. This is completely unacceptable. It's not only unhealthy, but unsafe for the children to be forced to return to an overheated classroom after being out in the sun at recess. They cannot learn or focus in these conditions. I'm also very worried about the airflow in the classroom and my child contracting COVID-19 because of it. Next week, the weather is supposed to reach 100 degrees. If the temperature in the classroom is just below 80 during an 85-90 degree week like this past week, imagine what temperature the classroom will heat up to next week. These kids should not have to suffer through the heat without a properly working A/C. Please send a technician out and fix this unit properly as soon as possible, for the health and safety of the students. Thank you for your attention to this matter. Sincerely, Angela Vawter, ERES Parent Ctr: Rm: 18; Gr: 5/6 Highly Gifted Classroom; Teacher: Mr. Thomas	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore this Williams Uniform Complaint has been resolved and is now closed.	13-Oct-22	3-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

215
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5676	8-Sep-22	Teresa Hughes ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: The A/C in my son's room #9 at Hughes ES is not working. My son has a medical condition and should not be inside a 'steaming hot' classroom. Please repair HVAC system in classroom #9 ASAP. Thank you. Parent of student assigned to Rm: 9	The Williams Complaint for Teresa Hughes ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Heating, Ventilation, & Air Conditioning Supervisor reported to Hughes on 9/28/2022 to trouble shoot and repair the system. He determined that the Variable Frequency Drive (VFD) was malfunctioning. He recalibrated the VFD, reset the thermostat, and monitored the HVAC system while it was operating to make sure that it continued to function normally. CPM visited room 9 and used a temperature meter on 10/17/2022 and observed that room 10 is still maintaining in-between 68 to 73 degrees Fahrenheit temperature. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	East	5
5677	8-Sep-22	Eagle Rock Highly Gifted Magnet	Grace Kvrilanovich	Facility Conditions	Nonfunctioning air-conditioning systems: No A/C since 8/30/22, A/C is not working properly in classroom #18. Temperatures of 79 degrees recorded by the teacher consistently. Please repair HVAC ASAP Thank you. Thank you. Teacher: Mr. Thomas; Rm 18; Gr: 5/6	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699. Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	13-Oct-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

216
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5678	8-Sep-22	Elizabeth Learning Center	Noemi Villasenor	Facility Conditions	Nonfunctioning air-conditioning systems: My room has a non-operational A/C unit. My room is extremely hot due to the number of students that occupy the room which has added additional fatigue for them and myself. My room is the only one without a functioning HVAC; neighboring rooms have functional HVACs. Please repair A/C ASAP. Thank you. Teacher: Noemi Villasenor; Rm: 310; Gr: ELA 9 & 11.	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter, diagnosed and made repairs to Rooms 310, 424, & 420. On 9/30/2022, repairs to room 420 were made by replacing a faulty HVAC timer and replacing (2) blown fuses. On 9/30/2022, repairs to the HVAC unit in room 424 were made by reprogramming the HVAC timer. On 10/5/2022, repairs to room 310 were made by replacing a burnt-out compressor motor, recharging the refrigerant, and adjusting the thermostat. All rooms are maintaining a desired temperature between 68 to 73 degrees Fahrenheit. CPM has confirmed that all units are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5
5679	8-Sep-22	Bell HS	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: No HVAC in Room 131, Main Bldg. and Upstairs Gym. There has been no A/C in these rooms since 8/15/22 at the start of fall semester. It is really hot in the classrooms. Please repair HVAC ASAP. Thank you. Location: Main Bldg., Rm 131 and Upstairs gym.	The Williams Complaint for Bell HS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter made the repairs to room 131 on 10/13/2022. He reset the cooling tower breakers and thermostats for the main building classrooms. The blower motor for room 131 was replaced, the breakers were reset and the thermostat for the 2nd floor gymnasium was adjusted. CPM has confirmed that the HVAC systems are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 217 Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5683	8-Sep-22	Elizabeth Learning Center	Fabiola Espinoza Osnaya	Facility Conditions	Nonfunctioning air-conditioning systems: My room air conditioning system does not work and water has built-up somewhere in the ceiling and is leaking into my classroom. It is hot and humid, the perfect situation for mold to grow. I am pregnant! My students and I shouldn't have to deal with this issue. This HVAC condition is totally unacceptable! Temperatures continue to be exceedingly hot! I don't want to breath in mold spores. This situation needs to be rectified ASAP! Please repair HVAC. Thank you for your time and consideration in this matter. Teacher: Fabiola Espinoza Osnaya; Rm: 424; Gr: 9/10 Science	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter, diagnosed and made repairs to Rooms 310, 424, & 420. On 9/30/2022, repairs to room 420 were made by replacing a faulty HVAC timer and replacing (2) blown fuses. On 9/30/2022, repairs to the HVAC unit in room 424 were made by reprogramming the HVAC timer. On 10/5/2022, repairs to room 310 were made by replacing a burnt-out compressor motor, recharging the refrigerant, and adjusting the thermostat. All rooms are maintaining a desired temperature between 68 to 73 degrees Fahrenheit. CPM has confirmed that all HVAC units are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

218
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5684	8-Sep-22	Elizabeth Learning Center	Dean Howell	Facility Conditions	Nonfunctioning air-conditioning systems: inoperable air conditioning is blowing hot air; current classroom temp is 91 degrees Fahrenheit. Please repair HVAC ASAP. Thank you. Teacher: Dean Howell; Room 420; Gr: 9-12	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A Heating, Ventilation, & Air Conditioning (HVAC) Fitter, diagnosed and made repairs to Rooms 310, 424, & 420. On 9/30/2022, repairs to room 420 were made by replacing a faulty HVAC timer and replacing (2) blown fuses. On 9/30/2022, repairs to the HVAC unit in room 424 were made by reprogramming the HVAC timer. On 10/5/2022, repairs to room 310 were made by replacing a burnt-out compressor motor, recharging the refrigerant, and adjusting the thermostat. All rooms are maintaining a desired temperature between 68 to 73 degrees Fahrenheit. CPM has confirmed that all units are now functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	20-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5691	12-Sep-22	Nimitz MS	Melissa Lundberg	Facility Conditions	1) Teachers do not have a bathroom close enough to use during the time between class. 2) There is open unfinished construction/fencing; 3) restrooms have not been maintained or cleaned regularly, or has not been stocked at all times with toilet paper, soap, and paper towels or functional hand dryers. Teacher: Lundberg; Rm: bungalows; Gr: 6	The Williams Complaint for Nimitz MS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 09/23/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Architectural & Engineering Services provided the attached policy concerning the maximum allowed travel distance from classrooms to the nearest faculty restroom. According to the attached policy, California Code states that the maximum travel distance is 500 ft between the classroom and nearest faculty restroom. I attached a google map that illustrates that the travel path from the furthest classrooms to the nearest restrooms are 283 ft. to the PE faculty, and 364 ft to the 1st floor Science Building hallway faculty. Should the administration desire to continue to pursue providing closer faculty restrooms, I made recommendations to the school administration to consider purchasing portable ADA Accessible trailer restrooms that can be installed in near proximity to the furthest classrooms. I also informed them that the LAUSD Relocatable Housing Unit (RHU) provided a ROM cost of \$700,000.00 to \$1,000,000.00 to install a J-Building faculty restroom near the furthest classrooms. The pavement department filled the construction trench, installed asphalt patch, all the tools and temporary fencing have been removed as of 10/21/2022. The school admin and plant manager have been updated. (3) I investigated the allegations concerning unclean, poorly stocked, and unserviceable hand blow dryers' in restrooms by visiting the school restrooms to inspect on 9/20/2022, 10/6/2022, and 10/17/2022. The Plant Manager and I visited the restrooms and performed inspections. We observed that the restrooms were tidy, the dispensers were stocked (filled with toilet supplies), and the hand blow dryers were working properly. I observed on each of my inspections that there is a supervision aide posted to monitor the restrooms. The aide informed me that the restrooms are frequently cleaned and stocked by the restroom attendant. In addition, I visited the teacher (Ms. Lundberg) who informed me that the reason why she made the complaint was because on one occasion a student claimed that the restroom ran out of toilet supplies. However, she stated that upon notification the custodial staff always promptly responds to service needs, and routinely inspect and maintains the restroom in a satisfactory manner. Finally, all the administrators and plant manager have been updated. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	25-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

220
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5696	13-Sep-22	Lucille Roybal-Allard ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Lack of air conditioning in the instructional classroom. The condition is disrupting the continuity of learning as current placement does not have immediate access to instructional materials. (Movement between rooms has been disruptive.) Teacher: Maribel Vasquez; Room: Bldg. A, Rm 10; Gr: 4	The Williams Complaint for Lucille Roybal-Allard ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/26/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 10/5/2022 a Heating, Ventilation, & Air Conditioning (HVAC) fitter reported to Roybal to repair the HVAC in room # 10. HVAC Fitter determined that the Energy Management System (EMS) was malfunctioning. He recalibrated the EMS, reset the thermostat, and monitored the HVAC system while it was running to make sure that it continued to function properly. CPM has confirmed the unit is working properly and teacher and students have returned to the room. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	26-Oct-22	17-Nov-22	26-Oct-22	Yes	East	5
5699	14-Sep-22	Eagle Rock ES	Denise Manaloto	Facility Conditions	Nonfunctioning air conditioning systems: The 1st week of school my daughter came home stating her classroom's air conditioning system was broken and the children were trying their best to stay focused in the excessive heat. I was notified by her teacher, Mr. Thomas that they were working on it being fixed. After maintenance came to fix it, they were told they could only set it as low as 73 degrees, but the daily log of temperatures was much higher...Please address this issue now! Teacher: Mr. Thomas; Rm: 18; Gr: 5/6	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadlines. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the following Williams Uniform Complaint (WUC): 5673, 5674, 5677, & 5699: Please see CPM response below: On 09/09/2022 the HVAC Technician found a stuck actuator, they freed the actuator and adjusted the thermostat. On 9/12/2022 the faulty thermostat was replaced and on 09/13/2022 the HVAC Technician cleaned the cold loop strainer. CPM has confirmed that the HVAC Unit is back to normal operation for rooms 17 & 18. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	13-Oct-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5700	14-Sep-22	Eagle Rock ES	Ms. Stanco, and Parent & Student Stakeholders	Facility Conditions	The air conditioning system in Room 40 has not been functional since the start of school on 8/15/22. A portable air conditioner was brought in which does not cool the air effectively and is extremely loud. The extreme condition is interfering with students' equal access to safe and decent school facilities... Healthy air circulation is critically important...The lack of proper circulation due to the non--functioning air conditioning system is interfering with students' equal access to safe and decent school facilities. The hot temperatures inside the classroom are also interfering with students' equal access to safe and decent school facilities...hot temperatures inside the classroom also obstruct learning. The conditions in the classroom are also in conflict with LAUSD policy encouraging the use of face masks...The high temperatures are interfering with students' ability to tolerate wearing a mask for their own and one another's safety...it is a challenge for students and teachers to make themselves heard while wearing a mask. Adding in the din of the portable A/C unit is interfering with students equal access to the educational experience. Teacher: Ms. Stanco; Gr: 5; Rm: 40	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: An HVAC Technician washed the indoor and outdoor coils, and Recovered and verified refrigerant charge. CPM has confirmed that the Unit is now back to normal operation. Therefore this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

222
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5701	14-Sep-22	Walnut Park MS SJ/SAS	Mayra Cazares	Facility Conditions	Nonfunctioning air conditioning system since August 8, 2022. A/C is not functioning in the Girls PE Office and Girls PE locker room. Teacher: Mayra Cazares; Rm: Girl's PE Locker Room and Girls PE Office; Gr: 6-8	The Williams Complaint for Walnut Park MS SJ/SAS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/27/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 10/4/2022, Heating, ventilation, & Air Conditioning (HVAC) fitter, reported to Walnut Park MS to trouble shoot the non-functioning girl's PE locker room and the girl's PE coach's office HVAC system. It was determined that the same HVAC unit provided air-conditioning to both the girl's PE office and girl's locker room. Upon inspection, it was also determined that the reason why the HVAC system failed to function properly is that there was refrigerant leaking out of a deteriorated compressor condenser coil. On 10/12/2022, the air-conditioning unit was repaired by installing a new condenser coil, charging the system with refrigerant, and recalibrating the thermostat. Now, both the girl's locker room and PE coach's office are maintaining between 68 degrees and 72 degrees Fahrenheit. CPM has confirmed the HVAC system is functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	27-Oct-22	18-Nov-22	27-Oct-22	Yes	East	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5747	15-Sep-22	Glassell Park STEAM Magnet ES	Anonymous School Stakeholder	Facility Conditions	Since the return to school after the Labor Day weekend, the air conditioning in the Main building, second floor has not been working. Teacher(s): There are seven (7) teachers in Main Bldg., 2nd Fl. Rms: all classrooms on 2nd floor; Gr: 3,4,5, & RSP. Please correct the HVAC problem. Thank you.	The Williams Complaint for Glassell Park ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) technician secured the loose relay for 1st stage. On Sept 19, 2022 HVAC technician verified operation of A/C unit was found normal. On Sept. 22, 2022 CPM took temperature discharge reading in the following rooms 9, 11, 12, and the library. Temperature being discharged at 11:45 a.m. was found to be from 64-66 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	Central	5
5748	19-Sep-22	Glassell Park STEAM Magnet ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: A/C in Main Bldg. has not been working. It is very hot in the rooms. Cannot work under these conditions. In addition, it is also unsafe to work under these conditions. Location: Main Bldg.	The Williams Complaint for Glassell Park ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) technician secured the loose relay for 1st stage. On Sept 19, 2022 HVAC technician verified operation of A/C unit was found normal. On Sept. 22, 2022 CPM took temperature discharge reading in the following rooms 9, 11, 12, and the library. Temperature being discharged at 11:45 a.m. was found to be from 64-66 degrees. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	1-Nov-22	23-Nov-22	28-Sep-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

224
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5749	20-Sep-22	Elizabeth LC	Dean Howell	Facility Conditions	Nonfunctioning air-conditioning systems: Inoperable air conditioning for 3 weeks; the A/C blows hot air. Current room temperature is 91 degrees. Teacher: Dean Howell; Rm: 420, Gr: 9-12	The Williams Complaint for Elizabeth LC 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/28/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On 10/5/2022, Heating, ventilation, & Air Conditioning (HVAC) fitter diagnosed that the HVAC timer and two (2) faulty fuses were the cause of the non-functioning HVAC system in room 420. HVAC fitter installed and programmed a new HVAC timer and two (2) new fuses. I observed that room 420 is maintaining between 68 degrees to 73 degrees Fahrenheit. CPM has confirmed that the HVAC system has been repaired and is functioning properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	2-Nov-22	28-Nov-22	26-Oct-22	Yes	East	5
5752	29-Sep-22	Eagle Rock ES	Carmel Levitan	Facility Conditions	Inadequate HVAC: See attached documentation. Teacher: McBride; Rm: 15, Main Bldg.; Gr: 2	The Williams Complaint for Eagle Rock ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 11/14/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) #50106423 was generated to address this WUC and has now been completed. The Heating, Ventilation, & Air Conditioning (HVAC) department adjusted the vent louvers to direct air flow downward for the Air Conditioning (AC) system affecting room 15 on 10/21/22. Office of Environmental Health and Safety (OEHS) was also present and was satisfied with the air flow. As of 10/24/2022, the AC has been confirmed to be back to its normal operation. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	14-Nov-22	7-Dec-22	26-Oct-22	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5672	22-Aug-22	Samuel Gompers MS	Steve Barba	Facility Conditions	Nonfunctioning air conditioning systems: 1) Girls P.E. office air conditioner does not work. 2) Dance Room above boys locker room's HVAC is cautioned off. 3) Boys office restroom has no lock on door. Teacher: Steve Barba; Location: Girls PE Office; Boys PE Office; and dance room above the boys office needs repair. Gr: 6-8;	The Williams Complaint for Samuel Gompers MS 1st Quarter (2022-2023) has been remedied/resolved as of 10/07/2022. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: A window air conditioning unit was installed on October 7th, 2022. The dance room floor above the boy's locker room has been repaired and cleared inspection from the Office of Environmental Health and Safety. The wood floor in the dance room above the boy's office has been repaired and the Boys office restroom lock has been repaired. CPM has confirmed all repairs and installations are complete. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	4-Oct-22	26-Oct-22	7-Oct-22	Yes	South	7
5687	9-Sep-22	Miramonte ES	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: The classroom's air conditioning is not working. No portable A/C or fans were provided. My daughter couldn't concentrate with the heat, and came back home with a headache. Teacher: Ms. Jones; Rm: 19; Gr: 4	The Williams Complaint for Miramonte ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/21/22 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: On September 8, 2022, Plant Manager inspected room 19 and noticed that the thermostat was set to 88 degrees. He proceeded to adjust the temperature on the thermostat to district specs and the unit began to provide cool air circulation. The teacher assigned to room 19 was satisfied with the room temperature. On October 20, 2022, Plant Manager verified that the Air Conditioning Unit in room 19 is working properly. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	21-Oct-22	12-Nov-22	21-Oct-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

226
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5689	12-Sep-22	118th St ES	Noemi Martinez	Facility Conditions	Since the 1st day of school on 8/15/22, my son's classroom has had no working A/C. We currently went through a severe heat wave this week and my son and his classmates had to sit in their class with only one fan for the entire class period. I believe that this is a threat to the health and safety for the kids and their teacher. Ms. Gonzalez has voiced her concern in regards to A/C, but nothing has been done. I would like for this situation to be fixed ASAP. Thank you. Teacher: Ms. Gonzalez; Rm: 7; Gr: 4	The Williams Complaint for 118th ES 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO) # 50121483 was used to address WUC #5689. A Heating, Ventilation, & Air Conditioning (HVAC) technician found a bad transformer and a shorted out time delay. All parts have been replaced and CPM has confirmed system is now functioning properly at this time. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	24-Oct-22	Yes	South	7
5692	12-Sep-22	Narbonne HS	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air-conditioning systems: Air conditioning has been broken since Sept 1, 2022. It was reported to plant manager that morning. Everyday since, there have been excessive heat warnings. Fans were requested but not delivered. Please repair HVAC ASAP. Thank you. Teacher: Paskowitz; Rm: F-4; Gr: HS	The Williams Complaint for Narbonne HS 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/25/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM's response below: A service request was placed, Work Order (WO) # 50009344, with regards to a non-functioning Air Conditioning unit in Rm. F4 at Narbonne HS. A Heating, Ventilation, & Air Conditioning (HVAC) technician was dispatched on 09/14/2022 to perform repairs. The HVAC technician replaced a condenser fan motor to address the issue. Repairs were completed on 09/14/2022. Upon completion of the repairs, the temperature inside Rm. F4 was checked by the technician and was verified to be at 71°F with adequate airflow. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-Oct-22	16-Nov-22	18-Oct-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 227 Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5705	15-Sep-22	Carson HS Academy of Medical Arts	Various Parents, Students and Faculty School Stakeholders	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco: Locations: AMA Bldg. entire 2nd Fl; H-Bldg. Rooms 23, 24, 26, 29; Gr: 9-12	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint have been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

228
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5706	15-Sep-22	Carson HS Academy of Medical Arts	Carmen P. Corral	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, I attended the back to school night and I'm here at math room. Just to report 5 minutes to pla her A/C wa broken. Its really hot. I'm ? My daughter complaint it is me first. She's seen ? a lot and not only her but everyone of them. Please fix the A/C It's hard to study and not comfortable. Thank you so much. Carmen Corral. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg. Math room at Carson HS	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore these Williams Uniform Complaints have been resolved and are now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5707	16-Sep-22	Carson HS Academy of Medical Arts	Sal Moon Ibarra	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, A/C is broken. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5708	16-Sep-22	Carson HS Academy of Medical Arts	Maria Theresa C. Luana	Facility Conditions	non functioning air conditioning systems: Complainant states, there is no A/C Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5709	16-Sep-22	Carson HS Academy of Medical Arts	Ghencia Gimerez	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, the classroom is not conducive to learning because there is no A/C. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5710	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, the classroom is not conducive to learning because there is no A/C. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5711	16-Sep-22	Carson HS Academy of Medical Arts	Efren Guzman	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

230
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5712	16-Sep-22	Carson HS Academy of Medical Arts	Danielle Rose	Facility Conditions	Nonfunctioning air conditioning systems: Complainant states, the HVAC System in this classroom as well as others on this floor is not working. A portable A/C unit that was installed does not sufficiently cool off a classroom this size. We are in the middle of 90-170 degree weather and our children are very uncomfortable. Please repair HVAC ASAP. Thank you. Note: EECU is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianfranco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 231 Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5713	16-Sep-22	Cerson HS Academy of Medical Arts	Isela Reyes	Facility Conditions	Nonfunctioning air conditioning systems: The complainant states, there is no A/C unit in the classroom; extereme heat and health hazard. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianfranco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Cerson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore these Williams Uniform Complaints have been resolved and are now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

232
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5714	16-Sep-22	Carson HS Academy of Medical Arts	Luis E. Reyes	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C unit in the room; no A/C unit and extreme heat: this is a health hazard. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 233 Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5715	16-Sep-22	Carson HS Academy of Medical Arts	Mercy Gabriel	Facility Conditions	Nonfunctioning air conditioning systems: please fix the A/C in our classroom. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and Girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5716	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5717	16-Sep-22	Carson HS Academy of Medical Arts	Melanie Cecena	Facility Conditions	Nonfunctioning air conditioning systems: there is no working A/C in some of our classes Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., and upstairs classrooms, Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

234
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5718	16-Sep-22	Carson HS Academy of Medical Arts	Maribel Bravo	Facility Conditions	Nonfunctioning air conditioning systems: there is no air conditioning; students are sweating all the time. Please repair HVAC. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5719	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the classroom is not conducive to learning because there is no A/C. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 235 Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Ord Mbr
5720	16-Sep-22	Carson HS Academy of Medical Arts	Kendra Sanchez	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA Bldg., Rm H-29; Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5721	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is now working A/C even during heat wave. It is super hot inside classrooms making us unable to work properly, do work and/or focus. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: 10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5722	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: 10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

236
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5723	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the air conditioning has stopped working and we've been using fans during the heat wave. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5724	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the air conditioning has stopped working and we've been using fans during the heat wave. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5725	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5726	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: ID	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5727	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: the A/Cs doesn't work upstairs. So we are dying in this heat. Please repair A/C ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by 237 Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5728	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg., Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5729	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C! Please repair ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg and J Bldg, Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5730	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C! Please repair ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg Gr: IO	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5731	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: there is no A/C on 2nd floor classrooms and H-23, H-24. Air conditioning on the 2nd level classrooms do not work. classrooms are up to 95 degrees, without proper ventilation or working A/C. This does not facilitate a learning environment. Please repair HVAC ASAP. Thank you. Note: EECD is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg, Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

238
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5732	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: A/C and everyone goes to the AMA and everyone is in a "hug line". Hot and not A/C can't focus. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg. Gr: 12	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5733	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: A/C doesn't work in upstairs classes. It is extremely hot which makes it hard to focus in class. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg. Gr: 12	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5734	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg. Gr: 11	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5735	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems: Students are sitting in 90 degree classrooms during a heat wave, with non-functioning air conditioning systems. Unhealthy environment. Principal won't do anything to help. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg. Gr: 10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

239
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5736	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. 2) Restrooms has not been maintained or cleaned regularly, is not fully operational, or has not been stocked at all times with toilet paper, soap, and paper towels or functional hand dryers. 3) The school has not kept all restrooms open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg. Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5737	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	1) Nonfunctioning air conditioning systems. 2) Restrooms are not open during school hours when pupils are in class. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H-26 Bldg. Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5738	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	1) Nonfunctioning air conditioning systems. 2) Restrooms always closed; never any toilet paper in bathrooms. 3) Bathrooms are always closed. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: AMA H Bldg. Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

240
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5739	16-Sep-22	Carson HS Academy of Medical Arts	Fofoga Lea'ea	Facility Conditions	1) Nonfunctioning air conditioning systems. 2) Restrooms has not been maintained or cleaned regularly, is not fully operational, or has not been stocked at all times with toilet paper, soap, and paper towels or functional hand dryers. 3) The school has not kept all restrooms open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA upstairs classrooms. Gr: 9	The Williams Complaint for Carson HS Academy of Medical Arts 1st Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 10/28/2022 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The Heating, Ventilation, & Air Conditioning (HVAC) Supervisor adjusted the time clock on the HVAC system to start cooling at 6:00 a.m. instead of 7:00 a.m. The supervisor confirmed that the classrooms in the H-building were at 70 degrees. Supervisor returned the following day at 6:00 a.m. and confirmed the system is working properly. CPM confirmed that the H-building 1st floor boys and girls restrooms are open during the day and serviced twice per day, in addition to the daily cleaning after hours. The H-building boys and girls restrooms were closed for students and used as faculty restrooms. The restrooms have now been cleaned and are available for student use only. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5740	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	1) non functioning air conditioning systems. 2) The school has not kept all restrooms open during school hours when pupils are not in classes, and has not kept a sufficient number of restrooms open during school hours when pupils are in class. Bathrooms is always busy and there's only 2 functioning bathrooms. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg.	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5741	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. There is no A/C at all! It is very hot and hard to focus because of this heat. Please repair ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg.	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5742	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. There is no working A/C in H-Building. Mainly upstairs. Portable A/Cs were given to us but, they do not do much. No repairs have been made. Two students have had to leave early due to heat-related issues. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg. upstairs; Gr:10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5743	16-Sep-22	Carson HS Academy of Medical Arts	Steve Knyden	Facility Conditions	Nonfunctioning air conditioning systems. There is no air conditioning. I think it would be hard for students to learn in extreme heat. Please repair HVAC ASAP. Thank you. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg. upstairs; Gr:10	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5744	16-Sep-22	Carson HS Academy of Medical Arts	Anonymous School Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. A/C doesn't work. Please repair HVAC ASAP. Note: EECO is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flocco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg., Gr:12	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams UCP Summary Report
2022-2023 - 1st Quarter - Final Report
as of 11/9/2022

242
Report sorted by Board Member's Area
Area 1-7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5745	16-Sep-22	Carson HS Academy of Medical Arts	Piper Watkins, School Parent Stakeholder	Facility Conditions	Nonfunctioning air conditioning systems. A/C is not working. Please repair HVAC ASAP. Note: EECQ is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flacco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg., entire 2nd floor Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7
5746	16-Sep-22	Carson HS Academy of Medical Arts	Alfonso Burriega	Facility Conditions	Nonfunctioning air conditioning systems. A. Note: EECQ is in receipt of approximately fifty (50) HVAC Wms complaints stating the HVAC is not functioning at the school site. Teachers: Mrs. Flacco, Mr. Stowell, Mr. Alaan, Mr. Cianflacco; Locations: Carson High AMA H-Bldg., entire 2nd floor Gr: II	(See Trk #5705 response that is provide above.)	28-Oct-22	21-Nov-22	28-Sep-22	Yes	South	7

Williams Project
Record Distribution Report
2022-2023 - 1st Quarterly Report
11/09/2022

243

Board Member							
Board Member	Gross UCPs	Non-Wms UCPs	Net Wms UCPs	IM	MO	HR	Total
1	6		6		6		6
2	15		15		15		15
3	1		1		1		1
4	3		3		3		3
5	21		21		21		21
6	0		0		0		0
7	46		46		46		46
Other/Districtwide							
Not Applicable							
TOTAL	92	0	92	0	92	0	92
Local District							
Local District	Gross UCPs	Non-Wms UCPs	Net Wms UCPs	IM	MO	HR	Total
Northeast	1		1		1		1
Northwest	0		0		0		0
South	46		46		46		46
East	25		25		25		25
West	8		8		8		8
Central	12		12		12		12
Non-Public							
Not Applicable							
DACE							
TOTAL	92	0	92	0	92	0	92
Subject Area							
Subject Area	Gross UCPs	Non-Wms UCPs	Net Wms UCPs				
IM							
MO	92		92				
HR							
Non-Williams							
TOTAL	92	0	92				
2022-2023 UCPs							
Quarter	Net UCPs	IM	MO	HR			
Q1	92	0	92	0			
Q2							
Q3							
Q4							
TOTAL	92	0	92	0			

Legend: UCPs=Uniform Complaint Procedures; Wms=Williams; IM=Instructional Materials/Textbooks; MO=Facilities; HR=Human Resources (teacher assignments)

Rev 07/28/21

INTER-OFFICE CORRESPONDENCE
Los Angeles Unified School District
Office of the General Counsel
EDUCATIONAL EQUITY COMPLIANCE OFFICE

TO: Michael McLean
Executive Officer to the Board

DATE: November 9, 2022

FROM: Julie Hall-Panameño, Director
Educational Equity Compliance Office

SUBJECT: WILLIAMS UNIFORM COMPLAINT 2022/2023
1st QUARTERLY SUMMARY REPORT

Please include the attached 2022/2023 Williams Uniform Complaint Quarterly Report Summary to the Report of Correspondence that will be presented to the Board at the December 13, 2022 Board Meeting.

If you have questions or need additional information regarding this correspondence, please contact me at julie.hall@lausd.net or mina.hudson@lausd.net . Thank you.

c: Alberto M. Carvalho
Frances Baez
Mark Cho
Deneen Evans Cox
Ileana Davalos
Miguel Garza
Leanne Hannah
Mark Hovatter
Devora Navera Reed
Pedro Salcido
Esther Sinofsky

INTER-OFFICE CORRESPONDENCE
Los Angeles Unified School District
Office of the General Counsel
EDUCATIONAL EQUITY COMPLIANCE OFFICE

TO: Michael McLean
Executive Officer to the Board

DATE: November 9, 2022

FROM: Julie Hall-Panameño, ^{JHP}Director
Educational Equity Compliance Office

**SUBJECT: WILLIAMS 2022-2023 1st QUARTER UNIFORM COMPLAINT
SUMMARY**

Please calendar Williams Uniform Complaint Quarterly Report Summary for Board Hearing scheduled on Tuesday, December 13, 2022. Williams support documentation will be provided in a timely manner.

If you have questions or require additional information you may contact me julie.hall@lausd.net or Mina Hudson mina.hudson@lausd.net. Thank you.

BOARD OF EDUCATION OF THE CITY OF LOS ANGELES
Governing Board of the Los Angeles Unified School District

December 13, 2022

REPORT OF CORRESPONDENCE

The following correspondence addressed to the Board of Education is submitted with the recommended Disposition, "Refer to Superintendent for referral to Office of the General Counsel to take all steps necessary to protect the interests of the Board of Education, including assignment to outside counsel; Controller to draw warrants in such amounts as may be necessary for the payment of costs and fees upon invoices as approved by the Office of the General Counsel":

FROM

LEGAL ACTION

1. A Professional Law Corporation

Summons and Complaint for Damages: 1) Liability for Dangerous Condition of Public Property, Pursuant to Government Code Section 835 Et. Seq.; 2) Vicarious Liability for the Wrongful Acts or Omissions by Public Entity Employees and/or Retention of Unfit Employee CA Gov. Code Section 815.2; Carmelitta Tell, Plaintiff, v. Los Angeles Unified School District; and Does 1 to 100, Inclusive, Defendants; Case No. 22PSCV01595; Superior Court of the State of California for the County of Los Angeles

2. Arthur Kim Law Firm

Summons and Complaint for Damages: 1) Failure to Accommodate Religious Belief or Observance; 2) Discrimination Based on Religion; 3) Harassment Based on Religion; 4) Discrimination Based on National Origin; 5) Harassment Based on National Origin; 6) Retaliation in Violation of FEHA; 7) Failure to Prevent Discrimination, Harassment and Retaliation; Case No. 22STCV34738; Superior Court of the State of California for the County of Los Angeles; Amosun Akala, Daniel P. Stelzer, Stacy Hayes, Plaintiff, v. Los Angeles Unified School District; and Does 1 to 100, Defendants

3. Arthur Kim Law Firm

Summons and Complaint for Damages: 1) Failure to Accommodate Religious Belief or Observance; 2) Religious Discrimination; 3) Religious Harassment; 4) Failure to Accommodate Disability and Medical Condition; 5) Failure to Engage in Interactive Process to Determine Reasonable Accommodation for Disability and Medical Condition; 6) Discrimination Based on Disability and Medical Condition; 7) Harassment Based on Disability and Medical Condition; 8) Retaliation in Violation of FEHA; 9) Failure to Prevent Discrimination, Harassment and Retaliation; Case No. 22STCV29869;

Superior Court of the State of California for the County of Los Angeles; Krystyn Mitchell, Plaintiff, v. Los Angeles Unified School District; and Does 1 to 100, Defendants

4. Boucher
 Summons and Complaint for Damages: 1) Childhood Sexual Assault; 2) Sexual Battery; 3) Intentional Infliction of Emotional Distress; 4) Negligence; 5) Negligent Hiring, Retention & Supervision of an Unfit Employee; 6) Negligent Supervision of a Minor; 7) Negligent Failure to Warn Train, & Educate; Case No. 22STCV31454; Superior Court of the State of California for the County of Los Angeles; Jane Doe W.E.S., Plaintiff, v. Los Angeles Unified School District and Does 3 - 20, Inclusive, Defendants
5. Dordunlian Law Group
 Summons and Complaint for Damages: 1) Public Entity Liability Gov. Code Section 815.2 & 815.4; 2) Negligence; 3) Negligent Hiring, Retention, and Supervision of Emotional Distress; Case No. 22CMCV00504; Superior Court of the State of California for the County of Los Angeles; Paquita Peters, and Nacarra Nelson, by her GAL Paquita Peters, Plaintiff, v. Los Angeles Unified School District and Does 1 - 50, Inclusive, Defendants
6. Downtown LA Law Group
 Summons and Complaint for Damages; MaryJane Euyoque, a minor by and through her GAL Ramon Euyoque, Plaintiff, v. Los Angeles Unified School District; and Does 1 to 50, Inclusive, Defendants; Case No. 22STCV32804; Superior Court of the State of California for the County of Los Angeles
7. Greenberg Gross
 Summons and Complaint for Damages: 1) Negligence; 2) Negligent Supervision and Retention; Jane Doe 7061, Plaintiff, v. Los Angeles Unified School District and Does 2 - 20, Inclusive, Defendants; Case No. 22STCV31619; Superior Court of the State of California for the County of Los Angeles
8. Herman Law
 Summons and Complaint for Damages; Case No. 22STCV23632; Superior Court of the State of California for the County of Los Angeles; James Oree Milton, Plaintiff, v. Doe 1- Los Angeles Unified School District; and Does 2 to 25, Defendants

9. Herman Law
Summons and Complaint for Damages; Case No. 22STCV16341; Superior Court of the State of California for the County of Los Angeles; N.G., Plaintiff, v. Doe 1- Los Angeles Unified School District; and Does 2 to 25, Defendants
10. Herman Law
Summons and Complaint for Damages: 1) Negligence (School); 2) Negligence (Does 2-25); 3) Negligent Hiring, Retention, and Supervision (School); 4) Negligent Hiring, Retention, and Supervision (Does 2-25); Case No. 22STCV16568; Superior Court of the State of California for the County of Los Angeles; R.K., Plaintiff, v. Doe 1 and Does 2 - 25, Inclusive, Defendants
11. Law Offices of Anthony Demarco
Summons and Complaint for Damages: 1) Negligence; 2) Negligent Failure to Warn, Train, or Educate; 3) Unruh Civil Rights Act Violation; Case No. 22STCV33787; Superior Court of the State of California for the County of Los Angeles; Jane Doe CT, a minor, by and through her GAL, Sandra Jimenez, Jane Doe CP, a minor, by and through her GAL, Sandy Quevedo, and Jane Doe CS, a minor, by and through her GAL Raul Sanchez Calderon, Plaintiff, v. Los Angeles Unified School District and Does 2 - 100, Inclusive, Defendants
12. Law Offices of Estela Richeda
Summons and Complaint for Damages: 1) Dangerous Condition of Public Property; 2) Negligence; Aaron Alonzo, a minor, by and through his GAL, Gloria Alonzo, Plaintiff, v. Los Angeles Unified School District and Does 1 - 50, Inclusive, Defendants; Case No. 22STCV24966; Superior Court of the State of California for the County of Los Angeles
13. Levin Simes Abrams
Summons and Complaint for Damages: 1) Negligence; 2) Negligent Supervision of a Minor; 3) Maintaining a Dangerous Condition of Public Property – Cal Gov. Code Section 835; Case No. 22STCV27486; Superior Court of the State of California for the County of Los Angeles; Gloria Lopez, Plaintiff, v. Los Angeles Unified School District and Does 1 - 50, Inclusive, Defendants
14. Levin Simes Abrams
Summons and Complaint for Damages: 1) Negligence; 2) Negligent Supervision of a Minor; 3) Maintaining a Dangerous Condition of Public Property – Cal Gov. Code Section 835; Case No. 22STCV27486; Superior Court of the State of California for the County of Los Angeles; Kristen Conger, Plaintiff, v. Los Angeles Unified School District and Does 1 - 50, Inclusive, Defendants

15. Matthew P. Blair
Summons and Complaint for Damages; Case No. 22STCV35473; Superior Court of the State of California for the County of Los Angeles; Emily Keough, Plaintiff, v. Los Angeles Unified School District and Does 1 - 30, Inclusive, Defendants
16. Moaddel Kremer & Gerome LLP
Summons and Complaint for 1) Personal Injury; 2) Property Damage; 3) Wrongful Death; Case No. 22STCV30964; Superior Court of the State of California for the County of Los Angeles; Lizeth Galvez Radillo GAL for Julian Campos v. Los Angeles Unified School District and DOES 1 to 20
17. Slater Slater Schulman
Summons and Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Case No. 22STCV24613; Superior Court of the State of California for the County of Los Angeles; John Doe, Plaintiff, v. Doe 1 and Does 3 - 60, Inclusive, Defendants;
18. Slater Slater Schulman
Summons and Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Case No. 22SNWCV00706; Superior Court of the State of California for the County of Los Angeles; John Doe, Plaintiff, v. Los Angeles Unified School District and Does 2 - 60, Inclusive, Defendants
19. Slater Slater Schulman
Summons and Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Case No. 22STCV26409; Superior Court of the State of California for the County of Los Angeles; John Doe, Plaintiff, v. Los Angeles Unified School District and Does 1 - 60, Inclusive, Defendants

The recommended disposition of the following item is "Refer to Superintendent for referral to the Office of the Risk Management and Insurance Services":

<u>No.</u>	<u>Received From</u>	<u>Type of Damage</u>	<u>Claimant</u>	<u>Date of Damage</u>
20.	The Hayes Law Firm Bradley G. Hayes Berenice Bahena	Damages	Abraham Flores	09-21-22
21.	Law Office of Scott E. Spell Scott E. Spell	Damages	Alex Mateo De La Torre	05-19-22

22.	Kevin W. Chiang of Equity Legal Group	Damages	Anahi Valles	05-24-22
23.	Andreas Esmaili	Damages	Andreas Esmaili	10-11-22
24.	Carrillo Law Firm Luis A. Carrillo Michael S. Carrillo	Damages	Angel Melgar Jimmy Melgar	10-12-22 10-19-22
25.	Silvia Diaz	Damages	Angelo I Rodriguez	Approx. 10-17-22
26.	LA Century Law	Damages	Betsaida J. Marinero	05-06-22
27.	Daisy Ortiz	Damages	Daisy Ortiz	05-17-22
28.	Danielle Garcia	Damages	Danielle Garcia	09-13-22
29.	ACTS Law Schyler S. Katz	Damages	David Martinez (D.M.)	Approx. 08-15-22 09-22-22
30.	State Law Firm Arnold Gross	Damages	Diana Aguilar C/O Edward Sanchez	10-04-22
31.	First Financial Asset Mary Speranza	Damages	Dwayne Alvan Polacio	03-18-22
32.	Esthela Huerta	Damages	Esthela Huerta	10-18-22

33.	Abel Navarro	Damages	Geronimo Navarro	11-02-22
34.	Verenice Fehring	Damages	Josh Fehring Verenice Fehring	06-02-22
35.	Lusaber Terarakelyan	Damages	Lusaber Terarakelyan	10-24-22
36.	Lindemann Law Firm Blake J. Lindemann	Damages	M.M. D.M Alicia Marquez GAL	11-03-22
37.	Kelly Law Offices Maria Cisneros	Damages	Maria Cisneros	05-19-22
38.	Anita Velasco	Damages	Natalia Alonzo	09-21-22 2 rec'd
39.	The Westmoreland Law Firm Dominique N. Westmoreland	Damages	Tray Thompson Daphoine Smith	Jan. 2022 Aug. 2022
40.	V. James DeSimone Law V. James DeSimone	Damages	Wilson Clancey Janet Doliveira –GAL	05-11-22
41.	State Farm Mutual Ins. Co. Stephanie Easterbrook	Vehicle Damages	Aik Gulinian State Farm Mutual Ins. Co. ASO	06-10-22
42.	Beverley Vigil	Vehicle Damages	Beverley D. Vigil	05-04-22
43.	Beverly Hernandez	Vehicle Damages	Beverly Hernandez	11-01-22

44.	Carmen Aghajanian	Vehicle Damages	Carmen Aghajanian	09-22-22
45.	Interinsurance Exchange of Automobile Club	Vehicle Damages	Carol Holton	10-10-22
46.	Douglas A. Magana	Vehicle Damages	Douglas A. Magana	10-06-22
47.	Jennifer Preuss	Vehicle Damages	Jennifer Preuss	10-21-22
48.	Luis E. Martinez	Vehicle Damages	Luis E. Martinez	09-19-22
49.	Law Offices of Gerald L. Marcus Gerald L. Marcus	Vehicle Damages	Sebastian Tapia	09-19-22