

TAB 29



Los Angeles Unified School District

333 South Beaudry Ave,
Los Angeles, CA 90017

Board of Education Report

[Return to Order of Business](#)

File #: ROC-001-23/24, Version: 1

Report of Correspondence including Williams Settlement Uniform Complaint Quarterly Report Summary (ROC-001-23/24)

BOARD OF EDUCATION OF THE CITY OF LOS ANGELES
Governing Board of the Los Angeles Unified School District

August 22, 2023

REPORT OF CORRESPONDENCE

The following correspondence addressed to the Board of Education is submitted with the recommended Disposition, “Refer to Superintendent for referral to Office of the General Counsel to take all steps necessary to protect the interests of the Board of Education, including assignment to outside counsel; Controller to draw warrants in such amounts as may be necessary for the payment of costs and fees upon invoices as approved by the Office of the General Counsel”:

FROM	LEGAL ACTION
1. Abir Cohen Treyzon Salo, LLP	Complaint for Damages: (1) Negligence; (2) Violation of Title VI of the Civil Rights Act of 1964 (Cal. Ed Code §§200, 201, 220 & Gov. Code 11135.); Case No. 23STCV09963, Superior Court of the State of California for the County of Los Angeles; D.M., a minor, by and through his guardian ad litem, Araceli C., Plaintiff v. LAUSD; and Does 1 – 50, and each of them, Defendants.
2. Downtown LA Law Group	Complaint for Damages: (1) Assault; (2) Battery; (3) Intentional Infliction of Emotional Distress; (4) Negligence; (5) Negligent Hiring, Supervision and Retention; Case No. 23VECV01355, Superior Court of California, County of Los Angeles; Nicole Schreiner, a minor, by and through her guardian ad litem, Janet Schreiner, Plaintiff v. El Camino Real Charter High School; Los Angeles Unified School District; Los Angeles County Office of Education; City of Los Angeles; County of Los Angeles; Jane Doe; Tomer Kapeta; and Does 1-100, inclusive, Defendants.
3. Pacific Justice Institute	Complaint for Violation of Rights Under Title VII of the Civil Rights Act of 1964; Case No. 2:23-CV-03849-SB(MARx); United States District Court; Ian DeHerrera, an individual, Plaintiff v. LAUSD, et al., Defendants.

4. Case, Ibrahim & Clauss, LLP
- Complaint for Money Damages for: (1) Breach of Contract; (2) Common Count for Work, Labor, Services Rendered – Agreed Price; (3) Common Count for Work, Labor, Services Rendered – Reasonable Value; (4) Account Stated; (5) Action on Public Works Payment Bond #1; (6) Action on Public Works Payment Bond #2; (7) Action on Subcontractor Payment Bond; (8) Action to Enforce Stop Payment Notice; (9) Action on Stop Payment Notice Release Bond; Case No. 23STCV10419, Superior Court of the State of California for the County of Los Angeles ; D. Burke Mechanical Corp., Plaintiff v. Sheldon Mechanical Corporation; S. J. Amoroso Construction Co., LLC; Los Angeles Unified School District; Liberty Mutual Insurance Company; Federal Insurance Company; Fidelity and Deposit Company of Maryland; and Does 1-50, inclusive, Defendants.
5. Downtown L.A. Law Group
- Complaint for Damages: (1) Assault; (2) Battery; (3) Intentional Infliction of Emotional Distress; (4) Negligence; (5) Negligent Hiring, Supervision and Retention; Case No. 23SMCV02809, Superior Court of California, County of Los Angeles; Precious Corral, a minor, by and through her Guardian Ad Litem Alan Corral, Plaintiff v. Los Angeles Unified School District; Los Angeles County Office of Education; City of Los Angeles; County of Los Angeles; California Department of Education; John Doe; and Does 1-100, inclusive, Defendants.
6. Herman Law
- First Amended Complaint for Damages: (1) Negligence (School); (2) Negligence (Does 2 through 25); (3) Negligent Hiring, Retention, and Supervision (School); (4) Negligent Hiring, Retention, and Supervision (Does 2 through 25); Case No. 23STCV09475, Superior Court of the State of California in and for the County of Los Angeles; G.B., Plaintiff v. Los Angeles Unified School District; and Does 2-25, inclusive, Defendants.

7. Geraldine Parker
First Amended Complaint for Damages: (1) Violation of Title VII of the Civil Rights Act of 1964; (2) Wrongful Termination of Employment in Violation of Public Policy; (3) Violation of Labor Code Section 1102.5; (4) Retaliation in Violation of FEHA; (5) Violation of Labor Code 232.5; (6) Government Code Section 911.2; (7) Government Code Section 945.6; (8) Intentional Infliction of Emotional Distress; (9) Negligent Hiring; Supervision, and Retention; (10) Failure to Take All Reasonable Steps Necessary to Prevent Discrimination, Retaliation, and Harassment in Violation of FEHA; (11) Negligence/Negligent Infliction of Emotional Distress; Case No. 23CHCV01435, Superior Court of the State of California for the County of Los Angeles, North Valley District; Geraldine Parker, Plaintiff v. Los Angeles Unified School District; Alberto M. Carvalho; Megan K. Reilly; Adam Ashley Grable; David Palmer; Jeanie Raphelt; Jer-Lynn Reid; Julie Hall-Panameno; Kristen Kaiser Murphy; Leanne Hannah; Randy Chung; Shiwonda Wynn.
8. Slater Slater Schulman, LLP
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Demand for Jury Trial; Case No. 22STCV34675, Superior Court of the State of California for the County of Los Angeles; John Doe A.B., Plaintiff v. Doe #1; Doe #2; and Does 3-60, inclusive, Defendants.
9. Slater Slater Schulman, LLP
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Demand for Jury Trial; Case No. 22STCV35623, Superior Court of the State of California for the County of Los Angeles; John Doe R.J., Plaintiff v. Doe #1; and Does 2-60, inclusive, Defendants
10. Slater Slater Schuman, LLP
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Demand for Jury Trial; Case No. 22STCV35351, Superior Court of the State of California for the County of Los Angeles; Jane Doe F.R., Plaintiff v. Doe #1; Doe #2; Does 3-60, inclusive, Defendants.
11. Manley Stewart & Finaldi
Complaint for Damages for: (1) Negligence; (2) Negligent Supervision; (3) Negligent Hiring/Retention; (4) Negligent Failure to Warn, Train or Educate; (5) Intentional Infliction of Emotional Distress; (6) Sexual Harassment (C.C. §51.9); (7) Sexual Abuse and Harassment in the Educational Environment (Education Code §220); (8) Breach of Fiduciary Duty; (9) Gender Violence (C.C. §52.4); (10) Sexual Battery (C.C. §1708.5); (11) Sexual Assault; Case No. 22STCV40598, Superior Court of the State of California, County of Los Angeles; John DM Doe, Plaintiff v. Doe 1; Doe 2; and Does 3-100, inclusive, Defendants.

12. LA Century Law
Demand for Jury Trial; Case No. 23STCV10226, Superior Court of the State of California for the County of Los Angeles – Unlimited Jurisdiction; Kun Hyong Kim, Plaintiff v. Los Angeles Unified School District; City of Los Angeles; State of California; Dwayne Alvan Palacio; Monica Romero; Saba Sabet Rasekh; and Does 1-25, inclusive, Defendants.
13. Herman Law
First Amended Complaint for Damages: (1) Negligence (School); (2) Negligence (Does 2 – 25); (3) Negligent Hiring, Retention, and Supervision (School); (4) Negligent Hiring, Retention, and Supervision (Does 2 – 25); Demand for Jury Trial; Case No. 23STCV11578, Superior Court of the State of California in and for the County of Los Angeles; M.M., Plaintiff v. Los Angeles Unified School District; and Does 2-25, inclusive, Defendants.
14. Herman Law
First Amended Complaint for Damages: (1) Negligence (School); (2) Negligence (Does 2 – 25); (3) Negligent Hiring, Retention, and Supervision (School); (4) Negligent Hiring, Retention, and Supervision (Does 2 – 25); Demand for Jury Trial; Case No. 23STCV11711, Superior Court of the State of California in and for the County of Los Angeles; A.H., Plaintiff v. Los Angeles Unified School District; and Does 2-25, inclusive, Defendants.
15. Law Offices of Vargas and Vargas
Damages; Case No. 23STCV13859, Superior Court of the State of California in and for the County of Los Angeles; Sergio Moreno, Plaintiff v. Los Angeles County Unified School District; and Does 1-50, inclusive, Defendants.
16. Young, Minney & Corr, LLP
Verified Petition for Writ of Mandate and Complaint for Injunctive Relief; Case No. 23STCP02190, Superior Court of the State of California, County of Los Angeles; Crete Academy, Petitioner v. Los Angeles Unified School District; and Does 1-10, inclusive, Respondents.
17. Andrews & Thornton
Sexual Assault of a Minor; Negligence of District Employees (Government Code §815.2); Case No. 22STCV36765, Superior Court for the State of California for the County of Los Angeles; Nanette Boone, Plaintiff v. Doe 1; Doe 2; and Does 3-50, inclusive, Defendants.
18. Law Office of Alaba Ajetunmobi
Second Amended Complaint for: (1) Violation of California Education Code §22458; (2) Negligence; (3) Conversion; (4) Negligent Misrepresentation; (5) Fraudulent Misrepresentation; (6) Elder Abuse; (7) Retaliation; Case No. 23STCV11420, Superior Court of California, for the County of Los Angeles; Jeryl Smith, Plaintiff v. Los Angeles Unified School District; and Does 1-20, inclusive, Defendants.

19. Slater Slater Schulman, LLP
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Demand for Jury Trial; Case No. 22SMCV02373, Superior Court of the State of California for the County of Los Angeles; John Doe Y.G., Plaintiff v. Doe #1; and Does 2-60, inclusive, Defendants.
20. Law Office of Fred Hanassab
Complaint; Personal Injury; Premises Liability; General Negligence; Case No. 22VECV01513, Superior Court of California, County of Los Angeles; Sarbi Khamit; Aizhan Khamit, Plaintiff v. Welby Way Elementary; Los Angeles Unified School District; City of Los Angeles; County of Los Angeles; State of California; Helen Kim; Min Jung Shin; Susie Dacorsi; and Does 1-50, inclusive, Defendants.
21. Geraldine Parker
Complaint for Damages; Case No. 23CHCV01435; Superior Court of the State of California; Geraldine Parker, Plaintiff v. LAUSD, Kristen Kaiser Murphy, et al., Defendants.
22. Geraldine Parker
Complaint for Damages; Case No. 23CHCV01435; Superior Court of the State of California; Geraldine Parker, Plaintiff v. LAUSD, Alberto M. Carvalho, et al., Defendants.
23. Mark Williams
Complaint for Damages; Case No. 23STCV08478; Superior Court of the State of California; Mark Williams, Plaintiff v. LAUSD, et al., Defendants.
24. Blady Workforce Law Group, APC
Complaint for Damages; Case No. 23STCV05274; Superior Court of the State of California; Tuzdie Niles-Wilcox, an individual, Plaintiff v. LAUSD, et al., Defendants.
25. Herman Law
Complaint for Damages; Case No. 23STCV12006; Superior Court of the State of California; S.W., Plaintiff v. LAUSD, et al., Defendants.
26. Manly Stewart & Finaldi
Summons and Complaint for Damages for: (1) Intentional Infliction of Emotional Distress; (2) Negligence; (3) Negligent Supervision; (4) Negligent Retention/Hiring; (5) Negligent Failure to Warn, Train or Educate; (6) Breach of Fiduciary Duty; (7) Constructive Fraud (Civil Code 1573); (8) Sexual Battery; (9) Sexual Assault; Case No. 23STCV11485; Superior Court of the State of California; Jane Re Doe, an individual, Plaintiff v. LAUSD, and Does 1-50, Defendants.
27. Michael J. Yepp, Deputy City Attorney
Complaint for Damages; Case No. 22STCV21426; Los Angeles Superior Court, Central District; Roes 1-10, Inclusive, Cross-Defendant v. City of Los Angeles, Cross-Complainant.

28. Law Offices of Gerald L. Marcus Complaint for Damages; Case No. 23BBCV01312; Superior Court of the State of California, Los Angeles County – Burbank Courthouse – Civil Division, Unlimited; Sebastian Tapia, Plaintiff v. Los Angeles Unified School District; John Doe; and Does 1-100, inclusive, Defendants.
29. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 22STCV36764; Superior Court of the State of California; Larry Felando, Plaintiff v. LAUSD (As DOE Defendant 3).
30. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 22STCV36764; Superior Court of the State of California; John Doe, Plaintiff v. LAUSD (As DOE Defendant 3).
31. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 22STCV36764; Superior Court of the State of California; John Doe, Plaintiff v. LAUSD (As DOE Defendant 3).
32. Slater Slater Schulman, LLP Complaint for Damages; Case No. 22STCV37241; Superior Court of the State of California; John Doe V.A., an individual, Plaintiff v. LAUSD, et al., Defendants.
33. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 21STCV18964; Superior Court of the State of California; John Doe, Plaintiff v. LAUSD (As DOE Defendant 3).
34. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 21STCV18964; Superior Court of the State of California; John Doe, Plaintiff v. LAUSD (As DOE Defendant 4).
35. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 21STCV05083; Superior Court of the State of California; Ross, Plaintiff v. LAUSD (As DOE Defendant 3).
36. PFAU Cochran Vertetis Amala Complaint for Damages; Case No. 21STCV05083; Superior Court of the State of California; Ross, Plaintiff v. LAUSD (As DOE Defendant 4).
37. Herman Law Complaint for Damages; Case No. 23STCV13656; Superior Court of the State of California; R.L., Plaintiff v. LAUSD, et al., Defendants.
38. Troutman Pepper Hamilton Sanders LLP Complaint for Damages; Case No. 23STCV15679; Superior Court of the State of California; Sheldon Mechanical Corporation, Plaintiff v. LAUSD, et al., Defendants.
39. Herman Law Complaint for Damages: Negligence and Negligent Hiring, Retention and Supervision; Case No. 23STCV13890; Superior Court of the State of California; J.W., Plaintiff v. LAUSD, et al., Defendants.

40. Herman Law
Complaint for Damages: Negligence and Negligent Hiring, Retention and Supervision; Case No. 23STCV11866; Superior Court of the State of California; J.A., Plaintiff v. LAUSD, et al., Defendants.
41. Shegerian & Associates, Inc.
Complaint for Damages: (1) Sexual Assault and Battery; (2) General Negligence, (3) Sexual Harassment, (4) Violation of Bane, (5) Intentional Infliction of Emotional Distress, (6) Violation of the Ralph Act, (7) Gender Violence, and (8) Negligent Supervision, Hiring, and Retention; Case No. 23STCV15778; Superior Court of the State of California; John Doe, an individual, Plaintiff v. LAUSD, et al., Defendants.
42. DeMarco Law Firm
Summons & Complaint for Damages: 1) Negligence, 2) Negligent Failure to Warn, Train, or Educate; Case No. 23STCV14520; Superior Court of the State of California, Los Angeles County; John VKB Doe, an individual, Plaintiff v. Los Angeles Unified School District; and Does 1-100, inclusive, Defendants.
43. Young, Minney & Corr, LLP
Verified Complaint for Declaratory and Injunctive Relief; Case No. 23STCV16307; Superior Court of the State of California, County of Los Angeles; Gabriella Charter Schools, Plaintiff v. Los Angeles Unified School District; The Board of Education of the Los Angeles Unified School District; and Does 1-10, Defendants.
44. Young, Minney & Corr, LLP
Verified Complaint for Declaratory and Injunctive Relief; Case No. 23STCV16307; Superior Court of the State of California, County of Los Angeles; Gabriella Charter Schools, Plaintiff v. Los Angeles Unified School District; The Board of Education of the Los Angeles Unified School District; and Does 1-10, Defendants.
45. Reid & Hellyer APC
Summons and Complaint for Enforcement of Stop Notice; Enforcement of Payment Bond; Damages for Breach of Contract; Common Counts; Case No. 23BBCV01283; Superior Court of the State of California, County of Los Angeles; Alpha & Omega Pavers, Inc., a California Corporation, Plaintiff v. Los Angeles Unified School District; and Does 1-60, Inclusive, Defendants.
46. Slater Slater Schulman
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Case No. 22CMCV00501; Superior Court of the State of California, County of Los Angeles; John Doe M.F., Plaintiff v. Doe 1- Los Angeles Unified School District; and Does 3-60, Inclusive, Defendants.

47. Baer Treger, LLP
Complaint for Damages: (1) Negligence; (2) Negligent Supervision; (3) Negligent Failure to Warn, Train, or Educate; (4) Intentional Infliction of Emotional Distress; Case No. 23VECV02883; Superior Court of the State of California, County of Los Angeles; John EN Doe, a minor, Plaintiff v. Los Angeles Unified School District; and Does 1-50, Inclusive, Defendants.
48. Solouki & Savoy, LLP
First Amended Complaint for Damages and Demand for Jury Trial: (1) Negligence; (2) Negligent Supervision/Retention; (3) Sexual Battery; (4) Sexual Harassment; Case No. 23STCV13750; Superior Court of the State of California for the County of Los Angeles; Jane A.V. Doe Plaintiff v. Los Angeles Unified School District; Robert K. Carey; and Does 1-20, Inclusive, Defendants.
49. Berk Brettler LLP
Complaint for Personal Injuries and Damages Arising from Childhood Sexual Abuse [Demand for Jury Trial]; Case No. 23STCV17364; Superior Court of the State of California for the County of Los Angeles; O.B., Plaintiff v. Los Angeles Unified School District; Jerome A. Lowe; and Does 1-50, Defendants.
50. Slater Slater Schulman, LLP
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Demand for Jury Trial; Case No. 22STCV36610; Superior Court of the State of California for the County of Los Angeles; Jane Doe, Plaintiff v. Los Angeles Unified School District (Doe #1); Doe #2; and Does 3-60, inclusive, Defendants.
51. The Finkel Firm
Summons and Complaint for Damages for: (1) Disability Discrimination in Violation of FEHA Government Code 12900, et seq.; (2) Harassment in Violation of FEHA Government Code 12900, et seq.; (3) Retaliation in Violation of FEHA Government Code 12900, et seq.; (4) Failure to Provide Reasonable Accommodation and Engage in the Interactive Process in Violation of FEHA Government Code 1290, et seq.; (5) Failure to Prevent Discrimination, Harassment, and Retaliation in Violation of FEHA Government Code 12900, et seq.; Case No. 23STCV17541; Superior Court of the State of California for the County of Los Angeles; Nicolas Walker, Plaintiff v. Los Angeles Unified School District; and Does 1-100, inclusive, Defendants.
52. Slater Slater Schulman, LLP
Complaint for Personal Injuries and Damages from Childhood Sexual Abuse; Demand for Jury Trial; Case No. 22STCV37276; Superior Court of the State of California; John Doe D.D., an individual, Plaintiff v. Doe #1, a public entity; LAUSD, et al., Defendants.

53. Herman Law
Complaint for Damages; Case No. 23STCV14690; Superior Court of the State of California; R.J., Plaintiff v. LAUSD, et al., Defendants.
54. Sweet James, LLP
Summons and Complaint for Damages: (1) Breach of Mandatory Duty Under Government Code Section 815.2, 820, and California Education Code 44807; (2) Assault; (3) False Imprisonment; (4) Negligence. Case No. 23CHCV01474; Superior Court of the State of California; E.A., a Minor, by and through and by her Guardian Ad Litem, J.A., Plaintiff v. LAUSD, and Does 1 through 100, Inclusive, Defendants.
55. Greene Broillet & Wheeler, LLP
Complaint for Damages; Case No. 23STCV14086; Superior Court of the State of California; Daksha Cordova, Plaintiff v. LAUSD, et al., Defendants.
56. Slater Slater Schulman, LLP
Complaint for Damages; Case No. 22CMCV00525; Superior Court of the State of California; John Doe E.D., an individual, Plaintiff v. LAUSD, et al., Defendants.
57. The Legal Offices of David Grey
Complaint for Damages; Case No. 23CHCV01876; Superior Court of the State of California; Reza Joaquin Reveles, et al., Plaintiff v. LAUSD, et al., Defendants.

The recommended disposition of the following item is “Refer to Superintendent for referral to the Office of the Risk Management and Insurance Services”:

<u>No.</u>	<u>Received From</u>	<u>Type of Damage</u>	<u>Claimant</u>	<u>Date of Damage</u>
58.	Ceasar Molina	Vehicle Damages	Caesar Molina	04-11-23
59.	Reka Rand	Damages	Rai’a Sky Tate (2)	03-09-23
60.	Miguel Cortez	Vehicle Damages	Miguel Cortez	05-25-23
61.	Gladys Cuevas	Damages	Ryker Cuevas	04-12-23
62.	Miriam Perez	Vehicle Damages	Miriam Perez	05-05-23
63.	Kelly Flores	Vehicle Damages	Kelly Flores	05-15-23
64.	Jeanette Hild, 21 st Century	Vehicle Damages	Michael Omega	04-26-23
65.	Ada Martinez	Vehicle Damages	Ada Martinez	05-17-23
66.	Anthony Karch	Vehicle Damages	Anthony Karch	04-26-23
67.	Jorge Barboza	Vehicle Damages	Jorge Barboza	05-11-23

68.	Ayuls Ali Khan	Vehicle Damages	Ayuls Ali Khan	03-27-23
69.	Joseph Farzam, Esq.	Damages	Sage Taylor	02-13-23
70.	Heiddy Garcia	Vehicle Damages	Heiddy Garcia	11-28-22
71.	Wood Grigsby	Damages	Wood Grigsby	05-24-23
72.	Vanessa Tawa	Damages	Nevaeh Tawa	05-11-23
73.	Aya Masuda	Vehicle Damages	Aya Masuda	03-21-23
74.	Yujin Choi	Damages	Yujin Choi	05-19-23
75.	Emily Trujillo	Damages	Emily Trujillo	05-24-23
76.	Rosa K. Hirji	Damages	Mila “Nick” Shah	08-15-22
77.	Claudia Ascencio	Damages	Cruz Maximo Cortes	01-17-23
78.	Boris Koron, Esq.	Damages	Ashley Rodriguez	05-05-23
79.	Abik Dermkrdichyan	Vehicle Damages	Abik Dermkrdichyan	05-25-23

80.	Joshua J. Franklin	Damages	Zulema Mejia	12-09-22
81.	Joshua J. Franklin	Damages	Mike Martinez	12-09-22
82.	Joshua J. Franklin	Damages	Sandra Gutierrez	12-09-22
83.	Joshua J. Franklin	Damages	Mason Martinez	12-09-22
84.	Joshua J. Franklin	Damages	Adelin Barajas	12-09-22
85.	Carol Attarian, DCA for the City of Los Angeles	Damages	The City of Los Angeles	05-01-23
86.	Charles Swain, Esq.	Damages	Antoinette C. Goosby	12-20-22
87.	Candace Dolin	Damages	Daniel B. Orozco	03-20-23
88.	Robert Dourian	Damages	Liam Cooper	Ongoing
89.	Mitchell Cannon	Damages	Mitchell Cannon	06-02-23
90.	Derek S. Gould	Vehicle Damages	Derek S. Gould	06-06-23
91.	Angela Perrantes	Damages	Angela Perrantes	05-15-23

92.	Toni J. Jaramilla	Damages	Jamari Baker; Sophia Davis	02-06-23
93.	Elia Velasco	Damages	Elia Velasco	01-12-23
94.	Rita Alvarez	Damages	Martin Alvarez, Jr.	05-05-23
95.	Silvia Barroso	Damages	Silvia Barroso	02-22-23
96.	Wesley Rowell	Damages & Vehicle Damages	Wesley Rowell	02-22-23
97.	Joseph A. Gross	Damages	Esther Tal	06-2022
98.	Jazmine Gomez	Damages	Korrielle Johnson	12-09-22
99.	No Info Provided	Vehicle Damages	Cuong Joseph Wguyn	4-28-23
100.	Rebecca Bennett	Vehicle Damages	American Family Connect	11-08-22
101.	Gohar Mikaelyan	Vehicle Damages	Gohar Mikaelyan	05-26-23
102.	Neil Timbol	Vehicle Damages	Kendrick Jackson	05-18-23
103.	Karin L. Byrne	Vehicle Damages	Karin L. Byrne	04-26-23

104. Luis Hernandez	Vehicle Damage	AAA Insurance	04-25-23
105. Betsy Schwarcz	Vehicle Damages	Betsy Schwarcz	05-10-23
106. Alyssa Pisco	Vehicle Damage	R. Jack Balthazar, Inc.	12-20-22
107. Michael L. Jsutice	Damages	Zacoya Goode	06-05-23
108. Alex Farzan	Damages	Diego Lozano Gonzalez	06-08-23
109. Gohar Mikaelyan	Vehicle Damages	Gohar Mikaelyan	05-26-23
110. Carol Attarian, DCA for the City of Los Angeles	Damages	City of Los Angeles	04-17-23
111. Elisa Larregui	Damages	Jordan Larregui	01-19-23
112. Ted Zamora	Vehicle Damages	Ted Zamora	06-01-23
113. Melinda Roberts	Damages	Skylar Scott	12-16-22
114. Nigar Rasulova	Vehicle Damages	Nigar Rasulova	05-18-23
115. Lisa Heider	Vehicle Damages	Antonio Torres	05-01-23

116. Eleanor Murray-Edison	Vehicle Damages	Eleanor Murray-Edison	05-23-23
117. Rafael Hernandez	Vehicle Damages	Rafael Hernandez	06-12-23
118. Milad Sadr	Damages	Aldo Gael Quiroz Pina	Jan & Feb 2023
119. Wesley Rowell	Vehicle Damages	Wesley Rowell	02-22-23
120. Nenita Price	Vehicle Damages	Nenita Price	01-31-23
121. Yayun Chen	Damages	Yannick H. Nolasco	05-10-23
122. Britney Quarterman	Vehicle Damages	Britney Quarterman (Baker)	05-24-23
123. Lisa Heider	Vehicle Damages	Antonio Torres	05-01-23
124. Chen Eliyahu	Damages	Guy Eliyahu	05-18-23
125. Daniel Ibarra	Vehicle Damages	Daniel Ibarra	04-26-23
126. Casey Mitchnick, Esq.	Damages	Esmie Peters	01-19-23
127. David R. Manuel	Damages	David R. Manuel	07-31-22

128. Mike Dorsey	Damages	Mike Dorsey	02-06-23
129. Yolanda Luna	Damages	Yolanda Luna	05-17-23
130. Sharon McCallister for IEAC/AAA	Vehicle Damages	Inter Exch of Auto Club / Claim 015653294	02-03-23
131. Esther Pugh	Vehicle Damages	Esther Pugh	06-21-23
132. Cristina Diaz	Vehicle Damages	Cristina Diaz	06-09-23
133. Aaron Kahlenberg	Damages	Aaron Kahlenberg	06-20-23
134. Robert V. Torres	Damages	Keysha Selders	01-27-23
135. Sandra Perez Galvez	Damages	Vivian C. Perez	05-15-23
136. Jordan Malone	Damages	King Day	06-28-23
137. Lina Yonn	Damages	Eric Yib	11-29-22
138. Gary Berkovich	Damages	Caiden Camarena Escobar	02-01-23
139. Samson Soleil	Vehicle Damages	Samson Soleil	06-27-23

140. Howard Choi	Vehicle Damages	Maria Elena Campos	04-24-23
141. Howard Choi	Vehicle Damages	Ramon Rosas Corona	04-24-23
142. Gary O. Williams	Vehicle Damages	Ramon Rosas Corona	04-24-23
143. Mike Denison, Subro Specialist	Vehicle Damages	Emilia Mendez	05-18-23
144. Lizeth Garcia	Vehicle Damages	Lizeth Garcia	06-09-23
145. Jazmine Gomez	Damages	Tawanna Weatherspoon	01-09-23
146. Ronnisha Potts	Damages	Richelle Wright	Feb. 2022
147. Justin R. Rogal, Esq	Damages	Ricardo Lopez	03-27-23
148. Marla Manzanares	Vehicle Damages	Marla Manzanares	05-10-23
149. Denise Samaniego	Damages	Isabella Correa	06-05-23
150. Darrique Eric Wilmore	Vehicle Damages	Darrique Eric Wilmore	03-27-23
151. Stephanie Easterbrook	Vehicle Damages	Miguel Figueroa, State Farm Mutual Ins.	04-25-23

152. Edith Strickland	Vehicle Damages	Dorian Minera Lopez	05-05-23
153. David Melchin, AAA	Vehicle Damages	David Melchin, AAA	02-15-23
154. Michael A. Sanchez, Esq.	Damages	Meloney Teodoro	01-25-23
155. Monica Abarca	Damages	Avery Abarca (2)	01-31-23
156. Kunhae Vickey Kim	Damages	Madison Lee	01-21-23
157. Maria Castillo	Damages	Maria Castillo	06-30-23
158. Monique Walker	Damages	Maddison Walker	05-12-23
159. Camila Barrera-Molina	Damages	Camila Barrera-Molina (Parent)	02-08-23
160. Joseph Gross	Damages	Kellie Ford	May 2022
161. Jovi G. Usude	Damages	Aaden Padilla, Andrew Padilla	03-15-23
162. Shanon Trygstad	Damages	Dawn Guest-Johnson	07-01-21- Ongoing
163. Joseph A. Gross	Damages	Rhonda Clark	10-31-22

164. Martha Bowen	Damages	Martha Bowen	Sept. 2022-Ongoing
165. Jeremy Clark	Damages	Josefina Leon Vargas	12-09-22
166. Shanon Trygstad, Esq	Damages	Victoria Badmus-Wellington	07-19-23-Ongoing
167. Patrik Milani	Vehicle Damages	Patrik Milani	02-09-23
168. James Lee	Vehicle Damages	James Lee	07-11-23
169. Shanon Trygstad, Esq.	Damages	Julie Hall-Panameno	07-20-23
170. Eunice Ayim	Damages	Eunice Ayim (2)	05-13-23
171. Bianca M. Calderon	Damages	Harlow Alyssa Calderon	02-01-23
172. Thomas J. Conroy, Esq.	Damages	J.H.	03-07-23
173. Thomas J. Conroy, Esq.	Damages	Z.R.	02-15-23
174. Thomas J. Conroy, Esq.	Damages	M.M.	02-28-23
175. Thomas J. Conroy, Esq.	Damages	K.M.	03-02-23

176.	Robert J. Golde, Esq.	Damages	Adiana Brown	01-30-23
177.	Geraldine Jones	Damages	Geraldine Jones	May 1986
178.	Gehan Yousef	Vehicle Damages	Gehan Yousef	05-01-23
179.	Patrik Milani	Vehicle Damages	Patrik Milani	02-09-23
180.	Sadeesha Hulangamuwa	Vehicle Damages	Sadeesha Hulangamuwa	06-08-23
181.	Raymond Ian Mendoza	Damages	Raymond Ian Mendoza	Ongoing
182.	Vida Ruokis	Damages	Vida Ruokis	02-06-23
183.	Roberto J. Solis	Vehicle Damages	Sandra Margarita Arguello	07-10-23
184.	Jillian Ly	Vehicle Damages	Jillian Ly	04-27-23
185.	Robert J. Golde, Esq.	Damages	Adaina Brown	01-30-23
186.	Nada Shaath	Damages	Nada Shaath	12-04-20
187.	David Rodriguez	Damages	Thalia Rodriguez	03-22-23

188.	Sam Nordean	Damages	Joseph Birkner	07-09-23
189.	Gehan Yousef	Vehicle Damages	Gehan Yousef	05-01-23
190.	Patrik Milani	Vehicle Damages	Patrik Milani	02-09-23

**WILLIAMS UNIFORM COMPLAINT
QUARTERLY REPORT SUMMARY
4th Quarter 2022/2023**

DISTRICT NAME: Los Angeles Unified School District

DATE: July 21, 2023

QUARTER COVERED BY THIS REPORT:

April, May, and June 2023

	Number of Complaints Received in Quarter	Number of Complaints Resolved	Number of Complaints Unresolved
Textbooks and Instructional Materials	0	0	0
Facility Conditions	15	15	0
Teacher Vacancy or Misassignment	0	0	0
Totals	15	15	0


SUBMITTED BY: Binh Nguyen

TITLE: Director, Office of Student Civil Rights - Office of the General Counsel

Williams Project
Record Distribution Report
2022-2023 – 4th Quarterly
Report 7/21/2023

Board Member							
Board Member	Gross UCPs	Non-Wms UCPs	Net Wms UCPs	IM	MO	HR	Total
1	3	0	3	0	3	0	3
2	3	0	3	0	3	0	3
3	6	0	6	0	6	0	6
4	0	0	0	0	0	0	0
5	3	0	3	0	3	0	3
6	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0
Other/Districtwide	0	0	0	0	0	0	0
Not Applicable	0	0	0	0	0	0	0
TOTAL	15	0	15	0	15	0	15
Local District							
Local District	Gross UCPs	Non-Wms UCPs	Net Wms UCPs	IM	MO	HR	Total
Northeast	0	0	0	0	0	0	0
Northwest	6	0	6	0	6	0	6
South	0	0	0	0	0	0	0
East	2	0	2	0	2	0	2
West	3	0	3	0	3	0	3
Central	4	0	4	0	4	0	4
Non-Public	0	0	0	0	0	0	0
Not Applicable	0	0	0	0	0	0	0
DACE	0	0	0	0	0	0	0
TOTAL	15	0	116	0	15	0	15
Subject Area							
Subject Area	Gross UCPs	Non-Wms UCPs	Net Wms UCPs				
IM	0	0	0				
MO	15	0	15				
HR	0	0	0				
Non-Williams	0	0	0				
TOTAL	15	0	15				
2022-2023 UCPs							
Quarter	Net UCPs	IM	MO	HR			
Q1	92	0	92	0			
Q2	24	1	22	1			
Q3	116	1	111	4			
Q4	15	0	15	0			
TOTAL	247	2	240	5			

Legend: UCPs=Uniform Complaint Procedures; Wms=Williams; IM=Instructional Materials/Textbooks; MO=Facilities;
HR=Human Resources (Teacher Assignments)

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

430
Report Sorted by Tracking Number
Trk #5893 to #5907

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5893	10-Apr-2023	Balboa Elementary Gifted/Highly Gifted/High Ability Magnet	Valerie Rodarte	Facility Conditions	The HVAC unit has been broken since March 2, 2023 in my daughter's classroom. On Friday, March 3, 2023, I called LONW hoping to rectify the situation as the temperature had dropped to 50 degrees. I spoke with someone in facilities who confirmed a service ticket had been sent in the day prior, but there was nothing he could do to expedite the situation. He was able to send a portable heater to the classroom, which was a temporary solution until the HVAC unit could be repaired. As of today, the HVAC unit has not been repaired. With temperatures gradually increasing, the classroom has no air. In the coming months, temperatures can easily hit 100 degrees in the San Fernando Valley. This needs to be fixed immediately! You have a legal duty to ensure school facilities are in working order. This is completely unacceptable and this environment is not conducive to learning.	The Williams Complaint for Balboa Elementary Gifted/Highly Gifted/High Ability Magnet 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/22/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM Investigated WUC# 5893. WO# 36422237 was created to address the issue. A portable heating unit was placed on 03/03/23 while HVAC repaired a bad capacitor. CPM inspected on 04/11/2023 and verified the repairs were completed and HVAC unit was functioning. Work Order is now COMPLETED AND CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	22-May-2023	13-Jun-2023	22-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

431
Report Sorted by Tracking Number
Trk #5893 to #5907

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5894	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	There is red duct tape on windows, no privacy for meetings, no real air conditioning/heater. It is also a divided hopper room with dangerous chemicals. Location: Parent Center/New IEP Room	The Williams Complaint for Vintage Elementary Math/Science/Technology Magnet 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/23/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM contacted DEHS to investigate the dangerous chemical complaint. DEHS visited school site on 4/13/23 and found only approved LAUSD chemicals used by the Plant Manager. CPM also contacted Space Planning as suggested by DEHS and they confirmed the space was not designed or equipped to be used for IEP meetings. CPM visited the school site on 4/14/23 with Operations staff from Region North and COSA for Monroe to inform Principal the current space being used as an office / IEP room had to be relocated. CPM verified The Principal relocated the office / IEP room to another location. The Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3
5895	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	There is no privacy for the meetings; no air conditioning/heater; red duct tape is on the windows, and it is also a divided room that has dangerous chemicals. Location: Parent Center/New IEP Room	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

432
Report Sorted by Tracking Number
Trk #5893 to #5907

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5896	11-Apr-2023	Vintage Elementary Math/Science /Technology Magnet	Anonymous	Facility Conditions	The new IEP room is in a hopper room that contains dangerous chemicals; there's no air conditioning/heating; and no division of space for privacy during meetings. Location: Parent Center/New IEP Room	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3
5897	11-Apr-2023	Vintage Elementary Math/Science /Technology Magnet	Anonymous	Facility Conditions	A divided hopper room; dangerous chemicals; no A/C and heater; no privacy for IEP meetings. Location: Parent Center/IEP Meeting Room	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3
5898	11-Apr-2023	Vintage Elementary Math/Science /Technology Magnet	Anonymous	Facility Conditions	Hopper room in the hot San Fernando Valley being used as an IEP meeting room; Chemical smell; too hot when the door is closed and a breach of privacy when the door is left open. Location: hopper room/broom closet used for IEP meeting with staff and parents	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

433
Report Sorted by Tracking Number
Trk #5893 to #5907

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5899	12-Apr-2023	Los Angeles Senior High	Parker Swanson	Facility Conditions	The issue is that the pool pump or filter has not been working for three weeks now. The students on the swim team have no pool to practice in. Is there any way to get this fixed as soon as possible? Swim meets need to take place and PE credits need to be earned. Location: Pool in Gym Area	The Williams Complaint for Los Angeles Senior High 3rd Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/24/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO)36588056 was generated to address this WUC and has now been completed. The HVAC department repaired the pool pump and filter on 4/19/23. As of 05/10/2023, CPM confirmed the pool pump and filter are back to normal operation. This Williams Uniform Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	24-May-23	15-Jun-2023	10-May-23	Yes	West	I

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

434
Report Sorted by Tracking Number
Trk #5893 to #5907

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5900	12-Apr-2023	Girls Academic Leadership, Dr Michelle King School for STEM	Jennifer Monsalvez	Facility Conditions	We have had ongoing maintenance issues with the swimming pool and repairs. This has caused problems with access for the high school swim teams and for the middle school PE classes. It is possible to have this repaired completely and effectively and as soon as possible. Location: Swimming pool area	The Williams Complaint for Girls Academic Leadership, Dr Michelle King School for STEM 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/24/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigated WUC# 5900. Work Order 36485475 was generated to address this WUC and has now been completed. The HVAC department repaired the pool pump and filter on 4/19/23. As of 5/24/2023, CPM confirmed the pool pump and filter are back to normal operation. This Williams has been resolved. Therefore, this Williams Uniform Complaint has been closed.	24-May-23	15-Jun-23	24-May-23	Yes	West	I

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

435
Report Sorted by Tracking Number
Trk #5893 to #5907

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5901	13-Apr-2023	Shenandoah Street ES	Annie Wheeler	Facility Conditions	Nonfunctioning air-conditioning systems: Room 31 - Noise pollution. We have a fan constantly running. I have measured it at 60.31 dB. Instruction must be shouted and projected over this constant noise. The district has provided a air filtration device but will not turn off the fan. Continuous noise from 40-70 dB is known to be, "annoying, irritating, and speech masking." These are not discriptions of an environment condusive to learning. As we shout and project our voices over the HVAC we likely hit the 70-100 dB which is a hardous level of sound. Location: Room 31	The Williams Complaint for Shenandoah Street ES 4th Quarter (2022-2023) has been remedied/ resolved by the legislative deadline of 5/25/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM Investigated WUC# 5901. Work Order (WO) 36596683 was created to address noise due to HVAC running all the time in Room 31. On 4/20/2023 HVAC staff investigated unit and found it was operating within operating noise specifications. Staff moved forward and set existing HVAC fan on auto and installed an air purifier in room as per teacher's request. CPM verified on 05/25/2023 Noise pollution have been addressed and HVAC unit has been set on auto, and a new quiet air purifier has been installed. This Work Order is now COMPLETED and CLOSED. This Williams Uniform Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	25-May-23	16-Jun-23	25-May-23	Yes	West	I

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5902	13-Apr-2023	Walnut Park Middle School - Sci Tech Eng and Math Academy	Anne Gonzales	Facility Conditions	The HVAC system is not working at all; no air circulation at all; windows do not open. Location: Room 201, Teacher: A. Gonzales	The Williams Complaint for Walnut Park Middle School Sci Tech Eng and Math Academy 3rd Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/25/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The CPM investigated the WUC# 5902 - Walnut Park Middle School. WD# 36607538 was generated to address the HVAC System not working and window not opening. The HVAC Department assessed the HVAC unit in room 201, made the necessary repairs. CPM confirmed the HVAC System is working normally. CPM also investigated the window in room 201, it is operable and functional per building codes and security reasons. The WD# 36607538 has been completed. This William complaint has been resolved. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-May-23	16-Jun-23	2-May-23	Yes	East	5

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5903	21-Apr-2023	Francisco Bravo Senior High Medical Magnet	Anonymous	Facility Conditions	The air conditioning quit working. It's very hot and students can't learn. Location: 4th floor, multiple classrooms	The Williams Complaint for Francisco Bravo Senior High Medical Magnet 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/5/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigated the WUC. WD 36624350 was generated to address the HVAC related Air Conditioning issue. The HVAC department repaired and made the necessary adjustments to the affected areas with AC issues on the 4th floor, multiple classrooms. CPM verified repair work is complete. The Maximo work order has been COMPLETED and CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	5-Jun-23	26-Jun-23	6/5/2023	Yes	East	2

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5904	21-Apr-2023	Yorkdale ES	Auraluz Lopez	Facility Conditions	Our office is very warm and I opened the windows but bugs are coming in. Please, every year our office gets warm when it gets warm. It seems that our office has the heater on. Please help. Location: Main building-Main Office	The Williams Complaint for Yorkdale ES 3rd Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/5/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigated the WUC. WO# 38550319 was generated on 4/18/23 to address the HVAC Heating/Fan related issues. The HVAC department repaired and made the necessary adjustments to the affected areas of the HVAC/heating issues in the main building. CPM verified repair work is complete. The Maximo work order has been completed. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	5-Jun-23	26-Jun-23	27-Apr-23	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5905	4-May-2023	Castelar Street Early Education Center	Angie Palomares	Facility Conditions	All casllroom closets are not safe. They all need safe straps incase of an earthquake, so nothing falls on the students/staff. Location: Rooms 1, 2, 3, 4, and 5	The Williams Complaint for Castelar Street Early Education Center 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/16/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigate WUC# 5905. WD#36657290 was created to replace all seismic bracing in Rooms 1-5. Material was ordered on 5/19/23. Maintenance worker replaced all broken seismic bracing and installed new ones. On 05/19/2023, CPM verified repairs were completed. WD is now COMPLETED and CLOSED. This Williams complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	16-Jun-23	10-Jul-23	16-Jun-23	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5906	11-May-2023	Eagle Rock ES	Dori Larsuel	Facility Conditions	The building leaks. The roof has been patched since 2019. On January 2023, the ceiling tiles collapsed. The Teacher and class moved to a temporary classroom. The roof was patched in Spring 2023; the classroom has been leaking in the same places since May 2023. Location: Room 27	The Williams Complaint for Eagle Rock ES 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/23/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The CPM investigated the WUC # 5906-5907 - Eagle Rock El. Work orders 36653847 & 36653843 were generated on 5/8/23 to address the roof leaks. Work orders 36694698 & 36694701 were created for The HVAC department to change the Air filters for DEHS Air sample inspection. Work orders 36715533 & 36715536 were created for Window washers to prepare rooms for air sample inspection. DEHS air sampled on 5/26/23 and cleared room for occupancy on 5/30/23. CPM verified repair work is complete. All the Maximo work orders have been COMPLETED and CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	23-Jun-23	17-Jul-23	16-Jun-23	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5907	11-May-2023	Eagle Rock ES	Susannah Li	Facility Conditions	Classroom roof leaks during rain. The room smells like mildew/mold. We have moved twice and the problem of the roof has not been fixed. My TK class is in a portable room not close to the restroom and the room is not large enough for the movement and play required for TK. Location: Room 28	The Williams Complaint for Eagle Rock ES 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/23/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The CPM investigated the WUC # 5906-5907 - Eagle Rock El. Work orders 36653847 & 36653843 were generated on 5/8/23 to address the roof leaks. Work orders 36694698 & 36694701 were created for The HVAC department to change the Air filters for DEHS Air sample inspection. Work orders 36715533 & 36715536 were created for Window washers to prepare rooms for air sample inspection. DEHS air sampled on 5/26/23 and cleared room for occupancy on 5/30/23. CPM verified repair work is complete. All the Maximo work orders have been COMPLETED and CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	23-Jun-23	17-Jul-23	16-Jun-23	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

442
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5899	12-Apr-2023	Los Angeles Senior High	Parker Swanson	Facility Conditions	The issue is that the pool pump or filter has not been working for three weeks now. The students on the swim team have no pool to practice in. Is there any way to get this fixed as soon as possible? Swim meets need to take place and PE credits need to be earned. Location: Pool in Gym Area	The Williams Complaint for Los Angeles Senior High 3rd Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/24/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: Work Order (WO)36588056 was generated to address this WUC and has now been completed. The HVAC department repaired the pool pump and filter on 4/19/23. As of 05/10/2023, CPM confirmed the pool pump and filter are back to normal operation. This Williams Uniform Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	24-May-23	15-Jun-2023	10-May-23	Yes	West	I

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

443
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5900	12-Apr-2023	Girls Academic Leadership, Dr Michelle King School for STEM	Jennifer Monsalvez	Facility Conditions	We have had ongoing maintenance issues with the swimming pool and repairs. This has caused problems with access for the high school swim teams and for the middle school PE classes. It is possible to have this repaired completely and effectively and as soon as possible. Location: Swimming pool area	The Williams Complaint for Girls Academic Leadership, Dr Michelle King School for STEM 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/24/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigated WUC# 5900. Work Order 36485475 was generated to address this WUC and has now been completed. The HVAC department repaired the pool pump and filter on 4/19/23. As of 5/24/2023, CPM confirmed the pool pump and filter are back to normal operation. This Williams has been resolved. Therefore, this Williams Uniform Complaint has been closed.	24-May-23	15-Jun-23	24-May-23	Yes	West	I

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

444
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5901	13-Apr-2023	Shenandoah Street ES	Annie Wheeler	Facility Conditions	Nonfunctioning air-conditioning systems: Room 31 - Noise pollution. We have a fan constantly running. I have measured it at 60.31 dB. Instruction must be shouted and projected over this constant noise. The district has provided a air filtration device but will not turn off the fan. Continuous noise from 40-70 dB is known to be, "annoying, irritating, and speech masking." These are not discriptions of an environment condusive to learning. As we shout and project our voices over the HVAC we likely hit the 70-100 dB which is a hardous level of sound. Location: Room 31	The Williams Complaint for Shenandoah Street ES 4th Quarter (2022-2023) has been remedied/ resolved by the legislative deadline of 5/25/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM Investigated WUC# 5901. Work Order (WO) 36596683 was created to address noise due to HVAC running all the time in Room 31. On 4/20/2023 HVAC staff investigated unit and found it was operating within operating noise specifications. Staff moved forward and set existing HVAC fan on auto and installed an air purifier in room as per teacher's request. CPM verified on 05/25/2023 Noise pollution have been addressed and HVAC unit has been set on auto, and a new quiet air purifier has been installed. This Work Order is now COMPLETED and CLOSED. This Williams Uniform Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	25-May-23	16-Jun-23	25-May-23	Yes	West	I

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

445
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5903	21-Apr-2023	Francisco Bravo Senior High Medical Magnet	Anonymous	Facility Conditions	The air conditioning quit working. It's very hot and students can't learn. Location: 4th floor, multiple classrooms	The Williams Complaint for Francisco Bravo Senior High Medical Magnet 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/5/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigated the WUC. WD 36624350 was generated to address the HVAC related Air Conditioning issue. The HVAC department repaired and made the necessary adjustments to the affected areas with AC issues on the 4th floor, multiple classrooms. CPM verified repair work is complete. The Maximo work order has been COMPLETED and CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	5-Jun-23	26-Jun-23	6/5/2023	Yes	East	2

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

446
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5904	21-Apr-2023	Yorkdale ES	Auraluz Lopez	Facility Conditions	Our office is very warm and I opened the windows but bugs are coming in. Please, every year our office gets warm when it gets warm. It seems that our office has the heater on. Please help. Location: Main building-Main Office	The Williams Complaint for Yorkdale ES 3rd Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/5/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigated the WUC. WO# 38550319 was generated on 4/18/23 to address the HVAC Heating/Fan related issues. The HVAC department repaired and made the necessary adjustments to the affected areas of the HVAC/heating issues in the main building. CPM verified repair work is complete. The Maximo work order has been completed. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	5-Jun-23	26-Jun-23	27-Apr-23	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

447
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5905	4-May-2023	Castelar Street Early Education Center	Angie Palomares	Facility Conditions	All casllroom closets are not safe. They all need safe straps incase of an earthquake, so nothing falls on the students/staff. Location: Rooms 1, 2, 3, 4, and 5	The Williams Complaint for Castelar Street Early Education Center 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/16/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM investigate WUC# 5905. WD#36657290 was created to replace all seismic bracing in Rooms 1-5. Material was ordered on 5/19/23. Maintenance worker replaced all broken seismic bracing and installed new ones. On 05/19/2023, CPM verified repairs were completed. WD is now COMPLETED and CLOSED. This Williams complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	16-Jun-23	10-Jul-23	16-Jun-23	Yes	Central	2

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

448
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5893	10-Apr-2023	Balboa Elementary Gifted/Highly Gifted/High Ability Magnet	Valerie Rodarte	Facility Conditions	The HVAC unit has been broken since March 2, 2023 in my daughter's classroom. On Friday, March 3, 2023, I called LDNW hoping to rectify the situation as the temperature had dropped to 50 degrees. I spoke with someone in facilities who confirmed a service ticket had been sent in the day prior, but there was nothing he could do to expedite the situation. He was able to send a portable heater to the classroom, which was a temporary solution until the HVAC unit could be repaired. As of today, the HVAC unit has not been repaired. With temperatures gradually increasing, the classroom has no air. In the coming months, temperatures can easily hit 100 degrees in the San Fernando Valley. This needs to be fixed immediately! You have a legal duty to ensure school facilities are in working order. This is completely unacceptable and this environment is not conducive to learning.	The Williams Complaint for Balboa Elementary Gifted/Highly Gifted/High Ability Magnet 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/22/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM Investigated WUC# 5893. WO# 36422237 was created to address the issue. A portable heating unit was placed on 03/03/23 while HVAC repaired a bad capacitor. CPM inspected on 04/11/2023 and verified the repairs were completed and HVAC unit was functioning. Work Order is now COMPLETED AND CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	22-May-2023	13-Jun-2023	22-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

449
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5894	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	There is red duct tape on windows, no privacy for meetings, no real air conditioning/heater. It is also a divided hopper room with dangerous chemicals. Location: Parent Center/New IEP Room	The Williams Complaint for Vintage Elementary Math/Science/Technology Magnet 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/23/23 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: CPM contacted DEHS to investigate the dangerous chemical complaint. DEHS visited school site on 4/13/23 and found only approved LAUSD chemicals used by the Plant Manager. CPM also contacted Space Planning as suggested by DEHS and they confirmed the space was not designed or equipped to be used for IEP meetings. CPM visited the school site on 4/14/23 with Operations staff from Region North and COISA for Monroe to inform Principal the current space being used as an office / IEP room had to be relocated. CPM verified The Principal relocated the office / IEP room to another location. The Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

450
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5895	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	There is no privacy for the meetings; no air conditioning/heater; red duct tape is on the windows, and it is also a divided room that has dangerous chemicals. Location: Parent Center/New IEP Room	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

451
Report Sorted by Board Member's Area
Area 1 - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5896	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	The new IEP room is in a hopper room that contains dangerous chemicals; there's no air conditioning/heating; and no division of space for privacy during meetings. Location: Parent Center/New IEP Room	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

452
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5897	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	A divided hopper room; dangerous chemicals; no A/C and heater; no privacy for IEP meetings. Location: Parent Center/IEP Meeting Room	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

453
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5898	11-Apr-2023	Vintage Elementary Math/Science/Technology Magnet	Anonymous	Facility Conditions	Hopper room in the hot San Fernando Valley being used as an IEP meeting room; Chemical smell; too hot when the door is closed and a breach of privacy when the door is left open. Location: hopper room/broom closet used for IEP meeting with staff and parents	(See Trk #5894 response that is provide above.)	23-May-2023	14-Jun-2023	23-May-23	Yes	Northwest	3

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

454
Report Sorted by Board Member's Area
Area 1 - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5902	13-Apr-2023	Walnut Park Middle School - Sci Tech Eng and Math Academy	Anne Gonzales	Facility Conditions	The HVAC system is not working at all; no air circulation at all; windows do not open. Location: Room 201, Teacher: A. Gonzales	The Williams Complaint for Walnut Park Middle School Sci Tech Eng and Math Academy 3rd Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 5/25/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The CPM investigated the WUC# 5902 - Walnut Park Middle School. WD# 36607538 was generated to address the HVAC System not working and window not opening. The HVAC Department assessed the HVAC unit in room 201, made the necessary repairs. CPM confirmed the HVAC System is working normally. CPM also investigated the window in room 201, it is operable and functional per building codes and security reasons. The WD# 36607538 has been completed. This William complaint has been resolved. Therefore, this Williams Uniform Complaint has been resolved and is now closed.	25-May-23	16-Jun-23	2-May-23	Yes	East	5

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

455
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5906	11-May-2023	Eagle Rock ES	Dori Larsuel	Facility Conditions	The building leaks. The roof has been patched since 2019. On January 2023, the ceiling tiles collapsed. The Teacher and class moved to a temporary classroom. The roof was patched in Spring 2023; the classroom has been leaking in the same places since May 2023. Location: Room 27	The Williams Complaint for Eagle Rock ES 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/23/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The CPM investigated the WUC # 5906-5907 - Eagle Rock El. Work orders 36653847 & 36653843 were generated on 5/8/23 to address the roof leaks. Work orders 36694698 & 36694701 were created for The HVAC department to change the Air filters for DEHS Air sample inspection. Work orders 36715533 & 36715536 were created for Window washers to prepare rooms for air sample inspection. DEHS air sampled on 5/26/23 and cleared room for occupancy on 5/30/23. CPM verified repair work is complete. All the Maximo work orders have been COMPLETED and CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	23-Jun-23	17-Jul-23	16-Jun-23	Yes	Central	5

Williams UCP Summary Report
2022-2023 - 4th Quarter
as of 7/21/2023

456
Report Sorted by Board Member's Area
Area I - 7

Tracking No.	Date Received	School	Name	Subject	Complaint	Response	30-Day Completion Date	45-Day Due Date	Date Closed	Wms Y/N?	Local District	Brd Mbr
5907	11-May-2023	Eagle Rock ES	Susannah Li	Facility Conditions	Classroom roof leaks during rain. The room smells like mildew/mold. We have moved twice and the problem of the roof has not been fixed. My TK class is in a portable room not close to the restroom and the room is not large enough for the movement and play required for TK. Location: Room 28	The Williams Complaint for Eagle Rock ES 4th Quarter (2022-2023) has been remedied/resolved by the legislative deadline of 6/23/2023 as stated below. The following are the action details taken to complete and remedy/resolve complaint: Complex Project Manager (CPM) investigated the Williams Uniform Complaint (WUC). Please see CPM response below: The CPM investigated the WUC # 5906-5907 - Eagle Rock El. Work orders 36653847 & 36653843 were generated on 5/8/23 to address the roof leaks. Work orders 36694698 & 36694701 were created for The HVAC department to change the Air filters for DEHS Air sample inspection. Work orders 36715533 & 36715536 were created for Window washers to prepare rooms for air sample inspection. DEHS air sampled on 5/26/23 and cleared room for occupancy on 5/30/23. CPM verified repair work is complete. All the Maximo work orders have been COMPLETED and CLOSED. This Williams Complaint has been resolved. Therefore, this Williams Uniform Complaint has been closed.	23-Jun-23	17-Jul-23	16-Jun-23	Yes	Central	5

MINUTES