



Thứ ngày tháng

vd5:

```
abstract PhuongTienDiChuyen {  
    protected String loaiPT;  
    protected HangSanXuat hangSX;  
  
    public String layTenHangSanXuat() {  
        return this.hangSX.getTenHangSanXuat();  
    }  
  
    PhuongTienDiChuyen(String loaiPT, HangSanXuat hangSX) {  
        this.loaiPT = loaiPT;  
        this.hangSX = hangSX;  
    }  
  
    public void batDau() { System.out.println("Bat dau"); }  
    public void tangToc() { System.out.println("Tang toc"); }  
    public void dunglai() { System.out.println("Dung lai"); }  
    abstract double layVanToc();  
}  
  
class HangSanXuat {  
    String  
    private int tenHangSanXuat;  
    String  
    private int QuocGia;  
    HangSanXuat(String tenHSX, String tenQG) {  
        this.tenHangSanXuat = tenHSX;  
        this.tenQuocGia = tenQG;  
    }  
}
```




```
class MayBay extends PhuongTienDangChuyen {  
    private String loaiNhiemLieu;  
    MayBay(String loaiPT, String HangSanXuat hsx, String loaiNN) {  
        this.super(loaiPT, hsx);  
        this.loaiNhiemLieu = loaiNN;  
    }  
    public void catCach() { System.out.print("Cat Cach"); }  
    public void baCach() { System.out.print("Ba Cach"); }  
    public void  
    @Override  
    public double layVao() { return 14000; }  
}
```

```
class XeOto extends PhuongTienDangChuyen {  
    private String loaiNhiemLieu;  
    XeOto(String loaiPT, HangSanXuat hsx, String loaiNN) {  
        super(loaiPT, hsx);  
        this.loaiNhiemLieu = loaiNN;  
    }  
    @Override  
    public double layVao() { return 3000; }  
}
```

```
class XeDap extends PhuongTienDangChuyen {  
    @Override  
    public double layVao() { return 10000; }  
    XeDap(String String loaiPT, HangSanXuat hsx) {  
        super(loaiPT, hsx);  
    }  
}
```



```
class Test {
```

```
    public static void main(String[] args) {
```

```
        HangSanXuat a = new HangSanXuat("Ford", "VN");
```

```
        PhuongTienDichuyen b = new MayBay("Airphong", a, "Dau deo");
```

```
        PhuongTienDichuyen c = new XeOto("Xe Oto", a, "Xeog");
```

```
        PhuongTienDichuyen d = new XeDap("XeDap", a);
```

```
        System.out.println(b.layVanToe());
```

```
        System.out.println(c.layVanToe());
```

```
        System.out.println(d.layVanToe());
```

```
}
```