WordPress Theme

9bit Studios

http://www.9bitstudios.com

Table of Contents

Introduction 5

Installation 5

Creating a Home Page, Blog Page, & Other Pages 5

- Creating a Home Page 5
- Creating a Blog Page 6
- Configuring Wordpress to Display Your Home Page & Blog Page 6
- Creating Other Pages 6

Setting Up & Configuring the Menu 7

Theme Options 7

- Fonts & Colors Theme Options 8
  - Custom Webfont 8
  - General Styles 8
  - Menu 9
- CSS Theme Options 10
- Header Theme Options 10
- Google Analytics & Maps Theme Options 10
- Contact Form Theme Options 11
- Portfolio Theme Options 11
- Staff Theme Options 12
- Blog Theme Options 12
- Social Media Theme Options 12
- Miscellaneous Theme Options 13
  - Background Images 13
  - Image Border Effects 13
- Footer Theme Options 13

Homepage Slider Theme Options 13

- Options for Slider Items 14
- Video Support in Slider 15

Comments 15

Sidebar 15

Footer 16
CSS 16
Responsive Design 16
Resolutions 16
Sliders 17
Pages 17
Creating Pages 17
Page Templplates 17
Creating Your Own Page Templates 18
Portfolio 19
Staff 20
Shortcodes 20
2 Columns 22
3 Columns 23
4 Columns 23
2/3 Column 24
3/4 Column 25
Accordion 26
Alert Box 26
Audio 27
Blockquote 27
Button 28
Carousel 29
Clear 30
Clearout 31
Custom List 31
Dropcap 32
Facebook Box 33
Flickr Photostream 33
Google Map 34
Icon 35
Images 36

Inline Boxes 37
Inline Images 37
Inline Quotes 38
Latest Posts 39
Latest Posts with Thumbnails 39
New Line 40
Pop-Up 40
Pop-Up Gallery 41
Recent Tweets 42
Search 42
Section Header 42
Social Media 43
Tag Cloud 44
Tab Box 44
Video 45
Vimeo 46
YouTube 47
Widgets 47
Using Widgets in the Sidebar 48
Using Widgets in the Footer 49
Frequently Asked Questions 49
Resources 50
Images 51
Fonts 51
External Applications 51
Support 52

Introduction

First off, thank you for purchasing this program. It is immensely appreciated and I am truly honored and humbled that you would choose a 9bit Studios product for a solution to meet your needs. You may modify anything in the included files to suit your needs. You may use the files one time per purchase (unless you have purchased an extended license). You may not redistribute these files for commercial or non-commercial purposes (e.g. as downloadable files on a personal webpage or commercial webpage). For further additional information regarding license agreements, please see the licensing terms page here.

This document will walk you through how to use, edit, and implement everything contained within these files. Hope that you enjoy using it and thank you again for purchasing.

Installation

To start out, of course, you'll need WordPress installed if you don't already have it. It is highly recommended that you upgrade to the latest version.

Then you'll need to take this theme's folder that you extract from the .zip file and upload it to the themes directory of WordPress on your server (wp-content/themes) and activate it in the Wordpress dashboard. All of these directions are available in greater detail in the WordPress documentation (also known as the codex) available here.

Once you have the theme installed and are all set to go, there are a couple of things you'll need to do in your WordPress Dashboard (the administration portion of WordPress) to get this theme configured for proper use. To do this please be sure to visit the “Creating a Home Page, Blog Page, & Other Pages” section below.

Creating a Home Page, Blog Page, & Other Pages

The first thing you'll need to do after you install WordPress is create your various pages that will make up the content of your website. This includes creating a home page, a blog page, and other additional pages, such as a contact page.

Creating a Home Page

You'll need to create an individual page in the WordPress dashboard to "house" the home page. That is, when users click to go to this page, they will be taken to the page that shows all of the slick and unique home page content that is featured with this theme.

To create your home page...

1. First create a page that will be your home page by selecting "Pages" in the WordPress administration panel (a.k.a. the Dashboard).
2. Add a new page if you haven't already added one and give it a title (e.g. "Home"). This will be your home page.
3. You should then look for the template dropdown under the Attributes section...

    - You'll likely want to select "Page - No Title" The Page - No Title template is found in the template-page-notitle.php file. What this does is remove the title from the top of the

page (so that you don't have the word "Home" in giant letters at the top of the page). Not too many homepages have this.

- If, by chance, you do want to have the word "Home" at the top of your homepage, you can just leave the setting at "Default Template"

4. Click "Publish" to save the page.

Creating a Blog Page

The process to create a Blog section of the site is essentially the same as it was for the home page. This will be displayed when users click on the "Blog" category in the menu (or whatever you end up naming it -- but it will likely be "Blog"), and it will display a listing of your blog posts.

To create your blog page...

1. First create a page that will contain your blog by selecting "Pages" in the WordPress administration panel (a.k.a. the Dashboard).
2. Add a new page if you haven't already added one and give it a title (e.g. "Blog"). This will be your blog's main page.
3. Unlike with the home page, you do not need to change the template from Default for the blog page. Keep the Template setting to default.
4. Click the "Publish" button

And you're done.

Configuring Wordpress to Display Your Home Page & Blog Page

Now that individual pages have been created for the home page and the blog page, the next step is to set your home page so that it will be shown whenever a user comes to your WordPress site and the blog page to display when users click on a link to your blog page.

1. In the WordPress Dashboard go to "Settings"
2. Select "Reading"
3. Look for the "Front Page Displays" section, select the "A static page" radio button.
4. Set Front Page to "Home" and Posts page to "Blog" (or whatever names you gave to these pages when you created them).



And now you have your default home page and your blog page displayed.

Creating Other Pages

Now you can go to town and create other pages for your site. The default wordpress

1. Create a page selecting "Pages" in the WordPress administration panel (a.k.a. the Dashboard).
2. Add a new page give it a title (e.g. "Products").
3. Keep the Template setting as Default Template and start typing in your content.
4. Click the "Publish" button

Once you are finished creating all of the pages you want for your website, the next step would be to put them into the menu.

Setting Up & Configuring the Menu

This theme uses the custom menu configuration that has existed since the launch of WordPress 3.0. For more information on how to implement custom menus, please refer to the WordPress codex here.

1. Click on the Appearance → Menus section in the WordPress dashboard
2. To create a new custom menu, click on the + tab, give the menu a name (e.g. Main), and click "Create Menu" button.

After a menu is created, then detail items can be added to the menu. Choose items like custom links, pages, and categories, from the left column to add to the menu. If you have created custom post types or custom taxonomies, those too can be added to menus. If you don't see your custom post types or taxonomies, look under the Screen Options to make sure they are checked to be Show on Screen.

After items have been added to a menu, drag and drop to put them in the order you want. You can also click each item to reveal additional configuration options. You can also drag a menu item a little to the right to make it a submenu, to create menus with hierarchy. You'll see when the position of the drop target shifts over to portray the nested placement.

This theme supports 2 sub-levels of menu items (making levels 3 in total when you include the top-level main items).

When you have finished building your custom menu, make sure you click the "Save Menu" button.

The menu uses CSS and jQuery to display all of your page titles as items in the menu. The menu links are actually styled and positioned with CSS but it uses jQuery to give it a little bit of an animation effect. The code for the jQuery dropdown (what creates the "unveil" effect) menu can be found in the footer.php file.


The styling for the menu is found in the style.css file and the style1.css file. This is the CSS that styles all of the menu links in the drop-down menu. Unless you are experienced in CSS, you might not want to change much of the styling here.

If you only have created 2 pages at this point ("Home" and "Blog"), not to worry! Just drag those two on to the menu and click "Save Menu." You can always come back later and add more pages in when you create them.

Theme Options

What are theme options? Simply put, the theme options are essentially an admin panel where the user can enter various forms of data to change how the theme displays things. What theme options do varies

quite widely from theme to theme. Below is an example of what a theme options page might look like...



The theme options link will be visible and accessible in the "Appearance" box in the WordPress dashboard.

Fonts & Colors Theme Options

Below are some general theme options that you can configure for the fonts and colors...

Custom Webfont

Below are some options for the custom webfont(s) on the site...

Enable Custom Webfont
Check this box if you want to set a custom webfont for the headers, title text, and other select places that the theme uses the font. If not selected, the default webfont will be used

Webfont
Choose the primary embedded webfont used to style select elements on the site.

General Styles

Below are some general style options...

Enable Custom General Styles
Check this box if you want to customize the general fonts and colors of the site. Checking this box means that the values you fill out in this section will be used to style the theme. You must select this option for the rest of the items in this section to be applicable.

Title Text Font
Choose the primary embedded title text font the site.

Title Text Color
Sets the color for the title text (headers) for pages and posts at the top of the page on the site.

Body Text Font
Sets the font of the body text of the site.

Body Text Size
Sets the size of the body text of the site.

Body Text Color
Sets the color of the body text of the site.

Link Color
Sets the default color for the links on the site.

Link Color Hover
Sets the default color for the links on the site when the user hovers over the link.

Menu

Below are some style options for the menu...

Enable Custom Menu Styles
Check this box if you want to customize the fonts and colors of the menu. Checking this box means that the values you fill out in this section will be used to style the theme. You must select this option for the rest of the items in this section to be applicable.

Menu Top-Level Link Color
The default color for the top-level links of the menu on the site

Menu Top-Level Link Size
Choose the default size for the top-level links of the menu on the site

Menu Top-Level Link Color Hover
The default color for the top-level links of the menu on the site on hover

Menu Sub-Level Link Color
This sets the default color for the sub-level links of the menu on the site

Menu Sub-Level Link Size
Choose the default size for the sub-level links of the menu on the site

Menu Sub-Level Link Color Hover
This sets the default color for the sub-level links of the menu on the site on hover

Menu Sub-Level Border Color
This sets the default color for the sub-level background of the menu on the site (i.e. the dropdown menu border color)

Menu Sub-Level Background Color
This sets the default color for the sub-level background of the menu on the site (i.e. the dropdown menu background color)

Menu Sub-Level Background Color Hover
This sets the default color for the sub-level background of the menu on the site on hover (i.e. the dropdown menu background color on hover).

CSS Theme Options

The CSS section allows you to add your own custom CSS to the theme. Be sure that you click the enable CSS button. You can then enter your additional CSS into the text area.

Header Theme Options

Below are some general theme options that you can configure for the header section of the theme...

Top Section Left/Right
Check the box if you want to enable a top section to put some additional content (e.g. sign in links) on the left and right. You can also use shortcodes here. Note that the space here will be fairly limited.

Then you can enter the content that you want to put in the top section in the boxes using HTML if needed.

Enable Logo
Check this box if you want to enter the path to your own custom logo image. If you do not select this box, the default logo.png image file (found in the images folder of the theme) will be displayed. You can, of course, replace this logo.png file with your own custom logo image in the images to achieve the same effect without checking this box if you so choose. Just make sure that this file is named "logo.png" if you decide to go with this option.

Logo URL
Enter the URL to your logo image. Note: this is only applicable if you have the "Enable Logo" option checked.

Enable Breadcrumbs
Check this box if you want to enable breadcrumbs on your site

Google Analytics & Maps Theme Options

Below are some general theme options related to Google Analytics and Google maps that you can configure if you want to utilize these features...

Enable Google Analytics
This is a checkbox you can check if you want to enable Google Analytics

Google Analytics Account ID
Enter the account ID you want to use for Google Analytics. This is only applicable if Google Analytics is enabled.

Enable Google Maps
This is a checkbox you can check if you want to enable Google Maps. This is only applicable if you are using the contact form that supports a Google map.

Google Maps Coordinates
Enter the 2 coordinates where you want to display the marker on your map separated by a comma (e.g. 21.306944,-157.858333). To find the coordinates you want you can use service such as the one at http://itouchmap.com/latlong.html

Google Maps Message
Displays the message that you want to display on the Google Maps marker. Enter a message that you want to display on the marker for Google Maps. Important: Enter all of your message text content on the same line! Do not use the <Enter> key or <Return> key. The JavaScript used to render Google Maps will error out otherwise. You can enter HTML in this field but you want to make sure that you keep all content on the same line.

Google Maps Zoom
Enter the camera zoom of the Google maps location, 1 being furthest out, 19 being closest

Contact Form Theme Options

Below are the theme options you can configure for the contact form...

Email
Enter the email you want to use for the contact form

Contact Address
Enter the contact information for the contact form (e.g. address, telephone,fax) using HTML if needed. You can also use shortcodes here.

Portfolio Theme Options

The portfolio theme options configure the items in your portfolio...

Portfolio Columns
Select the number of columns you would like to show for your portfolio. Default is 3. You can also set 2 columns or 4 columns.

Show Link?
Select whether or not you want to show a link for each portfolio item. If "No" is selected, you'll just have the images and text.

Enable Pagination?
Check this box if you want to enable pagination in your portfolio. It is usually a good idea to choose either pagination or filtering, but not both. So if you have one disabled, it is usually best to disable the other. But you are free to experiment with it.

Portfolio Items per Page
Enter the number of portfolio items you want to show per page. This is only applicable if you enable pagination

Enable Category Filter?
Select whether or not you want the category filter menu to be visible on your portfolio home page. It is usually a good idea to choose either pagination or filtering, but not both. So if you have one disabled, it is usually best to disable the other. But you are free to experiment with it.

Staff Theme Options

The staff theme options configure the items in your staff

Below are the options you can set for the staff section...

Staff Columns
Select the number of columns you would like to show for your staff page. Default is 3. You can also set 2 columns or 4 columns.

Enable Pagination?
Check this box if you want to enable pagination on your staff page. If you don't enable pagination, all of the staff items will be shown.

Staff Items per Page
Enter the number of staff items you want to show per page. This is only applicable if you enable pagination

Blog Theme Options

This section is a place where you can configure options for your blog.

Show Tags in Post List
Check this box if you want to display tags when viewing a list of posts

Show Tags in Single Posts
Check this box if you want to display tags when viewing single posts

Show Author Box in Single Posts
Check this box if you want to display an "About the Author" box when viewing single posts. The author avatar image and description text are set under the "Users" menu in the WordPress dashboard

Social Media Theme Options

There will also be a section somewhere within the theme that displays social media somewhere. Fortunately you can choose which icons you want to display.

Enable Social Media
Check this box if you want to choose your own social media in the theme options.

Social Media Icons
Choose the social media icons you want to display by checking the various boxes. Note that you likely will only have a limited amount of space where the social media icons are displayed. So you might want to only choose a few.

Below the social media icon checkboxes will be locations for you to enter the URLs to all of your various social media.

Miscellaneous Theme Options

This section of theme options contains miscellaneous additional features that you can set...

Background Images

Display different background images on each page…

Enable Different Background Images for Pages
Check this box if you want to enable the ability to add different background images for each page.

Image Border Effects

Effects for images that have borders…

Enable Image Border Transitions
Check this box if you want to enable image border transitions where borders around images change color on hover. Note that the image must have a border applied for this to be applicable

Image Border Transition Color
Choose the default color for the image border transitions

Footer Theme Options

Below are some general theme options that you can configure for the footer section of the theme...

Bottom Section Left/Right
Check the box if you want to enable a bottom section to put some additional content (e.g. footer links) on the left and right. You can also use shortcodes here. Note that the space here will be fairly limited.

Then you can enter the content that you want to put in the bottom section in the boxes using HTML if needed.

Homepage Slider Theme Options

Below are the theme options that you can configure for the Slider found on the homepage...

Enable Homepage Slider
Check this box if you want to enable a slider/banner rotator on the homepage

Slider Type
This determines what type of slider you want to choose

Autoplay (If Applicable)
This determines if you want to have your slider's slides automatically animate on page load or whether you want users to have to manually advance the slider by clicking on the controls

Pause on Hover?
You'll want to check this box if you want the slideshow to pause when the user hovers his/her mouse

over it.

Show Direction Navigation?
You'll want to check this box if you want the direction navigation arrows to be visible.

Only Show Direction Navigation on Hover?
You'll want to check this box if you want the direction navigation arrows to be visible only when the user hovers his/her mouse over the slideshow.

Transition Time (seconds)
This determines what the transition time between banner changes is.

Show homepage slider for responsive views?
Check this box if you want to show the homepage slider for supported responsive views. Note that you must be using a slider/banner rotator that is responsive. Not all sliders/banner rotators currently support responsive web design (though they might later on down the road as future updates become available.

Options for Slider Items

Depending on the type of slider you have chosen, you might be able to choose whether each slide is an image or a video, or you may just be limited to images only. It all depends on the type of slider chosen under the “Slider Type” option. If the slider you have chosen supports video, you will see an extra dropdown box present in the area for each item which will allow you to choose either an image or a video. If video is not supported for the type of slider you have chosen, the dropdown will not be there. For the slider items (whether they are images or video) you can enable/disable each individual item. The directions for each field that you can fill out are given in the theme options page. Note that in the directions below (#) refers to any number (e.g. 1, 2, 3, etc.)

Check this box if you want to enable item (#)
You'll want to check this box if you want the item to be included in the slider slideshow on the homepage.

Check this box if you want to add a link for item (#)
This box should be checked if you want the item to link to a certain location for when the user clicks on it in the slideshow.

Enter the URL to the link for slider item (#)
This is the actual path to the website that you want to take the user to when the user clicks on this item in the slideshow. Note: for this to be applicable, the "Check this box if you want to add a link for item" checkbox must be checked.

Check this box if you want to add a caption for item (#)
Check this checkbox if you want to add a caption to the specific item.

Enter the caption for slider item (#) using HTML if needed
This is the location where you enter the caption of the item. You can use HTML here, using things such

as <h2>
 tags as well as links and other styling tags. Note: for this to be applicable, the "Check this box if you want to add a caption for item" checkbox must be checked. You can also use shortcodes here.

Video Support in Slider

If you want to put videos in your slider you'll need to use a slider that supports video.

Below is a listing of the sliders that support video...

- Flex Slider

If you are using YouTube videos in your slider, you'll want to set the URL in the theme options in the following manner...

```
http://www.youtube.com/embed/BoqCcHQZlWw?wmode=transparent&showinfo=0
```

Essentially what you are doing is adding the ?wmode=transparent&showinfo=0 string to the end of your normal YouTube URL.

The wmode="transparent" parameter allows things to display over top of the video properly (such as the drop-down menu)

As described in the YouTube API documentation, the showinfo parameter removes the video title from the embedded video on the page. The video display does not look as good aesthetically otherwise.

Vimeo currently does not have any additional parameters that need to be added.

Comments

The comments section of allows users to comment on your blog posts and also reply to other commenters on your blog posts.

In order to set your comments up to handle this, you need to configure your settings in the WordPress dashboard. To do this, follow the steps below...

1. In the WordPress dashboard go to the "Settings" section and click "Discussion."
2. Under "Other Comment Settings" check the "Enable threaded (nested) comments" check box and set the dropdown to however many threads deep you want your comment replies to go.
3. Click "Save Changes" to save your settings.

Please note that in order to get the "Comments are closed" text to show up in the blog post footer, you need to be sure you disable both comments and trackbacks and pingbacks to the page in addition to disabling the comments when creating or editing a post.

Sidebar

The sidebar is found in the sidebar.php file. Anytime that another .php file in the theme calls the get_sidebar(); function, all of the code in the sidebar.php file will be displayed. Essentially the code outputs the various items returned by the function calls it makes (archives, tag cloud, categories).

You'll want to configure the sidebar of your blog (and pages that include the sidebar) to display the content you want. To do this you can either edit the default content of the sidebar.php file (shown below) or use widgets. It is recommended that you use widgets especially if you are not very familiar with WordPress and/or PHP programming.

If you *do* decide to directly edit the sidebar.php file to display different default content, you can get a complete listing of template tags that you might want to put into your sidebar.php file in the WordPress documentation found here.

Footer

The footer is found in the footer.php file. The footer section is the big block at the bottom of the page that contains links, social media images, and copyright information. The footer will display various links and content depending on how it is configured.

To display content in the footer, you can either keep the default content and edit the footer.php file or you can use widgets in the footer. It is recommended that you use widgets.

CSS

The reason that all of the content of this theme is displayed where it is displaying (e.g. position on page) and how it is displaying (colors, font-sizes, etc.) on which pages it is displaying is because of the style.css file and additional files (such as style 1.css). The CSS files are the driving force behind the "look and feel" of a theme.

It is outside the scope of this document to cover CSS comprehensively, but there are some great resources out on the web discussing CSS. Highly recommended is the tutorial course from W3Schools found here. Having a good working knowledge of CSS will make working with this WordPress theme (or any WordPress theme for that matter) far easier.

This theme uses the LESS CSS preprocessor to compile all of the CSS into the. The .less files for the various components of the site can be found in the "less" directory

Responsive Design

Responsive web design is essentially the implementation where websites adapt to different screen resolutions. Because there has been such a push towards mobile web design with the advent of smartphones and tablet devices, responsive design is an essential component of making the mobile experience good for your site visitors.

You can see the responsive design in action by shrinking the size of your browser window to see the different displays that will occur for users coming in on different devices...

Resolutions

The responsive design components of the website are handled in the style.css file where media queries are set up to change the display of the website based on the screen resolution. A general layout of these can be found below. Something similar to this will be found in your style.css file

```
@media only screen and (max-width: 480px) { }

@media only screen and (min-width: 481px) and (max-width: 767px) { }
```

```
@media only screen and (min-width: 768px) and (max-width: 980px) { }
```

Custom CSS gets set when the screen resolution is less than or in-between these specific widths.

Sliders

The following sliders are responsive...

- Nivo Slider
- FlexSlider

If you are using a slider that is not responsive, you should set the slider to not display for responsive views in the theme options.

Pages

As mentioned in the WordPress documentation found here, in WordPress, you can write either posts or pages. When you're writing a regular blog entry, you write a post. Posts automatically appear in reverse chronological order on your blog's home page. Pages, on the other hand, are for content such as "About Me," "Contact Me," etc. Pages live outside of the normal blog chronology, and are often used to present information about yourself or your site that is somehow timeless -- information that is always applicable. You can use Pages to organize and manage any amount of content.

Creating Pages

To create a new Page, log in to your WordPress installation with sufficient admin privileges to create new articles.

1. Create a page selecting "Pages" in the WordPress administration panel (a.k.a. the Dashboard).
2. Add a new page give it a title (e.g. "Products").
3. Keep the Template setting as Default Template and start typing in your content.
4. Click the "Publish" button

Note: You can also create your own template pages as well.

Page Templplates

This page contains a listing of the tempates available with this theme...

Default Page Template

By default, page.php is the page that will be displayed when a user visits an individual page. If you create a new page in the WordPress dashboard (as you did for the home page and blog page), but don't set a template under the "Attributes" section (you leave it at default), then this is the "look and feel" that the page will have by default when you create the page.

The default page.php does not have a sidebar and displays all the content in the full width frame of the site.

But maybe you don't want your page to look like this exactly. Maybe you want to create your own page that has things in different places, leaves certain things out, adds new things in, etc. etc. etc. Well you can actually do this through the use of page templates. Again, the best and most comprehensive

information on how to do this is available in the WordPress documentation found here. This theme has a number of different pre-made templates for you to use, but if none of these are to your satisfaction there is also a section on Creating Your Own Page Template that will help you make your own page templates.

No Title Page
If for some reason, you do not want to have the big bold title text displayed at the top of your page you can use the "Page - No Title" file as a template. The template is found in the template-page-notitle.php file.

Sidebar Page
If you want one of your pages to have a sidebar you can use the "Page - Sidebar" template. The "Page - Sidebar" template is found in the template-page-sidebar.php file.

Left Sidebar Page
If you want one of your pages to have a sidebar on the left you can use the "Page - Sidebar - Left" template. The "Page - Sidebar - Left" template is found in the template-page-sidebar-left.php file.

Contact Page
The "Contact" page template(s) can be found in the files named like the following: template-page-contact1.php file, template-page-contact2.php file, etc. Each of these files represent different styles of a contact page. There is also another template called template-page-contact-nomap.php. The template-page-contact-nomap.php file does not have the map and contact information that the other files do.

The way that you configure the contact page is using the Contact Form theme options. You'll want to enter the email you want to use into the Contact Form section of the theme options in the WordPress dashboard as well as the security question and answer. Make sure that the answer is correct. You will also want to enter your contact address if you are using a version of the contact form that supports a map.

Creating Your Own Page Templates

To really take the theme to the next level and make it your own, it is highly recommended that you create your own page templates for each of the individual pages that you want to display. That way, whenever you create a new page, you can choose this template file to represent that page when a user goes to it. You'll see it in the "Template" dropdown in Attributes section of the WordPress dashboard when creating a new page.

Creating templates is for individuals with a good grasp of HTML, CSS, and little bit of PHP and a good understanding of WordPress. If you are not fully comfortable with any or all of these, it is probably best to stick to using the standard templates that come with this theme. But even still, you can always experiment and delete the files later! If anything, you will gain a better understanding of how template files work in WordPress.

To create your own page template...

1. The best way to start out is to copy an existing template. If you want a page template that has the sidebar in it, it is recommended that you copy the template-page-sidebar.php file. If you

want to start more-or-less from scratch with a "blank" page template use the template-page-notitle.php file.
2. Rename the newly copied .php file (whichever one you choose) to the name of your custom template page. You can pick whatever name you like. For the sake of this illustration, we'll call our new template page template-page-mytemplate.php
3. Then change the "Template Name: " inside the first line of the .php file to your new template name. e.g. Template Name: My Template
4. After this, you can code away with HTML and PHP however you like.
5. Then go the WordPress dashboard and create a new page.
6. Give your page a title but don't add any content in the text editor field yet.
7. In the Attributes section select your page template name from the dropdown (it will noe be present in the dropdown as WordPress searches through all the PHP files to find the available templates.
8. Click "Publish" and your page template is now added.

For more information on page templates, see the WordPress documentation.

Portfolio

The portfolio is configured by custom posts. You should be able to see the "Portfolio" section in the menu on the left in the WordPress dashboard.

With each post you create a portfolio item that consists of a featured image, some text content, and a button linking to the page that showcases the actual work that you did (whether that's another page on your website or an external site).

To create a portfolio item...

1. Look for the Portfolio section in the menu in the WordPress Dashboard.
2. Click on Add New
3. Give your portfolio a title and add the content that you want in the text editor field.
4. In the portfolio options section(s), enter the website URL in the website URL that links to your work. You could link to your own portfolio post or you could also enter an external link (to another website) here if you wanted to as well.
5. In the portfolio options section(s), enter the preview image URL. This is the image that will be displayed on the "All portfolio items" page (see below).
6. Choose portfolio categories that you want to use to categorize your portfolio items.
7. Click Publish.

Repeat this for as many portfolio items as you like.

Once you have finished creating your portfolio, the next thing you have to do is create a page to house your portfolio items. To do this, you simply follow the same steps as you do to create pages using templates...

1. Create a page that will contain your portfolio by selecting "Pages" in the WordPress Dashboard.
2. Add a new page if you haven't already added one and give it a title (e.g. "Portfolio").
3. You should then look for the template dropdown under the Attributes section...
4. Select the Page - Portfolio template

5. Click the "Publish" button

If you visit the page you have just created you should be able to see your portfolio item visible in the pages.

To further configure the portfolio (to set the number of columns, the button text, etc.) you have to set some configuration items in the theme options.

Staff

The staff page and pages are configured by custom posts. You should be able to see the "Staff" section in the menu on the left in the WordPress Dashboard.

With each post you create a staff member item that consists of a featured image, a role (e.g. CEO, Developer, Manager, etc.), and optional contact-email, Facebook and Twitter accounts.
To create a staff item...

1. Look for the Staff section in the menu in the WordPress Dashboard.
2. Click on Add New
3. Give your item a name (i.e. the staff member's name: Bob Jones, Jane Doe) and add the content that you want in the text editor field.
4. In the staff options section(s) enter the role, contact e-mail and Facebook and Twitter accounts. Note that all of these are optional. If any fields are left blank, that respective field will not be displayed.
5. In the staff options section(s), enter the staff image URL. This is the image that will be displayed on the "All staff" page (see below).
6. Click Publish.

Repeat this for as many staff members as you like.

Once you have finished creating your staff, the next thing you have to do is create a page to house your staff post types. To do this, you simply follow the same steps as you do to create pages using templates...

1. Create a page that will contain your staff by selecting "Pages" in the WordPress Dashboard.
2. Add a new page if you haven't already added one and give it a title (e.g. "Portfolio").
3. You should then look for the template dropdown under the Attributes section...
4. Select the Page - Staff template
5. Click the "Publish" button

If you visit the page you have just created you should be able to see your portfolio item visible in the pages.

Shortcodes

One of the great things about WordPress is that it allows for the use of shortcodes. Shortcodes are basically tag words that, when put between brackets [ ] will display whatever that shortcode is set to display. For example writing the following somewhere in one of your posts...

```
[latestposts limit="3"]
```

...might display a listing of your 3 latest blog posts.

What a shortcode displays depends on what is written into the theme.

The official WordPress shortcode documentation is available here

For a brief disclaimer/caveat about using shortcodes please see the information on adjusting shortcodes.

Adjusting Shortcodes
Shortcodes have a tendency to be a little bit fickle when it comes to formatting in how what they display appear in your pages and posts. Because the WordPress engine automatically adds HTML <p> tags to the content that you enter into the WordPress dashboard editor, and because shortcodes do not always return <p> tags, sometimes it takes a bit of finagling to make things line up properly.

For example, when entered into the WordPress editor (HTML tab), this text:

```
[inlinebox orientation="left"]Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat. Claritas est etiam processus dynamicus, qui
sequitur mutationem.[/inlinebox] Mirum est notare quam littera gothica, quam nunc
putamus parum claram, anteposuerit litterarum formas humanitatis per seacula quarta
decima et quinta decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant
sollemnes in futurum. Duis autem vel eum iriure dolor in hendrerit in vulputate velit
```

Might give you a different result than this:

```
[inlinebox orientation="left"]Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat. Claritas est etiam processus dynamicus, qui
sequitur mutationem.[/inlinebox]
Mirum est notare quam littera gothica, quam nunc putamus parum claram, anteposuerit
litterarum formas humanitatis per seacula quarta decima et quinta decima. Eodem modo
typi, qui nunc nobis videntur parum clari, fiant sollemnes in futurum. Duis autem vel
eum iriure dolor in hendrerit in vulputate velit
```

In case you are still scratching your head, the difference here was that the shortcode was on a separate line in the second example.

To make shortcodes work, try doing things deleting whitespace and carriage returns and putting them on the same line(s) as your text as shown in the first example above. Also, it seems to be a good practice to put a space character between the last bracket of the closing of your shortcode and the first letter of the next word. That is, do this:

```
...lectorum.[/inlinebox] Mirum est...
```

And not this:

```
...lectorum.[/inlinebox]Mirum est...
```

Do this:

```
...lectorum.[/inlinebox] Mirum est...
```

And not this:

```
...lectorum.[/inlinebox]
Mirum est...
```

In short, if the shortcode is not displaying exactly as you want it, try working with it a little bit before worrying that it is completely broken.

One additional note regarding shortcodes: at present you cannot use shortcodes inside of other shortcodes. So, for example, this:

```
[inlinebox orientation="left"]Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat. [buttonlink
path="http://www.website.com/back" linebreak="true"]Go Forward[/buttonlink] Claritas
est etiam processus dynamicus, qui sequitur mutationem consuetudium
lectorum.[/inlinebox]
```

...will not work.

Shortcodes Tool
This theme has a handy tool that you can use for inserting shortcodes into your pages and posts. When you are adding or editing a page or post just look for a small "Add Shortcode" button in the Visual editor (you'll have to "show the kitchen sink" to see it) and it will appear something like the following...

[+]

You can click on this button and you will be presented with a list of shortcodes to choose from to insert into your page or post. You will even be given all the attributes that come with the shortcode (through you will still have to fill out the fields yourself). This makes inserting shortcodes into your post easier than ever!

Shortcodes List
Below is a list of the shortcodes that are available with this theme...

2 Columns

Displays page and post text and content in 2 columns.

Shortcode:

```
[half]
```

Attributes:

None

Examples:

```
[half]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum
claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt
saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium
```

```
lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram,
anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima.
Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in
futurum.[/half] [half]Duis autem vel eum iriure dolor in hendrerit in vulputate velit
esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et
accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue
duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis eleifend
option congue nihil imperdiet doming id quod mazim placerat facer possim assum.[/half]
```

3 Columns

Displays page and post text and content in 3 columns.

Shortcode:

```
[third]
```

Attributes:

None

Examples:

```
[third]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum
claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt
saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium
lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram,
anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima.
Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in
futurum.[/third] [third]Typi non habent claritatem insitam; est usus legentis in iis
qui facit eorum claritatem. Investigationes demonstraverunt lectores legere me lius
quod ii legunt saepius. Claritas est etiam processus dynamicus, qui sequitur
mutationem consuetudium lectorum. Mirum est notare quam littera gothica, quam nunc
putamus parum claram, anteposuerit litterarum formas humanitatis per seacula quarta
decima et quinta decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant
sollemnes in futurum.[/third] [third]Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis
at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril
delenit augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis
eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim
assum.[/third]
```

4 Columns

Displays page and post text and content in 4 columns.

Shortcode:

```
[fourth]
```

Attributes:

None

Examples:

```
[fourth]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram, anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in futurum.[/fourth] [fourth]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram, anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in futurum.[/fourth] [fourth]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram, anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in futurum.[/fourth] [fourth]Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum.[/fourth]
```

2/3 Column

Displays page and post text and content in a 2/3 column and a 1/3 column by combining with a 1/3 column shortcode.

Shortcode:

```
[twothird],[third]
[third],[twothird]
```

Attributes:

None

Examples:

```
[two_third]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram, anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in futurum.[/two_third] [third]Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum.[/third]
```

You could also go the other direction if you wanted to...

```
[third]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum
claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt
saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium
lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram,
anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima.
Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in
futurum.[/third] [twothird]Duis autem vel eum iriure dolor in hendrerit in vulputate
velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero
eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit
augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis
eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim
assum.[/twothird]
```

3/4 Column

Displays page and post text and content in a 3/4 column and a 1/4 column by combining with a 1/4 column shortcode.

Shortcode:

```
[threefourth],[fourth]
[fourth],[threefourth]
```

Attributes:

None

Examples:

```
[threefourth]Typi non habent claritatem insitam; est usus legentis in iis qui facit
eorum claritatem. Investigationes demonstraverunt lectores legere me lius quod ii
legunt saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem
consuetudium lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum
claram, anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta
decima. Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in
futurum.[/threefourth] [fourth]Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis
at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril
delenit augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis
eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim
assum.[/fourth]
```

You could also go the other direction if you wanted to…

```
[fourth]Typi non habent claritatem insitam; est usus legentis in iis qui facit eorum
claritatem. Investigationes demonstraverunt lectores legere me lius quod ii legunt
saepius. Claritas est etiam processus dynamicus, qui sequitur mutationem consuetudium
lectorum. Mirum est notare quam littera gothica, quam nunc putamus parum claram,
anteposuerit litterarum formas humanitatis per seacula quarta decima et quinta decima.
Eodem modo typi, qui nunc nobis videntur parum clari, fiant sollemnes in
futurum.[/fourth] [threefourth]Duis autem vel eum iriure dolor in hendrerit in
vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis
at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril
delenit augue duis dolore te feugait nulla facilisi. Nam liber tempor cum soluta nobis
eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim
assum.[/threefourth]
```

Accordion

The accordion allows you to display text, images, logos, or anything else in an accordion.

Shortcode:

```
[accordion], [accrodion_item]
```

Attributes:

titletext
This attribute is applies to the `[accordion_item]` shortcode. The text for the title of the accordion item is set here.

Examples:

```
[accordion][accordion_item titletext="One"]Mauris quis tellus sed mi bibendum
vulputate. Nam nec fermentum leo. Donec ante nisl, varius [/accordion_item]
[accordion_item titletext="Two"]Nullam leo velit, placerat quis condimentum vulputate,
sagittis a tellus. Belementum. [/accordion_item] [/accordion]
```

Alert Box

Display a box of specially formatted text that can be used for an “alert,” to get the user’s attention about something.

Shortcode:

```
[alertbox]
```

Attributes:

type
This is the type of alert box you want to display. Please refer to the guide below for the possible options you can set here...

- ***accepted*** – Displays an accepted box in green
- ***warning*** – Displays a warning box in yellow
- ***cancel*** – Displays a canceled box in red
- ***information*** – Displays an information box in blue

Examples:

The following will display an accepted alert...

```
[alertbox type="accepted"]Thank you! Please come again![/alertbox]
```

The following will display a canceled alert...

```
[alertbox type="cancel"]Stop! You may not access this page![/alertbox]
```

Audio

Display HTML5 audio in your pages and posts

NOTE: There are different "paths" for HTML5 audio because different browsers (Firefox, Chrome, Safari) use different audio formats.

Shortcode:

```
[audio]
```

Attributes:

id
This is the "name" of the audio. It is used as an identifier if you have multiple audio on the same page. Use any string for this value (e.g. "myAudio") but each one needs to be unique

mp3path
Should have the value of the path to an .mp3 audio file somewhere either on your server or elsewhere on the Internet.

oggpath
Should have the value of the path to an .ogg audio file somewhere either on your server or elsewhere on the Internet.

wavpath
This is optional and only needs to be used if you are playing a .wav file. Should have the value of the path to an .wav audio file somewhere either on your server or elsewhere on the Internet.

Examples:

The following will display HTML5 audio...

```
[audio oggpath="http://yourwebsite.com/song.ogg"
mp3path="http://yourwebsite.com/song.mp3"]
```

Blockquote

Displays a blockquote of text with author and subtext.

Shortcode:

[blockquote]

Attributes:

author
Sets the author of the quote

subtext
Sets additional text below the author of the quote's name. Usually this can be a title of some sort such as "Vice President" or sometimes it can be used to display the years the author lived (e.g. 1881 - 1956)

Examples:

The following will display a blockquote with author and subtext...

```
[blockqoute author="John Doe" subtext="CEO of AcmeCorp"]This is what the quote says...[/blockquote]
```

Button

Displays a nicely styled button with your own custom text and link.

Shortcode:

```
[button]
```

Attributes:

link
Can have the value of any valid link. This is the link the user will be taken to when they click on the button.

linebreak
Can have the value true or false. This determines whether the button will add a line break and continue the content that follows it on a new line. Set this value to false if you want to add multiple buttons one after another. Set it to true if you are going to begin a new paragraph below it. Even if you have a number of buttons lined up one after the other, you'll definitely want the *last* button to have its linebreak value set to "true" so that the content that follows it will appear on a new line.

newwindow
Can have the value "true" or "false" and is only applicable if the link value is set. If set to true, this will open the link URL value in a new browser window.

size
Sets the size of the button. Can have the values "small," "medium," or "large."

color
Represents the color of the button. Can have one of the following values…

- *red*
- *lightred*
- *orange*
- *yellow*
- *green*
- *blue*
- *aqua*

- *navy*
- *purple*
- *coffee*
- *black*
- *white*
- *gray*
- *darkgray*

style
Sets the style of the button. Can have the values "normal" or "flat". The default will depend on the theme's overall style.

Examples:

Here is an example of a single button...

```
[button link="http://www.9bitstudios.com" linebreak="true" color="black"]Button
Text[/button]
```

Here is an example of 3 buttons that would be displayed next to each other...

```
[button link="http://www.9bitstudios.com" linebreak="false" color="black"]Button
Text[/button] [button link="http://www.9bitstudios.com" linebreak="false"
color="white"]Button Text[/button] [button link="http://www.9bitstudios.com"
linebreak="true" color="gray"]Button Text[/button]
```

Notice how the 3rd button has linebreak set to "true" so that content that follows this could continue on the next line.

You could even combine button with the icon shortcode to make an icon button...

```
[button link="http://www.9bitstudios.com" linebreak="true" size="medium"
color="yellow"][icon type="question-sign"] This is a button with an
icon[/icontext][/button]
```

Carousel

The carousel allows you to display images, logos, or anything else in a rotating carousel.

Shortcode:

```
[carousel], [carousel_item]
```

Attributes:

id
This is the "name" of your carousel. It is used as an identifier if you have multiple different carousels on the same page. It can have any single word string value but each must be unique

visible
Can have the value of any number. This sets how many items are visible in the carousel at any one time.

autoplay
Can have the value "true" or "false." This sets whether the carousel autoscrolls on a timer.

responsive
Can have the value "true" or "false." This sets whether the carousel responds to responsive events (showing fewer items for smaller views). Default value is "true."

Examples:

```
[carousel id="myCarousel" visible="4" autoplay="false" responsive="false"]
[carousel_item]<img src="http://www.9bitstudios.com/images/wordpress-themes/logo-amazon.png" alt="" width="100" height="45">[/carousel_item] [/carousel_item]
[carousel_item]<img src="http://www.9bitstudios.com/images/wordpress-themes/logo-microsoft.png" alt="" width="100" height="45">[/carousel_item][/carousel]
```

Clear

Displays a gap of spacing within the content. It is used for the purposes of getting content to line up properly when needed.

The difference between the clear shortcode and the clearout shortcode is that `[clear]` will bring the next markup to a new line whereas `[clearout]` will bring the markup to a newline and drop it ~20 pixels down producing a gap. (The actual spacing of `[clearout]` might be slightly different for different themes) So you'll want to use `[clearout]` if you need some extra spacing between your previous line and next line.

The also similar newline shortcode will bring you to the next line much like the clear shortcode will but it may not necessarily clear floated elements. The newline shortcode essentially produces a
 HTML tag.

Shortcode:

```
[clear]
```

Attributes:

None

Examples:

The following will display a gap in the content on a new line...

```
[clear]
```

This shortcode can also be chained together. The following will display a larger gap in the content...

```
[clear] [clear]
```

Clearout

Displays a gap of spacing within the content. Is used for the purposes of getting content to line up properly when needed.

The difference between the clear shortcode and the clearout shortcode is that `[clear]` will bring the next markup to a new line whereas `[clearout]` will bring the markup to a newline and drop it ~20 pixels down producing a gap. (The actual spacing of `[clearout]` might be slightly different for different themes) So you'll want to use `[clearout]` if you need some extra spacing between your previous line and next line.

The also similar newline shortcode will bring you to the next line much like the clear shortcode will but it may not necessarily clear floated elements. The newline shortcode essentially produces a
 HTML tag.

Shortcode:

```
[clearout]
```

Attributes:

None

Examples:

The following will display a gap in the content on a new line...

```
[clearout]
```

This shortcode can also be chained together. The following will display a larger gap in the content...

```
[clearout] [clearout]
```

Custom List

Displays a custom list with custom list items utilizing icon fonts

Shortcodes:

[ul],[li]

Attributes:

class
Sets the class for the [li] shortcode

Below is a listing of all of the classes you can set. These classes set the icon for the list item...

glass, music, search, envelope, heart, star, star-empty, user, film, th-large, th, th-list, ok, remove, zoom-in, zoom-out, off, signal, cog, trash, home, file, time, road, download-alt, download, upload, inbox, play-

circle, repeat, refresh, list-alt, lock, flag, headphones, volume-off, volume-down, volume-up, qrcode, barcode, tag, tags, book, bookmark, print, camera, font, bold, italic, text-height, text-width, align-left, align-center, align-right, align-justify, list, indent-left, indent-right, facetime-video, picture, pencil, map-marker, adjust, tint, edit, share, check, move, step-backward, fast-backward, backward, play, pause, stop, forward, fast-forward, step-forward, eject, chevron-left, chevron-right, plus-sign, minus-sign, remove-sign, ok-sign, question-sign, info-sign, screenshot, remove-circle, ok-circle, ban-circle, arrow-left, arrow-right, arrow-up, arrow-down, share-alt, resize-full, resize-small, plus, minus, asterisk, exclamation-sign, gift, leaf, fire, eye-open, eye-close, warning-sign, plane, calendar, random, comment, magnet, chevron-up, chevron-down, retweet, shopping-cart, folder-close, folder-open, resize-vertical, resize-horizontal

Examples:
The following will display a custom list with plus signs as list items

```
[ul]
[li class="plus-sign"]List item 1[/li]
[li class="plus-sign"]List item 2[/li]
[li class="plus-sign"]List item 3[/li]
[/ul]
```

Dropcap

Displays a drop cap of a letter or letters.

Shortcode:

```
[dropcap]
```

Attributes:

textcolor
Can have any HTML hex color value (e.g. #336). This sets the color of the link. Be sure to include the "#" character in the value you set here as well.

backgroundcolor
Can have any HTML hex color value (e.g. #336). This sets the background color of the link. Be sure to include the "#" character in the value you set here as well.

bordercolor
Can have any HTML hex color value (e.g. #336). This sets the border color of the link. Be sure to include the "#" character in the value you set here as well.

Examples:
The following will display the letter 'L' as a dropcap...

```
[dropcap textcolor="#fff" backgroundcolor="#231f74" bordercolor="#666"]L[/dropcap]orem ipsum sed und vertalis...
```

Facebook Box

This theme is capable of adding a Facebook "Like" box. To get set up, you'll have to create a Facebook fan page

Shortcode:

```
[facebookbox]
```

Attributes:

id
This is the "name" of your Facebook box. It is used as an identifier if you have multiple different Facebook boxes on the same page. It can have any single word string value but each must be unique

path
This is the URL of the Facebook page you want people to "Like" e.g. http://www.facebook.com/platform

colorscheme
Can have the values "dark" or "light"

showfaces
Can have the values "true" or "false"

bordercolor
Set the color of the border here.

Examples:

The following will display a Facebook box...

```
[facebookbox id="myFacebookBox" path="http://www.facebook.com/platform"
showfaces="true" colorscheme="light" bordercolor="white"]
```

Flickr Photostream

Displays a Flickr photostream. You can set the width and height of the Flickr thumbs in the theme options

Shortcode:

```
[flickr]
```

Attributes:

id
This is the "name" of the collection of Flickr photos. It is used as an identifier if you have multiple different collections of photostreams on the same page. Use any string for this value (e.g. "myFlickr") but each one needs to be unique

flickraccount
Can have the value of any valid Flickr account

limit
Can have the value of any number. This is the number of Flickr thumbnails you want to show in your list

Examples:

The following will display a Flickr photostream...

```
[flickr id="myFlickr" flickraccount="0123456" limit="9"]
```

Google Map

Displays a Google Map.

Shortcode:

```
[googlemap]
```

Attributes:

id
This is the "name" of the Google map. It is used as an identifier if you have multiple different maps on the same page. Use any string for this value (e.g. "myMap") but each one needs to be unique

type
The type of map to be displayed. Please refer to the guide below for the possible options you can set here...

- road - displays the default road map view
- satellite - displays Google Earth satellite images
- hybrid - displays a mixture of normal and satellite views
- terrain - displays a physical map based on terrain information.

latitude
Latitude of the marker. To find the coordinates you want you can use service such as the one at http://itouchmap.com/latlong.html

longitude
Longitude of the marker. To find the coordinates you want you can use service such as the one at http://itouchmap.com/latlong.html

message
This is the message that will be displayed when somebody hovers over the marker...

zoom
Sets how far the map is zoomed in or out. Can have any interget value between 1 and 19. Default is 9.

Examples:

The following will display a Google Map with a message...

```
[googlemap id="myMap" zoom="9" latitude="21.306944" longitude="-157.858333"
message="We are here"]
```

Icon

Displays text with an icon

Shortcodes:

[icon]

Attributes:

type
Sets the type which determines the icon that will be displayed. The types you can choose from are below...

class
If you want to add some additional CSS classes to the icon text (size, color, background, etc.) you can pass in additional classes here. This value is optional

Below is a listing of all of the classes you can set. These classes set the icon for text...

glass, music, search, envelope, heart, star, star-empty, user, film, th-large, th, th-list, ok, remove, zoom-in, zoom-out, off, signal, cog, trash, home, file, time, road, download-alt, download, upload, inbox, play-circle, repeat, refresh, list-alt, lock, flag, headphones, volume-off, volume-down, volume-up, qrcode, barcode, bar-chart, twitter-sign, facebook-sign, camera-retro, key, cogs, comments, thumbs-up, thumbs-down, star-half, heart-empty, signout, linkedin-sign, pushpin, external-link, signin, trophy, github-sign, upload-alt, lemon, phone, check-empty, bookmark-empty, phone-sign, twitter, facebook, github, unlock, credit-card, rss, hdd, bullhorn, bell, certificate, hand-right, hand-left, hand-up, hand-down, circle-arrow-left, circle-arrow-right, circle-arrow-up, circle-arrow-down, globe, tag, tags, book, bookmark, print, camera, font, bold, italic, text-height, text-width, align-left, align-center, align-right, align-justify, list, indent-left, indent-right, facetime-video, picture, pencil, map-marker, adjust, tint, edit, share, check, move, step-backward, fast-backward, backward, play, pause, stop, forward, fast-forward, step-forward, eject, chevron-left, chevron-right, wrench, tasks, filter, briefcase, fullscreen, group, link, cloud, beaker, cut, copy, paper-clip, save, sign-blank, reorder, list-ul, list-ol, strikethrough, underline, table, magic, truck, pinterest, pinterest-sign, google-plus-sign, google-plus, money, caret-down, caret-up, caret-left, caret-right, columns, sort, sort-down, sort-up, envelope-alt, linkedin, undo, legal, dashboard, comment-alt, comments-alt, bolt, plus-sign, minus-sign, remove-sign, ok-sign, question-sign, info-sign, screenshot, remove-circle, ok-circle, ban-circle, arrow-left, arrow-right, arrow-up, arrow-down, share-alt, resize-full, resize-small, plus, minus, asterisk, exclamation-sign, gift, leaf, fire, eye-open, eye-close, warning-sign, plane, calendar, random, comment, magnet, chevron-up, chevron-down, retweet, shopping-cart, folder-close, folder-open, resize-vertical, resize-horizontal, sitemap, umbrella, paste, lightbulb, exchange, cloud-download, cloud-upload, user-md, stethoscope, suitcase, bell-alt, coffee, food, file-alt, building, hospital, ambulance, medkit, fighter-jet, beer, h-sign, plus-sign-alt, double-angle-left, double-angle-right,

double-angle-up, double-angle-down, angle-left, angle-right, angle-up, angle-down, desktop, laptop, tablet, mobile-phone, circle-blank, quote-left, quote-right, spinner, circle, reply, github-alt, folder-close-alt, folder-open-alt

Examples:
The following will display text with a plus sign next to it…

```
[icon type="plus-sign"] This is some icon text[/icon]
```

You could even combine icon text with the button shortcode to make an icon button...

```
[button path="http://www.9bitstudios.com" linebreak="true" size="medium"
color="yellow"][icon type="question-sign"] This is a button with an
icon[/icon][/button]
```

Images

Displays an image with no additional formatting. This does not really do anything different than adding a normal image in the WordPress editor. It's more for usage if you prefer the shortcode syntax over HTML and can be used as a shortcode in the sidebar or footer widget areas

Shortcode:

```
[image]
```

Attributes:

path
Should have the value of the path to an image somewhere either on your server or elsewhere on the Internet.

border
Can have the value "true" or "false". If set to true, this will put a border around the image. The appearance of the border depeneds on the settings in each individual theme.

class
Sets the "class" attribute of the image. This value is optional.

alt
Can have any value. This is the alt text that appears in a browser tooltip when a user mouses over the image

Examples:

To display an image...

```
[image path="http://www.yourdomain.com/wp-content/uploads/2010/12/redpuddle.jpg"
class="someClass" alt="red puddle"]
```

Inline Boxes

Displays boxes of text floated inline to the left or right of post and page text.

Shortcode:

```
[inlinebox]
```

Attributes:

orientation
Can have the values left and right. Specifying "left" will display the image inline on the left. Specifying "right" will display the image inline on the right.

Examples:

To display an box of text inline left...

```
[inlinebox orientation="left"]Thes text of the box goes here...[/inlinebox]
```

To display a box of text inline right...

```
[inlinebox orientation="right"]Thes text of the box goes here...[/inlinebox]
```

Inline Images

Displays images floated inline to the left or right of post and page text.

Shortcode:

```
[inlineimage]
```

Attributes:

path
Should have the value of the path to an image somewhere either on your server or elsewhere on the Internet.

link
If this value is set, this sets the URL if you want the image to have a ink to something when clicked.

newwindow
Can have the value "true" or "false" and is only applicable if the link value is set. If set to true, this will open the link URL value in a new browser window.

border
Can have the value "true" or "false". If set to true, this will put a border around the image. The appearance of the border depeneds on the settings in each individual theme.

orientation

Can have the values left and right. Specifying "left" will display the image inline on the left. Specifying "right" will display the image inline on the right.

class
Sets the "class" attribute of the image. This value is completely optional.

alt
Can have any value. This is the alt text that appears in a browser tooltip when a user mouses over the image

Examples:

To display an image inline left...

```
[inlineimage path="http://www.yourdomain.com/wp-content/uploads/2010/12/redpuddle.jpg"
orientation="left" alt="red puddle"]
```

To display an image inline right...

```
[inlineimage path="http://www.yourdomain.com/wp-
content/uploads/2010/12/redpuddle.jpg" orientation="right" alt="red puddle"]
```

To display an image inline right with a link...

```
[inlineimage path="http://www.yourdomain.com/wp-content/uploads/2010/12/redpuddle.jpg"
link="http://www.9bitstudios.com" orientation="right" alt="red puddle"]
```

Inline Quotes

Displays quotes of text floated inline to the left or right of post and page text.

Shortcode:

```
[inlinequote]
```

Attributes:

orientation
Can have the values left and right. Specifying "left" will display the image inline on the left. Specifying "right" will display the image inline on the right.

Examples:

To display a quote of text inline left...

```
[inlinequote orientation="left"]Thes text of the quote goes here...[/inlinequote]
```

To display a quote of text inline right...

```
[inlinequote orientation="right"]Thes text of the quote goes here...[/inlinequote]
```

Latest Posts

Displays a list of your most recent posts. This shortcode is best used in the sidebar or the footer.

Shortcode:

```
[latestposts]
```

Attributes:

limit
Can have any numerical value. Can have any numerical value. This is the number of your recent posts that you want to display.

Examples:

The following shortcode will display the 3 latest posts...

```
[latestposts limit="3"]
```

Latest Posts with Thumbnails

Displays a list of your most recent posts with the thumbnail image of the post shown as well.

This shortcode is dependent on setting the "Thumbnail Image" value in the "Additional Page/Post Details" custom fields (i.e. metadata).

Shortcode:

```
[latestposts_thumbnails]
```

Attributes:

limit
Can have any numerical value. This is the number of your recent posts that you want to display.

Examples:

The following shortcode will display the 4 latest posts with the post thumbnails...

```
[latestposts_thumbnails limit="4"]
```

The result might look something like the following...



New Line

Displays content on a new line. Is used for the purposes of getting content to line up properly when needed.

The newline shortcode will bring you to the next line much like the clear shortcode will, but it may not necessarily clear floated elements. The newline shortcode essentially produces a
 HTML tag.

Shortcode:

```
[newline]
```

Attributes:

None

Examples:

The following will display a gap in the content on a new line...

```
[newline]
```

This shortcode can also be chained together. The following will display a larger gap in the content...

```
[newline] [newline]
```

Pop-Up

Displays a link in the form of a thumbnail image or text where a pop-up image or video will appear when the user clicks on the link.

Shortcode:

```
[popup]
```

Attributes:

path
Should have the value of the path to an image somewhere either on your server or elsewhere on the Internet. This image display in a pop-up when it the applicable link is clicked

Examples:

Here is an example using a thumbnail image...

```
[popup path="http://www.9bitstudios.com/images/wordpress-themes/cherry-
blossom.jpg"]Click here to open[/popup] [popup
path="http://www.9bitstudios.com/images/wordpress-themes/cherry-blossom.jpg"]<img
src="http://www.9bitstudios.com/images/wordpress-themes/cherry-blossom-thumbnail.jpg"
/>[/popup]
```

The process is the same to display video...

```
[popup path="http://www.youtube.com/watch?v=bh8mOqPUh7U"]
```

Pop-Up Gallery

Displays a popup gallery containing images and video...

Shortcode:

```
[popupgallery], [popupgallery_item]
```

Attributes:

path
Should have the value of the path to the *first item that you want to display in the gallery* whether that is an image, video, or something else. This should be a path to something somewhere either on your server or elsewhere on the Internet. It will be the first item to display in a pop-up when it the applicable link is clicked.

name
Can have any value. This is the name of the particular gallery. The only caveat to this is that the name has to be unique.

Examples:

```
[popupgallery path="http://www.youtube.com/watch?v=bh8mOqPUh7U" name="gallery1"]
[image path="http://www.9bitstudios.com/images/wordpress-themes/palm-trees.jpg"
alt="Palm Trees" border="true"] [/popupgallery] [popupgallery_item
```

```
path="http://www.9bitstudios.com/images/wordpress-themes/rain-leaf.jpg"
name="gallery1"]
```

After you add the initial item you then use the [popupgalleryitem] shortcode to add additional gallery items. All you have to do is make sure that the name matches the name of the initial [popupgallery] shortcode. In this manner you can have as many gallery items as you like.

Recent Tweets

* Deprecated

Since the move to Twitter API version 1.1 which requires OAuth, this feature is no longer supported.

Search

Displays a search form

Shortcode:

```
[search]
```

Attributes:

theme
Sets the style of the search form. The following values can be set...

- black
- white
- transparent

Examples:

The following will display a search form...

```
[search]
```

You can also set a theme...

```
[search theme="black"]
```

Section Header

Displays a section header

Shortcode:

```
[sectionheader]
```

Attributes:

color
Sets the color of the text.

Examples:

The following will display a section header with black text

```
[sectionheader color="#000"]Heading 1[/sectionheader]
```

The following will display a section header with red text

```
[sectionheader color="#f00"]Heading 1[/sectionheader]
```

Social Media

Displays a social media icon with a hover effect and a link to your social media account (e.g. Facebook, Twitter, etc.)

Shortcode:

```
[socialmedia]
```

Attributes:

link
This should be set the path (URL) to your social media account.

newwindow
Can have the value "true" or "false". If set to true, this will open the link URL value in a new browser window.

linebreak
Can have the value ***true*** or ***false***. This determines whether the icon will add a line break and continue the content that follows it on a new line. Set this value to false if you want to add multiple icons one after another next to each other. Set it to true if you are going to begin a new paragraph below it. Even if you have a number of buttons lined up one after the other, you'll definitely want the *last* icon to have its linebreak value set to "true" so that the content that follows it will appear on a new line.

title
Title of the tooltip that will display on hover.

type
This is the type of social media icon you want to display. Please refer to the guide below for the possible options you can set here...

- ***facebook*** – Facebook
- ***mail*** – Mail icon (recommended you link it to your contact page)
- ***twitter*** – Twitter
- ***youtube*** – YouTube
- ***vimeo*** – Vimeo
- ***rss*** – RSS Feed

- ***flickr*** – Flickr
- ***pinterest*** – Pinterest
- ***linkedin*** – LinkedIn
- ***googleplus*** – Google+

Examples:
The following will display a twitter icon...

```
[socialmedia link="http://www.twitter.com/youraccount" title="Twitter" type="twitter"
linebreak="true"]
```

The following will display a few icons next to each other...

```
[socialmedia link="http://www.youtube.com/youraccount" title="YouTube" type="youtube"
linebreak="false"][socialmedia path="http://www.twitter.com/youraccount"
type="twitter" linebreak="false"][socialmedia
path="http://www.facebook.com/youraccount" title="Facebook" type="fb"
linebreak="true"]
```

Tag Cloud

Display a list of all of the registered tags...

Shortcode:

```
[tagcloud]
```

Attributes:

smallest
The smallest size (integer) for the tag cloud item. e.g. 8.

largest
The smallest size (integer) for the tag cloud item . e.g. 14.

Examples:

The following will display a tag cloud...

```
[tagcloud]
```

The following will display a tag cloud with varying sizes...

```
[tagcloud smallest="8" largest=14]
```

Note that some themes may be configured to have tag clouds all the same size so for best results you may just want to use [tagcloud] without giving any attributes so that the default values are used.

Tab Box

Display content in tabs

Shortcode:

```
[tabs], [tab_item], [tab_content]
```

Attributes:

id
This value needs to be set for both `[tab_item]` and `[tab_content]` and needs to match exactly. It represents the tab and the content contained within the tab.

Examples:

The following will display content in a tab box..

```
[tabs][tab_item id="tab1"]Tab 1[/tab_item][tab_item id="tab2"]Tab
2[/tab_item][tab_item id="tab3"]Tab 3[/tab_item][/tabs] [tab_content
id="tab1"][clearout]Praesent consectetur ante neque, sed aliquet dui. Duis adipiscing
volutpat ante, ac aliquam leo malesuada id. Aenean aliquet, ante non tempor mollis,
quam sapien luctus nunc, in ultrices eros metus laoreet eros. Praesent eu lectus sed
nibh varius rhoncus id et orci.[/tab_content]
```

By adding in an additonal [tab_container] shortcode encasing the [tab_content] shortcodes you can make a tab box...

```
[tabs][tab_item id="tab1"]Tab 1[/tab_item][tab_item id="tab2"]Tab
2[/tab_item][tab_item id="tab3"]Tab 3[/tab_item][/tabs] [tab_container] [tab_content
id="tab1"] Praesent consectetur ante neque, sed aliquet dui. Duis adipiscing volutpat
ante, ac aliquam leo malesuada id. Aenean aliquet, ante non tempor mollis, quam sapien
luctus nunc, in ultrices eros metus laoreet eros. Praesent eu lectus sed nibh varius
rhoncus id et orci.[/tab_content] [tab_content id="tab2"] Nulla in ipsum nibh, auctor
porta ipsum. Curabitur bibendum posuere ante, a porttitor mi pellentesque eu. Morbi in
libero ligula, vitae vehicula nisi. Praesent faucibus lacinia mauris a tristique.
Donec facilisis, turpis ut dignissim fringilla, nulla metus interdum mauris, at
dapibus nulla metus vel est. [/tab_content] [tab_content id="tab3"] Cras auctor, ante
quis laoreet tincidunt, mauris nulla mollis sem, ac interdum arcu turpis non est.
Nullam interdum turpis id odio imperdiet scelerisque. Quisque ut adipiscing dui.
Pellentesque nibh ligula, pharetra vitae porttitor et, euismod eu enim. Nam augue
enim, aliquam ac lobortis a, ullamcorper a elit. Integer metus ligula, feugiat sed
tincidunt ut, egestas a arcu. Pellentesque sed fringilla urna. [/tab_content]
[/tab_container]
```

Video

Display HTML5 video in your pages and posts

NOTE: There are different "paths" for HTML5 video because different browsers (Firefox, Chrome, Safari) use different video formats.

Shortcode:

[video]

Attributes:

id
This is the "name" of the video. It is used as an identifier if you have multiple videos on the same page. Use any string for this value (e.g. "myVideo") but each one needs to be unique

mp4path
Should have the value of the path to an mp4 video somewhere either on your server or elsewhere on the Internet.

webmpath
Should have the value of the path to a webm video somewhere either on your server or elsewhere on the Internet.

oggpath
Should have the value of the path to an ogg video somewhere either on your server or elsewhere on the Internet.

width
Sets the width of the video

height
Sets the height of the video

previewimage
Sets the path to a preview image that you want to overlay overtop of the video area. If not set, the video area will appear blank before the user decided to play the video

Examples:

The following will display HTML5 video...

```
[video oggpath="http://video-js.zencoder.com/oceans-clip.ogv" webmpath="http://video-
js.zencoder.com/oceans-clip.webm" mp4path="http://video-js.zencoder.com/oceans-
clip.mp4" previewimage="http://video-js.zencoder.com/oceans-clip.png"]
```

Vimeo

Display Vimeo video in your pages and posts

Shortcode:

```
[vimeo]
```

Attributes:

path

Should have the value of the path to a Vimeo video taken from the embed code on the Vimeo homepage.

width
Sets the width of the video

height
Sets the height of the video

Examples:

The following will display Vimeo video...

```
[vimeo path=http://player.vimeo.com/video/23237102 width="600" height="264"]
```

YouTube

Display YouTube video in your pages and posts

Shortcode:

```
[youtube]
```

Attributes:

path
Should have the value of the path to a Youtube video taken from the embed code on the Vimeo homepage.

width
Sets the width of the video

height
Sets the height of the video

Examples:

The following will display Vimeo video...

```
[youtube path="http://www.youtube.com/embed/vhx_wocfVxA" width="600" height="264"]
```

Widgets

When you log in to the WordPress dashboard and select "Widgets" you will see a location or locations to drop widgets. What these locations are and how many of them there are will depend on the theme you are using. Additional information on widgets is available in the WordPress documentation found here

Below is a basic rundown on how to use widgets...

1. Select the Appearance → Widgets option in the WordPress dashboard. This should take you to the Widgets page.
2. Expand a widget section by clicking on the drop down of the Sidebar item. By default it should be visible on the right hand side of the WordPress dashboard. # will be the particular part of the footer that the widget corresponds to. So it might be Footer 1, Footer 2, etc.
3. From here you can drag and drop the various widgets that are available onto the widget drop section. What each widget does depends on the widget itself so feel free to experiment with it a little bit. You can move widgets on and off, up and down.
4. When you are finished adding and customizing a widget, click "Save"
5. Go to your website and refresh. You should now see the widgets that you dragged and dropped and then configured now visible on your site.

Places to Use Widgets

The most common places to use widgets on a theme that support widgets are the sidebar and the footer. However, widgets can be used in a number of different places. It all depends on the theme, and what is written into the theme's functionality.

Shortcodes Within Widgets

You can also use shortcodes within your widgets, which is a great way to display whatever content you want. To do this, you can use the "Text" or the "Alternate Text" widgets. Alternate Text is a custom widget that removes a lot of the automatic formatting that WordPress does, so it's a pretty good bet to go with it. But you can use the "Text" widget as well and have no problems

To use shortcodes in a widgets...

1. Select the Appearance → Widgets option in the WordPress dashboard. This should take you to the Widgets page.
2. Expand a widget section by clicking on the drop down of one of the items. By default it should be visible on the right hand side of the WordPress dashboard.
3. Drag and drop the "Text" or the "Alternate Text" widget onto the widget drop section.
4. Enter one of the Shortcodes into the text section. You can also give your widget a title, which will display a header in larget text above or near your widget. For example, each section in the sidebar has a header text above it (e.g. Categories, Archives, etc.). If you want that header text above this widget, you'll want to enter that text into the title field.
5. When you are finished adding and customizing the widget, click "Save"
6. Go to your website and refresh. You should now see the widgets that you dragged and dropped and then configured now visible on your site.

Using Widgets in the Sidebar

The sidebar.php file displays some default sidebar content. However, you can create your own custom sidebar using WordPress widgets. The content that you specify there will be displayed in the sidebar instead of the default content configured with this theme. This is the recommended way that you configure your sidebar.

To use widgets...

1. Select the Appearance → Widgets option in the WordPress dashboard. This should take you to the Widgets page.

2. Expand the "Sidebar" widget section by clicking on the drop down of the Sidebar item. By default it should be visible on the right hand side of the WordPress dashboard.
3. From here you can drag and drop the various widgets that are available onto the widget drop section. What each widget does depends on the widget itself so feel free to experiment with it a little bit. You can move widgets on and off, up and down.
4. When you are finished adding and customizing a widget, click "Save"
5. Go to your website and go to a page that has the sidebar in it (you may have to refresh). You should now see the widgets that you dragged and dropped and then configured now visible on the sidebar of your site.

Using Widgets in the Footer

Like the sidebar, the footer is widget ready. That is, when you log in to the WordPress dashboard and select "Widgets" you will see a location or locations to drop widgets onto the footer. The number of footer widgets varies depending on the configuration of the theme.

To use widgets for the footer...

1. Select the Appearance → Widgets option in the WordPress dashboard. This should take you to the Widgets page.
2. Expand the "Footer (#)" widget section by clicking on the drop down of the Sidebar item. By default it should be visible on the right hand side of the WordPress dashboard. # will be the particular part of the footer that the widget corresponds to. So it might be Footer 1, Footer 2, etc.
3. From here you can drag and drop the various widgets that are available onto the widget drop section. What each widget does depends on the widget itself so feel free to experiment with it a little bit. You can move widgets on and off, up and down.
4. When you are finished adding and customizing a widget, click "Save"
5. Go to your website and refresh. You should now see the widgets that you dragged and dropped and then configured now visible on your site.

Frequently Asked Questions

This section is an ongoing doc of FAQs that people have asked regarding WordPress themes...

The menu doesn't look like it does in the preview screenshots/demo site

You have to set up a menu in the WordPress dashboard to make it appear as you want it to. To do this, please see the Setting Up & Configuring the Menu section.

When I activate the theme I get errors that say "Warning: include(...) No such file or directory..."

Depending on where you aquired the theme, it is possible that the theme folder name has gotten changed. If you look at the theme-config.php file in the root of the theme folder, there is a define("NBS_THEME_FOLDER") statement that indicates what the theme folder should be named -- or, rather, what the theme is expecting the theme folder to be named.

You can either change the name of the theme folder match the name that is set there in the file currently *or* you can edit the theme-config.php file and change the define("NBS_THEME_FOLDER",

"original"); to define("NBS_THEME_FOLDER", "your-custom-name") or whatever your folder name is or what you want it to be. The 2 have to match.

How do I make the blog page display as the first page that people see when they come to my website?

In this section, it was shown how to set page named "Home" to be the first page that is seen when users go to your site. You just need to set the front page to "Blog" instead of "Home"

My shortcodes aren't working the way I want them to!

Please do the following to make sure that you've done everything correctly

1. Refer to the information on the specific shortcode and check that you have entered in everything properly (exactly as the given examples have been done)
2. If it is still not working properly, please try some of the suggestions found in the Shortcodes section about adjusting shortcodes.

How do I create the image hover effect with the magnifying glass icon, video icon, etc?

This can be accomplished by setting the class of the image to one of 4 values...

- slickHoverPicture
- slickHoverZoom
- slickHoverVideo
- slickHoverPlus

So for example...

```
<img src="http://www.9bitstudios.com/images/wordpress-themes/some-image.png"
class="slickHoverVideo" alt="" width="100" height="45">
```

You can also do this if using a shortcode...

```
[image path="http://www.yourdomain.com/wp-content/uploads/2010/12/redpuddle.jpg"
class="slickHoverPlus" alt="red puddle"]
```

How do I set a custom background image for individual pages?

Look for the Custom Field box in whatever WordPress page you want to edit. Look for the "Background Image" field and enter the path to the background image that you want to use. Note that you also have to enable background images by turning on a setting in the theme options.

Resources

The following section lists some places where some of the resources (fonts, images, etc.) used in creating this product were found. There are, of course, a number of different places to obtain resources all over the web. However, it is often difficult to find fonts, images, and sounds that are permitted for use in commercial projects that are also free.

Images

This product uses images found on one or more of the following locations...

Public Domain Pictures.net
http://www.publicdomainpictures.net/

Komodo Media
http://www.komodomedia.com

Fonts

This product uses fonts found on one or more of the following locations...

Font Squirrel
http://www.fontsquirrel.com

Font Awesome
http://fortawesome.github.com/Font-Awesome/

External Applications

This product uses the following external applications (i.e. applications not developed by 9bit Studios but free to use in commercial works)...

prettyPhoto
http://www.no-margin-for-errors.com/projects/prettyphoto-jquery-lightbox-clone/
Displays popup image, video, and galleries

FlexSlider
http://flex.madebymufffin.com/
Slider / Banner Rotator

Tipsy
http://onehackoranother.com/projects/jquery/tipsy/
Tooltip

Validation Engine
http://www.position-absolute.com/articles/jquery-form-validator-because-form-validation-is-a-mess/
Form Validation

Isotope
http://isotope.metafizzy.co/
Sorting Filter

FitVidsJS
http://fitvidsjs.com/
Used to make YouTube and Vimeo videos responsive

jFlickrFeed
http://www.gethifi.com/blog/a-jquery-flickr-feed-plugin
Displays a Flickr Photostream

Support

For additional questions or support requests please send mail via the 9bit Studios contact page.