

2026 安安即刻搶答! EHS 知識大對決

Ready, Set, Answer!
EHS Knowledge Showdown!

無災害工時
Safe Work Hours

MTB **3700W+**

AATT **200W+**

安全第一!
SAFETY FIRST!



2026 遊戲規則

1. 本活動共 5 大項目，每項目 2 題，共 10 題。每題 10 分，總分 100 分。
2. 作答前，可點擊“EHS 小熊系列人物頭像”查看相關提示內容，以協助答題。
3. 請務必填寫正確的“個人工號”。
4. 排行榜規則：
 - 以“總分高低”排序，滿分（100 分）者優先列入排名。
 - 若總分相同，則以“完成作答所花費時間較短者”排名較前。
5. 不限作答次數，可重複挑戰，**每位參加者最多僅獲得抽大獎機會乙次。**
6. 活動截止後，依最終排行榜結果進行排名，排行榜 前 15 名 可獲得 Blender Bottle 經典防漏搖搖杯乙個（**每位參加者僅限獲獎一次，不得重複得獎**）。

注意事項：

- 如有冒用身分、惡意干擾系統、因工號填寫錯誤/遺漏/無法辨識，或其他影響活動公平性之行為，主辦單位有權取消參加及得獎資格，**並於活動結束後統一進行資格審查及取消作業。**
- 主辦單位保留活動內容、獎項及規則之修改、變更、解釋及終止之權利。

2026 安安即刻搶答! EHS 知識大對決

Ready, Set, Answer!
EHS Knowledge Showdown!

無災害工時
Safe Work Hours

MTB 3700W+

AATT 200W+

安全第一!
SAFETY FIRST!

Chinese version!

火災應變 × EHS 安全行動

1 當有火災發生，除了進行通報，你還可以做什么？

➢ 室內消防栓使用方法 口訣：**按、開、拿、拉、轉**



3 避免火災造成損失，光靠通報及消防設備就足夠了嗎？

事前的預防措施及觀念建立，才能達到預防勝於治療的效果。



2 這些消防設備在哪？如何使用？

➢ 可藉由以下設備將異常訊息傳回監控中心。

廠區 / 位置	臺中廠區 / 桃園廠區		臺中廠區天橋
名稱	PBL火警綜合盤		緊急對講機
圖示			
操作方法	強壓黃框內壓鈕	拉下黃框內白色拉柄	按壓黃框內按鈕
使用後現場備況	警鈴作動，訊號傳回監控中心		可與監控中心通話

➢ 也可使用排煙手動開關，進行濃煙排除。



打開防護蓋，
按下黃框內按鈕

※ 請注意，以上設備在真實異常發生時才可使用，
切勿任意開啟！



Live safe!!

Everyone deserves to go home safe

- ✓ 安全是我們的核心價值
- ✓ 安全內化為日常行為
- ✓ 結合資源共同落實
- ✓ 建立無傷害、無事故的工作環境

Live Safe 從根本上關係到我們每個人，對自己以及身邊人員的安全負有責任。

無災害工時
Safe Work Hours

MTB **3700W+**
AATT **200W+**

安全執法新鐵律 (Zero Tolerance)

1 未經授權或違反安全規定或控制



2 違反特殊作業許可規定



3 未申請安全變更管理 (SMOC)



4 違反交通安全規定



5 違反行走安全規定



6 違反廠區禁菸規定



1 未經授權或違反安全規定或控制

常見情境

- 任意繞通安全防護 (Bypass)
- 未執行上鎖掛牌 (LOTO)
- 未依SOP操作
- 未進行風險評估 (JHA / PTP)

2 違反特殊作業許可規定

常見情境

- 無證施工 (未申請 Work Permit)
- 作業內容與許可不符
- 未依規定設置現場安全措施

3 未申請 SMOC (安全變更管理)

適用範圍

- ✓ 原物料 / 廢棄物
- ✓ 製程技術及規模
- ✓ 製程設備
- ✓ 區域隔離及安全設施
- ✓ 作業程序
- ✓ 組織異動 / 勞動力

4 交通安全重點

- 25 km/h 廠內外道路限速：25 km/h
- 禁止酒駕
- 非指定人員不得駕駛
- 駕駛須具備安全訓練資格
- 作業時注意人車分流
- 禁止使用手機駕駛

5 行走安全重點

- 行走時禁止滑手機
- 上下樓梯需扶手
- 注意地面高低差與障礙物
- 禁止危險行為影響他人安全

6 廠區禁菸重點



禁菸區域
嚴格禁止吸菸
違規者依法嚴懲

攜手減碳・共創永續未來

台中二廠(MTB) + 台中四廠(AATT)

合計碳排放量落在

20-30
萬噸 / CO₂e

廢棄物分類標示

- 特性標籤共有紅、藍、黃、紫四類顏色貼紙：

紅色 代表**有機類**適用於(如光阻液空瓶、IPA空瓶、OAP、抗凍劑HFE-7100...等)。

藍色 代表**酸類**貼適用於(如HF空瓶、HCl空瓶、HNO₃空瓶、H₂SO₄空瓶...等)。

黃色 代表**鹼類**貼適用於(如NaOH空瓶...等)。

紫色 代表**特殊類**適用於(如沾磷、砷擦拭布...等)。



廢棄物處置

務必將廢液空瓶清倒乾淨、瓶蓋旋緊，並依其特性受善分類/標示，放置於指定的暫存區域，並於收集後直接運送至有害事業廢棄物倉庫儲存。



環安衛變更管理 SMOC

(Alias : MTBSMOC /)

環安衛變更，
風險可控安全加倍！

目的

為有效管控原物料、廠廢物、製程技術及規模、製程設備、區域隔間及安全設施、作業程序、組織異動...等變更所產生之環安衛風險，評估可能增加人員安全風險的變更內容，並落實變更前、中、後之環安衛管理事項及追蹤管制，以降低或消弭其所帶來的不可接受風險。

查核機制

將不定期抽查未開立變更申請之案件（查核廠務需求單、產線巡檢抽查），必要時將 FAB Safety Committee 彙整每月部門缺失案件，請環安衛代表協助宣導。

安全第一！
SAFETY FIRST!



哪些情況需申請環安衛變更管理 SMOC：

符合下列**任一變更類別**時須提出申請，無法判斷時亦可提出申請，交由 SMOC Team 判斷。



原物料及廢棄物

新增變更化學品 / 廢棄物品項 / 容器 / 使用量 / 供應方式 / 處理方式變更



製程技術及規模

製程參數 / 技術變更 / 製程用氣體、化學品流量變更 > 原設定值 10%



製程設備

新增廠內第一型機台(FOAK) / 機台改造(RETROFIT) / 機台移位(RELOCATION) / 新增移除原有安全設計或裝置



區域隔間及安全設施

新增變更隔間 / 出入口 / 動線變更 / 安全設施 / 新增移除偵測系統



作業程序及人員組織

新增作業程序(本質風險高) / 變更作業程序(具有高風險步驟) / 人員組織調動(特殊作業或特別危害健康作業)

SMOC TEAM



讓我們一起落實
變更管理，打造
零災害的工作環境！



Ready, Set, Answer! EHS Knowledge Showdown!

保健中心 資訊一手掌握

MTB/AATT保健中心服務宣導

- 辦公棟三樓保健中心24小時開放，隔壁設有哺集乳室供有需求的媽媽使用。
- 保健中心內設有身高體重計、InBody、血壓機供同仁自行使用，也設置血糖機、血氧機，若有需要，將由值班護理師協助檢測。
- 同仁若有身體不適或工作傷害，請立即與保健中心或ERC聯繫。

連絡分機 Extension Number

- ☎ 保健中心請撥 #256119(MTB)；258119(AATT)
- ☎ 監控中心(ERC)請撥 #251422(MTB)；264363(AATT)

服務項目 Services

- + 外傷護理、健康諮詢
- + 健康促進活動
- + 家醫科、職醫科門診諮詢
- + 健康管理、四大計畫

廠區安全衛生規範 - 公傷申請流程



公傷假申請資訊可至PeopleNow之工時與休假中查詢Time off rule。



經EHS認定公傷資格成立後，才能以此假別申請休假，有任何問題請洽廠區保健中心。



申請方式：同仁於收到EHS審核通過後，在Workday提交休假申請，並由主管核簽。



受傷通報

24小時內本人或
直屬主管通報
保健中心

- ▶ 交通傷害通報
- ▶ 廠內受傷通報
- ▶ 公傷就醫紀錄

Step 1



醫療診斷

開立休養日數診斷書：

- <7 days：合格醫療機構(不包含中醫診所)
- ≥7 days：區域級以上醫院(國立/醫學中心或主診)
- ▶ 於診斷證明上備註宜休養天數

Step 2



公傷判定

EHS收集資料以進行
公傷判定

- ▶ 繳交相關證明資料
- ▶ 提供完整保健中心安排職醫科醫生訪談

Step 3



假單申請

依規定提出申請

- ▶ 依診斷證明與職醫科評估結果，寄發公傷假申請單
- ▶ HR於假勤系統給予公傷假時數



安全第一！
SAFETY FIRST!

2026 EHS KNOWLEDGE SHOWDOWN!



English version!

2026
July

2026

Game Rules

1. 5 sections, 2 questions each (10 total). 10 points per question. Total: 100 points.
2. Before answering, click the “EHS Bears” avatar for hints.
3. Enter your correct Employee ID.
4. Ranking rules:
 - Ranked by total score (higher first). Full score (100) prioritized.
 - If tied, shorter completion time ranks higher.
5. Unlimited attempts allowed. **Each participant gets only one grand prize draw chance.**
6. Final ranking is based on the leaderboard after the event ends. Top 15 will receive one Blender Bottle Classic Shaker Bottle (**one prize per person; no duplicate awards**).


Notes:

- Any identity misuse, malicious system interference, incorrect/missing/unidentifiable Employee ID, or other actions affecting fairness may lead to disqualification. unified eligibility review and disqualification process after the event concludes.
- The organizer reserves the right to modify, interpret, or terminate the event, including rules and prizes.

FIRE EMERGENCY × EHS SAFETY ACTION

1 When a fire occurs, besides calling 119, what else can you do?

Indoor fire extinguisher usage steps Remember: **P.A.S.S.**



3 To reduce fire damage, are the emergency lights and fire-fighting equipment sufficient?

Regular inspections and proper maintenance can ensure effective fire protection.



Emergency light works



Fire door is always closed



Fire extinguisher is inspected regularly



Exit is blocked by items



Overloaded electrical plug



Fire-fighting equipment is obstructed

2 Where are these fire-fighting devices? How do you use them?

> You can check the locations of the following equipment at the Control Center or Monitoring Center.

Location	Inside Building / Peach Building Area		Inside Building / Tianxi Building Area
Device Name	PBL Fire Alarm Control Panel		Emergency Intercom System
Operation Method	Press the "Silence" button on the control panel	Pull down the handle of the pull station	Press the "Call" button on the intercom
Communication Method	Alarm signals will be sent to the Control Center / Monitoring Center		You can speak directly to the Monitoring Center through the intercom

> You can also manually open the doors to evacuate and remove the fire.



Push the exit button to open the door



Press the exit button to open the door

Note: It is recommended to use these devices only in real emergencies. Please do not press or operate them unnecessarily!



★ Everyone is a safety guardian, EHS starts with you and me!
Be an EHS Champion — Together, we keep everyone safe!

Live safe!!

Everyone deserves to go home safe

- ✓ Safety is our core value
- ✓ Safety is a daily habit
- ✓ Collaboration drives shared success
- ✓ Create a workplace free from harm and incidents

Live Safe

starts with each of us. We are all responsible for the safety of ourselves and those around us.

Safety Compliance Rules (Zero Tolerance)

1 Unauthorized or non-compliant acts and controls



2 Violation of special work permit requirements



3 Failure to apply for SMOC (Management of Change)



4 Violation of traffic safety rules



5 Violation of pedestrian safety rules



6 Violation of smoking restrictions in restricted areas



1 Unauthorized or non-compliant acts and controls

Examples

- Bypass of safety devices
- Failure to perform LOTO
- Lock not installed
- No SOP in place
- No JHA / PTP risk assessment



2 Violation of special work permit requirements

Examples

- Work without permit (no Work Permit)
- Scope of work does not match the permit
- Permit not in place before work begins
- Lack of site safety measures



3 Failure to apply for SMOC (Management of Change)

Applicable to

- ✓ Raw materials / waste
- ✓ Process technology and scale
- ✓ Equipment
- ✓ Facilities
- ✓ Layout and infrastructure
- ✓ Work procedures
- ✓ Organization staffing



4 Key traffic safety rules

- 25 km/h Maximum speed on plant roads: 25 km/h
- No drunk driving
- Use only authorized drivers
- All drivers must have safety training
- Keep pedestrians in mind
- Do not use mobile phones while driving



5 Key pedestrian safety rules

- Do not use mobile phones while walking
- Hold the handrail on stairs
- Watch for level differences and obstacles
- Do not engage in actions that could affect others' safety



6 Smoking restrictions in restricted areas



Smoking is prohibited in restricted areas

Violators will be subject to disciplinary action in accordance with company policy.

Reduce Carbon • Build a Sustainable Future

Taichung Plant 2 (MTB) + Taichung Plant 4 (AATT)

Total Carbon Emissions
Are Approximately

20–30
Ten Thousand Tons
CO₂e

Waste Classification Labels

- Characteristic labels are available in four colors:

RED: Indicates applicable to organic solvents
(e.g., photoresist bottles, IPA bottles, OAP, antifreeze HFE-7100..., etc.).

BLUE: Indicates applicable to acids
(e.g., HF bottles, HCl bottles, HNO₃ bottles, H₂SO₄ bottles..., etc.).

YELLOW: Indicates applicable to alkalis
(e.g., NaOH bottles..., etc.).

PURPLE: Indicates applicable to special categories
(e.g., phosphorus-containing, abrasive cloths..., etc.).

Waste Management

Waste liquid containers must be emptied, dried, and caps tightened securely.

They must be properly labeled according to their characteristics, placed in designated temporary storage areas, and after collection, transported directly to licensed waste disposal warehouses.



Safety Management Of Change

Alias: MTBSMOC /

Better EHS Management,
Risk Control Doubles
Safety!

PURPOSE

To effectively control environmental, health, and safety (EHS) risks arising from changes in raw materials, waste, process technology and scale, equipment and facilities, area layout and safety systems, work procedures and organization.

Ensure risks are assessed and managed before, during, and after changes to prevent unacceptable hazards.

AUDIT MECHANISM

- Conduct regular reviews to identify missed SMOC applications.
- Review through the FAB Safety Committee if necessary.
- EHS representatives support follow-up actions and ensure implementation.



**SAFETY FIRST!
ALWAYS!**

WHEN IS SMOC REQUIRED?

Submit a request if any of the following applies (or when unsure, consult the SMOC Team).



RAW MATERIALS & WASTE

- New or changed chemicals / waste items
- Changes in containers, quantities, supply, or treatment methods



PROCESS TECHNOLOGY & SCALE

- Changes to process parameters or technology
- Gas/chemical flow changes > 10% of original design



EQUIPMENT

- First Of A Kind (**FOAK**)
- Retrofit or modification (**RETROFIT**)
- Relocation
- Addition/removal of safety devices



AREA & SAFETY FACILITIES


- Layout changes (space, entrances, routes)
- Changes to safety systems or monitoring devices



WORK PROCEDURES & ORGANIZATION

- New procedures (high-risk)
- Modified procedures involving hazards
- Organizational changes impacting safety

SMOC TEAM



Let's work together
to manage changes
and build a safe,
zero-harm workplace!



Ready, Set, Answer! EHS Knowledge Showdown!





GUIDE TO THE HEALTH CENTER INFORMATION



MTB/AATT HEALTH CENTER SERVICES

- Open 24/7 on the 3rd floor for nursing mothers who need breast milk collection.
- Equipped with height/weight scale, InBody, blood pressure monitor, as well as blood glucose and oxygen monitors for self-use. Nursing staff will assist with measurements if needed.
- If you are feeling unwell or have a work-related injury, please contact the Health Center or ERC immediately.

CONTACT NUMBERS (EXTENSION)

- ☎ Health Center: #256119 (MTB) ; 258119 (AATT)
- ☎ ERC (Monitoring Center): #251422 (MTB) ; 264363 (AATT)

OUR SERVICES

- + First Aid & Wound Care
- + Medical & Occupational Health Consultation
- + Health Promotion Activities
- + Health Management & 4 Major Plans



SAFETY FIRST!
Your Health, Our Priority.

WORKPLACE INJURY (OCCUPATIONAL INJURY) APPLICATION PROCESS

- 👤 You can check workplace injury information on **PeopleNow** (Time off rule).
- ✓ After EHS approves the workplace injury qualification, you are eligible to apply for leave. For any questions, please contact the Health Center.
- 📋 Application: After EHS approval, submit the leave application in Workday and it will be reviewed and approved by your supervisor.



INJURY REPORTING

Report to the direct supervisor or the Health Center within 24 hours.

- Transportation injury report
- On-site injury report
- Occupational injury medical record

STEP 1



MEDICAL ASSESSMENT

Visit the designated clinic for diagnosis.

- < 7 days: General clinic (no hospitalization)
- ≥ 7 days: Regional hospital (with or without hospitalization)

Diagnosis certificate must be issued.

STEP 2



INJURY DETERMINATION

EHS reviews and determines the occupational injury.

- Submit supporting documents
- Health Center provides assistance
- Consultation with occupational health nurse

STEP 3



LEAVE APPLICATION

Submit leave application as required.

- Medical evaluation and assessment
- Apply for occupational injury leave
- HR system issues occupational injury leave period

STEP 4

