

②

Harris Corner Detection:-

It is a method to find corners and infer features of an image.

Here we consider a small window of size 5×5 image patch in the picture. The idea is to identify unique pixel windows that are measured by shifting each window by a small amount of change that occurs in corresponding pixel values.

We define the change function $E(u, v)$ as the sum of all the Sum Squared differences where $u, v = (x, y)$ coordinates of every pixel in our 5×5 window
 I = Intensity value of the pixel.

$$E(u, v) = \sum_{x, y} w(x, y) [I(x + u, y + v) - I(x, y)]^2$$



Summation matrix ~~are~~ M

$$f(u, v) \approx [u \ v] \left(\sum \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix} \right) \begin{bmatrix} u \\ v \end{bmatrix}$$

$$M = \sum w(x, y) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$

$$f(u, v) \approx [u \ v] M \begin{bmatrix} u \\ v \end{bmatrix}$$

Let The corresponding eigen values of M be λ_1, λ_2
these eigen values decide whether

the region is corner, edge or flat.

ans when λ_1, λ_2 are small the region is flat.

ans when $\lambda_1 \gg \lambda_2$ the region is an edge.

ans when $\lambda_1 \approx \lambda_2$ are large & $\lambda_1 \approx \lambda_2$ the region is a corner.

In my workspace I have considered an image path having the following values

141	142	143	143	143
140	140	141	142	151
140	140	141	141	159
150	143	135	129	139
154	149	144	140	143

After calculating the eigen values

$$\lambda_1 = 20.21 \quad \lambda_2 = 3.314 \quad \lambda_3 = 0.2 \quad \lambda_4 = 2.13$$

As we notice in case 3

λ_1 & λ_3 then the region will be detected as corner.

Combinations of these Eigen values results in location of the corner.

Approximately the corner can be found at

