

Etherodynamic Vortex Mechanism of Toroidal-Cavitation Transmutation - EVTCT

E.M. Avsharov

LLC Russian-AS1, Moscow

ejen@course-as.ru ; ejen@mail.ru

"Gradient" "Etherodynamics" represents integrated approach to understanding one of the main types of movement of the etheric environment - the Toroidal-Ring formation, which manifests itself on all scales - from the femto-world to the Universe, with a "Spin-Jet", which is not taken into account by outside researchers as an integral part of such an etheric formation, but which determines the behavior of many processes of the material world in the etheric environment.

The author applied an engineering approach – "Reengineering" – to the reconstruction of highly complex systems based on their behavior, i.e. the creation of a model of etheric objects based on the results of the interaction of these objects with the surrounding etheric-material

Wednesday, Mathematics

the apparatus for such a reconstructed model does not exist and more requires its own creation.

Model of the "Toroidal-Ring Ether Flow" with Spin-Jet"
 allowed us to answer many questions, including the question of the mechanism of transformation of the nuclei of atoms of chemical elements during cavitation processes, and not only.

Etherodynamic Toroidal Model from Proton to Galaxy




Fig. 0. Review of applications of the etherodynamic model to various physical processes.

Over the period 2017-2022, the author proposed two main basic models of ether movement that can arise from the interaction of etheric flows in space and time:

1. Longitudinal etheric wave.

1.1 Longitudinal ether shock wave

Longitudinal Etheric Shock Waves (LESW) occur in such processes as the collision of comets and asteroids with planets, during the collision of stars or supernova explosions, during nuclear explosions, described in the work:

- "X-ray radiation as a longitudinal shock ether wave"

- http://www.course-as.ru/AEM_GE/AEM_X-Ray.pdf.

Seminars on this topic were held: at RUDN on "Chemical Yas and SM",

- http://www.course-as.ru/AEM_GE/AEM_GED.html#X-Ray-R

and seminar on temporology named after A.P. Levich (MSU),

- http://www.course-as.ru/AEM_GE/AEM_GED.html#X-Ray-T.




Fig.1.X-ray (cavitation) ether shock wave. "X-RAY RADIATION DURING CAVITATION OF A FAST LIQUID JET" (Vysotsky V.I., Kornilova A.A., Sysoev N.N.).

Formed primary cavitation Using ultrasonic shock waves with the help of plano-convex (top) and plano-concave (bottom) metal lenses, the following were created: - a strongly diverging (top) and - a strongly converging (bottom) etheric X-ray shock wave!

("Gradient Etherodynamics").

1.2 Longitudinal ether shock wave

Longitudinal Etheric Non-Shock Waves (LESW) arise during an electrical discharge in the entire volume of interaction in material media – gases, liquids and solids, as well as in plasma, during "radio emission".

"Electromagnetic radiation" of the radio range as a longitudinal non-shock ether wave is presented in three articles:

- "Etheric Electro-Magnetism. Part 3. Dynamics..." (pp. 13-17):

- http://www.course-as.ru/AEM_GE/AEM_EI-p3.pdf.

- "Hertz and Tesla. Who is right, who is wrong" (pp. 4-8):

- [http://www.course-as.ru/AEM_GE/AEM_GED.html#Hertz&Te sla](http://www.course-as.ru/AEM_GE/AEM_GED.html#Hertz&Tesla)

- "Light and Radio emissions are different ethereal entities!":

- http://www.course-as.ru/AEM_GE/AEM_GED.html#Light&Radio

Динамика “Электро-Магнитных” процессов – развитие Эфиродинамики

“Электро-Магнитная волна” как продольная (не ударная) эфирная волна.

Изменение эфирного давления на поверхности “ЭМ” диполя вызывает продольное распространение переменного эфирного давления по псевдосфере вне так называемой “ближней зоны”, в которой надо учитывать интегральное воздействие элементарных частей антенны “ближней зоны” в точке измерения, а вне ее можно рассматривать как точечный объект, соответствующий “дальней зоне”.

Фронт распространения “эквипотенциальной поверхности” переменного эфирного давления на удалении от “ЭМ” излучателя представляет собой слегка деформированную сферу с вдавненными полюсами, похожую на “яблоко”, более правильно фронт представляет собой псевдотороидальную эквипотенциальную поверхность градиентов эфирного давления.

Градиент переменного эфирного давления в точке пространства, удаленного от источника – генератора “ЭМ” волны, действует в радиальном направлении, имеет знакопеременный характер, синхронный с источником излучения как для несущей частоты, так и для модулирующего сигнала.




Fig.2a.Longitudinal non-shock etheric “Electromagnetic wave” ($V = C$).

There is an imbalance in the integral of the gradient of the variable ether pressure at each point of the ether space surrounding the antenna in the direction of its propagation for each period of its complete oscillation - the integral of the gradient of the ether pressure directed toward the source slightly exceeds the integral of the gradient of the ether pressure directed away from the source (Fig. 2).

Etherodynamic cause of the following physical processes:

1. The leading edge of the longitudinal propagation of the alternating gradient of ether pressure in the ether medium, taken as an “electromagnetic wave”, with the speed of disturbance of the ether of this medium c , with the corresponding pressure and density, in a given etheric spatial region.
2. The effect of pressure on the surface of a material body, the so-called “electromagnetic wave” – which is explained by the non-zero integral of the variable gradient of ether pressure at any point in space, directed toward the source of disturbance, and creating a force directed from this source to material body.

FAR (phased active antenna) directly implements the specified principle of superposition to create a directional characteristic of etheric radiation with a rapidly changing beam direction due to a change in the phase of each radiation element separately according to pre-calculated values.




Fig.2b. The principle of radiation and control of the direction of propagation and shape ether-dynamic wave by changing the phase for each radiation element of the FAR antenna.

1.3 Ether Pressure Gradients

Longitudinal etheric waves (as well as vortex etheric formations) are recorded "Variable Ether Pressure Gradients Measuring Instruments".

- http://www.course-as.ru/AEM_GE/AEM_GED.html#Measure



Fig.3. Avsharov's Etherodynamic Meter with Galvanic Isolation

2. Toroidal-ring etheric formation with Spin-Jet.

Characterized by pumping through the central zone of the toroidal-ring etheric flow, as well as material media that will be drawn in by the input etheric funnel, accelerated, twisted and thrown out through the output etheric funnel beyond the etheric body of the torus. There are two options for implementing the etheric toroidal-ring movement with the spin jet:

2.1 Single Etheric Toroid of Rotation

An example is a tornado, which is based on an etheric vortex, shown conditionally in Fig. 4, spinning an atmospheric vortex (see Fig. 5), in this case the etheric (and air) vortex is strongly pressed to the surface of the Earth and deformed.




Fig.4. Etherodynamic Toroid with Spin-Jet in Free Ether – schematic designation.

Fig. 5. Etherodynamic drive of Tornado in the atmosphere.



2.2 Dual Etheric Toroid of Rotation





Fig. 6. Etheric double toroidal vortex of the stellar or Galactic type, including Quasars. On the right is a diagram of a toroid.

The suction sides of the Twin Etheric Toroid of Rotation are directed towards each other to a friend, which is shown in Fig. 6.



An example of a double etheric toroid of rotation is the discovered etheric Galactic vortex with two Jets and “Crowns” located inside the stellar disk of our Milky Way galaxy.

The etherodynamic drive of the Milky Way Galaxy is shown in Fig. 7 and Fig. 8).

The characteristics of the Ethereal Environment near the Earth are fundamentally different from the Standard Model

The toroidal-ring organization of the movement of the etheric medium with emissions in the form of Spins-Jets is the main type of stable ether-dynamic object on all scales - from the Proton to Galaxies, which is due to the maximum high speed of pumping ether through the central region with a minimum cross-section, and, consequently, the drop in etheric pressure in the central region can reach tens of orders of magnitude (10_{10}) and more in relation to the magnitude of the etheric pressure in the environment outside the etheric toroid.




Fig. 9. Graphs of Ether Pressure, Ether Pressure Gradient, and accelerations in the region of the Earth's surface inside and outside it. (The blue vertical line is the boundary of the Earth's surface).

A significant drop in etheric pressure in the center of the torsion-ring etheric vortex is the source of gravity of astronomical objects (starting only with some satellites of planets), with accelerated movement of ether toward the center of gravity - (http://www.course-as.ru/AEM_GE/AEM_Gravy.pdf).

The main mechanism of energy and stability of the Toroidal-Ring vortex etheric formation generates an attached etheric vortex, which has dimensions more than an order of magnitude larger, and an energy that is the same number of times smaller, for example:

- **Galactic Etheric Vortex (Primary)** with an outer diameter of $\sim 5\text{PDA}$ (kiloparsec), within which the laws of gravity operate, has an attached galactic etheric vortex with a diameter of $\sim 150\text{PDA}$, which is ~ 2.5 times larger than the diameter of the visible part of the Galaxy MP diameter of ~ 60 kpc, and ~ 30 times larger than the diameter of the primary galactic etheric vortex;




Fig.10. Ethereal Galactic fractal vi hr

in the zone between the boundary of gravity and the boundary of the galaxy, there is a suction of ether towards the center of the galaxy.

The diameter of the trunk of the galactic etheric vortex is ~ 0.4 kpc, which is more than 12.5 times smaller (more than an order of magnitude) than the primary galactic etheric vortex, and more than ~ 375 times smaller than the attached galactic etheric vortex. The first sphere (in Fig. 9) is a *core galactic nucleid* diameter ~ 1 kpc. This is the upper level of the toroidal-ring etheric formation with Jets (Spins), described in more detail in the work:

- http://www.course-as.ru/AEM_GE/AEM_Astro.pdf.

We will not consider the intergalactic etheric vortex due to the insufficiency and incorrectness of data and observations.

- **Etheric Vortex of Proton** has an attached etheric vortex measuring 5 orders of magnitude larger than the size of a proton, i.e. it has the size of a hydrogen atom, which in the Standard Model is taken as an orbital of an "electron" (if a real etheric object of the "electron" type arises, it is only in a physical vacuum, for example, in an X-ray tube. The author has serious evidence for this).

IN External etheric pressure compresses and spins the ring and toroidal flows of the etheric toroid - the neutron, turning it into a proton, extremely resistant to external influences - it is maximally pumped with the energy of the ether moving in it.

Spin Jet is true (real) **Spine** elementary particles and atoms as etheric vortex formations, starting with the Proton, the properties of which determine all properties in NMR processes and in chemical reactions, in which everything is determined by the spin architecture of the molecules.

In all material objects that have a stable Etheric Toroidal-Ring organization, from the Proton to the Galaxy, including etheric vortices of the Tornado type and atmospheric cyclones, etheric drives of planets and stars (there will be a more detailed discussion of etheric cavitation formations later), etheric flows in the Spin-Jet represent predominantly high-speed longitudinal movement of the etheric mass in the direction from the center of the vortex in one direction (or in both directions with a double etheric toroid), simultaneously with the rotation of the entire etheric mass as a "Solid Body" - the speed of ring rotation in the Spin-Jet is proportional to the distance to the axis of rotation.

Coming out of the body of the Toroidal-Ring Etheric Vortex, the longitudinal velocity in the Spin-Jet decreases somewhat with the expansion of its diameter. The Spin-Jet extends over significant distances, for example, the Spin-Jet of some Galaxies is an order of magnitude or more larger than the size of the galaxy itself, or, for example, beyond the Proton limit, otherwise the NMR process of hydrogen atoms could not be realized in NMR tomographs!

Etherodynamic model of basic elements material world

/ "Etheric Electro-Magnetism. Part 1. Statics. Electrostatics." 2019

- http://www.course-as.ru/AEM_GE/AEM_GED.html#EM-p1/




Рис.10. Эфиродинамическая модель Протона (сверху) и Нейтрона (снизу) и их модели (справа)

Fig. 11. Bombarding Protons with Electrons at Stanford Accelerator SLAC, VD Burkert & Co, "The pressure distribution inside the proton": <https://doi.org/10.1038/s41586-018-0060-z>

Distribution of ether pressure on the surface of the Proton in the SLAC experiment in accordance with the concepts of "Gradient Etherodynamics".




Fig. 11. Conformity of the experiment SLAC and the toroidal ring with Spin-Jet.

Representation of the distribution of ether pressure along the section along the Proton axis in accordance with the concepts of "Gradient Etherodynamics".




Fig. 12. Change in ether pressure along the Proton axis.

Representation of the distribution of ether pressure along a section perpendicular to the Proton axis in accordance with the concepts of "Gradient Etherodynamics".





Fig. 13. Change in ether pressure perpendicular to the axis through the center of the Proton.

“Electric” Current in a conductor is a flow of Ether with rotation as a “Solid Body”



Cavitation Processes, Etherodynamic Measurements and Nuclear Transmutation

1. Etherodynamic measurements during cavitation.

The author has investigated all-penetrating etheric radiations on the iWET cavitation water installation (Fig. 15a) - measuring the values of the Etheric Pressure Gradients with an Avsharov ether-dynamic meter with galvanic isolation at various points of the device in the operating and non-operating state, as well as in the room where the installation is located at a distance of more than 3 meters from the operating elements of the installation, heated to 40 °C:

- http://www.course-as.ru/AEM_GE/AEM_GED.html#MGE-CAV.




Fig. 15a. Cavitational iWET water installation with measurement points.



Fig. 15b. Cavitation bubble with screwed Spin-jet.

The measurements of the values of the ether pressure gradients were made at 19 points on the device, which were made by the meter at the above-mentioned points perpendicular to its surface at a distance of 45 mm from the surface. The ether-dynamic meter is shown below "IGED-2gr", Fig. 15.:

- http://www.course-as.ru/AEM_GE/AEM_GED.html#Measure




Fig. 16. Etherodynamic Gradients meter of variable Ether Pressure "IGED-2gr".

During operation, induced vortex oscillations of the etheric environment occur around the installation, exceeding the background state of the etheric environment by 2 to 4 times, with a tendency to increase the excess over the background, with a long period of operation of the installation. It should be noted that the measurement on the radiator, which was not connected to the installation for more than 2 days during operation of the installation, was ~ 110 mV, an increase of up to +50% and indicates phantom etheric vortices inside the radiators.




Fig. 17. Crim LJ Physique, V.40, 285, 1979., KP and the Etherodynamic Model of KP.

The cavitation process in an aquatic environment, based on the concepts of Etherodynamics, is a multiple process of the generation of microscopic toroidal-ring vortex formations (Fig. 15b) with an intense release through the central channel of the Cavitation Bubble (KP).

Swirling Etheric and Water Flow (Spin-Jet in Etherodynamics Concepts – Fig. 17), which has enormous energy and, when colliding with a solid surface, creates "cavitation caverns." This was revealed by measuring the radiation from radiators that were not connected to the installation on the day of the measurements and several days earlier, exceeding the background of the room. **70.0 mV** 1.5 times, which is due to the activity of the surrounding etheric environment.

Small fluctuations in the surrounding etheric environment support etheric phantom and cavitation processes inside the installation due to the all-pervasiveness

abilities of the etheric environment; in rooms located at a considerable distance from the subject, the oscillations of the etheric environment were **-55 mV**.

The etherodynamic drive of the water cavitation bubble is the leading one in the symbiosis of the etheric toroidal-ring with the Spin-Jet and the water vortex of the cavitation bubble, which is a consequence, and the cause of its occurrence is the collision of water flows created by the generator of cavitation processes in the etheric and water environment.

In this case, mechanical sound shock waves arise, generating both water and, first of all, etheric vortices, which are compressed, spinning up to the maximum energy density in a minimum volume, with the release of a Spin-Jet in the direction of their movement.

2. Etheric Vortex Mechanism of Toroidal-Cavitation Transmutation - EVTCT

At the Klimov-Zatelepin seminar on Cold Transmutation of Nuclei (**HTY**) from On March 27, 2024, researcher Robert William Greenyer provided a link to his studies of samples obtained after the destruction of a third-party cavitation installation, which have direct evidence of the presence of toroidal structures formed when an ether-dynamic drive captures a cavitation bubble of a material medium, in this case, a pipe wall made of copper (**Cu**).

Links to films created by R. Grinier, for which ***I owe him a huge thank you!***:

- <https://youtube.com/live/RnQxSASCRPU?feature=share>, O-Day - Flux capacitor, 2024-03-17;
- <https://youtube.com/live/LAL1t9pSO-o?feature=share>, O-Day - The "Great Work", 2024-03-21;
- <https://youtube.com/live/aToDXB7a7UE?feature=share>, O-Day - °, 2024-03-25;

which is the most significant material on the topic of CNFS (Cold Nuclear Fusion) in the last few years (author's opinion).

***/ Below are some drawings taken from
from the films linked above. /***




Fig.18. R. Grinier presents toroidal structures on the surface of copper pipes obtained by capturing a “cavitation bubble” of the wall material of a copper pipe by an ether vortex (obtained using an electron microscope).

The process of Nuclear Transmutation has been documented in cavitation and in other processes leading to cavitation, including biological processes occurring on cellular double membranes in mitochondria, in the transmutation of oxygen from water into

carbon in photosynthesis (the name is fundamentally incorrect - photosynthesis is not the release of carbon from CO_2 , this is not a synthesis, but a transmutation downwards from oxygen (O) into carbon (WITH) !

This material was precisely what was lacking for a complete and reliable description of the etherodynamic process of disassembling and assembling atoms of matter as they pass through the center of the etheric toroidal-ring formation with a Spin-Jet, as evidence of the correctness of the model of the toroidal-ring organization of etheric movement with the distribution of etheric pressure according to the graphs in Fig. 12 and Fig. 13.

What do we see in Fig. 18? On the right is a fragment of the surface of a copper pipe, into which the etheric vortex of a "cavitation bubble" has crashed with its lateral surface, the axis of rotation of which is located at an angle to the surface, and the suction funnel of the vortex is partially immersed in the wall material.

The material of the copper wall is involved in the rotation cycle, so the toroidal structure is revealed, fragmented into small fractions, not completely filling the volume of the toroid, the rest of which was previously partially filled with water.





Fig. 19. Spin-Jet of toroidal structure of "cavitation bubble" from materials of R. Grinier.

Due to the incomplete filling of the toroid in the outlet funnel, the directions of the etheric flows are visible, which, when released into the aquatic environment, carry out (throw out) the material that has undergone transformation, having passed through the central region, apparently, when the installation was destroyed, it broke off itself transformed material.

But in Fig. 19, the Spin Jet was successfully recorded, which has a different composition of chemical elements (see table) from the pipe wall, the angle of inclination of the toroid is greater, the Spin Jet is powerful, its size exceeds the size of the toroid.

Fig. 19a. Toroidal reactor on Sacred Geometry proposed by Grinier.



It is important to understand that the author does not fully agree with R. Grinier in terms of his explanation of the mechanism of transmutation in strong connection with sacred geometry, but in general we have similar approaches and main conclusions about what is the reason for the appearance of a line of atoms in the process of cavitation, which were not previously in the original material.

The slight discrepancy in the research results is due to the fact that we, as engineers, approached the understanding of transmutation processes from different angles:

- the author from the side of Etherodynamics, and R. Grinier from the side of Sacred Geometry! Here is an interpretation of the toroidal construction of the cavitation process of transmutation, proposed by R. Grinier from the position of Sacred Geometry, based, in the author's opinion, on proportions related to the stability of real geometric objects, which work perfectly well in the microworld (see Fig. 19a).

The discovered conglomerates of materials that could not have been in the initial state of the cavitation installation, and those discovered by R. Grinier on the side of the outlet funnels of the toroidal formations, confirm their involvement in transmutation.



Fig. 20.Emission of carbon mass by the “Etheric Vortex Toroidal-“Cavitation Transmuter”.




Fig. 21. Emission of carbon by a cavitation toroid and conglomerates with the composition specified in table.

On the right is another cavitation toroid, frozen with trapped copper wall material, with significant carbon emission (C), since the toroid's inlet funnel was almost entirely in an aqueous medium (the toroid's axis has an inclination to the surface from right to left), the presence of conglomerates is confirmed by the table of chemical elements shown in the right part of Fig. 21.

Small toroids, shown in Fig. 20 and Fig. 21, have smaller dimensions, and therefore lower energy of the etheric vortex toroid, a significantly smaller drop in etheric pressure in the center of the toroidal vortex, which apparently does not provide transmutation. That is, desynthesis in the core of the toroidal-ring cavitation bubble does not occur, the synthesis of new chemical elements becomes impossible - near small toroids, new formations are clearly not observed in the presented films.




Fig. 22. Double-pipe Cavitation Reactor - left. Deformation of the internal reactor pipes - on the right.

Fig. 22 shows one of the cavitation thermal reactors developed *Bin-Juine Huang* destroyed, from which they were Samples of the walls of the inner copper pipe were obtained and examined by R. Grinier for the presence of nuclear transmutation processes.

Etherodynamic Mechanism of Nuclear Transmutation during cavitation processes.

The description of the results given above, from the standpoint of "Gradient Etherodynamics", which is a continuation and development of "Etherodynamics" by V.A. Atsyukovsky, allows us to understand the mechanism of transmutation of nuclei of chemical elements in the aqueous environment of a cavitation installation.

To create the process of transmutation of the input components down by atomic numbers, it is necessary to significantly weaken the compressive external pressure of the etheric medium on the primary atoms, which keeps the atoms from disintegrating.

Apparently there is a certain threshold of etheric pressure, below which atoms enter an unstable state and can be destroyed into different fragments.

This is the first part of the transmutation process, creating the necessary conditions for its occurrence. Many authors of theoretical etherodynamics accept that the charge of protons and electrons does not exist, but there is an interaction of the latter's etheric vortex flows in the etheric medium, obeying the laws for continuous media, and therefore **there is no Coulomb barrier!**

In cavitation installations, regardless of the type of cavitation generator, researchers of the cavitation processes themselves, such as:

- LA Crum ("SURFACE OSCILLATIONS AND JET DEVELOPMENT IN PULSATING BUBBLES", Oxford University 1979, see Fig. 16-17);
- Van Dyke M. ("Album of liquid and gas flows", Translation, Moscow "Mir", 1986);
- CE Brennen ("CAVITATION AND BUBBLE DYNAMICS", Oxford University Press 1995);
- Pershin S.M. ("Cavitation increases the ortho/para-H ratio: O isomers in water and reduces its viscosity", Prokhorov

Institute of the Russian Academy of Sciences);

everywhere can be traced toroidal-ring organization "cavitational bubbles" with the release of a screw structure in an aqueous medium.

The toroidal water structure visible in the light range is only secondary; the primary structure is an etheric vortex of the same configuration, which spins the water toroid, possessing many times greater energy and all-pervasive properties, proven by many observations.

***The energy of a cavitation bubble is energy
the ethereal vortex that created it!***

For example, a Tornado is an ethereal vortex of a different scale in the air environment - the passage of which through a material object changes its physical and chemical properties, due to the previously described mechanism of a strong decrease in ethereal pressure in the center of the ethereal toroid, in the trunk of the Tornado there is a movement of the ethereal environment, with captured bodies of the material environment, as "**Solid Body**".

The second part of the transmutation mechanism is the ejection of the accelerated "solid-state formation" from the outlet funnel of the toroid with high energy, during which it collides with the surrounding water or solid medium, a transition to the area of the medium with normal etheric pressure occurs, a monstrous compression and synthesis of various atoms occurs, which are maximally stable in this process.

This is how we managed to describe the process. **Desynthesis** and **Synthesis**- (transmutation) of the atoms of the environment as it is seen from the engineering point of view and the positions of "Gradient Etherodynamics".

A consistent design of the etheric vortex is presented as the driving force of the creation of the world material environment, born in the centers of toroidal-ring etheric toroids with the ejection of "newborn" Spins-Jets into the surrounding space of the etheric-material environment.

Confirmation is the birth of new stars and diffuse matter in the Galactic Jets, discovered by the academician of the USSR Academy of Sciences Viktor A. Ambartsumyan in the emissions of the radio galaxy M87, who put forward the revolutionary idea of the hierarchical division of the "Pre-Stellar Hadron":

/ In the fifties of the last century, V.A. Ambartsumyan established and irrefutably proved the existence of a completely opposite process in the Universe - the widespread formation of stars and galaxies from super-dense matter, which catastrophically explodes and disintegrates. /

- <http://vambartsumian.org/lib/pdf/ambartsumian.pdf>

According to the author's evidence, Protons are born in the centers of gravity created by a toroidal-ring etheric vortex (etherodynamic drive of planets, stars and galaxies) in an etheric environment with a gigantic reduced etheric pressure, which are ejected into the external material environment by the Spins-Jets of the corresponding etheric vortices (references are listed on page 4).

Similar transmutation processes occur in biological plant cells during the so-called "Photosynthesis", which is actually a process **Desynthesis** nuclei of the oxygen atom (**ABOUT₂**), taken from a water molecule, into the nucleus of a carbon atom (**C**), by taking away the nucleus of an atom (**He**), proven in experiments on growing plants in inert gases, supplying only water for nutrition, although, however, infrared radiation of a certain wavelength is required, for each plant individually:

- "Study of the absorption of carbon dioxide from the air by plants. Chapter 3", I.

N. Galkin, A. V. Shestopalov;

which completely refutes the official theory of photosynthesis.

Similar processes occur in biological cells of the animal world - for example, the transmutation of Potassium into Calcium, which is necessary for birds, necessary for the creation of eggshells, but absent in the diet, which is replaced by Potassium - for this, it is enough to add only two protons to Potassium during biological transmutation - and where is the Coulomb barrier! Where this process occurs has not yet been reliably determined (most likely in the mitochondria of cells, the double layer of membranes of which is a proton supercapacitor). It is necessary to reveal and describe how and where this transmutation mechanism occurs, and how the etheric vortex toroidal transmuter of Potassium into Calcium works, there is no other explanation for such an energy-consuming process!

Epilogue

Gradient Etherodynamics represents an integrated approach to understanding one of the main types of movement of the etheric medium - the Toroidal-Ring formation, which manifests itself on all scales - from the nanoworld to the Universe, with a Spin-Jet, which is not taken into account by outside researchers as an integral part of such an etheric formation, but which determines the behavior of many processes of the material world in the etheric medium.

The author has applied an engineering approach to the creation of highly complex systems - "Reengineering" - i.e. reconstruction and creation of a model of objects based on the results of the interaction of these objects with the surrounding etheric-material environment, the mathematical apparatus for such a model still requires its development. - AEM.

I live only by death, but I do not hide that I am happy with my unhappy lot; He who fears to live by death and captivity, - Enter the fire in which I burn.

Michelangelo Buonarroti

Conclusion

Etheric Vortex Mechanism of Toroidal-Cavitation Transmutation - **EVTKT**, is a generalization of the idea of "Toroidal-Ring Formation of Ether with Spin-Jet" - this universal *Forms of Movement (Life) Etherodynamic Flows*, in which the birth of a Proton in the Gravitational Etheric Flow, described earlier, occurs, as does the creation of chemical elements in the Spins-Jets of toroidal etheric vortex formations, for example - during cavitation, as well as during the birth of stars in the Jets of Galaxies, seen in the middle of the last century by Academician of the USSR Academy of Sciences V.A. Ambartsumyan, and confirmed by the latest astronomical observations.

The main conclusions presented in the article:

1. For the first time, a comparison was made between the ether-dynamic model of the Proton with Spin-Jet and the results of bombarding protons with electrons at the SLAC accelerator (Stanford), and a complete agreement between the model and the experiment was demonstrated.
2. For the first time, the distribution of Ether pressure along the Proton axis and in its cross section is shown, characteristic of any ether-dynamic process of toroidal-ring flow with a pronounced Spin-Jet, independent of the fractal scales of ether processes - from the Proton to the Galaxies.
3. For the first time, it was possible to describe the process of Desynthesis and Synthesis (transmutation) of atoms as it is seen from an engineering point of view and the position of "Gradient Etherodynamics":
A consistent design of the etheric vortex is presented as the driving force of the creation of the world material environment, which is born in the centers of toroidal-ring etheric toroids with the ejection of "newborn material objects" by Spins-Jets into the surrounding space of the material environment.

LITERATURE

1. Avsharov E.M.. "X-ray radiation as a longitudinal shock ether wave", Moscow, June 2017; -http://www.course-as.ru/AEM_GE/AEM_X-Ray.pdf.
2. Avsharov E.M. RUDN University Seminar on "X-rays and SM", 30.05.2019, "X-ray radiation as a longitudinal shock ether wave";
- http://www.course-as.ru/AEM_GE/AEM_GED.html#X-Ray-R
3. Avsharov E.M. Russian Interdisciplinary Seminar on Temporology named after A.P. Levich (IIPV), 02.11.2021 No. 751, "A Look at X-ray Radiation from the Standpoint of "Etherodynamics": X-Ray - Shock Longitudinal Ether Wave";
- http://www.course-as.ru/AEM_GE/AEM_GED.html#X-Ray-T
4. Avsharov E.M., "Etheric Electro-Magnetism. Part 3. Dynamics of "Electromagnetic Processes", Moscow, August, 2020;
- http://www.course-as.ru/AEM_GE/AEM_EI -p3.pdf.
5. Avsharov E.M. "Hertz and Tesla. Who is right, who is wrong", Moscow, December, 2021;
- http://www.course-as.ru/AEM_GE/AEM_Hertz&Tesla.pdf
6. Avsharov E.M. "Light and Radio Emissions are Different Ethereal Entities!", Moscow, December, 2021;
- http://www.course-as.ru/AEM_GE/AEM_Light&Radio.pdf
7. Avsharov E.M. "Gradient Etherodynamics. Measurements. Avsharov's Bifilar Measuring Devices (Etherodynamic)";
- http://www.course-as.ru/AEM_GE/AEM_GED.html#Measure
8. Avsharov E.M.. "Astronomical phenomena as a reaction of matter to the vortex motion of ether.", Moscow, May, 2021;
- http://www.course-as.ru/AEM_GE/AEM_Astro.pdf
9. "Ambartsumyan. Stages of life and scientific concepts", Moscow, MOLODAYA GUARD, 2011 -<http://vambartsumian.org/lib/pdf/ambartsumian.pdf>
10. Avsharov E.M. "Gravity and inertia as a reaction to accelerated motion ether", Moscow, November, 2018; -http://www.course-as.ru/AEM_GE/AEM_Gravy.pdf
11. Avsharov E.M. "Etheric Electro-Magnetism. Part 1. Statics. Electrostatics",

- Moscow, February, 2019; -http://www.course-as.ru/AEM_GE/AEM_GED.html#EM-p1
12. *Avsharov E.M.*. "States of variable ether pressure excited by the iWET cavitation water installation", Moscow, 01/26/2023.
- http://www.course-as.ru/AEM_GE/AEM_Cavi t-Meas.pdf.
13. *Burkert & Co*, "The pressure distribution inside the proton", 05/16/2018;
- <https://doi.org/10.1038/s41586-018-0060-z>
14. *Greenyer R.W.*, "Martin Fleischmann Memorial Project (MFMP)", films: O-Day - Flux capacitor, 2024-03-17 :
- <https://youtube.com/live/RnQxSASCRPU?feature=share>,
O-Day - The "Great Work", 2024-03-21:
- <https://youtube.com/live/LAL1t9pSO-o?feature=share>,
O-Day - °, 2024-03-25:
- <https://youtube.com/live/aToDXB7a7UE?feature=share>.
15. *Crum LA* ("SURFACE OSCILLATIONS AND JET DEVELOPMENT IN PULSATING BUBBLES", Oxford University 1979, see fig. 16-17);
16. *Van Dyke M.* ("Album of liquid and gas flows", Translation, Moscow "Mir", 1986);
17. *Brennen C.E.* ("Cavitation and Bubble Dynamics", Oxford University, Press 1995);
18. *Pershin S.M.* "Cavitation increases the ortho/para-H ratio²O isomers in water and reduces its viscosity",
Prokhorov Institute of the Russian Academy of Sciences;
19. *Galkin I. N., Shestopalov A. V.* "Study of the absorption of carbon dioxide from the air by plants."

The Etherodynamic Vortex mechanism Toroidal Cavitation Transmutation – EVTCT

E.M. Avsharov

COURSE-AS1 Ltd., Moscow/
ejen@course-as.ru ; ejen@mail.ru

"Gradient Etherodynamics" represents an integrated approach to understanding one of the main types of motion of the ethereal medium - a Toroidal-Ring formation with a "Spin-Jet", manifested on all scales - from the nanosphere to the Universe.

"Spin-Jet" is not taken into account by outside researchers as an integral part of such an ethereal formation, but which determines the behavior of many processes of the material world in the ethereal environment, the mathematical apparatus for such a model does not exist and still requires its development.

The author applied an engineering approach to the reconstruction of highly complex systems based on their behavior – "Reengineering" - ie, reconstruction and creation of a model of ethereal objects based on the results of the interaction of these objects with the surrounding ethereal-material environment .

The model of the "Toroidal-Ring flow of Ether with a Spin-Jet" allowed us to answer many questions, including the question of the mechanism of transformation of atomic nuclei of chemical elements during cavitation processes, and not only.