```
In [1]:
         import pandas as pd
         import numpy as np
         from scipy import stats
         import math
         # matplotlit and seaborn for visualizations
         import seaborn as sns
         import matplotlib.pyplot as plt
         plt.rcParams['font.size'] = 12
         # Suppress warnings from pandas
         import warnings
         warnings.filterwarnings('ignore')
         # modeling
         import lightgbm as lgb
         # utilities
         from sklearn.model selection import train test split
         from sklearn.metrics import roc_auc_score
         sns.set style("darkgrid")
         # memory management
         import gc
         import os
         # 운영체제별 한글 폰트 설정
         if os.name == 'posix': # Mac 환경 폰트 설정
             plt.rc('font', family='AppleGothic')
         elif os.name == 'nt': # Windows 환경 폰트 설정
             plt.rc('font', family='Malgun Gothic')
         plt.rc('axes', unicode_minus=False) # 마이너스 폰트 설정
         # 글씨 선명하게 출력하는 설정
         %config InlineBackend.figure format = 'retina'
         df = pd.read_csv("dataset2.csv")
         # import mglearn
         # from sklearn.model selection import KFold
         # from sklearn.preprocessing import LabelEncoder
In [2]:
         len(df[df['당뇨여부']==1])
Out[2]: 46579
In [3]:
        nodang = df[df['당뇨여부']==0].copy()
         dang = df[df['당뇨여부']==1].copy()
         print(len(nodang))
         print(len(dang))
        1133541
        46579
In [4]:
        X = df[['허리둘레','연령대코드(5세단위)', '감마지티피', '수축기혈압', '(혈청지오티)AST']].co
         y = df[['당뇨여부']].copy()
```

비당뇨: 당뇨 = 10:6

```
In [5]: from imblearn.under_sampling import RandomUnderSampler
          rus = RandomUnderSampler(random state=42, sampling strategy=0.6)
          X rus, y rus = rus.fit resample(X, y)
 In [6]:
          print(len(X_rus))
          print(len(y rus))
          print(np.sum(y rus))
         124210
         124210
         당뇨여부
                   46579.0
         dtype: float64
 In [7]:
          y_rus
                 당뇨여부
Out[7]:
              0
                    0.0
                    0.0
               2
                    0.0
               3
                    0.0
               4
                    0.0
         124205
                     1.0
         124206
                     1.0
         124207
                     1.0
         124208
                     1.0
         124209
                     1.0
        124210 rows × 1 columns
 In [8]:
          X_train, X_test, y_train, y_test = train_test_split(X_rus,y_rus.values,strati
          from lightgbm import LGBMClassifier, plot_importance
          from sklearn.preprocessing import StandardScaler, RobustScaler
          sc = RobustScaler()
          x_train = sc.fit_transform(X_train)
          x test = sc.transform(X test)
          lgb = LGBMClassifier(n estimators=400)
          evals = [(x_test, y_test)]
In [9]:
          # lgb.fit(x_train, y_train, early_stopping_rounds=100, eval_metric="logloss",
          lgb.fit(x train, y train, eval metric="logloss", eval set=evals, verbose=False
Out[9]: LGBMClassifier(n_estimators=400)
In [10]:
          y pred = lgb.predict(x test)
```

정확도

```
In [11]: lgb.score(x_test, y_test)

Out[11]: 0.6893567345624346
```

예측 결과

```
In [12]:

print("당뇨로 예측한 데이터 수 :", np.sum(y_pred))
print("실제 당뇨 데이터 수 :", np.sum(y_test))
print("전체 데이터 수 :", len(y_test))

당뇨로 예측한 데이터 수 : 8721.0
실제 당뇨 데이터 수 : 9316.0
전체 데이터 수 : 24842
```

TN, FP, FN, TP

TN, FP, FN, TP 검토

```
In [14]:
         y test = y test.reshape(-1)
In [15]:
          P = sum(y_test)
          TP = sum((y test==1) & (y pred==1))
          TPR = TP/P
          FN = sum((y_test==1) & (y_pred==0))
          FNR = FN/P
          N = sum(y_test==0)
          TN = sum((y_test==0) & (y_pred==0))
          TNR = TN/N
          FP = sum((y test==0) & (y pred==1))
          FPR = FP/N
          print(TN, FP, FN, TP)
          print(TPR, FPR)
         11965 3561 4156 5160
```

데이터 별 당뇨 분류 확률

0.5538857878917991 0.2293572072652325

```
[0.56451864, 0.43548136],
[0.46531121, 0.53468879]])
```

[당뇨X 확률, 당뇨 확률]

데이터 별 당뇨로 예측할 확률

```
In [18]:
          pos proba = y pred proba[:,1]
          # np.unique(pos proba)
          print(len(pos proba[pos proba > 0.8]))
         291
In [19]:
          print("pos proba 최솟값 :", min(pos proba))
          print("pos proba 최댓값 :", max(pos proba))
         pos proba 최솟값 : 0.0003504308470130176
         pos proba 최댓값 : 0.9646883677689273
In [20]:
          plt.hist(pos proba, range=(min(pos proba), max(pos proba)), bins=20)
         (array([2018., 1777., 1434., 1296., 1367., 1312., 1440., 1495., 1614.,
Out[20]:
                  1709., 1850., 2143., 2132., 1557., 815., 449., 221., 117.,
                   72.,
                           24.]),
          array([3.50430847e-04, 4.85673277e-02, 9.67842245e-02, 1.45001121e-01,
                  1.93218018e-01, 2.41434915e-01, 2.89651812e-01, 3.37868709e-01,
                 3.86085606e-01, 4.34302502e-01, 4.82519399e-01, 5.30736296e-01,
                 5.78953193e-01, 6.27170090e-01, 6.75386987e-01, 7.23603884e-01,
                 7.71820780e-01, 8.20037677e-01, 8.68254574e-01, 9.16471471e-01,
                 9.64688368e-01]),
          <BarContainer object of 20 artists>)
          2000
          1500
          1000
           500
             0
               0.0
                        0.2
                                0.4
                                        0.6
                                                0.8
                                                         1.0
```


당뇨 예측 확률과 실제 데이터

```
In [21]:    pos_sample_pos_proba = pos_proba[y_test==1]
    neg_sample_pos_proba = pos_proba[y_test==0]

In [22]:    plt.hist([pos_sample_pos_proba, neg_sample_pos_proba], histtype="barstacked")
```

```
plt.legend(["Positive samples", "Negative samples"])
plt.xlabel("Predicted probability of positive class")
plt.ylabel("Number of samples")
```

Out[22]: Text(0, 0.5, 'Number of samples')




ROC Curve

```
In [23]:
    fpr, tpr, thresholds = metrics.roc_curve(y_test, pos_proba)

In [24]:
    plt.plot(fpr, tpr, '*-')
    plt.plot([0,1], [0,1], 'r--')
    plt.legend(['Logistic regression', 'Random Classifier'])
    plt.xlabel('FPR')
    plt.ylabel('TPR')
    plt.title('ROC curve')
```

Out[24]: Text(0.5, 1.0, 'ROC curve')



AUC Score

```
In [25]: metrics.roc_auc_score(y_test, pos_proba)
```

0.0

0.0

Precision, Recall, Accuracy

```
In [26]:
          precision = TP/(TP+FP)
          recall = TP/(TP+FN)
          accuracy = (TP+TN)/(TP+FP+TN+FN)
          print("precision :",precision)
          print("recall :", recall)
          print("accuracy :", accuracy)
         precision: 0.5916752665978672
         recall: 0.5538857878917991
          accuracy: 0.6893567345624346
In [27]:
          precision2, recall2, thresholds2 = metrics.precision recall curve(y test, pos
In [28]:
          plt.plot(recall2, precision2, '-x')
          plt.xlabel('Recall')
          plt.ylabel('Precision')
          plt.title('Precision and recall for the LightGBM')
          plt.xlim([0,1])
          plt.ylim([0,1])
Out[28]: (0.0, 1.0)
                      Precision and recall for the LightGBM
            1.0
            0.8
         Precision 0.4
            0.6
            0.2
```

```
In [29]:
          metrics.auc(recall2, precision2)
         0.5893374118818853
Out[29]:
 In [ ]:
```

0.6

0.8

1.0

0.4

Recall

0.2