

```

In [1]: import pandas as pd
import numpy as np
from scipy import stats
import math

# matplotlib and seaborn for visualizations
import seaborn as sns
import matplotlib.pyplot as plt
plt.rcParams['font.size'] = 12

# Suppress warnings from pandas
import warnings
warnings.filterwarnings('ignore')

# modeling
import lightgbm as lgb

# utilities
from sklearn.model_selection import train_test_split
from sklearn.metrics import roc_auc_score

sns.set_style("darkgrid")
# memory management
import gc
import os
# 운영체제별 한글 폰트 설정
if os.name == 'posix': # Mac 환경 폰트 설정
    plt.rc('font', family='AppleGothic')
elif os.name == 'nt': # Windows 환경 폰트 설정
    plt.rc('font', family='Malgun Gothic')

plt.rc('axes', unicode_minus=False) # 마이너스 폰트 설정

# 글씨 선명하게 출력하는 설정
%config InlineBackend.figure_format = 'retina'

df = pd.read_csv("dataset2.csv")
# import mglearn
# from sklearn.model_selection import KFold
# from sklearn.preprocessing import LabelEncoder

```

```

In [2]: len(df[df['당뇨여부']==1])

```

Out[2]: 46579

```

In [3]: nodang = df[df['당뇨여부']==0].copy()
dang = df[df['당뇨여부']==1].copy()
print(len(nodang))
print(len(dang))

```

1133541
46579

```

In [4]: x = df[['허리둘레', '연령대코드 (5세단위)', '감마지티피', '수축기혈압', '(혈청지오티)AST']].copy()
y = df[['당뇨여부']].copy()

```

비당뇨 : 당뇨 = 10 : 4

```
In [5]: from imblearn.under_sampling import RandomUnderSampler

rus = RandomUnderSampler(random_state=42, sampling_strategy=0.4)
X_rus, y_rus = rus.fit_resample(X, y)
```

```
In [6]: print(len(X_rus))
print(len(y_rus))
print(np.sum(y_rus))
```

```
163026
163026
당뇨여부      46579.0
dtype: float64
```

```
In [7]: y_rus
```

```
Out[7]:
```

| | 당뇨여부 |
|--------|------|
| 0 | 0.0 |
| 1 | 0.0 |
| 2 | 0.0 |
| 3 | 0.0 |
| 4 | 0.0 |
| ... | ... |
| 163021 | 1.0 |
| 163022 | 1.0 |
| 163023 | 1.0 |
| 163024 | 1.0 |
| 163025 | 1.0 |

163026 rows × 1 columns

```
In [8]: X_train, X_test, y_train, y_test = train_test_split(X_rus, y_rus.values, stratify=y_rus,
from lightgbm import LGBMClassifier, plot_importance
from sklearn.preprocessing import StandardScaler, RobustScaler
sc = RobustScaler()
x_train = sc.fit_transform(X_train)
x_test = sc.transform(X_test)
lgb = LGBMClassifier(n_estimators=400)
evals = [(x_test, y_test)]
```

```
In [9]: # lgb.fit(x_train, y_train, early_stopping_rounds=100, eval_metric="logloss",
lgb.fit(x_train, y_train, eval_metric="logloss", eval_set=evals, verbose=False)
```

```
Out[9]: LGBMClassifier(n_estimators=400)
```

```
In [10]: y_pred = lgb.predict(x_test)
```

정확도

```
In [11]: lgb.score(x_test, y_test)
```

```
Out[11]: 0.7292216156535607
```

예측 결과

```
In [12]: print("당뇨로 예측한 데이터 수 :", np.sum(y_pred))
print("실제 당뇨 데이터 수 :", np.sum(y_test))
print("전체 데이터 수 :", len(y_test))
```

당뇨로 예측한 데이터 수 : 5343.0
실제 당뇨 데이터 수 : 9316.0
전체 데이터 수 : 32606

TN, FP, FN, TP

```
In [13]: from sklearn import metrics
metrics.confusion_matrix(y_test, y_pred)

# [[TN, FP],
#  [FN, TP]]
```

```
Out[13]: array([[20862, 2428],
               [ 6401, 2915]])
```

TN, FP, FN, TP 검토

```
In [14]: y_test = y_test.reshape(-1)
```

```
In [15]: P = sum(y_test)
TP = sum((y_test==1) & (y_pred==1))
TPR = TP/P
FN = sum((y_test==1) & (y_pred==0))
FNR = FN/P
N = sum(y_test==0)
TN = sum((y_test==0) & (y_pred==0))
TNR = TN/N
FP = sum((y_test==0) & (y_pred==1))
FPR = FP/N
print(TN, FP, FN, TP)
print(TPR, FPR)
```

20862 2428 6401 2915
0.31290253327608414 0.10425075139544869

데이터 별 당뇨 분류 확률

```
In [16]: y_pred_proba = lgb.predict_proba(x_test)
y_pred_proba
```

```
Out[16]: array([[0.77535637, 0.22464363],
               [0.50250479, 0.49749521],
               [0.85553427, 0.14446573],
               ...,
               [0.49969824, 0.50030176],
```

```
[0.46281338, 0.53718662],  
[0.83930297, 0.16069703]])
```

[당뇨X 확률, 당뇨 확률]

```
In [17]: y_pred_proba.shape
```

```
Out[17]: (32606, 2)
```

데이터 별 당뇨로 예측할 확률

```
In [18]: pos_proba = y_pred_proba[:,1]  
# np.unique(pos_proba)  
print(len(pos_proba[pos_proba > 0.8]))
```


```
73
```

```
In [19]: print("pos_proba 최솟값 :", min(pos_proba))  
print("pos_proba 최댓값 :", max(pos_proba))
```

```
pos_proba 최솟값 : 5.429562170350391e-05  
pos_proba 최댓값 : 0.9239790096335633
```

```
In [20]: plt.hist(pos_proba, range=(min(pos_proba),max(pos_proba)), bins=20)
```

```
Out[20]: (array([4231., 3091., 2189., 2209., 2183., 2204., 2262., 2292., 2251.,  
                2353., 2394., 2196., 1365., 691., 339., 171., 95., 48.,  
                26., 16.]),  
array([5.42956217e-05, 4.62505313e-02, 9.24467670e-02, 1.38643003e-01,  
       1.84839238e-01, 2.31035474e-01, 2.77231710e-01, 3.23427946e-01,  
       3.69624181e-01, 4.15820417e-01, 4.62016653e-01, 5.08212888e-01,  
       5.54409124e-01, 6.00605360e-01, 6.46801595e-01, 6.92997831e-01,  
       7.39194067e-01, 7.85390303e-01, 8.31586538e-01, 8.77782774e-01,  
       9.23979010e-01]),  
<BarContainer object of 20 artists>)
```




당뇨 예측 확률과 실제 데이터

```
In [21]: pos_sample_pos_proba = pos_proba[y_test==1]  
neg_sample_pos_proba = pos_proba[y_test==0]
```

```
In [22]: plt.hist([pos_sample_pos_proba, neg_sample_pos_proba], histtype="barstacked")
```

```
plt.legend(["Positive samples", "Negative samples"])
plt.xlabel("Predicted probability of positive class")
plt.ylabel("Number of samples")
```

Out[22]: Text(0, 0.5, 'Number of samples')




ROC Curve

```
In [23]: fpr, tpr, thresholds = metrics.roc_curve(y_test, pos_proba)
```

```
In [24]: plt.plot(fpr, tpr, '*-')
plt.plot([0,1], [0,1], 'r--')
plt.legend(['Logistic regression', 'Random Classifier'])
plt.xlabel('FPR')
plt.ylabel('TPR')
plt.title('ROC curve')
```

Out[24]: Text(0.5, 1.0, 'ROC curve')



AUC Score

```
In [25]: metrics.roc_auc_score(y_test, pos_proba)
```

Out[25]: 0.7564976233541245

Precision, Recall, Accuracy


```
In [26]: precision = TP/(TP+FP)
recall = TP/(TP+FN)
accuracy = (TP+TN)/(TP+FP+TN+FN)
print("precision :",precision)
print("recall :", recall)
print("accuracy :", accuracy)
```

```
precision : 0.5455736477634288
recall : 0.31290253327608414
accuracy : 0.7292216156535607
```

```
In [27]: precision2, recall2, thresholds2 = metrics.precision_recall_curve(y_test, pos_
```

```
In [28]: plt.plot(recall2, precision2, '-x')
plt.xlabel('Recall')
plt.ylabel('Precision')
plt.title('Precision and recall for the LightGBM')
plt.xlim([0,1])
plt.ylim([0,1])
```

Out[28]: (0.0, 1.0)



```
In [29]: metrics.auc(recall2, precision2)
```

Out[29]: 0.504522893132593

In []: