# SSL - Secure Socket Layer

Arnamoy Bhattacharyya

#### Tom (client)



Credit Card Details ————

#### Online Banking Server



#### Tom (client)




Credit Card Details ————



Attacker

#### Online Banking Server





# SSL == Secure Sockets Layer

Used for secure communications

Typically seen in web services (https://)

Uses both public key and private key cryptography

Communication begins with a **handshake protocol** between client and server to establish identity and set up session keys used to encrypt remainder of the transmissions




Tom a.k.a 'Client'

Bank Web Server a.k.a 'Server'



Phase 1: Establishing Security Capabilities (Client-Server Hello)




Phase 1: Establishing Security Capabilities (Client-Server Hello)


# **TLS/SSL Handshake Public Key** Generate Random Number, RNc RNc **Private Key Client Hello** Crypto Information, RNc **RNc** RNc RNc

Phase 1: Establishing Security Capabilities (Client-Server Hello)

RNc



Phase 1: Establishing Security Capabilities (Client-Server Hello)



Phase 1: Establishing Security Capabilities (Client-Server Hello)










Private Key

RNc

RNs


RNc

RNs






Phase 2 : Server Authentication & Key Exchange



Phase 2 : Server Authentication & Key Exchange




Phase 2 : Server Authentication & Key Exchange




Phase 4: Key Generation

## **TLS/SSL Handshake** Public Key Generate Random Number, Pre-Master Secret, PMSc **PMSc** Private Key Send PMSc encrypted with Server Public Key RNc RNc RNs RNs **PMSc**

Phase 4: Key Generation



Phase 4: Key Generation



Phase 4: Key Generation



MS



**End SSL Handshake** 

MS


Phase 5: Finish





MS

MS




Phase 5: Finish



MS





MS