

Understanding Quiz — Answer Key

Question, four options (correct marked), rationales cite COLREGs rule numbers and summarise the rule text.

understand-legacy-01

You are the stand-on vessel in a crossing situation. The give-way vessel is not taking action to avoid collision. What should you do?

☐ Reduce to bare steerage way and allow the give-way vessel additional time and sea room to fulfil her obligation under Rule 16

!' Rule 16; Rule 17(a) — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

☒ Take action to avoid collision as soon as it becomes apparent that the give-way vessel is not taking appropriate action

!' Rule 16; Rule 17(a) — Correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. (See COLREGs Rule 16 for the full rule text.)

☐ Sound five short and rapid blasts on the whistle and then alter course to port to pass astern of the other vessel

!' Rule 16; Rule 17(a) — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

☐ Continue to hold your course and speed as required under Rule 17(a)(i), since the give-way vessel retains sole responsibility to manoeuvre clear

!' Rule 16; Rule 17(a) — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

understand-legacy-02

In restricted visibility, your radar shows a vessel forward of your beam. What course alteration should you avoid?

☒ Alteration to port

!' Rule 19 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Alteration to starboard

!' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Either direction is acceptable

!' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ No alteration should be made

!' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

understand-legacy-03

You are overtaking another vessel in a narrow channel. What signals must you sound?

☐ One short blast followed by two prolonged blasts, requesting the other vessel to take action to permit safe passing

!' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ One prolonged blast followed by one short blast, indicating an intention to overtake on the starboard side of the channel

!' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ Five short and rapid blasts, indicating doubt about the other vessel's intentions or whether sufficient action is being taken

!' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☒ Two prolonged blasts followed by one short blast, indicating an intention to overtake on the starboard side in the narrow channel

!' Rule 9; Rule 13; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate

only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

understand-legacy-04

Two sailing vessels on different tacks are approaching each other. Which vessel must give way?

☐ The vessel to windward, since the windward vessel has better visibility and is expected to give way on any tack

! ' Rule 25 — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions.

This option does not match that part of the Rule.

☐ The vessel on the leeward side, as the vessel in the lee position can observe the other's sails more clearly and manoeuvre first

! ' Rule 25 — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions.

This option does not match that part of the Rule.

☒ The vessel with the wind on the port side shall keep out of the way of the other

! ' Rule 25 — Correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. (See COLREGs Rule 25 for the full rule text.)

☐ The vessel with wind on the starboard side, because the starboard-tack vessel is expected to give way to the port-tack vessel

! ' Rule 25 — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions.

This option does not match that part of the Rule.

understand-legacy-05

The master asks you to justify your speed. What is the primary factor in determining safe speed?

☐ The speed recommended by the port authority or local navigational directive

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

☒ A speed at which you can take proper avoiding action and stop within a distance suited to the conditions

! ' Rule 6 — Correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. (See COLREGs Rule 6 for the full rule text.)

☐ The speed that allows you to stop within half the distance of visibility

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

☐ The prevailing traffic density and concentration of vessels in the area

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

understand-legacy-06

You hear one prolonged blast ahead in fog. What does this signal mean?

☐ Vessel aground

! ' Rule 19; Rule 34 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Power-driven vessel underway but stopped

! ' Rule 19; Rule 34 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Power-driven vessel making way

! ' Rule 19; Rule 34 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Vessel at anchor

! ' Rule 19; Rule 34 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

understand-legacy-07

In a head-on situation between two power-driven vessels, what action should both vessels take?

☒ Both vessels alter course to starboard so that each passes on the port side of the other

! ' Rule 15 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

☐ Both vessels alter course to port so that each passes on the starboard side of the other

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ The vessel that has the other on her starboard side must give way, applying the crossing rule of Rule 15

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ The vessel proceeding against the tidal stream must give way, as she has greater ability to reduce speed over the ground

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

understand-legacy-08

A vessel constrained by her draught is approaching. What is your responsibility?

☐ Both vessels share equal collision-avoidance responsibility because Rule 18(d) uses advisory language that does not create a binding obligation

! Rule 18(d); Rule 18(a) — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ The CBD vessel must keep out of your way, because a power-driven vessel making way retains priority over a CBD vessel outside narrow channels

! Rule 18(d); Rule 18(a) — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ You must keep out of the way under Rule 18(a), as the CBD vessel occupies the highest category in the hierarchy of vessel types

! Rule 18(d); Rule 18(a) — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☒ You should avoid impeding her safe passage if the circumstances of the case admit

! Rule 18(d); Rule 18(a) — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

understand-legacy-09

When is a vessel considered to be overtaking another?

☐ When approaching from any direction abaft the beam of the other vessel and making a higher speed through the water

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☒ When coming up from a direction more than 22.5 degrees abaft the beam of the other vessel

! Rule 13 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

☐ When closing from a position where both sidelights and the stern light of the other vessel would be visible at night

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ When approaching from within 22.5 degrees of the other vessel's stern, that is, from a position where only her stern light would be visible at night

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

understand-legacy-10

What lights does a vessel engaged in trawling display?

☒ Green over white

! Rule 26 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ Red over white

! Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ White over red

! Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Two red lights

!' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

understand-legacy-11

In a traffic separation scheme, when may you cross a separation zone?

☐ When the vessel has received advance clearance from the coastal State's traffic-monitoring authority for the area

!' Rule 26; Rule 15; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ When the vessel needs to proceed to a port on the other side of the scheme and the separation zone offers the most direct route

!' Rule 26; Rule 15; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ When visibility exceeds five nautical miles and the crossing can be completed without impeding traffic in the adjacent lanes

!' Rule 26; Rule 15; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☒ Only in an emergency to avoid immediate danger, or to engage in fishing within the separation zone

!' Rule 26; Rule 15; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

understand-legacy-12

What is your primary duty when you detect another vessel by radar in restricted visibility?

☐ Alter course to port to pass astern of the radar contact, as this is the standard avoidance manoeuvre for vessels detected forward of the beam

!' Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Sound five short and rapid blasts to alert the other vessel to your presence and indicate concern about her closing approach

!' Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Determine whether a close-quarters situation or risk of collision is developing and, if so, take avoiding action in ample time

!' Rule 19; Rule 13; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Maintain your present course and speed until the other vessel comes within visual range, then apply the normal steering and sailing rules

!' Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

understand-legacy-13

A power-driven vessel and a sailing vessel are approaching. Who has right of way?

☐ The power-driven vessel, because her engine and propeller give her superior manoeuvrability and a faster response to helm orders

!' Rule 18; Rule 15; ... — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☒ The sailing vessel, as Rule 18 requires a power-driven vessel underway to keep out of the way of a sailing vessel

!' Rule 18; Rule 15; ... — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

☐ The vessel that has the other on her own starboard side, following the crossing rule of Rule 15 which applies to all encounters

!' Rule 18; Rule 15; ... — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out

of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] The vessel on the port tack, applying the sailing-vessel right-of-way rules from Rule 12 regardless of the type of propulsion

! ' Rule 18; Rule 15; ... — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

understand-legacy-14

What does the compass bearing of an approaching vessel tell you about collision risk?

[] If the compass bearing changes appreciably, risk of collision exists because the other vessel is altering course toward you

! ' Rule 26; Rule 7; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Compass bearings are reliable for assessing collision risk only when range is less than six nautical miles; beyond that, radar CPA is the sole authoritative measure

! ' Rule 26; Rule 7; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] If the compass bearing of the approaching vessel does not appreciably change, risk of collision shall be deemed to exist

! ' Rule 26; Rule 7; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] If the compass bearing remains steady, risk exists only when the other vessel is also power-driven; for sailing and fishing vessels the bearing criterion does not apply

! ' Rule 26; Rule 7; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

understand-legacy-15

In a narrow channel, where should a vessel keep?

[] As near as is safe and practicable to the outer limit of the channel on her starboard side

! ' Rule 9 — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] As near as is safe and practicable to the outer limit on her port side, keeping the deeper water to starboard for safety

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] In the centre of the channel, maintaining equal clearance from both banks and from any vessel approaching from the opposite direction

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] On whichever side of the channel offers the deepest water, as the primary obligation under Rule 9 is to maintain adequate under-keel clearance

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

understand-legacy-16

Two power-driven vessels are crossing. Which vessel is the give-way vessel?

[] The vessel making the higher speed gives way, as she has greater ability to manoeuvre and more time to take avoiding action

! ' Rule 14; Rule 15; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] Vessel B must give way, because the vessel positioned on the port side of the other is designated the give-way vessel in a crossing

! ' Rule 14; Rule 15; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] Both vessels must alter course to starboard as though in a head-on situation, since their crossing courses converge from opposite sides

! ' Rule 14; Rule 15; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] Vessel A, which has Vessel B on her starboard side, must keep out of the way

!' Rule 14; Rule 15; ... — Correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. (See COLREGs Rule 14 for the full rule text.)

understand-legacy-17

The other vessel is clearly the give-way ship. What action should the give-way vessel take, in principle?

☒ Take early and substantial action to keep well clear

!' Rule 17; Rule 16; ... — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

☐ Make a succession of small course adjustments while monitoring the other vessel's response on radar before committing to a larger alteration

!' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☐ Sound one short blast and alter course to starboard by at least 10 degrees, the minimum change typically detectable on another vessel's radar

!' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☐ Reduce speed gradually while holding your present heading, allowing the stand-on vessel to pass safely ahead

!' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

understand-legacy-18

A vessel displays two red lights in vertical line. What does this indicate?

☐ A vessel engaged in fishing with gear extending more than 150 metres

!' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☒ A vessel not under command

!' Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ A vessel restricted in her ability to manoeuvre

!' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ A vessel constrained by her draught

!' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

understand-legacy-19

What is the purpose of maintaining a proper lookout?

☐ To assist in navigating the ship along her planned track

!' Rule 5; Rule 7 — Not correct. every vessel shall at all times maintain a proper look-out by sight and hearing as well as by all available means appropriate in the circumstances. This option does not match that part of the Rule.

☐ To monitor other vessels' movements only in congested waters

!' Rule 5; Rule 7 — Not correct. every vessel shall at all times maintain a proper look-out by sight and hearing as well as by all available means appropriate in the circumstances. This option does not match that part of the Rule.

☒ To make a full appraisal of the situation and of the risk of collision

!' Rule 5; Rule 7 — Correct. every vessel shall at all times maintain a proper look-out by sight and hearing as well as by all available means appropriate in the circumstances. (See COLREGs Rule 5 for the full rule text.)

☐ To record the position and identity of other vessels for the logbook

!' Rule 5; Rule 7 — Not correct. every vessel shall at all times maintain a proper look-out by sight and hearing as well as by all available means appropriate in the circumstances. This option does not match that part of the Rule.

In restricted visibility, you hear a fog signal forward of your beam. What should you do?

☐ Maintain your present course and speed while sounding the prescribed fog signals at two-minute intervals, relying on the other vessel to take avoiding action

! Rule 19; Rule 35 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Alter course to starboard immediately to open the bearing and increase separation, then resume your base course once the signal fades

! Rule 19; Rule 35 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Increase to full manoeuvring speed to clear the area before the other vessel closes, minimising the time you spend in a potential close-quarters situation

! Rule 19; Rule 35 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Reduce speed to the minimum at which you can be kept on course, or take all way off if necessary, and navigate with extreme caution until the danger of collision is past

! Rule 19; Rule 35 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

You are closing past a vessel you have been overtaking. When does the overtaking situation end?

☐ As soon as you draw abeam of the other vessel

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ As soon as the relative bearing changes past the beam

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☒ Only when you are finally past and clear of the overtaken vessel

! Rule 13 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

☐ When the overtaken vessel signals agreement that you are clear

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

A cadet asks about the “escape clause” in the Rules. What does Rule 2 (Responsibility) emphasize?

☐ Strict compliance with every rule is mandatory regardless of the danger it may create in particular circumstances

! Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

☐ Compliance with the rules automatically relieves a vessel of liability for the consequences of any neglect of seamanship

! Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

☐ The rules apply only to encounters between vessels that are in sight of one another

! Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

☒ Due regard must be had to all dangers and special circumstances; departure from the rules may be necessary to avoid immediate danger

! Rule 2 — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

A small sailing vessel is in a narrow channel where a large ship can only navigate. Who has priority?

[] The sailing vessel retains priority under Rule 18, because the general hierarchy places sailing vessels above power-driven vessels in every encounter

! ' Rule 18; Rule 9; ... — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] The vessel that can safely navigate only within the narrow channel has priority under Rule 9; the sailing vessel must not impede her passage

! ' Rule 18; Rule 9; ... — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

[] The vessel to starboard has priority, applying the crossing rule of Rule 15 regardless of whether the encounter occurs inside a narrow channel

! ' Rule 18; Rule 9; ... — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] Both vessels share equal responsibility, as Rule 9 applies only to vessels that are 20 metres or more in length

! ' Rule 18; Rule 9; ... — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

What alterations should be avoided when taking action to avoid collision?

[] A succession of small alterations of course and/or speed

! ' Rule 13; Rule 8; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] A reduction in speed without any corresponding change in heading, since a speed change alone may be difficult for the other vessel to detect by sight or radar

! ' Rule 13; Rule 8; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] An alteration toward the other vessel when you have limited sea room astern and cannot safely turn away

! ' Rule 13; Rule 8; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] A single large alteration of course, because a conspicuous change makes it harder for the other vessel to predict your final heading

! ' Rule 13; Rule 8; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

At what point should collision avoidance action be taken?

[] Only after the other vessel has sounded a manoeuvring or warning signal confirming her intended action

! ' Rule 8; Rule 2 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] Positive action in ample time, with due regard to the observance of good seamanship

! ' Rule 8; Rule 2 — Correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. (See COLREGs Rule 8 for the full rule text.)

[] After the CPA and TCPA have been confirmed by at least two successive ARPA plots at six-minute intervals

! ' Rule 8; Rule 2 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] When the range has closed to within two nautical miles, because at greater distances any manoeuvre may be premature if the other vessel also alters

! ' Rule 8; Rule 2 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

What additional equipment considerations apply to vessels with radar when determining safe speed?

[] Only the range scale currently selected on the radar display and the number of targets within the guard zone

!' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Radar provides a complete picture of all traffic, so no additional safe-speed considerations are needed beyond those for vessels without radar

!' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] The characteristics, efficiency, and limitations of the radar equipment, including its ability to detect small vessels and the effect of sea state

!' Rule 6 — Correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. (See COLREGs Rule 6 for the full rule text.)

[] Radar allows the OOW to assess the situation remotely, so the vessel may proceed at her normal sea speed provided a continuous watch is maintained

!' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

How should a vessel navigate when nearing a bend in a narrow channel?

[] Come to bare steerage way and wait until radar or AIS confirms that no vessel is approaching from the other side of the bend before proceeding

!' Rule 9; Rule 5; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Reduce to dead slow ahead and post additional lookouts forward, but avoid sounding any whistle signal that might confuse an approaching vessel

!' Rule 9; Rule 5; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Sound five short and rapid blasts to alert any vessel that may be approaching from beyond the bend

!' Rule 9; Rule 5; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Navigate with particular alertness and caution, and sound one prolonged blast

!' Rule 9; Rule 5; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

You are in a power-driven vessel in open water. What is the general hierarchy when you meet other types of vessel under Rule 18?

[] A power-driven vessel must keep clear of vessels not under command, restricted in ability to manoeuvre, engaged in fishing, and sailing vessels

!' Rule 18 — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

[] All vessel types share equal collision-avoidance responsibility, and the vessel-type hierarchy applies only inside narrow channels

!' Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] A power-driven vessel has priority over vessels not under command whenever she is proceeding at safe speed in a traffic lane

!' Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] A power-driven vessel must give way only to vessels that are displaying special shapes or lights indicating a

restricted condition

! " Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

understand-legacy-29

You need to cross a traffic lane to reach a berth. When crossing a traffic lane, at what angle should you cross relative to the general flow?

☐ Parallel to the traffic flow until a suitable gap appears, then turning sharply across the lane to complete the crossing in the shortest time

! " Rule 9; Rule 15; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☒ As nearly as practicable at right angles to the general direction of traffic flow

! " Rule 9; Rule 15; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

☐ At approximately 45 degrees to the general direction of traffic flow, to minimise the time spent inside the lane while maintaining effective steerage

! " Rule 9; Rule 15; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ At the discretion of the OOW, provided the crossing is completed in the shortest practicable time and does not impede vessels following the lane

! " Rule 9; Rule 15; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

understand-legacy-30

The ARPA plot looks ambiguous. What should you assume if there is any doubt about collision risk?

☒ Risk of collision shall be deemed to exist, and appropriate action must be taken accordingly

! " Rule 17; Rule 7 — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

☐ Continue monitoring for at least 15 minutes to establish a reliable trend in the bearing and range before deciding whether action is warranted

! " Rule 17; Rule 7 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☐ Take no action until a full radar plot confirms the other vessel's course and speed, since premature manoeuvring may create a worse situation

! " Rule 17; Rule 7 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☐ Contact the other vessel on VHF to ascertain her intentions before committing to any change of course or speed

! " Rule 17; Rule 7 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

understand-doc-001

You are the officer of the watch on a Type 45 destroyer leaving Faslane for Portsmouth; the forenoon watch has just passed Cloch Point and the navigator promised good visibility and clear skies. The captain asks the senior training officer: must a visiting US Navy submarine comply with the Rules on navigation lights? What do the Rules say?

☐ Yes — but she may adopt alternative lighting arrangements without government approval if full compliance is impracticable.

! " Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

☒ No — as a vessel of special construction, her government determines the closest practicable compliance, and

she must comply as nearly as possible.

! Rule 20 — Correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. (See COLREGs Rule 20 for the full rule text.)

[] Yes — all military vessels must comply fully with standard lighting rules regardless of their construction.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] No — military submarines are fully exempt from the International Regulations for Preventing Collisions at Sea.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

understand-doc-002

Whilst proceeding down Hunterston Channel, the QM spots a small vessel engaged in fishing within the channel. What are the responsibilities of the respective vessels within this Narrow Channel in terms of who should avoid impeding whom?

[] Both vessels are required to alter course to starboard and pass port-to-port as in a head-on meeting situation.

! Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] The Type 45 Destroyer must give way to the fishing vessel under Rule 18 because a power-driven vessel keeps clear of a vessel engaged in fishing.

! Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] The fishing vessel retains the right of way under Rule 18 because she is actively engaged in fishing with gear restricting her manoeuvrability.

! Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] The fishing vessel shall not impede the passage of any other vessel navigating within a narrow channel or fairway.

! Rule 18 — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

understand-doc-003

Who is the Give Way Vessel between the fishing vessel and you if risk of collision exists and why? (R8f, iii)

[] The fishing vessel, because a vessel under 20 metres must keep clear of any larger vessel in a narrow channel under Rule 9(b).

! Rule 8(f) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] The Type 45 Destroyer, because Rule 18 states a power-driven vessel making way must keep out of the way of a vessel engaged in fishing.

! Rule 8(f) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] The fishing vessel, because the Type 45 is constrained by its draught.

! Rule 8(f) — Correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. (See COLREGs Rule 8 for the full rule text.)

[] The Type 45 Destroyer, because it is overtaking the fishing vessel from a direction more than 22.5 degrees abaft the beam.

! Rule 8(f) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

understand-doc-004

You pass through Hunterston Channel and encounter a yacht race. Traffic is exceptionally heavy and it is becoming difficult to assess the situation and likelihood of risk of collision. What action shall you take? (R8e)

[] Slacken your speed or take all way off by stopping or reversing means of propulsion to allow more time to assess the situation.

! Rule 8(e) — Correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. (See COLREGs Rule 8 for the full rule text.)

[] Alter course to port to go completely around the yacht race.

! Rule 8(e) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] Maintain course and speed to ensure your movements are predictable.

! Rule 8(e) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] Sound five short and rapid blasts and maintain speed.

! Rule 8(e) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

understand-doc-005

Contrary to the NO's brief you sight a thick fog bank approximately 1 NM away. At what point shall you turn on your navigation lights and why? (R20)

[] From sunset to sunrise, and also from sunrise to sunset in restricted visibility.

! Rule 20 — Correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. (See COLREGs Rule 20 for the full rule text.)

[] When the Commanding Officer assesses that the reduced visibility warrants illumination and orders the lights switched on.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Only between sunset and sunrise; the fog alone does not trigger a requirement to show navigation lights by day.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Only when the vessel physically enters the fog bank, as lights shown in clear air may be confused with shore lights.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

understand-doc-006

Just as you enter the fog bank the MEO enters the bridge and requests to take the stbd engine to one hours' notice in order to carry out some maintenance. Is this appropriate? (R19b)

[] No — machinery should not be taken offline while in restricted visibility unless there is a redundant system that preserves immediate manoeuvring capability.

! Rule 19(b) — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Yes, provided the remaining engine can deliver full manoeuvring power and the bridge is informed of any limitations.

! Rule 19(b) — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Yes, provided both the Commanding Officer and the Navigator give their formal approval to the maintenance request.

! Rule 19(b) — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] No — in restricted visibility, engines must be ready for immediate manoeuvre.

! Rule 19(b) — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

understand-doc-007

You hear one prolonged blast ahead of the ship but are unsure as to the exact direction it came from. What action shall you take? (R19e)

[] Sound two prolonged blasts in reply to warn the other vessel of your presence and maintain your current course.

! Rule 19(e) — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Reduce speed to the minimum at which she can be kept on course, and if necessary, take all way off, navigating with extreme caution until danger of collision is over.

! Rule 19(e) — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Alter course boldly to starboard, as Rule 19(d) favours starboard alterations for any contact detected ahead in restricted visibility.

! ' Rule 19(e) — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Stop engines immediately and prepare to let go the anchor while sounding the prescribed anchor signal.

! ' Rule 19(e) — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

understand-doc-008

Your foc'sle lookout reports a sound signal of one prolonged blast followed by two short blasts. What sort of vessel could this be? (R35c)

☐ A power-driven vessel making way through the water, signalling her presence in restricted visibility to other nearby traffic.

! ' Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☐ A vessel at anchor in or near an area of restricted visibility, warning approaching traffic of her position and of her swinging circle.

! ' Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☒ A vessel not under command, restricted in ability to manoeuvre, constrained by draught, sailing, engaged in fishing, or towing/pushing.

! ' Rule 35(c) — Correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. (See COLREGs Rule 35 for the full rule text.)

☐ A pilot vessel actively engaged on pilotage duty, signalling to an inbound vessel that a pilot is available and ready to board.

! ' Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

understand-doc-009

As you pass the entrance to Brodick Bay, you hear a sound signal consisting of one short, one prolonged and one short sounded in succession. What precisely does this signify? (R35g)

☒ A vessel at anchor warning an approaching vessel of her position and of the possibility of collision.

! ' Rule 35(g) — Correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. (See COLREGs Rule 35 for the full rule text.)

☐ A vessel aground in a narrow channel, alerting nearby traffic to the hazard posed by her immovable position.

! ' Rule 35(g) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☐ A vessel signalling her intention to alter course to starboard when navigating in a narrow channel or fairway.

! ' Rule 35(g) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☐ A vessel restricted in her ability to manoeuvre, warning other traffic to keep well clear and pass at safe distance.

! ' Rule 35(g) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

understand-doc-010

This vessel passes clear and, still in restricted visibility, you next make out the following lights passing down your starboard side: [Vertical arrays of White and Red/Green lights]. What do they likely indicate? (R24a)

☐ A vessel engaged in fishing or trawling.

! ' Rule 24(a) — Not correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. This option does not match that part of the Rule.

☐ A vessel restricted in her ability to manoeuvre.

! ' Rule 24(a) — Not correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. This option does not match that part of the Rule.

☒ A power-driven vessel towing, with a length of tow over 200m.

! ' Rule 24(a) — Correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. (See COLREGs Rule 24 for the full rule text.)

☐ A minesweeper engaged in clearance operations.

! ' Rule 24(a) — Not correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. This option does not match that part of the Rule.

You are just about to go off watch when the SCC detects excessive vibration on the port shaft, so the CO decides to go to anchor. What sound signals would you make at anchor in restricted visibility and what additional measures can you take?

☐ Sound 1 prolonged blast every 2 minutes.

! ' Rule 19; Rule 34; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Sound 2 prolonged blasts every 2 minutes.

! ' Rule 19; Rule 34; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Ring the bell and gong simultaneously for 10 seconds every minute.

! ' Rule 19; Rule 34; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Ring the bell rapidly for 5 seconds every minute; additionally, may sound 1 short, 1 prolonged, 1 short blast.

! ' Rule 19; Rule 34; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

The defect is fixed and you return for your next watch to find the ship back underway although visibility remains reduced. The CO asks for your assessment of safe speed. List considerations you should make regarding radar.

☐ Target speed and course, closest point of approach, time to CPA, bow crossing range and time, and bearing changes of detected contacts.

! ' Rule 15; Rule 6 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ Vessel's draught relative to available depth, traffic density, wind direction and sea state, tidal current, and prevailing visibility.

! ' Rule 15; Rule 6 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ Engine power and manoeuvring capability, fuel reserves, steering gear condition, proximity of navigational hazards, and shore lighting.

! ' Rule 15; Rule 6 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☒ Characteristics/efficiency of radar, range scale in use, effect of sea state/weather on detection, small vessel detection, number/location of targets, and visibility assessment by radar.

! ' Rule 15; Rule 6 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

Visibility improves and you take the ship to flying stations. As you give a green light, you spot a minehunter engaged in clearance operations on a steady bearing, range 2 NM. Under the IRPCS alone (ATP1(E) covers allied tactical priorities separately), which statement best describes who must keep clear?

☐ The unit launching the helicopter, because flight operations are given higher priority under ATP1(E) than mine clearance.

! ' Rule 27; Rule 14; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

☒ The minehunter, because mine clearance operations classify her as RAM and a power-driven vessel must keep clear of RAM vessels.

! ' Rule 27; Rule 14; ... — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

☐ Neither vessel has right of way; both must alter course to starboard under the head-on rule to pass port-to-port.

! ' Rule 27; Rule 14; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

☐ The vessel which has the other on her starboard side, applying the normal crossing rule for two power-driven

vessels.

! ' Rule 27; Rule 14; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

understand-doc-014

You sight a small vessel engaged in fishing at GREEN 30, range 3 miles. The bearing is steady and the range is closing. What action is required by the Rules?

☐ Sound at least five short and rapid blasts to warn the fishing vessel that you consider her to be impeding your passage.

! ' Rule 19(d); Rule 15 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Alter course to port to pass astern of the fishing vessel, as Rule 19(d) requires avoiding action to port for contacts on the starboard bow.

! ' Rule 19(d); Rule 15 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Keep out of the way of the vessel engaged in fishing.

! ' Rule 19(d); Rule 15 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Maintain course and speed as the stand-on vessel; the fishing vessel has you on her starboard side and must keep clear under Rule 15.

! ' Rule 19(d); Rule 15 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

understand-doc-015

The busy watch continues and you sight a coaster at RED 40, range 6 miles (60° on her stbd bow). The range is closing and the bearing is moving very slowly right. What action is required by the Rules?

☒ Stand on; the coaster has you on her starboard side and must keep out of the way.

! ' Rule 13; Rule 17 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

☐ Reduce to bare steerage way and track the coaster until she alters course, then resume your original speed.

! ' Rule 13; Rule 17 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ Keep out of the way of the coaster, because you have her on your port side and she is the stand-on vessel.

! ' Rule 13; Rule 17 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ Alter course to port immediately to open the range and pass astern of the coaster before she reaches your track.

! ' Rule 13; Rule 17 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

understand-doc-016

You become concerned with the developing situation with the coaster. Would a sound signal be appropriate and what should be sounded?

☐ No — a sound signal is appropriate only after you have exhausted all course and speed alterations and the situation remains unresolved.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

☐ Yes, one short blast to signal that you are altering course to starboard to keep clear of the coaster.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

☐ Yes, two prolonged blasts followed by two short blasts to indicate you intend to overtake on her port side.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

☒ Yes, at least five short and rapid blasts to indicate doubt that the other vessel is taking sufficient action to avoid collision.

! ' Rule 34 — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

When do the Rules allow the stand-on vessel to manoeuvre?

[] As soon as the other vessel is identified visually, regardless of whether she has begun to alter course or speed.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] As soon as it becomes apparent that the give-way vessel is not taking appropriate action.

! ' Rule 17 — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

[] The stand-on vessel may not manoeuvre under any circumstances; doing so would confuse the give-way vessel.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Only when collision is so close that it cannot be avoided by the action of the give-way vessel alone.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

What specifically should be avoided if the stand-on vessel manoeuvres by altering course?

[] Altering course to starboard, because a starboard alteration may cross ahead of the vessel on her port side.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Reducing speed below bare steerage way, because maintaining some headway is essential for rudder effectiveness.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Increasing speed to cross ahead of the vessel on her port side before the range closes further.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Altering course to port for a vessel on her own port side.

! ' Rule 17 — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

You sight a vessel close in, apparently stopped off Fowey. How can you determine if the vessel is aground?

[] She sounds a rapid ringing of the bell for about five seconds at intervals of not more than one minute, signalling her position.

! ' Rule 28 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] By day she displays three black balls in a vertical line; by night she shows two red lights in a vertical line plus anchor lights.

! ' Rule 28 — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

[] She flies the international code flag Alpha by day and shows an all-round flashing yellow light at night to mark her position.

! ' Rule 28 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] She displays a single black cylinder by day with additional all-round red lights at night, signalling constrained by draught.

! ' Rule 28 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

As you alter to pass Dodman Point, you sight a small vessel displaying three shapes in a vertical line: ball, diamond, ball. How should you approach this vessel?

☐ Sound five short and rapid blasts to alert the vessel that she is obstructing the channel.

! Rule 15; Rule 17; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ Maintain course and speed; the vessel is the stand-on vessel in this crossing geometry.

! Rule 15; Rule 17; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☒ Keep out of its way as it is restricted in its ability to manoeuvre.

! Rule 15; Rule 17; ... — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

☐ Reduce speed and obtain the vessel's name and port of registry before deciding on further action.

! Rule 15; Rule 17; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

List two operations which this small vessel (ball, diamond, ball) could be engaged in.

☒ Dredging or conducting underwater operations near an obstruction, where passage on one side may be unsafe for other vessels.

! Rule 26; Rule 27; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ Fishing with nets or lines extending more than 150 metres horizontally from the vessel into the surrounding waterway.

! Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Towing another vessel astern where the length of the tow measured from stern of tug to stern of tow exceeds 200 metres.

! Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Mine clearance operations in a designated area, indicating to other traffic that it is dangerous to approach within 1000 metres.

! Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

The lookout reports an open boat showing a rigid replica of International Code flag “A”. What does this signify?

☐ The vessel is restricted in ability to manoeuvre due to towing.

! Rule 27; Rule 16; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

☒ The vessel is engaged in diving operations; keep well clear at slow speed.

! Rule 27; Rule 16; ... — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

☐ The vessel is carrying dangerous explosive goods.

! Rule 27; Rule 16; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

☐ The vessel is requesting a pilot.

! Rule 27; Rule 16; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

Light is starting to fade. Can you exhibit navigation lights before sunset? Explain your answer.

☒ Yes — they may be exhibited in restricted visibility or whenever other circumstances make it necessary.

! Rule 19; Rule 10; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ No — navigation lights may only be exhibited between sunset and sunrise; showing them in daylight could confuse other vessels.

!' Rule 19; Rule 10; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Only if the vessel is at anchor or aground at the time.

!' Rule 19; Rule 10; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Only when the vessel is operating within the limits of a traffic separation scheme during reduced daylight.

!' Rule 19; Rule 10; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

understand-doc-024

List three visual methods by which a small yacht without VHF could indicate distress by day.

☐ Firing a red parachute rocket, transmitting a distress alert by VHF digital selective calling on channel 70, or displaying orange smoke.

!' Rule 24 — Not correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. This option does not match that part of the Rule.

☐ Showing an orange smoke signal by day, repeatedly dipping and raising the national ensign, or launching a green star signal.

!' Rule 24 — Not correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. This option does not match that part of the Rule.

☒ Firing a gun at about one-minute intervals, continuous sounding of a fog-signal apparatus, or slowly and repeatedly raising and lowering outstretched arms.

!' Rule 24 — Correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. (See COLREGs Rule 24 for the full rule text.)

☐ Flying the international code flag Alpha from the masthead, directing a searchlight toward other vessels, or burning a red handheld flare.

!' Rule 24 — Not correct. towing and pushing; inconspicuous partly submerged objects; additional lights and shapes for long tows. This option does not match that part of the Rule.

understand-doc-025

You are OOW in HMS Somerset on the morning watch in the Gulf of Oman. You have just sailed from Fujairah, skies are clear for now, but the METO forecast haze later. As you slow to disembark the pilot, a dhow that sailed shortly after you begins to close. The port lookout reports she is dragging nets through the water on each side. How would you classify her under the Rules?

☐ A vessel not under command, because the deployed gear has rendered her unable to manoeuvre as required by the Rules.

!' Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☒ A vessel engaged in fishing, because the nets restrict her manoeuvrability.

!' Rule 26; Rule 27; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ A vessel restricted in her ability to manoeuvre, because her gear prevents her from keeping clear of other vessels.

!' Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ A power-driven vessel underway and making way, because the nets are being towed by engine power rather than wind.

!' Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

understand-doc-026

A dhow is dragging nets through the water on each side and is classified as a vessel engaged in fishing. By day, what shapes would you expect her to show?

☐ A single cone shape with the apex pointing downward, displayed where it can best be seen by other nearby vessels.

!' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A black cylinder shape displayed where it can best be seen, signalling that the vessel is constrained by her draught.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Two black balls arranged in a vertical line where they can best be seen, signalling a vessel not under command.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Two cones with their apexes together in a vertical line, displayed where it can best be seen by other vessels.

! ' Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

understand-doc-027

The same fishing dhow is still closing on a steady bearing from relative 150° (on your starboard quarter). Who is the give-way vessel, and why?

[] The dhow, because any vessel overtaking any other shall keep out of the way of the vessel being overtaken.

! ' Rule 15; Rule 18 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

[] The dhow, because she is under 20 metres and must not impede a vessel that can safely navigate only within the channel.

! ' Rule 15; Rule 18 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] HMS SOMERSET, because the dhow is on her starboard quarter and the crossing rule of Rule 15 applies to this geometry.

! ' Rule 15; Rule 18 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] HMS SOMERSET, because a power-driven vessel underway must keep out of the way of a vessel engaged in fishing under Rule 18.

! ' Rule 15; Rule 18 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

understand-doc-028

The chart briefing turns to local regulations. Who may promulgate special local rules, and what limitation does the COLREGs place on them?

[] Any local port authority, and such rules override the international rules within the limits of the harbour approach.

! ' Rule 1 — Not correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. This option does not match that part of the Rule.

[] The International Maritime Organization (IMO), and they apply uniformly on the high seas and all connected waters.

! ' Rule 1 — Not correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. This option does not match that part of the Rule.

[] An appropriate authority, provided such rules conform as closely as possible to the International Rules.

! ' Rule 1 — Correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. (See COLREGs Rule 1 for the full rule text.)

[] The Commanding Officer of a naval vessel, provided the rules are logged in the ship's standing orders.

! ' Rule 1 — Not correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. This option does not match that part of the Rule.

understand-doc-029

The junior officer asks you to explain safe speed. What factors should you take into account when deciding on a safe speed?

[] Distance to the next port of call, fuel consumption rate, and the strength of tidal streams along the route.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Proximity of other warships, the threat assessment level, and the vessel's current weapons posture.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Engine power, maximum radar detection range, and the crew's level of fatigue during the current watch.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid

collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] State of visibility, traffic density, manoeuvrability, background light, wind/sea/current, and draught.

! Rule 6 — Correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. (See COLREGs Rule 6 for the full rule text.)

understand-doc-030

A target holds a steady compass bearing. What should you consider when deciding whether a risk of collision exists?

[] Deem risk exists only if the ARPA-derived CPA is less than 500 yards; if in doubt, maintain course and speed until the situation clarifies.

! Rule 7 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

[] Deem risk exists if the compass bearing does not appreciably change; if in doubt, assume risk does exist.

! Rule 7 — Correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). (See COLREGs Rule 7 for the full rule text.)

[] Deem risk exists if the other vessel is larger and deeper-draughted; if in doubt, alter course to port to pass under her stern.

! Rule 7 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

[] Deem risk exists only when both vessels are power-driven and within three nautical miles; if in doubt, reduce speed to half ahead.

! Rule 7 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

understand-doc-031

You watch a vessel approach directly ahead on the bow. What kind of situation is developing, and what action will you take?

[] Crossing situation; the vessel on your starboard side must keep clear, so maintain course and speed as the stand-on vessel.

! Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Overtaking situation; you are being overtaken, so hold course and speed while the other vessel keeps out of the way.

! Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Head-on situation; alter course to starboard to pass port-to-port and sound one short blast.

! Rule 2 — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Special circumstances under Rule 2; sound five short and rapid blasts, then reverse propulsion to avoid immediate danger.

! Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

understand-doc-032

After your avoiding action, you discuss good seamanship with the OOW. What should be the result of your action to avoid collision?

[] Passing at a safe distance; assess by carefully checking the effectiveness of the action until the other vessel is finally past and clear.

! Rule 15; Rule 2 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

[] Crossing ahead of the other vessel while she is still at sufficient range to take independent avoiding action.

! Rule 15; Rule 2 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Bringing the vessel to a complete stop in the water and waiting for the other vessel to pass clear on her own.

! Rule 15; Rule 2 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Compelling the other vessel to alter her course or speed by the forcefulness of your own manoeuvre.

! Rule 15; Rule 2 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

Haze rolls in and visibility drops. What speed and machinery readiness should you adopt?

☐ Maximum speed; engines ready for normal use.

! Rule 19; Rule 6 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Minimum steerage way; one engine offline for maintenance.

! Rule 19; Rule 6 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ A safe speed adapted to the restricted visibility; engines ready for immediate manoeuvre.

! Rule 19; Rule 6 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Dead slow ahead; steering gear in manual.

! Rule 19; Rule 6 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

You detect a contact forward of the beam on radar only. What action do you take, and what specifically should be avoided?

☐ Alter course to port immediately to open the CPA to starboard; avoid altering to starboard because that may close the range.

! Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Take avoiding action in ample time; avoid altering course to port for a vessel forward of the beam and avoid altering course towards a vessel abeam or abaft the beam.

! Rule 19; Rule 13; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Maintain course and speed while using radar plotting to refine the contact's CPA and TCPA before committing to any manoeuvre.

! Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Stop engines and take all way off; avoid sounding any whistle signal that might be confused with a manoeuvring signal in clear visibility.

! Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

You are working through Fleet ROR paper material on seaplanes and general rules. In the briefing room: do the International Regulations apply to a seaplane on the water?

☒ Yes — the definition of 'vessel' includes seaplanes used as a means of transportation on water.

! Rule 7; Rule 20 — Correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). (See COLREGs Rule 7 for the full rule text.)

☐ Only during the hours between sunset and sunrise, when the seaplane must carry the navigation lights prescribed for her length.

! Rule 7; Rule 20 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

☐ Only when the seaplane is manoeuvring in the vicinity of other shipping and a risk of collision has been established.

! Rule 7; Rule 20 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

☐ No — while on the water a seaplane is governed by aviation regulations until she is moored or secured to a berth.

! Rule 7; Rule 20 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

The instructor asks about seaplanes after landing. How should a seaplane operate once she is on the water?

[] She must display an all-round flashing yellow light at all times while on the water to alert other vessels to her presence.

! " Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] She must operate exactly like a normal power-driven vessel of equivalent length, displaying the same lights and shapes.

! " Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] She has right of way over surface vessels because her higher speed and limited water manoeuvrability make her less able to keep clear.

! " Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] She shall, in general, keep well clear of all vessels and avoid impeding their navigation.

! " Rule 16 — Correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. (See COLREGs Rule 16 for the full rule text.)

You are studying traffic separation schemes. What do the IRPCS require when crossing a traffic lane within a TSS?

[] Vessels shall cross on a heading as nearly as practicable at right angles to the general direction of traffic flow.

! " Rule 26; Rule 25; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Vessels may not cross traffic lanes except in emergency to avoid immediate danger or when engaged in fishing.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessels may only cross a traffic lane if they are under 20 metres in length or are sailing vessels.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessels may cross at any angle provided they do so at safe speed and sound five short blasts before entering the lane.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

What vessels are exempt from complying with the rules regarding TSS's?

[] Passenger ferries operating on a fixed schedule between ports on opposite sides of a traffic lane.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Military vessels engaged in tactical operations, to the full extent required by their operational orders.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessels restricted in their ability to manoeuvre engaged in an operation for the maintenance of safety of navigation or laying submarine cables, to the extent necessary to carry out the operation.

! " Rule 26; Rule 25; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Sailing vessels and vessels engaged in fishing, when their activity prevents them from following the general direction of traffic flow.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

How do the Rules describe the windward side of a sailing vessel?

[] The side facing the true wind direction as measured by the wind instruments on board.

! " Rule 25 — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

[] The side opposite to that on which the mainsail is carried, or in the case of a square-rigged vessel, the side

opposite to that on which the largest fore-and-aft sail is carried.

! ' Rule 25 — Correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. (See COLREGs Rule 25 for the full rule text.)

☐ The starboard side by convention, since the starboard tack is defined as the windward tack under the Rules.

! ' Rule 25 — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

☐ The side on which the vessel is heeling, since the heel direction indicates the side receiving the wind.

! ' Rule 25 — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

understand-doc-040

The SCC requests an “Emergency Stop” on both shafts. What condition can you now claim and what shapes will you show?

☐ Restricted in Ability to Manoeuvre (RAM); ball, diamond, ball.

! ' Rule 28; Rule 27 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

☐ Constrained by Draught (CBD); a black cylinder.

! ' Rule 28; Rule 27 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

☐ Aground; three black balls in a vertical line.

! ' Rule 28; Rule 27 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

☒ Not Under Command (NUC); two black balls in a vertical line.

! ' Rule 28; Rule 27 — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

understand-doc-041

You are SSD officer of the watch on a 152 m Type 45 destroyer leaving Portsmouth. You have passed Spit Sand Fort abeam to starboard on the 181 leg toward the OSB; the forenoon watch is under way and rain has dropped visibility to about four miles with moderate traffic. You are in a narrow channel. Which classes of vessel must not impede your safe passage?

☐ Vessels restricted in their ability to manoeuvre, because their condition takes lower priority than a vessel following the channel.

! ' Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ All power-driven vessels crossing from the port side of the channel, under the normal crossing rule of Rule 15.

! ' Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ Ferries and passenger ships operating on a fixed route within the harbour approach.

! ' Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☒ Vessels of less than 20 meters in length or sailing vessels.

! ' Rule 15 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

understand-doc-042

As you notice a hovercraft (>50m length) making way at night, what lights would you expect it to display?

☒ Normal power-driven vessel lights plus an all-round flashing yellow light.

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

☐ Two masthead lights in a vertical line, sidelights, a stern light, and a flashing red light visible all round.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

☐ Three all-round green lights arranged in a triangle at the masthead, plus normal sidelights and stern light.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

☐ Sidelights, a stern light, and a single all-round white light at the masthead, with no additional special light.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

You sight a motor tanker head-on. What sound signal do you make when altering course to starboard?

[] One short blast, indicating an alteration of course to starboard.

! ' Rule 13; Rule 14; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] Two short blasts, indicating an alteration of course to port.

! ' Rule 13; Rule 14; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] One prolonged blast, indicating the vessel is approaching a bend in the channel.

! ' Rule 13; Rule 14; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Three short blasts, indicating that the vessel's engines are operating astern.

! ' Rule 13; Rule 14; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

You sight a large vessel displaying a black cylinder. Which vessels should avoid impeding her safe passage?

[] All vessels in the vicinity, including those not under command and those restricted in their ability to manoeuvre.

! ' Rule 18(d) — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] Only sailing vessels and vessels under 20 metres, as these are the categories listed in Rule 18(d).

! ' Rule 18(d) — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

[] Any vessel other than a vessel not under command or a vessel restricted in her ability to manoeuvre.

! ' Rule 18(d) — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

[] Only vessels engaged in fishing within the same waterway, because their gear may restrict their ability to manoeuvre.

! ' Rule 18(d) — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

In restricted visibility, you hold a faint radar echo at R20, range 5 cables but cannot track it effectively. What action should you take?

[] Maintain course and speed until the other vessel is sighted visually, then take appropriate avoiding action if required.

! ' Rule 19; Rule 35 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Reduce speed to the minimum at which the ship can be kept on her course, or take all way off, and navigate with extreme caution.

! ' Rule 19; Rule 35 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

[] Increase speed to clear the area as quickly as possible while sounding the appropriate fog signal at regular intervals.

! ' Rule 19; Rule 35 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Make a bold alteration of course to port to increase the range, while continuing to monitor the target closely on radar.

! ' Rule 19; Rule 35 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

If taking action to avoid collision by alteration of course alone, what should you consider regarding the alteration?

[] It should consist of a series of small successive adjustments to course, allowing the other vessel time to observe and respond.

! Rule 8 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] It should be made to port where there is sufficient sea room, as this is the convention accepted under the collision regulations.

! Rule 8 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] It should be large enough to be readily apparent to another vessel observing visually or by radar; a succession of small alterations should be avoided.

! Rule 8 — Correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. (See COLREGs Rule 8 for the full rule text.)

[] It should be accompanied by five or more short and rapid blasts on the whistle, along with the corresponding light signal.

! Rule 8 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

You are discussing a traffic separation scheme adopted by an IMO member state. The Rules are on the table. What obligation are you not relieved of merely because you are following the TSS?

[] You are relieved of Part B steering and sailing rules while proceeding in the appropriate traffic lane.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Only vessels under 20 m retain full obligations under all Rules inside a TSS.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Obligations under the Rules apply only when visibility is restricted.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] The scheme does not relieve any vessel of her obligation under any of the Rules.

! Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

Your ship is about to use a traffic lane. How does Rule 10 require you to use that lane?

[] Enter the lane at right angles from either side and proceed along the centreline; cross separation zones freely provided you give way to vessels already in the lane.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Keep to the centreline of the lane unless overtaking; join or leave only at designated entry points; vessels in the lane have right of way over all crossing traffic.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Proceed in the general direction of flow; keep clear of separation zones; join or leave at the termination, or from either side at as small an angle to the flow as practicable.

! Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

[] Proceed in the separation zone when it shortens the passage; cross traffic lanes at right angles; anchoring in the lane is permitted if you display RAM shapes.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

Contacts are closing on your radar. In determining whether a risk of collision exists, what should you take into account?

[] Take compass bearings; risk shall be deemed to exist if the bearing does not appreciably change; risk may still exist even with bearing change, especially near large vessels, tows, or at close range.

! " Rule 25; Rule 7; ... — Correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. (See COLREGs Rule 25 for the full rule text.)

[] Risk of collision exists only when both vessels are power-driven and within 3 nautical miles; sailing vessels and vessels at anchor are exempt from collision risk assessment.

! " Rule 25; Rule 7; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

[] Use radar ARPA CPA data as the primary means of assessment; visual compass bearings are supplementary and only required when radar is inoperative or degraded.

! " Rule 25; Rule 7; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

[] Assume risk does not exist if AIS data shows CPA increasing; a vessel whose bearing is changing appreciably may be disregarded as not posing a collision threat.

! " Rule 25; Rule 7; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

You are in HMS ST ALBANS and a ferry crosses your course in a TSS; risk of collision exists. Who is the give-way vessel and why?

[] The ferry, because she is crossing your bow from port to starboard and R.15 assigns give-way to the vessel crossing another vessel's heading.

! " Rule 10; Rule 15 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] You (ST ALBANS), because this is a crossing situation under R.15 and the ferry is on your starboard side; the TSS does not grant you special privileges.

! " Rule 10; Rule 15 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

[] Neither vessel is give-way; Rule 10 TSS regulations override the crossing rules of R.15 when both vessels are within the traffic scheme.

! " Rule 10; Rule 15 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] The ferry, because she is the larger vessel with deeper draught and R.18 hierarchy places constrained-by-draught obligations on her.

! " Rule 10; Rule 15 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

You are in HMS ST ALBANS in a TSS; a ferry is on your starboard side and a crossing situation with risk of collision exists (R.15). What action should each vessel take?

[] Both vessels sound five short rapid blasts and maintain course and speed; neither is required to manoeuvre until the other vessel acknowledges by VHF.

! " Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Both vessels alter course to port simultaneously to increase the passing distance; the give-way vessel manoeuvres first and the stand-on follows.

! " Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] ST ALBANS keeps course and speed as the stand-on vessel; the ferry alone alters to starboard under R.17 and passes astern of ST ALBANS.

! " Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Ferry keeps course and speed (R.17); ST ALBANS takes early, substantial action to keep well clear (R.16) and

avoids crossing ahead if circumstances permit.

!' Rule 15 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

fleet-201412-dec-q06

Twilight is approaching and the crew ask about lighting. When do the Rules require you to show navigation lights?

[] From sunset to sunrise; and from sunrise to sunset in restricted visibility; and they may be exhibited whenever deemed necessary in other circumstances.

!' Rule 20 — Correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. (See COLREGs Rule 20 for the full rule text.)

[] From nautical twilight to civil twilight only; during daylight hours lights are optional and left to the master's discretion under R.20.

!' Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] At all times when underway regardless of visibility; vessels at anchor or aground are exempt from navigation light requirements under R.20.

!' Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Only when another vessel is detected within 6 nautical miles by radar or visual means; lights may be switched off to conserve power outside that range.

!' Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

fleet-201412-dec-q07

You are overtaking a VLCC that is constrained by her draught. By day, what shape would you expect her to show, and where?

[] Three black balls in a vertical line at the foremast.

!' Rule 26; Rule 13 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Two cones apex together only.

!' Rule 26; Rule 13 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A diamond shape at the stern.

!' Rule 26; Rule 13 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A cylinder where it can best be seen.

!' Rule 26; Rule 13 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

fleet-201412-dec-q08

You are discussing a CBD vessel in the lane. How should a vessel constrained by her draught navigate?

[] She has right of way over crossing traffic and should signal her constrained status by sounding one prolonged blast every two minutes.

!' Rule 28; Rule 9; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] With particular caution, having full regard to her special condition.

!' Rule 28; Rule 9; ... — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

[] She must keep to the starboard side of any narrow channel within the TSS and avoid impeding the passage of other deep-draught vessels.

!' Rule 28; Rule 9; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] She may deviate from normal lane routing if the charted depth in the designated lane is insufficient for her safe navigation.

!' Rule 28; Rule 9; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

A vessel constrained by her draught (CBD) in a traffic lane is making way through the water in restricted visibility. What fog signal should she sound, and how often?

[] One prolonged blast at intervals of not more than 2 minutes, the same signal prescribed for a power-driven vessel making way through the water.

! " Rule 28; Rule 19; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Two prolonged blasts followed by one short at intervals of not more than 2 minutes, identifying the vessel's constrained manoeuvring status.

! " Rule 28; Rule 19; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] **At intervals of not more than 2 minutes, three blasts in succession: one prolonged followed by two short.**

! " Rule 28; Rule 19; ... — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

[] Five short and rapid blasts at intervals of not more than 1 minute, warning other vessels of danger in restricted visibility.

! " Rule 28; Rule 19; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

In the same setting as the VLCC constrained by her draught, you are on another vessel and that VLCC is overtaking you. Who is the give-way vessel and why?

[] You are the give-way vessel because you are on the VLCC's port bow; R.15 crossing rules apply regardless of whether one vessel is abaft the other's beam.

! " Rule 10; Rule 18 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Neither vessel; R.13 overtaking rules do not apply inside a TSS because Rule 10 traffic-flow provisions take precedence over Part B steering rules.

! " Rule 10; Rule 18 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] The give-way vessel is determined by relative tonnage; the smaller vessel keeps clear regardless of bearing or overtaking geometry under R.18.

! " Rule 10; Rule 18 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] **The VLCC, because she is overtaking you; R.13(a) requires the overtaking vessel to keep out of the way of the vessel being overtaken.**

! " Rule 10; Rule 18 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

The bridge team reviews your passage plan. What factors should all vessels consider when determining a safe speed in any visibility?

[] Traffic density and the vessel's overall length, as longer vessels require proportionally more sea room for safe manoeuvring.

! " Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] **Visibility, traffic density, manoeuvrability, background light at night, wind/sea/current and proximity of hazards, and draught in relation to available depth.**

! " Rule 6 — Correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. (See COLREGs Rule 6 for the full rule text.)

[] The vessel's draught relative to charted depth and any speed restriction published by the port authority for the area.

! " Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] The radar range scale in use divided by two to provide a stopping margin, combined with the vessel's turning

circle at service speed.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

fleet-201412-dec-q12

A RAM vessel is maintaining a lane in a TSS while working for safety of navigation. What is she exempted from under Rule 10, and to what extent?

☐ Exempted from keeping a lookout and maintaining safe speed while actively working within the traffic lane.

! ' Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☐ Exempted from all steering and sailing rules in Parts B and C for the duration of the maintenance operation within the TSS.

! ' Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☒ Exempted from complying with Rule 10 to the extent necessary to carry out the operation.

! ' Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

☐ Exempted from the requirement to carry or exhibit navigation lights and shapes while stationary within the traffic lane.

! ' Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

fleet-201412-dec-q13

You see several fishing vessels ahead with extra gear. What are they likely engaged in, and what does an extra cone apex upward indicate?

☐ Vessels engaged in dredging; the cone apex upwards indicates the side from which spoil is being discharged under R.27 shape requirements.

! ' Rule 27; Rule 26 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

☒ Vessels engaged in fishing; when outlying gear extends more than 150 m horizontally, an all-round white light or a cone apex upwards in the direction of the gear.

! ' Rule 27; Rule 26 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

☐ Vessels engaged in trawling; the cone apex upwards indicates the direction in which the trawl net is being towed, as prescribed under R.26(b).

! ' Rule 27; Rule 26 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

☐ Vessels engaged in mine clearance; the cone apex upwards marks the limit of the operational minefield area that other vessels should avoid.

! ' Rule 27; Rule 26 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201412-dec-q14

Several vessels are engaged in fishing other than trawling, with outlying gear extending more than 150 m horizontally (cone apex upwards or all-round white light toward the gear). They are making way. What lights should they show at night?

☒ Two all-round lights in a vertical line, upper red lower white; when gear >150 m out, an all-round white toward the gear; sidelights and sternlight when making way.

! ' Rule 26; Rule 24 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ Green over white all-round lights in a vertical line; sidelights and sternlight when making way; no additional signal required for outlying gear direction.

! ' Rule 26; Rule 24 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Same lights as a power-driven vessel — masthead light, sidelights, and sternlight — plus a single yellow flashing light visible all round.

! ' Rule 26; Rule 24 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Red over red all-round lights in a vertical line indicating restricted manoeuvrability; sidelights when making way; sternlight is not required.

!' Rule 26; Rule 24 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201412-dec-q15

You continue closing a fishing vessel. You are power-driven and making way. Who has the obligation to keep out of the way?

[] The vessel on the port side of the other in a crossing situation must give way under R.15, regardless of whether either vessel is fishing.

!' Rule 15; Rule 10 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Whichever vessel first detects the other on radar must initiate the avoiding action and signal her intentions on VHF Channel 16.

!' Rule 15; Rule 10 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] The fishing vessels must keep out of your way because they are in a traffic separation scheme and may not impede through traffic under R.10.

!' Rule 15; Rule 10 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] You (power-driven vessel underway) must keep out of the way of a vessel engaged in fishing (R.18(a)(iii)).

!' Rule 15; Rule 10 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

fleet-201412-dec-q16

You are closing RFA Wave Knight for replenishment at sea. What status could you claim under the COLREGs during that operation?

[] Not under command — unable to manoeuvre as required by the Rules due to exceptional circumstances.

!' Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Restricted in the ability to manoeuvre (RAM) — the nature of the replenishment limits deviation.

!' Rule 26; Rule 28; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Constrained by draught — the vessel's deep draught restricts her to the available navigable water.

!' Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessel engaged in fishing — gear deployed restricts the vessel's ability to keep clear of others.

!' Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201412-dec-q17

A question on Rule 3: which activities are given as examples of vessels restricted in their ability to manoeuvre?

[] Overtaking in a TSS; crossing a separation zone at an angle; anchoring in a fairway — operational constraints that satisfy the RAM criteria in R.3(g).

!' Rule 3 — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

[] Fishing with nets extended more than 150 m; purse-seine operations; water-skiing support — activities that limit a vessel's ability to manoeuvre.

!' Rule 3 — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

[] Laying, servicing or picking up a navigation mark, submarine cable or pipeline; dredging, surveying or underwater operations; mine clearance — each named in R.3(g).

!' Rule 3 — Correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. (See COLREGs Rule 3 for the full rule text.)

[] Replenishment at sea; helicopter operations on deck; formation steaming — military activities listed alongside civilian operations in R.3(g).

!' Rule 3 — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

You rendezvous with RFA Wave Knight and commence RAS. Name two types of vessel involved in military operations that may claim the same kind of RAM-related status as replenishment, but are not mentioned in the Rules.

[] Ships engaged in launching or recovery of landing craft utilities; ships engaged in launching or recovery of arrays (ATP1(E) Ch 1 Art 2242).

! ' Rule 27; Rule 24 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] Hospital ships under the Geneva Convention and submarines during surfacing procedures — both claim RAM status outside the COLREGs framework.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Frigates and destroyers steaming in close formation; patrol boats conducting boarding operations — common naval activities not listed in R.3(g).

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Vessels towing at short stay in harbour and vessels conducting crew transfers by jackstay — restricted operations not named in the Rules.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

You are alongside replenishing. What day shapes would you display?

[] Two black balls in a vertical line where they can best be seen, the same shape signal displayed by a vessel at anchor in open waters.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A single cylinder displayed where best seen, indicating the vessel is constrained by her draught and unable to deviate from her course.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A cone apex upwards above a ball in a vertical line, signalling that the vessel is engaged in fishing operations with restricted manoeuvrability.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Ball-diamond-ball: three shapes in a vertical line with highest and lowest being balls and the middle a diamond — the standard RAM day shape.

! ' Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

You check the masthead light against the Rule 22 table. What is the arc of visibility and minimum range of your masthead light?

[] 112.5 deg arc from right ahead to the beam on each side; minimum range 3 miles for vessels over 50 m in length.

! ' Rule 22 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] 225 deg (from right ahead to 22.5 deg abaft the beam on each side); minimum range 6 miles for a vessel of her length class.

! ' Rule 22 — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] 360 deg unbroken arc of visibility; minimum range 2 miles as prescribed for all-round lights on vessels over 12 m.

! ' Rule 22 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] 180 deg arc from beam to beam across the bow; minimum range 5 miles for vessels engaged in commercial service.

! ' Rule 22 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

You hear a vessel not under command in fog. What sound signal should she make, and at what interval?

[] Two prolonged blasts in succession at intervals of not more than 2 minutes, the signal used by a vessel restricted in ability to manoeuvre.

! ' Rule 27; Rule 19; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Four short blasts in rapid succession at intervals of not more than 2 minutes, indicating inability to manoeuvre.

! ' Rule 27; Rule 19; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] **At intervals of not more than 2 minutes, three blasts in succession: one prolonged followed by two short.**

! ' Rule 27; Rule 19; ... — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] One prolonged blast at intervals of not more than 2 minutes, the standard fog signal for a power-driven vessel making way.

! ' Rule 27; Rule 19; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

You are in restricted visibility and you have radar contact only. What should you do, and what should you avoid when altering course?

[] Maintain course and speed until visual contact is established; radar-only contacts do not require manoeuvring unless CPA is less than one nautical mile.

! ' Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Alter course to port for any contact forward of the beam to pass safely astern; for contacts abaft the beam, increase speed to open the CPA.

! ' Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Sound one short blast to indicate alteration to starboard and turn toward the contact to establish visual identification before further action.

! ' Rule 19; Rule 13; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] **Assess collision risk; if it exists, take avoiding action in ample time; avoid turning to port for vessels forward of the beam and toward vessels abeam or abaft.**

! ' Rule 19; Rule 13; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

You cannot avoid a close-quarters situation with a vessel forward of the beam. What action must you take?

[] **Reduce speed to the minimum at which the vessel can be kept on course; if necessary take all way off; navigate with extreme caution until danger is over.**

! ' Rule 13; Rule 15; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] Increase speed to clear ahead of the approaching vessel, creating separation before the close-quarters situation develops into collision risk.

! ' Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Sound five short and rapid blasts to warn the other vessel, then hold course and speed while she takes the required avoiding action.

! ' Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Alter course to port to pass astern of the approaching vessel, the same manoeuvre required of the give-way vessel in a crossing situation.

! ' Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the

vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

fleet-201412-dec-q24

Two power-driven vessels are approaching: you see both masthead lights in line and both sidelights. What situation is developing?

[] A crossing situation under R.15 — one masthead light and the red sidelight are visible, indicating the other vessel is on your starboard side.

! " Rule 15; Rule 13; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Head-on or nearly head-on meeting between two power-driven vessels — both masthead lights in line and both sidelights visible.

! " Rule 15; Rule 13; ... — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

[] An overtaking situation under R.13 — the other vessel is abaft your beam showing her sternlight and one masthead light at high speed.

! " Rule 15; Rule 13; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] A restricted-visibility encounter under R.19 — contacts ahead at close range require both vessels to reduce speed before altering course.

! " Rule 15; Rule 13; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

fleet-201412-dec-q25

You are meeting a coaster head-on. Who is the give-way vessel, and why?

[] The coaster is give-way as the smaller vessel; R.18 hierarchy places the obligation on the vessel of lower tonnage in a head-on situation.

! " Rule 14; Rule 17; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] ST ALBANS alone as the naval vessel; warships are expected to manoeuvre first and the coaster maintains course and speed as stand-on.

! " Rule 14; Rule 17; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] Both vessels are required to act: each shall alter course to starboard so that each passes on the port side of the other (R.14(a)).

! " Rule 14; Rule 17; ... — Correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. (See COLREGs Rule 14 for the full rule text.)

[] Neither vessel has priority; both must first establish agreement by VHF radio before either takes action, as required by good seamanship.

! " Rule 14; Rule 17; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

fleet-201501-jan-q01a

You are in Busan and notice the lateral buoyage is not the same as back home in the UK. You are used to IALA Region A. Why does the "red/right returning" idea differ here?

[] UK waters have abandoned the IALA system entirely and instead rely on locally defined port-specific marker schemes.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] US-style cardinal marks replace the standard IALA lateral marks throughout South Korean port approach areas.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Busan is IALA Region B (red right returning) whereas UK waters follow Region A lateral buoyage conventions.

! " COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Buoyage in Busan mirrors UK Region A conventions; apparent colour differences are due to chart-datum projections.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

The local buoyage differs from your home waters. Does that change your obligations under Rule 9 in a narrow channel?

☒ Rule 9 narrow-channel obligations apply identically regardless of which IALA region the buoyage follows.

! Rule 9 — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

☐ Port-hand lateral marks define give-way duties under Rule 9, so reversed buoyage reverses the obligation.

! Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ Sailing vessels in a narrow channel are exempt from Rule 9 when operating in IALA Region B waters.

! Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ Rule 9 applies differently during night transits in Region B because lateral marks are harder to identify.

! Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

A harbour master publishes local rules. What do the COLREGs say about operation of special (local) rules?

☐ Special rules apply to warships and government vessels on non-commercial service but not to merchant shipping.

! Rule 1 — Not correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. This option does not match that part of the Rule.

☒ Nothing in the COLREGs shall interfere with special rules for harbours, rivers, etc., but such rules shall conform as closely as possible to the COLREGs.

! Rule 1 — Correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. (See COLREGs Rule 1 for the full rule text.)

☐ Local rules issued by a port authority override the COLREGs in full within harbour limits and out to the 12-mile territorial boundary.

! Rule 1 — Not correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. This option does not match that part of the Rule.

☐ VHF traffic-management agreements made between vessels and harbour control replace all steering and sailing rules within the port approach.

! Rule 1 — Not correct. the steering and sailing rules apply on the high seas and connected waters; special local rules may also apply where promulgated. This option does not match that part of the Rule.

You are about to get underway under a harbour rule requiring one prolonged blast. For the purpose of Rule 3(i), when are you considered “underway”?

☒ When the last mooring line is let go and the vessel is no longer made fast to the shore, at anchor, or aground.

! Rule 3(i) — Correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. (See COLREGs Rule 3 for the full rule text.)

☐ When the main engine is started and the bridge team confirms readiness to proceed from the berth.

! Rule 3(i) — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

☐ When the pilot boards and assumes the conduct of navigation through the port approach channel.

! Rule 3(i) — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

☐ When the anchor is aweigh and housed, provided the vessel has started making way through the water.

! Rule 3(i) — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

You are in a narrow channel. Which side of the channel or fairway should you keep to?

☐ On the port side of the channel when outbound, reversing to the starboard side when inbound.

! Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ Following the vessel's AIS recommended track regardless of the position of other traffic in the channel.

! Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only

inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] As near as safe and practicable to the outer limit on her starboard side.

! ' Rule 9 — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] On the centreline of the channel to maintain the greatest possible clearance from both sides.

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201501-jan-q04b

A large ship can navigate only inside the narrow channel. Who may not impede her passage?

[] Power-driven vessels whose beam is less than 10 metres, regardless of their draught or length.

! ' Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessels engaged in fishing, but only when their gear restricts their manoeuvrability inside the channel.

! ' Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Tugs, service craft, and vessels engaged in harbour operations within the channel boundaries.

! ' Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessels less than 20 m in length and sailing vessels.

! ' Rule 26; Rule 25; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

fleet-201501-jan-q04c

You approach a blind bend in a narrow channel. What should you do, and what sound signal should you use?

[] Sound five short and rapid blasts before entering the bend to warn any approaching vessel of your presence.

! ' Rule 9; Rule 5; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Navigate with particular alertness and caution, and sound one prolonged blast.

! ' Rule 9; Rule 5; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] Reduce to dead slow and post an additional lookout on the fo'c'sle, but sound no signal so as not to distract the other vessel.

! ' Rule 9; Rule 5; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] No special action is required beyond maintaining normal lookout and keeping to the starboard side of the channel.

! ' Rule 9; Rule 5; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201501-jan-q05a

You sight a vessel at night showing white over red masthead lights plus sidelights and a stern light. What is she?

[] A vessel restricted in her ability to manoeuvre, making way through the water.

! ' Rule 26; Rule 29 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A vessel engaged in trawling, underway and making way through the water with gear deployed.

! ' Rule 26; Rule 29 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A vessel constrained by her draught, showing the optional additional lights for her condition.

! ' Rule 26; Rule 29 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A pilot vessel on pilotage duty, underway.

! ' Rule 26; Rule 29 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

A pilot vessel on pilotage duty (white over red plus sidelights and stern light when underway) is in restricted visibility. What additional sound signal may she identify herself with?

☒ **Four short blasts as an identity signal, in addition to the normal underway fog signal.**

! Rule 19; Rule 34; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ **One prolonged blast, sounded as an identity signal between the normal fog-signal intervals.**

! Rule 19; Rule 34; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ **Two prolonged blasts followed by one short blast, sounded at intervals of not more than two minutes.**

! Rule 19; Rule 34; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ **Six short blasts followed by one prolonged blast, sounded once each minute.**

! Rule 19; Rule 34; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

A small craft is blocking your path in a narrow channel. What are your obligations under the impeding rules when a risk of collision exists?

☐ **A vessel whose passage must not be impeded has no give-way duty when the other vessel is below 20 metres.**

! Rule 8; Rule 10 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

☒ **She retains full Part B obligations when collision risk exists; reduce speed if needed; the other vessel must act with full regard.**

! Rule 8; Rule 10 — Correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. (See COLREGs Rule 8 for the full rule text.)

☐ **The vessel whose passage must not be impeded can disregard Rule 8 because the other is obliged to keep clear.**

! Rule 8; Rule 10 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

☐ **TSS routing rules under Rule 10 override Part B give-way obligations whenever a vessel is identified as not to be impeded.**

! Rule 8; Rule 10 — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

Two sailing vessels are approaching with wind on different sides of their sails. Which vessel keeps clear, and how does the Rule define “windward”?

☐ **The windward vessel keeps clear regardless of tack, determined by the vessel's heading relative to the prevailing sea.**

! Rule 12 — Not correct. when two sailing vessels are approaching one another so as to involve risk of collision, one with wind on the port side shall keep clear of the other; if both have wind on the same side, the windward vessel keeps clear. This option does not match that part of the Rule.

☐ **The leeward vessel gives way because she has better ability to manoeuvre away from the wind under Rule 12.**

! Rule 12 — Not correct. when two sailing vessels are approaching one another so as to involve risk of collision, one with wind on the port side shall keep clear of the other; if both have wind on the same side, the windward vessel keeps clear. This option does not match that part of the Rule.

☒ **Vessel with wind on her port side keeps clear; windward side is the side opposite the mainsail or largest fore-and-aft sail.**

! Rule 12 — Correct. when two sailing vessels are approaching one another so as to involve risk of collision, one with wind on the port side shall keep clear of the other; if both have wind on the same side, the windward vessel keeps clear. (See COLREGs Rule 12 for the full rule text.)

☐ **The vessel on starboard tack gives way under Rule 12 unless she can show she is the smaller of the two sailing vessels.**

! Rule 12 — Not correct. when two sailing vessels are approaching one another so as to involve risk of collision, one with wind on the port side shall keep clear of the other; if both have wind on the same side, the windward vessel keeps clear. This option does not match that part of the Rule.

You are overtaking a ship and then you alter 70° to port for your track. Does that change your overtaking status under Rule 13?

[] Rule 13 obligation persists; bearing changes from your alteration do not relieve the overtaker until she is finally past and clear.

! ' Rule 13 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] Rule 15 crossing obligations replace Rule 13 once the relative bearing shifts forward of the beam due to the course change.

! ' Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] She becomes a crossing vessel once your heading change places her forward of your beam, making you the stand-on vessel.

! ' Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Overtaking status under Rule 13 ceases when the give-way vessel alters more than 60 degrees, converting it to a crossing situation.

! ' Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

You see two cones with their apexes together on a fishing vessel. What does that mean?

[] A vessel engaged in mine-clearance operations, displaying the shapes required under Rule 27(f) for that activity.

! ' Rule 27(f); Rule 26; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] A vessel engaged in fishing — two cones apexes together is the Rule 26 day-shape prescribed for fishing vessels.

! ' Rule 27(f); Rule 26; ... — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] A vessel not under command as defined by Rule 3(f), showing two balls in a vertical line to indicate her condition.

! ' Rule 27(f); Rule 26; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] A vessel aground, displaying the three-ball day-shape required by Rule 30(d) in addition to anchor lights or shapes.

! ' Rule 27(f); Rule 26; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

The cadet asks for the Rule definition. What is a vessel “engaged in fishing”?

[] Any vessel carrying fishing rods or hand-held lines, regardless of whether the gear restricts her ability to manoeuvre.

! ' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Only vessels registered as commercial trawlers under flag-state licensing requirements for deep-sea fishing operations.

! ' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] A vessel at anchor deploying fishing gear over the side, regardless of the effect on her ability to manoeuvre.

! ' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Fishing with nets, lines, trawls, or apparatus restricting manoeuvrability; excludes trolling or gear not limiting movement.

! ' Rule 26 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

A fishing vessel is making way in restricted visibility. What fog signal should she sound?

☐ One prolonged blast at intervals of not more than two minutes, the same signal as a power-driven vessel making way.

! ' Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☐ Rapid ringing of a bell forward and a gong aft for five seconds, the signal prescribed for vessels at anchor over 100 m.

! ' Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☒ One prolonged blast followed by two short blasts at intervals of not more than two minutes, per Rule 35(c).

! ' Rule 35(c) — Correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. (See COLREGs Rule 35 for the full rule text.)

☐ Four short blasts sounded at intervals of not more than two minutes, indicating restricted manoeuvrability while fishing.

! ' Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

You are in sight of another power-driven vessel and you make a bold alteration to starboard to keep clear under Rule 18. Should you sound manoeuvring signals before you turn?

☐ Five or more short and rapid blasts are the sole whistle signal permitted when manoeuvring under Rule 18 obligations.

! ' Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ Whistle signals under Rule 34 are restricted to restricted visibility and do not apply when vessels are in sight.

! ' Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ Sound signals are not required when manoeuvring under Rule 18 because the hierarchy of responsibility is self-evident.

! ' Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☒ A power-driven vessel manoeuvring in sight of another under the Rules shall indicate the action on the whistle per Rule 34(a).

! ' Rule 18 — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

The trainee asks what counts as restricted visibility. What is the definition in the Rules?

☒ Any condition in which visibility is restricted by fog, mist, falling snow, heavy rainstorms, sandstorms, or similar causes.

! ' Rule 19; Rule 5 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Visibility reduced below a fixed threshold of five nautical miles as measured by the ship's radar or a visual estimate.

! ' Rule 19; Rule 5 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Conditions occurring during the hours of darkness when natural light is insufficient for maintaining a visual lookout.

! ' Rule 19; Rule 5 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Any condition in which the vessel's radar is actively being used for collision avoidance, regardless of actual visual range.

! ' Rule 19; Rule 5 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or

hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

fleet-201501-jan-q11c

You are in one nautical mile of visibility. You can see another vessel's lights ahead, and you are on a crossing bearing, but you are not in sight of one another in the ordinary sense. Do the Rules of Part B Section II (steering and sailing for vessels in sight) still apply, or does Rule 19 govern what you do?

☐ Rule 19 governs all encounters when visibility is below two nautical miles, even if the vessels are in visual contact.

! ' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Rule 2 responsibility alone applies; other steering and sailing rules are suspended when visibility falls below one mile.

! ' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Rule 19 applies when not in sight of one another; here the vessels are in sight, so Section II and Rule 15 govern the crossing.

! ' Rule 19 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ The stand-on vessel must hold course and speed under Rule 19 regardless of whether the other vessel is visually sighted.

! ' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

fleet-201501-jan-q12

Your ship carries radar. What does the obligation on use of radar require?

☐ Radar use is at the master's discretion in clear weather and becomes mandatory only when visibility falls below a set threshold.

! ' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Proper use including long-range scanning for early warning, and radar plotting or equivalent systematic observation of detected objects.

! ' Rule 19 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Radar plotting is required only when the vessel is proceeding below ten knots in or near an area of restricted visibility.

! ' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Only vessels fitted with ARPA are required to conduct systematic plotting; non-ARPA vessels may rely on visual bearings.

! ' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

fleet-201501-jan-q13a

You are reading ATP1(E) (Allied Tactical Publication) during RN formation work. In general, how should ships that are not in station relate to ships that are in station?

☐ Ships in station and ships not in station share equal priority, so standard COLREGs give-way rules apply without distinction.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☐ The main body formation has no special rights; screening vessels may manoeuvre through the formation without restriction.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☒ Ships not in station shall keep clear of and not hamper the movements of ships that are in their assigned station.

! ' Rule 17 — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel

may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

[] Screening vessels on the outer perimeter hold priority over ships in the main body under ATP1(E) convention guidance.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

fleet-201501-jan-q13b

Ships in station are manoeuvring and you are worried about collision danger. How should they behave?

[] Ships in station should not stubbornly maintain course and speed when doing so would create a danger of collision.

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Ships in station may disregard COLREGs collision-avoidance rules to preserve formation integrity during exercises.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Ships in station should increase to full speed to clear the danger area and restore formation spacing rapidly.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Ships in station should maintain assigned course and speed to preserve the tactical formation, even if collision risk develops.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201501-jan-q13c

The carrier is conducting fixed-wing flying operations. In Royal Navy Fleet examination answers, what is the usual priority order among allied naval task types (per ATP1(E) material)?

[] The aircraft carrier conducting flight operations takes first priority over every other unit in the task group.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Helicopters, MCM, RAS, LCU launch/recovery, fixed-wing launch/recovery, then towed arrays — per the ATP1(E) priority table.

! ' Rule 27; Rule 24 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] Destroyer and frigate screen vessels hold first priority to maintain the defensive perimeter around the carrier group.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Submarines conducting diving operations hold first priority because of their limited ability to manoeuvre on the surface.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201501-jan-q13d

Another allied naval unit is in a situation described in ATP1(E). In RN Fleet training, do ATP1(E) priorities take precedence over the IRPCS in those circumstances?

[] ATP1(E) provides guidance only; IRPCS cannot be overruled by any allied naval publication under international maritime law.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] ATP1(E) overrides IRPCS only when operating within a designated harbour or naval port approach channel during exercises.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] ATP1(E) priorities apply exclusively to aircraft carriers; other allied warships must follow standard IRPCS while at sea.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] ATP1(E) priorities apply to allied naval vessels and do override IRPCS in the circumstances described by that publication.

! " COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

fleet-201501-jan-q14

You are on a warship with extra masthead clutter. What do the Rules allow governments to do for vessels of special construction and extra station lights?

[] Warships are exempt from displaying the lights and shapes required by the Rules, relying on naval signal procedures.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Only NATO-flagged vessels qualify for alternative compliance; all other special-construction vessels must follow exactly.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Government may allow closest-possible compliance when full adherence to light, shape, or sound rules would interfere with special function.

! " COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Any vessel may display additional lights or shapes beyond those prescribed, provided the master deems them operationally necessary.

! " COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201501-jan-q16

You need to join or leave a traffic lane. How should you normally join or leave, and at what angle?

[] Vessels may not leave a traffic lane once entered and must continue to the lane termination point before altering course.

! " Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Join or leave at lane termination; if joining or leaving from the side, do so at as small an angle to the traffic flow as practicable.

! " Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

[] Vessels should cross the lane at right angles from any position, then rejoin the appropriate lane on the far side of the scheme.

! " Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Vessels from the inshore traffic zone may join a lane, provided they do so at a heading perpendicular to traffic flow.

! " Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

fleet-201501-jan-q17

You are not en route to a port or an offshore installation. Who may use the inshore zone of a TSS?

[] Any vessel over 20 metres in length may use the inshore traffic zone provided she is transiting to or from a nearby port.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Only power-driven vessels on passage between adjacent ports are permitted to navigate within the inshore traffic zone.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] The inshore traffic zone is reserved as a buffer between the separation scheme and the coastline, closed to through traffic.

! " Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Vessels under 20 m, sailing vessels, and vessels engaged in fishing may use the inshore traffic zone when not required to use the lane.

! Rule 26; Rule 25; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

fleet-201501-jan-q18

You would like to enter a separation zone or cross a separation line. When may you do so?

☐ Shall not enter a separation zone or cross a separation line except in emergency to avoid immediate danger or to fish within the zone.

! Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

☐ Entry into a separation zone is barred; the rule does not provide recognised exceptions for emergency or fishing situations.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☐ Any vessel may cross a separation line at approximately right angles to the direction of traffic flow from any position.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☐ Warships operating under government orders are exempt from the Rule 10 restrictions on entering or crossing a separation zone.

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

fleet-201502-feb-q01

A hovercraft is converging ahead of your starboard beam; you are about 25° on her port bow. If a risk of collision develops, what does Rule 15 require?

☐ No action is required until CPA drops below one nautical mile; only then does Rule 15 impose any crossing obligation.

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ The vessel which has the other on her own starboard side shall keep out of the way and, if circumstances admit, avoid crossing ahead.

! Rule 15 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

☐ Both hovercraft shall alter course to port simultaneously, as the crossing rules require symmetric action by each vessel.

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ The faster vessel gives way regardless of relative bearing, since speed determines priority under the crossing rule.

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

fleet-201502-feb-q02a

You are overtaking a tug with a submerged tow more than 200 m long on her port side, in a narrow channel, and VHF is silent. What whistle signal indicates your intention to overtake on your chosen side?

☐ Five short and rapid blasts on the whistle, indicating doubt about the other vessel's actions in the narrow channel.

! Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ One prolonged blast repeated at two-minute intervals, as required for any vessel navigating within a narrow channel.

! Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ Two prolonged blasts followed by two short blasts (intend to overtake on her port side).

! ' Rule 9; Rule 13; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] Three short blasts on the whistle, indicating that propulsion machinery is operating astern during the overtaking.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201502-feb-q02b

The tug master agrees to your overtaking. What agreement signal does she sound?

[] One prolonged, one short, one prolonged, one short, in that order.

! ' Rule 34 — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

[] One short blast only, acknowledging the overtaking vessel's stated intention to pass in the narrow channel.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Two prolonged blasts indicating the tug's agreement to alter course and permit safe overtaking passage.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Four short blasts in rapid succession, the standard narrow-channel agreement signal prescribed by Rule 34.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

fleet-201502-feb-q02c

The tow is longer than 200 m. What shapes should the tug and tow show?

[] Three balls in a vertical line on both tug and tow, indicating a vessel restricted in her ability to manoeuvre.

! ' Rule 28; Rule 24 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Cone apex upward displayed on the tug only, with no shape required on the tow regardless of its overall length.

! ' Rule 28; Rule 24 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Cylinder shape displayed on tug and tow at the highest point, as prescribed for vessels constrained by draught.

! ' Rule 28; Rule 24 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Tug: diamond where best seen when tow >200 m; tow: diamond at aftermost extremity and, if >200 m, additional diamond forward.

! ' Rule 28; Rule 24 — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

fleet-201502-feb-q04

You see a sailing vessel with a cone apex down in the rigging. What does that mean?

[] Vessel aground and unable to manoeuvre, displaying the cone as an alternative to the three-ball day shape.

! ' Rule 25; Rule 28; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

[] Vessel constrained by her draught, using a cone shape as a substitute for the required cylinder day signal.

! ' Rule 25; Rule 28; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

[] Under sail and also propelled by machinery (cone forward where best seen, apex down).

! ' Rule 25; Rule 28; ... — Correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. (See COLREGs Rule 25 for the full rule text.)

[] Vessel engaged in dredging or underwater operations, displaying the cone to indicate her working side.

! ' Rule 25; Rule 28; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

fleet-201502-feb-q05d

You are planning to cross a narrow channel. What must you avoid if you would impede a vessel that can safely navigate only inside the channel, and what if you are in doubt?

[] Contact the restricted vessel on VHF Channel 16 to negotiate passage; whistle signals are not permitted in the channel.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Crossing the channel is permitted provided the crossing vessel maintains a safe speed under Rule 6.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

Rule.

[] Only the larger vessel determines right of way in the channel; the smaller vessel keeps clear on port authority direction.

! ' Rule 6 — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Must not cross if it impedes such a vessel; vessel in channel may sound 34(d); in doubt, at least five short rapid blasts.

! ' Rule 6 — Correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. (See COLREGs Rule 6 for the full rule text.)

fleet-201502-feb-q06a

A small craft flies a red and white vertical striped flag (Hotel). What does that mean?

[] Fishing vessel deploying or retrieving nets, required to show the Hotel flag while gear is in the water.

! ' Rule 29 — Not correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. This option does not match that part of the Rule.

[] Vessel engaged on pilotage duties, identified by the Hotel flag as prescribed under Rule 29 of the COLREGs.

! ' Rule 29 — Correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. (See COLREGs Rule 29 for the full rule text.)

[] Mine-clearance vessel conducting operations in a swept channel, displaying the Hotel flag as a warning signal.

! ' Rule 29 — Not correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. This option does not match that part of the Rule.

[] Vessel with a diver below the surface, flying the Hotel flag to warn nearby traffic of underwater operations.

! ' Rule 29 — Not correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. This option does not match that part of the Rule.

fleet-201502-feb-q06b

A pilot vessel is underway at night. What lights should you expect?

[] Two all-round lights in vertical line, upper white lower red at masthead; when underway also sidelights and sternlight.

! ' Rule 26; Rule 29 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Same lights as a vessel engaged in trawling: green over white all-round plus masthead, sidelights, and sternlight.

! ' Rule 26; Rule 29 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Green all-round over white all-round in a vertical line at the masthead, visible from all directions at three miles.

! ' Rule 26; Rule 29 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Red over white all-round lights at the masthead only, with no requirement for sidelights or sternlight when underway.

! ' Rule 26; Rule 29 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201502-feb-q07a

You enter restricted visibility as a power-driven vessel making way. What fog signal should you sound?

[] Two prolonged blasts at intervals of not more than two minutes, identifying a vessel underway but stopped in the water.

! ' Rule 27; Rule 19; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] One prolonged blast on the whistle at intervals of not more than two minutes, as prescribed for a PDV making way.

! ' Rule 27; Rule 19; ... — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] One prolonged followed by two short blasts at two-minute intervals, the signal for a vessel restricted in ability to manoeuvre.

! ' Rule 27; Rule 19; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Rapid ringing of the bell forward and sounding of the gong aft for five seconds, repeated at intervals of one

minute.

!' Rule 27; Rule 19; ... — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201502-feb-q07b

Your vessel is 133 m long. What are the arcs and minimum ranges for masthead, sidelight, and sternlight?

[] Masthead 225 deg (right ahead to 22.5 deg abaft beam each side), 6 nm; sidelights 112.5 deg each side, 3 nm; sternlight 135 deg, 3 nm.

!' Rule 13; Rule 20 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] Masthead light arc of 112.5 deg on each bow at 3 nm range; sidelights and sternlight each visible at 2 nautical miles.

!' Rule 13; Rule 20 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] All navigation lights showing 360 degrees with a uniform range of 2 nautical miles, regardless of vessel length.

!' Rule 13; Rule 20 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Same arcs and ranges as a vessel under 12 m: masthead 225 deg at 2 nm, sidelights and sternlight each at 1 nm.

!' Rule 13; Rule 20 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

fleet-201502-feb-q07c

You are in restricted visibility in a power-driven vessel. How should you think about speed and engine readiness?

[] Half ahead on main engines is the standard restricted-visibility speed required under Rule 6 for power-driven vessels.

!' Rule 6; Rule 19; ... — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Stop engines and lie dead in the water until visibility improves, as required by Rule 19 for power-driven vessels.

!' Rule 6; Rule 19; ... — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

[] Safe speed adapted to restricted visibility; power-driven vessel shall have engines ready for immediate manoeuvre.

!' Rule 6; Rule 19; ... — Correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. (See COLREGs Rule 6 for the full rule text.)

[] Maintain maximum sea speed provided an effective radar watch is kept and ARPA is plotting under Rule 7 requirements.

!' Rule 6; Rule 19; ... — Not correct. every vessel shall at all times proceed at a safe speed so that she can take proper and effective action to avoid collision and be stopped within a distance appropriate to the prevailing circumstances and conditions. This option does not match that part of the Rule.

fleet-201502-feb-q08b

You hear one prolonged blast followed by two short blasts. Which categories of vessel may sound that?

[] Power-driven vessel making way through the water only; no other vessel category uses this particular fog signal.

!' Rule 35; Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

[] Anchored vessels of 100 metres or more in length, required to sound bell forward and gong aft under Rule 35.

!' Rule 35; Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

[] Pilot vessels exclusively, as a unique identification signal when operating on station in restricted visibility.

!' Rule 35; Rule 35(c) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

[] NUC, RAM, CBD, sailing vessel, fishing, or towing/pushing — among the categories listed under Rule 35(c).

! Rule 35; Rule 35(c) — Correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. (See COLREGs Rule 35 for the full rule text.)

fleet-201502-feb-q08d

At about one mile you see a white masthead stack and a green all-round light with white above in a trawler pattern to starboard. What type of vessel is she and what is she likely doing?

☐ Vessel fishing other than trawling, showing white over red all-round lights with sidelights and sternlight.

! Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Vessel restricted in ability to manoeuvre, showing red-white-red vertical lights with masthead and side lights.

! Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Vessel not under command, displaying two red all-round lights in a vertical line with sidelights to starboard.

! Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☒ Vessel engaged in trawling and making way, viewed from her starboard side; masthead stack indicates length over 50 m.

! Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

fleet-201502-feb-q09a

A small merchant is red 25° at five miles; you are about 60° on her starboard bow, steady bearing. What are the give-way vessel's obligations?

☐ Both vessels maintain course and speed until range closes to one nautical mile, then the larger vessel takes action.

! Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☒ Vessel with other on own starboard side keeps out of the way and avoids crossing ahead; give-way takes early substantial action.

! Rule 13; Rule 15; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

☐ Stand-on vessel sounds five short blasts immediately and the give-way vessel is then required to alter course to starboard.

! Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ You are the give-way vessel because you appear on her starboard bow; alter course to starboard and pass astern of her.

! Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

fleet-201502-feb-q09b

You are the stand-on vessel in a crossing situation. What should you do first?

☐ Alter course to starboard immediately to increase CPA, assisting the give-way vessel in keeping clear under Rule 17.

! Rule 17; Rule 17(a) — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☐ Stop engines and reduce speed to bare steerage way, giving the give-way vessel maximum sea room to manoeuvre safely.

! Rule 17; Rule 17(a) — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

☒ Maintain your course and speed as required by Rule 17(a)(i), allowing the give-way vessel time and sea room to keep clear.

! Rule 17; Rule 17(a) — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

☐ Contact the other vessel on VHF Channel 16 and request she state her intentions before you take any avoiding action.

! Rule 17; Rule 17(a) — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the

stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

fleet-201502-feb-q09c

The give-way vessel has not acted by two miles and you are unsure of her intentions. What signal should you use?

[] At least five short and rapid blasts on the whistle to indicate doubt; may be supplemented with a light signal of flashes.

! ' Rule 34(a) — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

[] One prolonged blast only, warning the give-way vessel that you are maintaining your course and speed as stand-on.

! ' Rule 34(a) — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] One short blast on the whistle, indicating that you intend to alter your own course to starboard under Rule 34(a).

! ' Rule 34(a) — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Two prolonged blasts on the whistle, signalling that you are no longer making way and your engines are operating astern.

! ' Rule 34(a) — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

fleet-201502-feb-q09d

When may the stand-on vessel take action on her own?

[] Only after a collision has actually occurred; prior to contact the stand-on vessel must hold her course and speed.

! ' Rule 10; Rule 16; ... — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] The stand-on vessel is prohibited from altering course or speed at any stage during a crossing encounter under R.17.

! ' Rule 10; Rule 16; ... — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] Only when navigating inside a traffic separation scheme, where Rule 10 overrides the normal stand-on obligation.

! ' Rule 10; Rule 16; ... — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

[] When it becomes apparent that the give-way vessel is not taking appropriate action as required by Rule 16.

! ' Rule 10; Rule 16; ... — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

fleet-201502-feb-q09e

When must the stand-on vessel take action if the give-way vessel will not clear in time?

[] Only after sounding at least five short and rapid blasts on the whistle; no manoeuvre is permitted before the signal.

! ' Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] The give-way vessel retains sole responsibility to resolve the situation under Rule 16 at all ranges in the encounter.

! ' Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] When so close that collision cannot be avoided by the give-way vessel alone — take best action to avoid collision.

! ' Rule 16 — Correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. (See COLREGs Rule 16 for the full rule text.)

[] At a range of six nautical miles the stand-on vessel must begin manoeuvring regardless of the give-way vessel's actions.

! ' Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

You are in a TSS approaching the end of a lane. What should you do?

☒ **Navigate with particular caution in the vicinity of the terminations of traffic separation schemes under Rule 10.**

! Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

☐ **Increase to full sea speed in order to join the nearest traffic lane before converging traffic at the termination.**

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☐ **Sound no whistle signals when approaching TSS terminations; Rule 10 prohibits signals within the separation zone.**

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☐ **Ignore crossing traffic at TSS terminations because vessels already established in the lane have absolute right of way.**

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

Who shall not impede a power-driven vessel following a traffic lane?

☐ **Only sailing vessels are required not to impede; fishing vessels and small craft retain full right of way in traffic lanes.**

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☒ **Vessels engaged in fishing, vessels under 20 m, or sailing vessels shall not impede safe passage of a PDV following a lane.**

! Rule 10 — Correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. (See COLREGs Rule 10 for the full rule text.)

☐ **Only VLCCs and deep-draught tankers are protected by Rule 10; all other power-driven vessels must give way in the lane.**

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

☐ **Only warships and government vessels on official duty are exempt from the requirement to follow a traffic lane direction.**

! Rule 10 — Not correct. traffic separation schemes adopted by IMO do not relieve any vessel of her obligations under any other Rule; follow lane direction, crossing/joining/leaving, and inshore-zone rules as set out in the Rule. This option does not match that part of the Rule.

Name six distress or need-of-assistance signals. Which answer lists only valid examples from Annex IV?

☐ **Three short blasts, one prolonged blast, and yellow smoke — each qualifies as a standard Annex IV distress signal.**

! Annex IV — Not correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. This option does not match that part of the Rule.

☐ **Flag Bravo displayed alone at the masthead is listed among the recognised distress signals in Annex IV of the COLREGs.**

! Annex IV — Not correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. This option does not match that part of the Rule.

☐ **A horn sounded continuously at thirty-second intervals is the sole audible distress signal recognised under the COLREGs.**

! Annex IV — Not correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. This option does not match that part of the Rule.

☒ **Any six from Annex IV (e.g. gun fired at one-minute intervals, SOS, Mayday, NC flags, flames, red rocket, orange smoke, EPIRB).**

! Annex IV — Correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. (See COLREGs Annex IV for the full rule text.)

RFA Orange Leaf shows a red flag alongside. What does that mean?

[] Man overboard — crew member has fallen into the sea and the vessel is conducting recovery.

! ' Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] Diver below — the vessel has personnel in the water and nearby traffic should keep well clear.

! ' Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

[] Taking in, discharging or carrying dangerous goods as indicated by the International Code flag.

! ' Rule 16 — Correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. (See COLREGs Rule 16 for the full rule text.)

[] Medical emergency on board — the vessel requires immediate shore-side medical assistance.

! ' Rule 16 — Not correct. every vessel which is directed to keep out of the way of another shall, so far as possible, take early and substantial action to keep well clear. This option does not match that part of the Rule.

Define “constrained by her draught” in the Rules. Can a Queen’s Harbour Master direct you to show CBD shapes in harbour?

[] CBD applies to any vessel in deep water regardless of draught; QHM has no authority over shape displays.

! ' Rule 28; Rule 10; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] CBD only applies to vessels navigating traffic separation schemes and does not extend to harbour areas.

! ' Rule 28; Rule 10; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] CBD: PDV severely restricted in deviating from course due to draught vs available depth/width; QHM may direct compliance with shapes.

! ' Rule 28; Rule 10; ... — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

[] There is no formal definition of CBD in the Rules; the term is advisory only with no shape requirement.

! ' Rule 28; Rule 10; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

Pleasure craft and fishing boats are east of Spit Sand: why keep clear of your warship?

[] Under 20 m or sailing shall not impede vessel restricted to channel; fishing vessel shall not impede any vessel in narrow channel.

! ' Rule 26; Rule 9 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Pleasure craft and fishing vessels have full right of way near Spit Sand during daylight hours only.

! ' Rule 26; Rule 9 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Only fishing vessels actively trawling are required to keep clear; pleasure craft may navigate freely.

! ' Rule 26; Rule 9 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Pleasure craft and fishing vessels have priority over larger vessels when operating inside harbour limits.

! ' Rule 26; Rule 9 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

In a narrow channel, what shall any vessel avoid if circumstances permit?

[] Using radar for navigation shall be avoided when transiting any narrow channel under the Rules.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Anchoring in a narrow channel shall be avoided if the circumstances of navigation admit safe passage.

! ' Rule 9; Rule 13; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] Sounding prescribed fog signals should be avoided inside narrow channel limits to prevent confusion.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

Rule.

- [] Overtaking other vessels in a narrow channel is prohibited under all navigable circumstances.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201505-apr-q08

You are unsure whether a head-on situation exists. What should you assume?

- [] Assume no head-on exists unless confirmed by VHF communication with the other vessel first.

! ' Rule 14 — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

- [] Stop engines immediately and wait for the other vessel to clearly indicate her intended action.

! ' Rule 14 — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

- [] Contact the other vessel by VHF only and take no avoiding action until intentions are agreed.

! ' Rule 14 — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

- [] Assume a head-on situation does exist and alter course to act accordingly under the Rules.

! ' Rule 14 — Correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. (See COLREGs Rule 14 for the full rule text.)

fleet-201505-apr-q09

You are choosing how much to alter course to pass clear. How large should a course alteration be to avoid collision?

- [] Large enough to be readily apparent to the other vessel observed visually or by radar.

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

- [] At least 10 degrees of helm to ensure the vessel responds quickly to the course alteration.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

- [] A full 180-degree turn away from the other vessel to maximise the separation distance.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

- [] No specific alteration is needed if speed is being controlled by the engine telegraph.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201505-apr-q10

What should you avoid when you use helm and speed to avoid collision?

- [] Taking early action to avoid collision should be avoided as it may cause unnecessary confusion.

! ' Rule 7; Rule 8 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

- [] Making a single substantial alteration of course should be avoided in favour of gradual changes.

! ' Rule 7; Rule 8 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

- [] A succession of small alterations of course or speed shall be avoided when taking avoiding action.

! ' Rule 7; Rule 8 — Correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). (See COLREGs Rule 7 for the full rule text.)

- [] Any use of helm to alter course should be avoided when a risk of collision exists with another vessel.

! ' Rule 7; Rule 8 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

fleet-201505-apr-q11

Rule 8(c) says an alteration of course alone may be most effective if sufficient sea room exists. What conditions must that alteration still satisfy?

- [] Made as small and late as possible so the other vessel can observe the change more clearly.

! ' Rule 8(c) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

- [] Made in good time, substantial, and does not result in another close-quarters situation.

! ' Rule 8(c) — Correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a

succession of small alterations and watch passing distances. (See COLREGs Rule 8 for the full rule text.)

[] Made only during hours of darkness when sidelights confirm the aspect of the other vessel.

! ' Rule 8(c) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

[] Made only with prior VTS or harbour authority permission to ensure traffic coordination.

! ' Rule 8(c) — Not correct. any action to avoid collision shall be positive, made in ample time and with due regard to good seamanship; avoid a succession of small alterations and watch passing distances. This option does not match that part of the Rule.

fleet-201505-apr-q13

You are not using a traffic lane. How close may you pass the TSS?

[] A vessel not using a TSS shall avoid it by as wide a margin as is practicable under the Rules.

! ' Rule 26; Rule 10 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] A vessel not using a TSS should save distance by passing as close to it as safely possible.

! ' Rule 26; Rule 10 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Only fishing vessels may approach or cross the TSS boundary from the adjacent inshore waters.

! ' Rule 26; Rule 10 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] There is no Rule governing the distance a non-TSS vessel must keep from the scheme boundary.

! ' Rule 26; Rule 10 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201505-apr-q14

When is a vessel considered to be overtaking another?

[] Any vessel travelling at a faster speed than the vessel ahead regardless of relative bearing.

! ' Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Any vessel positioned within three nautical miles directly astern of the vessel ahead of her.

! ' Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Any vessel on the same course and within visual range of the vessel ahead at any bearing angle.

! ' Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Coming up from more than 22.5 degrees abaft the beam; at night could see only the sternlight.

! ' Rule 13 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

fleet-201505-apr-q15

Who keeps out of the way in an overtaking situation?

[] Both vessels shall alter course to port simultaneously to create a safe passing distance.

! ' Rule 13; Rule 17 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] The smaller vessel shall keep clear regardless of the overtaking geometry involved.

! ' Rule 13; Rule 17 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Any vessel overtaking shall keep out of the way of the vessel being overtaken at all times.

! ' Rule 13; Rule 17 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] The stand-on vessel must take the first avoiding action during any overtaking situation.

! ' Rule 13; Rule 17 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

fleet-201505-apr-q16

What must the give-way vessel do?

[] Take early and substantial action to keep well clear of the stand-on vessel so far as possible.

! ' Rule 17; Rule 16; ... — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

[] Maintain present course and speed until the stand-on vessel takes her own avoiding action first.

! ' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the

stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Wait until the other vessel is within one cable before initiating any avoiding manoeuvre at all.

! ' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Sound two prolonged blasts and maintain course until the other vessel responds to the signal.

! ' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

fleet-201505-apr-q19

A tug is towing a tow longer than 200 m. What lights and shapes should you expect?

[] Towing vessel displays the same lights as a single power-driven vessel with no additional signals.

! ' Rule 20; Rule 24 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] No extra lights or shapes are required for a tug and tow regardless of the overall tow length.

! ' Rule 20; Rule 24 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Towing vessel shows only a single cone shape by day and standard navigation lights at night.

! ' Rule 20; Rule 24 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Three masthead lights if tow >200 m, sidelights, sternlight, towing light, diamond; tow shows sidelights/sternlight and diamond.

! ' Rule 20; Rule 24 — Correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. (See COLREGs Rule 20 for the full rule text.)

fleet-201505-apr-q20

You anchor off Cherbourg. What anchor lights and shapes apply?

[] Sidelights only are displayed while at anchor to indicate the vessel heading to nearby traffic.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] All-round white in fore part or ball by day; all-round white at stern lower; vessel 100 m+ illuminates decks.

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Two red all-round lights in a vertical line are shown at anchor to indicate the vessel status.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] No lights are required during daylight hours; anchor ball is shown only by vessels over 50 metres.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201505-apr-q22

You are anchored in reduced visibility. What sound signals should you make?

[] Bell rapid ringing 5 s forward then gong 5 s aft at intervals of not more than one minute.

! ' Rule 34 — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

[] Two prolonged blasts on the whistle repeated at intervals of every two minutes while anchored.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] One prolonged blast on the whistle at intervals of not more than two minutes continuously.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Three separate distinct strokes on the bell only without any gong signal from the vessel stern.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

fleet-201505-apr-q23

You are aground. What do you add to the anchoring signals?

[] No additional signals are required beyond the standard at-anchor bell and gong sequence.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] One prolonged blast on the whistle is the only supplement to the standard anchor signals.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Three distinct strokes on bell before and after rapid ringing plus gong aft; may additionally sound whistle.

! ' Rule 34 — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

[] Six short rapid blasts on the whistle replace the bell and gong sequence entirely when aground.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

fleet-201505-apr-q24

Another power-driven vessel bears green 40° (on your starboard side), range three miles. You are on her port bow; the bearing is steady and risk of collision exists. What actions are required?

[] You keep clear because you have the other vessel on your port side in this crossing geometry.

! ' Rule 15; Rule 17; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] You have him on starboard so you keep out of the way; may sound one short and alter to starboard.

! ' Rule 15; Rule 17; ... — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

[] Both vessels should stop engines immediately and wait for the situation to resolve on its own.

! ' Rule 15; Rule 17; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Only the stand-on vessel is permitted to take any action in a crossing situation under the Rules.

! ' Rule 15; Rule 17; ... — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

fleet-201505-apr-q25

You are red 50° to a vessel; the bearing is slowly moving right. You are about 40° on her starboard bow. What should you do?

[] You are the give-way vessel and must alter course substantially to keep well clear of him.

! ' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Both vessels should alter course to port simultaneously to increase the passing distance safely.

! ' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Sound five short blasts only and take no further action until the other vessel clearly responds.

! ' Rule 17; Rule 16; ... — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Stand on but monitor the give-way vessel; you have him on port so he must give way to you.

! ' Rule 17; Rule 16; ... — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

fleet-201505-apr-q26

You see a stopped vessel with ball-diamond-ball. What status is she? How can you tell whether she is anchored or underway?

[] Restricted in ability to manoeuvre; if anchored shows anchor lights/ball forward; keep clear of her.

! ' Rule 26; Rule 28; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Not under command; vessel is disabled and unable to manoeuvre or comply with the steering Rules.

! ' Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Fishing vessel stopped and recovering gear; other vessels may pass freely on either side of her.

! ' Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Constrained by draught; vessel must remain in the deepest part of the navigable channel ahead.

! ' Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201505-apr-q27

A large ship shows a black cylinder. What does that mean? What should you do?

[] RAM signals are displayed by any vessel showing a cylinder regardless of draught restriction.

! ' Rule 28; Rule 27; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] No action is required by other vessels because the cylinder shape is an advisory signal only.

! ' Rule 28; Rule 27; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] CBD signals; power-driven vessels shall if circumstances admit avoid impeding safe passage of CBD vessel.

! ' Rule 28; Rule 27; ... — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

[] Vessel displaying a cylinder is overtaking you and must keep clear as the give-way vessel here.

! ' Rule 28; Rule 27; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

fleet-201505-apr-q28

You see two black balls vertically in a ship that is making way. What lights should she show at night?

[] Single anchor light displayed forward only with no sidelights or sternlight shown at night.

! ' Rule 27 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] NUC making way: two all-round red lights in vertical line plus sidelights and sternlight shown.

! ' Rule 27 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] Normal power-driven vessel masthead lights only without additional status indication lights.

! ' Rule 27 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Green over white all-round lights displayed to indicate a vessel making way through the water.

! ' Rule 27 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201505-apr-q29

You see two cones apexes together and a cone apex up. What does that mean? How should you pass?

[] Fishing other than trawling; cone apex up shows outlying gear >150 m — pass clear on that side.

! ' Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Vessel engaged in trawling operations with nets deployed on both sides of the vessel equally.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessel engaged in dredging with restricted ability to manoeuvre on the side of the obstruction.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Mine clearance vessel with dangerous operations underway requiring a wide berth from traffic.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201505-apr-q30

MCMV shapes are in sight and a helicopter is “in the dip” in the same area. In Royal Navy Fleet examination keys referencing ATP1(E), what is stated about responsibility and helicopter status?

[] Helicopter in dip is treated as a power-driven vessel and must comply with steering rules.

! ' Rule 27; Rule 17 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Helicopter in dip is the give-way vessel and must keep clear of all surface traffic nearby.

! ' Rule 27; Rule 17 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] No navigational restriction applies to either the helicopter or surrounding surface vessels.

! ' Rule 27; Rule 17 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Helicopter in dip is NUC; no vessel within 500 yards; MCMV action per ATP1(E) Fleet guidance.

! ' Rule 27; Rule 17 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

fleet-201505-apr-q32

You hear two prolonged blasts followed by four short blasts. What does that combination mean?

☐ At-anchor signal followed by a general warning to approaching traffic in restricted visibility.

! ' Rule 35(b) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☒ PDV underway not making way (Rule 35(b)) plus pilot vessel identity signal of four short blasts.

! ' Rule 35(b) — Correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. (See COLREGs Rule 35 for the full rule text.)

☐ Fishing vessel engaged in trawling operations and making way through the water at slow speed.

! ' Rule 35(b) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

☐ Not-under-command vessel stopped and drifting with no propulsive power or steering available.

! ' Rule 35(b) — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

fleet-201505-apr-q33

You hear one short, one prolonged, and one short in succession. What does that sound signal mean?

☒ Optional warning by anchored vessel of her position to approaching vessel indicating collision risk.

! ' Rule 9; Rule 13; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

☐ Meeting signal between two power-driven vessels approaching head-on in a narrow channel area.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ International distress signal indicating the vessel requires immediate assistance from others.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

☐ Overtaking agreement signal between vessels in a narrow channel requiring consent to pass.

! ' Rule 9; Rule 13; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201505-apr-q34

On radar you have a contact green 60° at five miles and you assess risk of collision. What manoeuvre should you consider, and what must you avoid?

☐ Increase to full speed ahead to pass quickly in front of the approaching vessel on the radar.

! ' Rule 19; Rule 7; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Stop engines only and wait for the contact to pass without making any alteration of course.

! ' Rule 19; Rule 7; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Ample time; avoid altering to port for vessel forward of beam and avoid turning toward vessel abeam or abaft.

! ' Rule 19; Rule 7; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ Alter course to port immediately regardless of the bearing of the approaching radar contact.

! ' Rule 19; Rule 7; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

When must you show navigation lights, and what other lights must not be confused with them?

☐ From civil twilight to civil twilight only; all other external lights must be extinguished.

! Rule 19; Rule 5; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Only in restricted visibility conditions; normal lighting may be used at all other times.

! Rule 19; Rule 5; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ At the master's sole discretion regardless of conditions; no specific time is stated in Rules.

! Rule 19; Rule 5; ... — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☒ Sunset to sunrise; other lights only if they cannot be mistaken, do not impair visibility, and do not hinder lookout.

! Rule 19; Rule 5; ... — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

You sight red over white all-round lights plus sidelights and stern light while making way. What is she?

☐ Trawling vessel making way with nets deployed astern of the vessel in fishing grounds.

! Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☒ Fishing vessel other than trawling making way through the water under the Rules.

! Rule 26; Rule 27; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ Vessel restricted in ability to manoeuvre conducting underwater operations at sea.

! Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Pilot vessel on duty and making way toward an inbound vessel for boarding purposes.

! Rule 26; Rule 27; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

You see extra masthead lights on the foremast with normal navigation lights. What operation does that usually indicate?

☒ PDV towing with length of tow from stern of tug to after end of tow exceeding 200 metres.

! Rule 25; Rule 28; ... — Correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. (See COLREGs Rule 25 for the full rule text.)

☐ Vessel restricted in ability to manoeuvre conducting underwater operations near the surface.

! Rule 25; Rule 28; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

☐ Vessel constrained by draught and unable to deviate from the navigable channel available.

! Rule 25; Rule 28; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

☐ Sailing vessel under sail alone displaying additional identification lights at the masthead.

! Rule 25; Rule 28; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

You approach a towing vessel from astern. What additional light do you look for above the stern light?

☐ Blue flashing light displayed at the stern to indicate a law-enforcement or government vessel.

! Rule 13; Rule 20; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ Two red all-round lights displayed vertically at the stern indicating restricted manoeuvring.

! Rule 13; Rule 20; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Yellow towing light in vertical line above the sternlight; tow may show sidelights and sternlight.

! Rule 13; Rule 20; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] No additional stern light is shown; the tow is identified only by its own navigation lights.

! Rule 13; Rule 20; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

fleet-201505-apr-q38

You see three all-round red-white-red plus a single white forward. What operations might she be engaged in? What if those are her only lights?

[] Constrained by draught only; the three-light pattern indicates deep-draught restriction.

! Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Fishing vessel engaged in trawling with nets extending more than 150 metres from the vessel.

! Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Not under command — vessel has lost propulsion and steering and is drifting without control.

! Rule 26; Rule 28; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] RAM pattern — cable laying, pipeline, survey etc.; vessel shows anchor light if also at anchor.

! Rule 26; Rule 28; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

fleet-201505-apr-q39

Two MCMVs are in mine clearance. What extra lights may they show, and how far off should you pass?

[] Red over white all-round lights at the foremast with no additional green lights displayed.

! Rule 27; Rule 20 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Three all-round green lights at foremast and foreyard ends plus normal lights; pass 1000 m minimum.

! Rule 27; Rule 20 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] No extra lights beyond standard navigation lights are required for mine clearance vessels.

! Rule 27; Rule 20 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Pass at 500 yards minimum with standard navigation lights only and no extra shape or light.

! Rule 27; Rule 20 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201505-may-q01

Traffic is heavy and fishing boats are nearby. What does the Rule require of your lookout?

[] By sight, hearing, and all available means appropriate to circumstances for full appraisal of situation and collision risk.

! Rule 26; Rule 5 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Visual lookout only using binoculars from the bridge wing during daylight transits in traffic.

! Rule 26; Rule 5 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Radar monitoring only with no requirement for visual or auditory watch in heavy traffic areas.

! Rule 26; Rule 5 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] AIS tracking only as the primary lookout method in congested waters with modern bridge equipment.

! Rule 26; Rule 5 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

The plotting officer is assessing risk of collision. What should assumptions not be based on?

☐ Visual compass bearings taken from the bridge wing during clear weather and good visibility.

! " Rule 7 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

☐ Published chart datum and corrections applied from the latest Notice to Mariners available.

! " Rule 7 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

☒ Scanty information, especially scanty radar information, shall not be used as basis for assumptions.

! " Rule 7 — Correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). (See COLREGs Rule 7 for the full rule text.)

☐ Tide tables and tidal stream atlases used to calculate set and drift for passage planning.

! " Rule 7 — Not correct. use all available means to determine if risk of collision exists; if in doubt, assume that it does. Do not rely on scanty information (especially scanty radar information). This option does not match that part of the Rule.

At night you are OOW on a power-driven vessel. A large sailing vessel bears green 40° on your bow (about 40° on your starboard side). What are your obligations?

☐ The sailing vessel must keep clear of all power-driven vessels regardless of the situation.

! " Rule 25; Rule 10; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

☐ Neither vessel has specific obligations; both should negotiate by VHF to agree safe passing.

! " Rule 25; Rule 10; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

☐ This obligation applies only within traffic separation schemes and not in open sea conditions.

! " Rule 25; Rule 10; ... — Not correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. This option does not match that part of the Rule.

☒ Power-driven vessel underway shall keep out of the way of a sailing vessel under the Rules.

! " Rule 25; Rule 10; ... — Correct. sailing vessels underway and vessels under oars; small vessels may combine lanterns under stated conditions. (See COLREGs Rule 25 for the full rule text.)

Same night encounter: instead of the large sailing vessel on your starboard bow, suppose a large sailing vessel is overtaking you from astern. Would your obligations as OOW on a power-driven vessel change?

☐ No change occurs; the sailing vessel retains right of way over a PDV regardless of approach.

! " Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☒ Rule 13: overtaking vessel keeps clear; sailing vessel overtaking must keep out of your way.

! " Rule 13 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

☐ You remain the stand-on vessel regardless of the other vessel's approach geometry from astern.

! " Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

☐ Sailing vessel stands on over power-driven vessel even when approaching from more than 22.5 abaft beam.

! " Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

You are the give-way vessel in a crossing situation. What should you do? What must the stand-on vessel do first? When may the stand-on vessel act?

☒ Give-way takes early substantial action; stand-on keeps course/speed; stand-on may act if give-way fails to comply.

! " Rule 15; Rule 17 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

☐ Both vessels should make random turns to increase separation without any formal signal exchange.

! " Rule 15; Rule 17 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

☐ Both vessels alter course to port simultaneously in every crossing situation under the Rules.

! ' Rule 15; Rule 17 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Only whistle signals are exchanged and no physical alteration of course or speed is needed.

! ' Rule 15; Rule 17 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

fleet-201505-may-q06ab

You are avoiding collision in general. What direction should action take? If you have sea room, when is a course alteration alone most effective?

[] Delay action as long as possible so the other vessel has maximum time to take her own action.

! ' Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] A succession of small course alterations is the most seamanlike method to avoid close-quarters.

! ' Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Positive, ample time, good seamanship; course alteration alone best if made in good time and substantial.

! ' Rule 2 — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] VHF agreement between vessels replaces the requirement for physical manoeuvring under the Rules.

! ' Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201505-may-q07

What is the Rule definition of “constrained by her draught”?

[] Any deep-draught tanker or bulk carrier navigating at sea regardless of available water depth.

! ' Rule 27; Rule 10 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] PDV severely restricted in ability to deviate from course due to draught in relation to available depth and width.

! ' Rule 27; Rule 10 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] Applies only to vessels navigating within a traffic separation scheme and not in open waters.

! ' Rule 27; Rule 10 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Same definition and obligations as a vessel restricted in ability to manoeuvre under the Rules.

! ' Rule 27; Rule 10 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201505-may-q08abc

What is the definition of a vessel restricted in her ability to manoeuvre (RAM)? What examples besides RAS exist? Is the Rule’s list exhaustive?

[] Only tugs towing are classified as RAM; no other vessel type qualifies under the definition.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] The list of RAM activities is fixed permanently in the Rules and cannot be extended to new operations.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Only warships conducting military operations at sea may display RAM signals under the Rules.

! ' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] Unable to keep out of way from nature of work; includes cable, dredging, mine clearance, aircraft ops; list inclusive.

! ' Rule 27; Rule 24 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

fleet-201505-may-q09

During formation work, who has right of way between a replenishment group and a unit launching or recovering aircraft?

[] Ships engaged in replenishment have right of way over carriers and other ships in flight operations.

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Aircraft carrier has priority over all other vessels including those conducting RAS evolutions.

!' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Equal priority between replenishment group and aircraft operations with no standing order.

!' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Mine countermeasure vessels take first priority over both replenishment and air operations.

!' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201505-may-q10abc

A tug is towing a long tow. Does she always show RAM shapes? What shapes apply when the tow exceeds 200 m, and how is tow length measured?

[] Tug displays RAM shapes when towing regardless of the degree of restriction on her course.

!' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] No shapes are required for a towing vessel or her tow under the International Regulations.

!' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

[] RAM shapes only if tow severely restricts deviation; >200 m shows diamonds on tug and tow; length stern to after end.

!' Rule 27; Rule 24 — Correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. (See COLREGs Rule 27 for the full rule text.)

[] Tow length is measured along the waterline of the tow only and does not include the towing hawser.

!' Rule 27; Rule 24 — Not correct. vessels not under command, restricted in ability to manoeuvre, constrained by draught, aground, and mine clearance — lights and shapes. This option does not match that part of the Rule.

fleet-201505-may-q12

When does Rule 19 apply?

[] Rule 19 applies at all times when any vessel is underway at sea regardless of the visibility.

!' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Vessels not in sight of one another when navigating in or near an area of restricted visibility.

!' Rule 19 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

[] Only power-driven vessels are subject to Rule 19; sailing vessels are exempt from its provisions.

!' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

[] Only within traffic separation schemes during periods of reduced visibility at any time of day.

!' Rule 19 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

fleet-201505-may-q17

You are stopped in the water. Are you still give-way in a crossing with a power-driven vessel approaching from your starboard sector?

[] Only if making way through the water; a stopped vessel has no obligations under crossing rules.

!' Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Only during hours of darkness when navigation lights indicate the vessels' relative headings.

!' Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] A stopped vessel has no steering or crossing duties and may remain stationary without action.

!' Rule 13; Rule 15; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Yes — a stopped PDV must keep out of way of vessel from ahead to 22.5 abaft starboard beam if ROC exists.

!' Rule 13; Rule 15; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

During an ADEX exercise, how do screen ships and main body ships relate, and does Rule 15 apply between them?

[] Screen keeps clear of main body; Rule 15 crossing does not apply between screen and main body ships.

! Rule 15 — Correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. (See COLREGs Rule 15 for the full rule text.)

[] Full IRPCS crossing rules apply between every ship regardless of formation or task group assignment.

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] Main body vessels keep clear of screening ships because screen vessels have operational priority.

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

[] No written rule or standing order addresses the relationship between screen and main body ships.

! Rule 15 — Not correct. when two power-driven vessels are crossing so as to involve risk of collision, the vessel which has the other on her own starboard side shall keep out of the way. This option does not match that part of the Rule.

What does Rule 20 allow about other lights besides those required by these Rules?

[] Any deck lighting may be used freely at night without restriction beyond normal safety practice.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Searchlights are permitted without restriction for navigation and security purposes after sunset.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

[] Lights that cannot be mistaken for prescribed lights, do not impair visibility, and do not interfere with lookout.

! Rule 20 — Correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. (See COLREGs Rule 20 for the full rule text.)

[] Decorative LED strips and courtesy lights may be displayed freely at all times while underway.

! Rule 20 — Not correct. compliance periods for navigation lights; from sunset to sunrise, and in restricted visibility by day, the lights prescribed in these Rules shall be carried. This option does not match that part of the Rule.

What arc and placement does the masthead light have for a power-driven vessel?

[] White light showing an arc of 112.5 degrees from right ahead to the beam on one side only.

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] White over fore-and-aft centreline showing 225-degree arc from right ahead to 22.5 degrees abaft beam each side.

! Rule 13 — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] White light showing a full 360-degree unbroken arc visible from all directions around the vessel.

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Same arc and placement as the sternlight covering 135 degrees across the after sector of vessel.

! Rule 13 — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

You are a small power-driven vessel crossing the Hamoaze. What are your obligations?

[] A small PDV has no special duties when crossing and may navigate freely in the Hamoaze at all times.

! Rule 9; Rule 35 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Small vessels are free to cross narrow channels at any time without restriction under the Rules.

! Rule 9; Rule 35 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Only requirement is to sound a fog signal before crossing; no duty to keep clear of larger traffic.

! Rule 9; Rule 35 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Shall not impede vessel restricted to channel; shall not cross if it impedes; larger vessel may sound 34(d) warning.

! ' Rule 9; Rule 35 — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

fleet-201505-may-q21b

A crossing vessel is still closing and the CPA is 50 yards ahead. What do you recommend?

[] Sound five short blasts; reduce or stop if needed; vessel not to be impeded still complies with Part B if ROC.

! ' Rule 9; Rule 15; ... — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] Wait for the crossing vessel to pass ahead with no further action required on your part at all.

! ' Rule 9; Rule 15; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Accelerate to pass ahead of the crossing vessel before she reaches your intended track line.

! ' Rule 9; Rule 15; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Alter course to port toward the crossing vessel to pass closely under her stern at the CPA.

! ' Rule 9; Rule 15; ... — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201505-may-q22

The master asks about accountability under Rule 2. Nothing in these Rules shall exonerate whom from the consequences of what kind of neglect?

[] Only the harbour master is exonerated from liability when vessels comply with local port orders.

! ' Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Only the pilot is exonerated from responsibility while conducting the vessel in pilotage waters.

! ' Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Owner, master, or crew from consequences of neglect of the Rules or neglect of ordinary practice of seamen.

! ' Rule 2 — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Only the officer of the watch bears responsibility; the master and owner are exonerated from consequences.

! ' Rule 2 — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201505-may-q24

You see all-round white lights fore and aft with the after light lower and decks lit. What is her status?

[] Fishing vessel at anchor displaying working lights to indicate gear recovery operations underway.

! ' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessel at anchor over 100 metres in length with deck illumination as required by the Rules.

! ' Rule 26 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Power-driven vessel underway showing normal masthead, sidelights, and sternlight configuration.

! ' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Not-under-command vessel stopped and drifting at night displaying two red all-round lights only.

! ' Rule 26 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201505-may-q25ab

Bulwark is conducting LCU operations as RAM. What day shapes should she show? Who has priority over aircraft recovery?

[] Cylinder shape only is displayed indicating the vessel is constrained by her draught in the area.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Two cones apexes together indicating a vessel engaged in fishing operations with deployed gear.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] No shapes are required when conducting LCU operations because they fall inside the ship's envelope.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Ball-diamond-ball day shape for RAM; Bulwark has priority over aircraft recovery per Fleet guidance.

! ' Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

fleet-201505-may-q26ab

A merchant is ahead of you. You are about 170° on her starboard bow. What situation is developing and what is your obligation?

[] Overtaking situation from more than 22.5 degrees abaft her beam; overtaking vessel keeps clear.

! ' Rule 13; Rule 14; ... — Correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. (See COLREGs Rule 13 for the full rule text.)

[] Crossing situation with you as the stand-on vessel required to maintain course and speed only.

! ' Rule 13; Rule 14; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] Head-on situation requiring both vessels to alter course to starboard to pass port to port safely.

! ' Rule 13; Rule 14; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

[] You are the stand-on vessel and the merchant is required to keep clear of your track at all times.

! ' Rule 13; Rule 14; ... — Not correct. notwithstanding anything in the Rules, any vessel overtaking another shall keep out of the way of the vessel being overtaken until finally past and clear. This option does not match that part of the Rule.

fleet-201505-may-q27ab

A large merchant is on your port bow; you are on her starboard bow. Does size change the rule? Who is give-way?

[] You give way to a vessel of larger tonnage regardless of the crossing situation geometry.

! ' Rule 28; Rule 15; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Both vessels stand on because neither has a clear obligation when vessels are of different sizes.

! ' Rule 28; Rule 15; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Vessel size creates no extra duty unless CBD is indicated; in crossing geometry the VLCC is give-way.

! ' Rule 28; Rule 15; ... — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

[] Size determines priority; the larger vessel is automatically the stand-on vessel at sea.

! ' Rule 28; Rule 15; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

fleet-201505-may-q28ab

After sunrise a trawler is still showing fishing lights. How does the Rule define trawling, and what lights if she is larger than 50 m and trawling while underway?

[] Any fishing operation of any kind uses the same light configuration regardless of method or length.

! ' Rule 26; Rule 20 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Trawling is dragging a dredge net or apparatus; >50 m: green/white, masthead aft higher, sidelights/sternlight.

! ' Rule 26; Rule 20 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Red over white all-round lights only are displayed by trawling vessels regardless of vessel size.

! ' Rule 26; Rule 20 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Same lights as a standard power-driven vessel with no additional fishing identification required.

! ' Rule 26; Rule 20 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

In good visibility, which Part B Section of the Rules normally applies to conduct?

☒ Section I — conduct in any condition of visibility, which includes good-visibility encounters.

! ' Annex IV — Correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. (See COLREGs Annex IV for the full rule text.)

☐ Section II — conduct of vessels in sight of one another, applicable only in clear weather.

! ' Annex IV — Not correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. This option does not match that part of the Rule.

☐ Section III — restricted-visibility rules, which govern encounters regardless of actual conditions.

! ' Annex IV — Not correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. This option does not match that part of the Rule.

☐ Annex IV provisions, which define the applicable steering and sailing rules for all visibility.

! ' Annex IV — Not correct. Annex IV: distress signals — rocket parachute flare, hand flare, orange smoke, gun at one-minute intervals, continuous sounding, etc. This option does not match that part of the Rule.

What additional night lights may a vessel constrained by her draught show?

☐ Two all-round red lights in a vertical line, plus a white anchor light at the stern.

! ' Rule 28; Rule 27 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

☒ Three all-round red lights in a vertical line, indicating constrained by draught.

! ' Rule 28; Rule 27 — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

☐ One all-round green over one all-round white light, visible from all directions.

! ' Rule 28; Rule 27 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

☐ Two all-round red with a yellow flashing light exhibited below the lower red.

! ' Rule 28; Rule 27 — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

What is the relationship between your ship and a CBD vessel such as Wave Knight, and who must act first?

☒ You shall not impede the safe passage of the CBD vessel under Rule 18 hierarchy.

! ' Rule 18; Rule 16 — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

☐ The CBD vessel must keep clear of you under the Rule 18 give-way responsibilities.

! ' Rule 18; Rule 16 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ Both vessels share an equal obligation to take avoiding action under Rule 16.

! ' Rule 18; Rule 16 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ TSS routing measures determine the right of way, overriding the Rule 18 hierarchy.

! ' Rule 18; Rule 16 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

How should you act so as not to impede a CBD vessel's safe passage?

☒ Early action to allow sufficient sea room; slowing, stopping, or starboard alteration acceptable.

! ' Rule 28; Rule 9; ... — Correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. (See COLREGs Rule 28 for the full rule text.)

☐ Maintain course and speed so the CBD vessel can predict your movements and take her own action.

! ' Rule 28; Rule 9; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

☐ Cross ahead of the CBD vessel at maximum speed to clear the area as quickly as possible.

! ' Rule 28; Rule 9; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

[] Sound five short blasts, then wait for CBD acknowledgement before altering course to port.

!' Rule 28; Rule 9; ... — Not correct. vessels constrained by their draught may exhibit (where permitted) three all-round red lights or a cylinder in addition to other lights/shapes. This option does not match that part of the Rule.

fleet-201510-oct-q06

At two miles on a steady bearing: who must keep clear of whom now?

[] You are the stand-on vessel in all circumstances and must maintain course and speed regardless of collision risk.

!' Rule 17; Rule 15 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] CBD must keep clear under R.15; not-to-be-impeded vessel still fully obliged under Part B when ROC; you must not impede.

!' Rule 17; Rule 15 — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

[] Neither vessel has priority; both must take simultaneous avoiding action under Rule 17 and good seamanship.

!' Rule 17; Rule 15 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Harbour master or VTS has overriding authority to direct traffic and determine which vessel must give way.

!' Rule 17; Rule 15 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

fleet-201510-oct-q07

What status lights and signals does a pilot vessel show by day and by night?

[] Day: Flag Hotel; night: two all-round white over red at the masthead per Rule 29.

!' Rule 29 — Correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. (See COLREGs Rule 29 for the full rule text.)

[] Day: no special signals required; night: one all-round red light exhibited at the masthead.

!' Rule 29 — Not correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. This option does not match that part of the Rule.

[] Day: cone apex downward at the foremast; night: two all-round red lights in vertical line.

!' Rule 29 — Not correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. This option does not match that part of the Rule.

[] Day: black ball forward; night: all-round green over all-round white at the masthead.

!' Rule 29 — Not correct. pilot vessels on pilotage duty exhibit special lights/shapes in addition to those for their size and activity. This option does not match that part of the Rule.

fleet-201510-oct-q08

A pilot vessel is stopped in the water in restricted visibility. What should you hear?

[] Three distinct strokes on the bell followed by rapid ringing, repeated every one minute.

!' Rule 35 — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

[] One prolonged blast at intervals of not more than two minutes, as for any PDV making way.

!' Rule 35 — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

[] Two prolonged blasts (not making way) plus identity signal of four short blasts per R.35(k).

!' Rule 35 — Correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. (See COLREGs Rule 35 for the full rule text.)

[] Rapid ringing of the bell forward for five seconds at intervals of not more than two minutes.

!' Rule 35 — Not correct. sound signals in restricted visibility for vessels underway, at anchor, aground, etc. This option does not match that part of the Rule.

You are at anchor in restricted visibility. What sound signals should you make, and at what interval?

☐ About 5 s rapid bell ringing forward then 5 s gong aft, at intervals of not more than one minute.

! Rule 19; Rule 34 — Correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. (See COLREGs Rule 19 for the full rule text.)

☐ One prolonged followed by two short blasts, repeated at intervals of not more than two minutes.

! Rule 19; Rule 34 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Two prolonged blasts on the whistle every two minutes, with no bell or gong signal required.

! Rule 19; Rule 34 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

☐ Four short blasts on the whistle at intervals of not more than one minute while at anchor.

! Rule 19; Rule 34 — Not correct. in restricted visibility every vessel shall proceed at a safe speed; detecting another vessel by radar or hearing a fog signal forward of the beam imposes specific manoeuvring and signal duties as in the Rule. This option does not match that part of the Rule.

Besides RAS underway, which other restricted-in-ability-to-manoeuve (RAM) examples are commonly cited in Royal Navy Fleet ROR examination answers (in addition to Rule 3(g))?

☐ Only tugs engaged in towing operations that severely restrict manoeuvrability qualify as RAM.

! Rule 3(g) — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

☐ Cable/pipeline laying, dredging, survey, underwater ops, mine clearance, aircraft launch/recovery, and tow restricting ability.

! Rule 3(g) — Correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. (See COLREGs Rule 3 for the full rule text.)

☐ Only warships conducting fleet exercises or replenishment are recognised as RAM under the COLREGs.

! Rule 3(g) — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

☐ No other operations are listed; RAM status applies exclusively to vessels conducting RAS evolutions.

! Rule 3(g) — Not correct. Rule 3 defines terms (e.g. power-driven vessel, sailing vessel, underway, restricted visibility) used throughout the COLREGs. This option does not match that part of the Rule.

You sight lights green 30° at six miles. What kind of vessel might she be?

☐ Sailing vessel under sail alone, showing sidelights and a sternlight from this bearing.

! Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Large power-driven vessel towing with tow exceeding 200 m, displaying masthead array and towing light pattern.

! Rule 26; Rule 25; ... — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

☐ Vessel engaged in fishing with outlying gear extending more than 150 metres from the vessel.

! Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

☐ Vessel not under command, displaying two all-round red lights visible from all directions.

! Rule 26; Rule 25; ... — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

Between your RAM RAS ship and a towing vessel, who keeps clear under Rule 18?

☐ RAM vessel must give way to any power-driven vessel that is engaged in towing operations.

! Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

☐ Both vessels stand on with equal status and rely on good seamanship to pass clear.

! Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel.

Overtaking and other pa... This option does not match that part of the Rule.

[] Towing PDV keeps clear of a RAM vessel under the Rule 18(a)(ii) hierarchy.

! ' Rule 18 — Correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... (See COLREGs Rule 18 for the full rule text.)

[] The tug has unconditional priority over all other vessel categories at all times.

! ' Rule 18 — Not correct. except where Rules 9, 10, and 13 require otherwise, a power-driven vessel underway shall keep out of the way of (i) a vessel not under command; (ii) a vessel restricted in her ability to manoeuvre; (iii) a vessel engaged in fishing; (iv) a sailing vessel. Overtaking and other pa... This option does not match that part of the Rule.

fleet-201510-oct-q15

Range is four miles on a steady bearing. What is prudent?

[] Take no action; maintain course and speed as the stand-on vessel at this range.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Five short blasts if in doubt; or action per R.17 when give-way vessel is not acting appropriately.

! ' Rule 17 — Correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. (See COLREGs Rule 17 for the full rule text.)

[] Immediately go full astern to stop the vessel without any whistle signal to the other.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

[] Abandon the RAS evolution immediately and proceed independently clear of all traffic.

! ' Rule 17 — Not correct. where one of two vessels is to keep out of the way, the other shall keep her course and speed; the stand-on vessel may take action when collision cannot be avoided by the give-way vessel alone, and shall act if the give-way vessel is not taking appropriate action. This option does not match that part of the Rule.

fleet-201510-oct-q16

Range is two miles and the situation is still dangerous. What action must you take?

[] Maintain the RAS formation and rely entirely on the other vessel to take avoiding action.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Sound one short blast only and alter course slowly to starboard by no more than ten degrees.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Best action to aid in avoiding collision — this may require an emergency breakaway from RAS.

! ' Rule 34 — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

[] Wait and continue to observe; take no action until collision becomes imminent at close range.

! ' Rule 34 — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

fleet-201510-oct-q17

What is the minimum range for Lancaster's stern light if she is 133 m long?

[] 3 miles.

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] 6 miles.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] 2 miles.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] 1 mile.

! ' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

fleet-201510-oct-q25

You alter to starboard to give way. What sound signal is appropriate?

[] One short blast, meaning I am altering my course to starboard under Rule 34(a).

! ' Rule 34(a) — Correct. manoeuvring and warning signals in sight of one another. (See COLREGs Rule 34 for the full rule text.)

[] Two prolonged blasts followed by one short, indicating an overtaking manoeuvre.

! ' Rule 34(a) — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] Five or more short and rapid blasts to express doubt about the other vessel's intentions.

! ' Rule 34(a) — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

[] No sound signal is required when executing a give-way manoeuvre in open ocean waters.

! ' Rule 34(a) — Not correct. manoeuvring and warning signals in sight of one another. This option does not match that part of the Rule.

fleet-201511-nov-q10

A small power-driven vessel in a narrow channel impeding your passage says a risk of collision exists. What are each side's obligations?

[] You are the stand-on vessel; the impeding craft must unconditionally keep clear regardless of collision risk.

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] **Not-to-be-impeded vessel still complies with Part B when ROC; you give way; the impeding vessel is not relieved.**

! ' Rule 9 — Correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. (See COLREGs Rule 9 for the full rule text.)

[] The impeding vessel must stop engines and hold position until the narrow channel is fully clear of traffic.

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

[] Only Rule 9 narrow-channel provisions apply; Part B crossing and give-way rules are suspended within the channel.

! ' Rule 9 — Not correct. in a narrow channel or fairway, keep to the starboard side; do not hamper vessels that can safely navigate only inside the channel; crossing traffic lanes and impeding rules apply as stated in the Rule. This option does not match that part of the Rule.

fleet-201511-nov-q11

A merchant is red 170° at two miles. What situation is developing?

[] Head-on encounter requiring both vessels to alter course to starboard under Rule 14.

! ' Rule 14; Rule 13; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] **Overtaking situation — vessel coming up from more than 22.5 degrees abaft your beam per Rule 13.**

! ' Rule 14; Rule 13; ... — Correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. (See COLREGs Rule 14 for the full rule text.)

[] Crossing situation where the vessel on your port side is the give-way vessel under Rule 15.

! ' Rule 14; Rule 13; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

[] Meeting situation in which her restricted-maneuvrability status determines right of way.

! ' Rule 14; Rule 13; ... — Not correct. when two power-driven vessels are meeting head-on, both shall alter course to starboard so that each passes on the port side of the other. This option does not match that part of the Rule.

fleet-201511-nov-q14

You see two cones with their apexes together. What does that mean?

[] Vessel not under command, unable to manoeuvre as required by the COLREGs steering rules.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] Vessel constrained by her draught and restricted to navigating within a deep-water channel.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

[] **Vessel engaged in fishing or trawling, using nets, lines, or apparatus restricting manoeuvrability.**

! ' Rule 26; Rule 27 — Correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. (See COLREGs Rule 26 for the full rule text.)

[] Vessel restricted in ability to manoeuvre while conducting underwater survey operations.

! ' Rule 26; Rule 27 — Not correct. fishing vessels, vessels trawling, and vessels not fishing but with gear extending more than 150 m — lights and shapes by day and night. This option does not match that part of the Rule.

fleet-201511-nov-q25

In Royal Navy Fleet visual signalling practice, you see numeral pennant 5 hoisted together with six short blasts on the whistle. What does that combination mean per the Fleet key?

[] **Machinery breakdown — vessel is unable to proceed under her own power (Fleet key signal).**

! ' COLREGs (general) — Correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. (See COLREGs Rule 2 for the full rule text.)

[] Man overboard — a crew member has fallen into the sea and immediate assistance is needed.

!' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Submarine surfacing in the vicinity — all vessels keep clear and maintain safe distance.

!' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

[] Flight operations are currently in progress — maintain safe distance from the carrier.

!' COLREGs (general) — Not correct. nothing in the Rules excuses neglect of good seamanship, special circumstances, or the serious consequences of collision or stranding. This option does not match that part of the Rule.

Summary

Total questions: 223