

ENCLOSURE TO
FLEET MONTHLY
ROR – MAY 2017

FLEET RULE OF THE ROAD TEST FOR MAY 2017

This test is based on: The International Regulations for Preventing Collisions at Sea (1972) with amendments in force up to December 2009 as detailed in "A Seaman's Guide Pocket Book of The International Regulations for Preventing Collisions at Sea" (BR 453 Supp), ATP1(G) Vol II and the Mariners Handbook (NP100).

The test is designed to be given to any Warfare Officer, Deck officer, Officer undertaking bridge watch-keeping duties or Young Officer/Cadet. The test should be administered under written exam conditions, the results should be recorded in the OOW training records for inspection by FOST navigation staff. The exam should take no longer than 1 hr.

In this test, any change in the status of the ship or of the environment will be indicated in the script. Rules 1 to 19, 34, 35 and Annex IV must be known instinctively for instant application. A thorough knowledge of the other rules is required. The pass mark is 90%.

PART 1

1. Nothing in these Rules shall interfere with the operation of special rules made by an appropriate authority for which areas? How should such special rules conform?(R1b)(2)

2. Nothing in these Rules shall exonerate any vessel, or the owner, master or crew thereof, from the consequences of what?(R2a)(1.5)

3. What is the definition of the term 'vessel restricted in her ability to manoeuvre'? (R. 3g) (1)

4. The term 'vessel restricted in her ability to manoeuvre' shall include but not be limited to what?(R3g)(3)

5. In determining safe speed, what factors shall be amongst those taken into account by vessels with operational radar? (R6b)(3)

6. If the circumstances of the case admit, any action to avoid collision shall be what? (R8a)(1.5)

7. To avoid collision or allow more time to assess the situation, what should be your action?(R8e)(1.5)

8. What should be your actions to overtake a vessel that needs to take action to permit safe passing in a narrow channel?(R9e, R34d)(2)

9. Under what condition should the action in question 8 be taken?(R34d)(1)

10. Describe the sound signals for a vessel 133m in length at anchor. What signal shall she use to give warning of her position if there is risk of collision?(R35g)(2.5)

11. When may a vessel required to keep her course and speed take action to avoid collision?(R17a(ii)(1)
12. What action is required by the give-way vessel in accordance with the Rules?(R16)(1)
13. On what occasions can a vessel other than a crossing vessel or a vessel joining or leaving a traffic lane enter into a separation zone or cross a separation line?(R10e)(2)
14. How should radar be used if fitted and operational?(7b)(1)
15. Describe the lights a vessels engaged in trawling should display if making way. (R26b)(4)
16. Describe the lights and shapes for a vessel constraint by her draught. (R28, R23a)(3)

Part 2

You are the Officer of the Watch¹ in HMS SUTHERLAND (length 133m) undergoing OST, sailing from Plymouth in the forenoon for a week of FOST training. SSD is closed up but QHM has delayed your sailing as visibility is less than 500 metres and the channel is closed. The forecast is for the fog to start lifting in about 30 minutes to 1000 yards. The CO decides to stay at SSD for the duration; the weather clears as forecasted for you to sail with fog lookouts closed up.

17. Sunrise was 4 hours ago, would you display lights when underway, explain your answer? (R.20c) (1)

18. The CO asks the NO for his recommendations on sound signals in the prevailing condition. What answer do you expect the NO to give the CO (R19a and R35a)(3)?

19. The starboard lookout reports hearing 1 prolonged blast at Green 20 at approximately 2 minute intervals. Radar has no contact and you have nothing visual, what actions are you required to take by the Rules? (R19e)(2)

20. You subsequently sight one of the Cremyll ferries, 110 degrees on her port bow, tracking right to left with a CPA of 500 yards ahead of the ship. What action will you advise the NO to take if risk of collision is deemed to exist? Justify your actions; you are considered to be navigating in a narrow channel (R15, R8f(iii), R9d)(3)

21. What actions do you expect her to take – justify your answer? (R8f(i)(ii), R9d)(2)

22. You finally make it into the sound and it is time for the pilot to disembark. What lights and sound signals do you expect from the Pilot vessel (underway and making way)? (R29a(i)(ii) and R35(a)(k))(6)

23. The pilot disembarks and you transit to RV with RFA WAVE RULER for RAS. What shapes should you be displaying once connected up to the tanker's station 3; your station 4 (port side)? (R27b(ii))(1)

24. Which yardarm will you direct the Yeoman to display these shapes if both port and starboard yardarms were available? Justify your reason. (R27b(ii))(1)

25. What lights will you expect to display if the RAS had been conducted at night. (R27b(i)(iii))(2)

26. You report HMS WESTMINSTER bearing Green 45 at a range of 5nm conducting flying operations, CPA 4 cables in 20 minutes. Who is required to keep out of the way of the other in accordance with ATP 01 Vol II? (1)

27. You notice a Merlin aircraft launched from HMS WESTMINSTER and goes into the dip 6nm to the South. How should such aircraft be treated and what is the minimum distance you can approach her? (ATP 01 Vol II Chapt 1 Art 140)(2)

28. RAS completes successfully and you commence your transit to the Western Breakwater for FOST Staff boat transfer; SOA is 18kts. You spot a group of vessels in vicinity of West Rutts fishing grounds. When is a vessel considered to be engaged in fishing? (R3d)(1)

29. You sight a small Trawler (Not engaged in fishing) at Red 30 at a range of 2nm, her bearing is drawing left with a CPA of 2 cables on your port bow. You are not sure of your aspect on her but ARPA radar shows you could be overtaking her, what action will you take and why? (R13(a)(c))(2)

30. You inform the CO you will re-report at 8 cables. You confirm at 1nm you are the overtaking vessel, but then she suddenly alters course to starboard and you are now 45 degrees on her starboard bow with a steady CPA, what will be your intentions when you report to the CO?(R13a, d)(1)

31. You assess she altered course for the sailing vessel (SV) at Green 60 at a range of 1.5nm. Who is the give way vessel between the FV and the SV? (R18a(iv))(1)

32. As you approach the sound, you notice increased sailing vessel (SV) activities, counting at least 6 SVs. 2 of them are approaching one another with risk of collision developing. They both have the wind on the same side; which one do you expect to keep out of the way of the other? (R12 a(ii))(1)

33. One of the sailing vessels takes a drastic action and loses all wind. She is now on a steady bearing, what actions will you recommend – you are south of the breakwater and not considered to be in a narrow channel? (R18a(iv))(1)

34. How will this action change if you were north of the breakwater and considered to be in a narrow channel – justify your actions? (R8f(i)(ii), R9b, R34d)(3)

35. The sailing vessel starts her engines and passes clear. The boat transfer is completed successfully and as you proceed south past the breakwater, you notice HNLMS EVERTSEN is also inbound for her boat transfer. She is directly ahead with a steady CPA. When is a head on situation deemed to exist and what actions are you expected to take in such instance? (R14(a)(b))(2)

36. SSD falls out and you hand over to OOW2. Your next serial is Steering Gear Breakdown drills, clear of other serials. Will you expect the ship to be considered to be “Not Under Command” during this serial – explain your answer? (R3f)(1)

Part 2 _____ /37
TOTAL _____ /50

PART 1

1. Nothing in these Rules shall interfere with the operation of special rules made by an appropriate authority for which areas? How should such special rules conform?(R1b)(2)

R1b. Nothing in these Rules shall interfere with the operation of any special rules made by an appropriate authority for roadsteads, harbours, rivers, lakes or inland waterways connected with the high seas and navigable by sea going vessels.(1) Such special rules shall conform as closely as possible to these rules.(1)

2. Nothing in these Rules shall exonerate any vessel, or the owner, master or crew thereof, from the consequences of what?(R2a)(1.5)

R. 2a) Nothing in these Rules shall exonerate any vessel, or the owner, Master or crew thereof, from the consequences of any neglect to comply with these Rules(1/2) or of the neglect of any precaution which may be required by the ordinary practice of seaman(1/2) or by the special circumstances of the case(1/2)

3. What is the definition of the term 'vessel restricted in her ability to manoeuvre'? (R. 3g) (1)

R3g. The term 'vessel Restricted in her Ability to Manoeuvre' means a vessel which from the nature of her work is Restricted in her Ability to Manoeuvre as required by these Rules and is therefore unable to keep out of the way of another vessel

4. The term 'vessel restricted in her ability to manoeuvre shall include but not be limited to what?(R3g)(3)

R3g. The term 'vessel Restricted in her Ability to Manoeuvre' shall include but not be limited to:

- (i) a vessel engaged in laying, servicing or picking up a navigation mark, submarine cable or pipeline;(1/2)**
- (ii) a vessel engaged in dredging, surveying or underwater operations; (1/2)**
- (iii) a vessel engaged in replenishment or transferring persons, provisions or cargo while underway; (1/2)**
- (iv) a vessel engaged in the launching or recovery of aircraft; (1/2)**
- (v) a vessel engaged in mine clearance operations. (1/2)**
- vi) a vessel engaged in a towing operation such as severely restricts the towing vessel and her tow in their ability of deviate from their course. (1/2)**

5. In determining safe speed, what factors shall be amongst those taken into account by vessels with operational radar? (R6b)(3)

R6. In determining safe speed the following factors shall be amongst those taken into account:

b. Additionally, by vessels with operational radar: (1/2) mark each

- (i) the characteristics, efficiency and limitations of the radar equipment;**
- (ii) any constraints imposed by the radar range scale in use;**
- (iii) the effect on radar detection of the sea state, weather and other sources of interference;**
- (iv) the possibility that small vessels, ice and other floating object may not be detected by radar at an adequate range;**
- (v) the number location and movement of vessels detected by radar;**

(vi) the more exact assessment of the visibility that may be possible when radar is used to determine the range of vessels or other objects in the vicinity.

6. If the circumstances of the case admit, any action to avoid collision shall be what? (R8a)(1.5)

....if the circumstances of the case admit, be positive(1/2), made in ample time(1/2) and with due regard to the observance of good seamanship(1/2)

7. To avoid collision or allow more time to assess the situation, what should be your action?(R8e)(1.5)

R8e. if necessary to avoid collision or allow more time to assess the situation, a vessel shall slacken her speed(1/2) or take all way of by stopping(1/2) or reversing her means of propulsion. (1/2)

8. What should be your actions to overtake a vessel that needs to take action to permit safe passing in a narrow channel?(R9e, R34d)(2)

R9e(i). In a narrow channel or fairway where overtaking can take place only if the vessel required to be overtaken has to take action to permit safe passing, the vessel intending to overtake shall indicate her intentions by sounding the appropriate signal prescribed in Rule 34(d)

34d. When in sight of one another in a narrow channel or fairway:

(i) a vessel intending to overtake another shall in compliance with Rule 9e(i) indicate her intention by the following signals on her whistle:

- two prolonged blasts followed by one short blast to mean “I intend to overtake you on your starboard side”(1);

- two prolonged blasts followed by two short blasts to mean “I intend to overtake you on your port side”(1);

9. Under what condition should the action in question 8 be taken?(R34d)(1)

See above – when both vessels are in sight of one another(1)

10. Describe the sound signals for a vessel 133m in length at anchor. What signal shall she use to give warning of her position and of the risk of collision?(R35g)(2.5)

A vessel at anchor shall at intervals of (1/2) ring the bell rapidly for about 5 seconds. In a vessel of 100 m or more in length the bell shall be sounded in the forepart of the vessel(1/2) and immediately after ringing of the bell the gong shall be sounded rapidly for about 5 seconds in the after part of the vessel.(1/2) A vessel at anchor may in addition sound three blasts in succession, namely one short, one prolonged and one short blast,(1) to give warning of her position and of the possibility of collision to an approaching vessel.

11. When may a vessel required to keep her course and speed take action to avoid collision?(R17a(ii)(1)

R17a(ii). A vessel may, however take action to avoid collision by her manoeuvre alone,(1/2) as soon as it becomes apparent to her that the vessel required to keep out of the way of the way is not taking appropriate action in compliance with these Rules.(1/2)

12. What action is required by the give-way vessel by the Rules?(R16)(1)

R16. Every vessel which is directed to keep out of the way of another vessel shall, so far as possible take early and substantial action to keep well clear.

13. On what occasions can a vessel other than a crossing vessel or a vessel joining or leaving a traffic lane enter into a separation zone or cross a separation line?(R10e)(2)

R10e. a vessel other than a crossing vessel or a vessel joining or leaving a lane shall not normally enter a separation zone or cross a separation line except:

- (i) in cases of emergency to avoid immediate danger(1)**
- (ii) to engage in fishing within a separation zone.(1)**

14. How should radar be used if fitted and operational?(7b)(1)

R7b. Proper use shall be made of radar equipment if fitted and operational, including long range scanning to obtain early warning of risk of collision and radar plotting or equivalent systematic observation of detected objects.

15. Describe the lights a vessels engaged in trawling should display if making way. R26b(4)

R26b. A vessel when engaged in trawling by which is meant the dredging through the water of a dredge net or other apparatus used as a fishing appliance, shall exhibit:

- (i) two all-round lights in a vertical line, the upper being green and the lower white,(1)...**
- (ii) a masthead light abaft of and higher than the all-round green light; a vessel of less than 50 m in length shall not be obliged to exhibit such a light but may do so;(1)**
- (iii) when making way through the water, in addition to the lights prescribed in this paragraph, sidelights(1) and sternlight.(1)**

16. Describe the lights and shapes for a vessel constraint by her draught. (R28, R23a)(3)

R28. A vessel constrained by her draught may, in addition to the lights prescribed for power driven vessels in Rule 23, exhibit where they can best be seen three all all-round red lights in a vertical line, or a cylinder.(1)

R23a. A power driven vessel underway shall exhibit:

- (i) a masthead light forward(1/2)**
- (ii) a second masthead light abaft of and higher than the forward one; except that a vessel of less than 50 m in length shall not be obliged to exhibit such light but may do so;(1/2)**
- (iii) sidelights(1/2)**
- (iv) sternlight(1/2)**

Part 2

You are the Officer of the Watch¹ in HMS SUTHERLAND (length 133m) undergoing OST, sailing from Plymouth in the forenoon for a week of FOST training. SSD is closed up but QHM has delayed your sailing as visibility is less than 500 metres and the channel is closed. The forecast is for the fog to start lifting in about 30 minutes to 1000 yards. The CO decides to stay at SSD for the duration and the weather clears as forecasted for you to sail with fog lookouts closed up.

17. Sunrise was 4 hours ago, would you display lights when underway, explain your answer? (R.20c) (1.5)

Yes (1/2)

The lights prescribed by these Rules shall, if carried, also be exhibited from sunrise to sunset in restricted visibility and may be exhibited in all other circumstances when it is deemed necessary. (1/2)

18. The CO asks the NO for his recommendations on sound signals in the prevailing condition. What answer do you expect the NO to give the CO (R19a and R35a)(3)?

R19a. This Rule applies to vessels not in sight of one another when navigating in or near an area of restricted visibility. (1)

R35a. In restricted visibility, whether by day or night, the signals prescribed in this Rule shall be used as follows:

a. A power driven vessel making way though the water shall sound at intervals of no more than 2 minutes (1) one prolonged blast.(1)

19. The lookout reports hearing 1 prolonged blast at Green 20 at approximately 2 minute intervals. Radar has no contact and you have nothing visual, what actions are you required to take by the Rules? (R19e)(2)

R19e. Except where it has been determined that risk of collision does not exist, every vessel which hears apparently forward of her beam the fog signal of another vessel, or which cannot avoid a close quarters situation with another vessel forward of her beam, shall reduce her speed to the minimum at which she can be kept on her course.(1) She shall if necessary take all way off(1/2) and in any event navigate with extreme caution until the danger of collision is over(1/2).

20. You subsequently sight one of the Cremyll ferries, 110 degrees on her port bow, tracking right to left with a CPA of 500 yards ahead of the ship. What action will you advise the NO to take if risk of collision is deemed to exist? Justify your actions; you are considered to be navigating in a narrow channel (R15, R8f(iii), R9d)(3)

R15. When two power riven vessels are crossing so as to involve risk of collision, the vessel which has the other on her starboard side shall keep out of the way and shall, if the circumstances of the case admit, avoid crossing ahead of the other vessel.(1)

R8f(iii). A vessel the passage of which is not to be impeded remains fully obliged to comply with the Rules of this part(1) when the two vessels are approaching one another so as to involve risk of collision

R9d. A vessel shall not cross a narrow channel or fairway if such crossing impedes the passage of a vessel which can safely navigate only within such channel or fairway. The latter vessel may use the sound signal prescribed in Rule 34(d) if in doubt as to the intention of the crossing vessel.(1)

Explanation along the lines of the following is acceptable:

- a. We are the give way vessel – take action to give way;
- b. She should not cross the channel to avoid impeding our passage;
- c. Use 5 short and rapid blasts if in doubt about her actions.

21. What actions do you expect her to take – justify your answer? (R8f(i)(ii), R9d)(2)

R8f(i). a vessel which by any of these Rules, is required not to impede the passage or safe passage of another vessel shall, when required by the circumstances of the case, take early action to allow sufficient sea-room for the safe passage of the other vessel(1)

R8f(ii). A vessel required not to impede the passage or safe passage of another vessel is not relieved of this obligation if approaching the other vessel so as to involve risk of collision and shall(1), when taking action, have full regard to the action which may be required by the Rules of this part.

R9d. see above

22. You finally make it into the sound and it is time for the pilot to disembark. What lights and sound signals do you expect from the Pilot vessel (underway and making way)? (R29a(i)(ii) and R35(a)(k))(6)

R29a. A vessel engaged on pilotage duty shall exhibit:

- (i) at or near the masthead, two all-round lights in a vertical line(1/2), the upper being white and the lower red(1/2);**
- (ii) when underway, in addition, sidelights(1) and a sternlight;(1)**

R35. In or near an area of restricted visibility, whether by day or night, the signals prescribed in this Rule shall be used as follows:

- (a). A power driven vessel making way through the water shall sound at intervals of not more than 2 minutes(1) one prolonged blast.(1)**
- (k). A pilot vessel when engaged on pilotage duty may in addition to the signals prescribed in paragraphs (a), (b) or (g) of this Rule sound an identity signal consisting of four short blasts.(1)**

23. The pilot disembarks and you transit to RV with RFA WAVE RULER for RAS. What shapes should you be displaying once connected up to the tankers station 3; your station 4 (port side)? (R27b(ii))(1)

R27b. A vessel restricted in her ability to manoeuvre, except a vessel engaged in mine clearance operations, shall exhibit:

- (ii) three shapes in a vertical line where they can best be seen. The highest and lowest of these shapes shall be balls and the middle one diamond;(1)**

24. Which yardarm will you direct the Yeoman to display these shapes if both port and starboard were available; justify your reason. (R27b(ii))(1)

R27b. A vessel restricted in her ability to manoeuvre, except a vessel engaged in mine clearance operations, shall exhibit:

- (ii) three shapes in a vertical line where they can best be seen(1/2). The highest and lowest of these shapes shall be balls and the middle one diamond;
In this case Starboard yardarm (engaged side port – station 4)(1/2)**

25. What lights will you expect to display if the RAS had been conducted at night. (R27b(i)(iii))(2)

R27. A vessel restricted in her ability to manoeuvre, except a vessel engaged in mine clearance operations, shall exhibit:

(i) three all-round lights in a vertical line where they can best be seen. The highest and lowest of these lights shall be red and the middle light shall be white;(1/2)

(iii) when making way through the water, a masthead light or lights,(1/2) sidelights (1/2) and a sternlight(1/2), in addition to the lights prescribed in subparagraph (i)

26. You report HMS WESTMINSTER bearing Green 45 at a range of 5nm conducting flying operations, CPA 4 cables in 20 minutes. Who is required to keep out of the way of the other in accordance with ATP 01 Vol II? (1)

ATP 01 Vol II Art 140. The following rules are applicable to Allied naval ships and overrule the International Regulations for Preventing Collision at Sea in the circumstances described:

a. Right of way Priority is in the following order.

(3) Ships engaged in Replenishment (other than VERTREP) have the right of way over carriers and other ships engaged in flight operations.(1)

27. You notice a Merlin aircraft launched from HMS WESTMINSTER and goes into the dip 6nm to the South. How should such aircraft be treated and what is the minimum distance you can approach her? (ATP 01 Vol II Chapt 1 Art 140)(2)

ATP 01 Vol II Art 140. The following rules are applicable to Allied naval ships and overrule the International Regulations for Preventing Collision at Sea in the circumstances described:

a. Right of way Priority is in the following order.

(1) Helicopters when hovering with sonar in the water are to be considered as ships not under command.(1) A helicopter in the dip or hover is not to be approached by ships within 500 yards.(1)

28. RAS completes successfully and you commence your transit to the Western Breakwater for FOST Staff boat transfer; SOA is 18kts. You spot a group of vessels in vicinity of West Rutts fishing grounds. When is a vessel considered to be engaged in fishing? (R3d)(1)

R3d. The term vessel engaged in fishing means any vessel fishing with nets, line trawls or other fishing apparatus which restrict manoeuvrability, but does not include a vessel fishing with trolling lines or other fishing apparatus which do not restrict manoeuvrability.(1)

29. You sight a small Trawler (Not engaged in fishing) at Red 30 at a range of 2nm, her bearing is drawing left with a CPA of 2 cables on your port bow. You are not sure of your aspect on her but ARPA radar shows you could be overtaking her, what action will you take and why? (R13(a)(c))(2)

R13a. Notwithstanding anything contained in the Rule of part B, sections I and II, any vessel overtaking any other shall keep out of the way of the vessel being overtaken.(1)

R13c. When a vessel is in doubt as to whether she is overtaking another, she shall assume that is the case and act accordingly.(1)

30. You inform the CO you will re-report at 8 cables. You confirm at 1nm you are the overtaking vessel, but then she suddenly alters course to starboard and you are now 45 degrees on her starboard bow with a steady CPA, what will be your intentions when you report to the CO?(R13a, d)(1)

R13d. Any subsequent alteration of the bearing between the two vessels shall not make the overtaken vessel a crossing vessel within the meaning of these Rules or relieve her of the duty of keeping clear of the overtaken vessel until she is finally past and clear.(1)

31. You assess she altered course for the sailing vessel (SV) at Green 60 at a range of 1.5nm. Who is the give way vessel between the FV and the SV? (R18a(iv))(1)

R18. Except where Rules 9, 10 and 13 otherwise require:

(a) A power-driven vessel underway shall keep out of the way of:

(iv) a sailing vessel(1)

32. As you approach the sound, you notice increased sailing vessels (SV) activities, counting at least 6 SVs. 2 of them are approaching one another with risk of collision developing. They both have the wind on the same side; which one do you expect to keep out of the way of the other? (R12 a(ii))(1)

R12a. when two sailing vessels are approaching one another, so as to involve risk of collision, one of them shall keep out of the way of the other as follows:

(ii) when both have the wind on the same side, the vessel which is to windward shall keep out of the way of the vessel which is to leeward

33. One of the sailing vessels takes a drastic action and loses all wind. She is now on a steady bearing, what actions will you recommend – you are south of the breakwater and not considered to be in a narrow channel? (R18a(iv))(1)

R18. Except where Rules 9, 10 and 13 otherwise require:

(a) A power-driven vessel underway shall keep out of the way of:

(iv) a sailing vessel(1)

34. How will this action change if you were north of the breakwater and considered to be in a narrow channel – justify your actions? (R8f(i)(ii), R9b, R34d)(3)

R8f(i). a vessel which by any of these Rules, is required not to impede the passage or safe passage of another vessel shall, when required by the circumstances of the case, take early action to allow sufficient sea-room for the safe passage of the other vessel(1/2)

R8f(ii). A vessel required not to impede the passage or safe passage of another vessel is not relieved of this obligation if approaching the other vessel so as to involve risk of collision and shall(12), when taking action, have full regard to the action which may be required by the Rules of this part.

R9b. A vessel of less than 20 m in length or sailing vessel shall not impeded the passage of a vessel which can safely navigated only within a narrow channel or fairway.(1)

R34d. When vessels in sight of one another are approaching each other and from any cause either vessel fails to understand the intentions or actions of the other, or is in doubt whether sufficient actions of the other to avoid collision, the vessel in doubt shall immediately indicate such doubt by giving at least five short and rapid blasts on the whistle. Such signal may be supplemented by the light signal of at least five short and rapid flashes.(1)

35. The sailing vessel starts her engines and passes clear. The boat transfer is completed successfully and as you proceed south past the breakwater, you notice HNLMS EVERTSEN is also inbound for her boat transfer. She is directly ahead with a steady CPA. When is a head on situation deemed to exist and what actions are you expected to take in such instance? (R14(a)(b))(2)

R14a. When two power-driven vessels are meeting on reciprocal or nearly reciprocal courses so as to involve risk of collision each shall alter her course to starboard so that each shall pass on the port side of the other.(1)

R14b. Such a situation shall be deemed to exist when a vessel sees the other ahead or nearly ahead and by night she could see the masthead lights of the other in a line or nearly in a line and/or both sidelights and by day she observes the corresponding aspect of the other vessel.(1)

36. SSD falls out and you hand over to OOW2. Your next serial is Steering Gear Breakdown drills, clear of other serials. Will you expect the ship to be considered to be “Not Under Command” during this serial – explain your answer? (R3f)(1)

R3f. The term vessel not under command means a vessel which through some exceptional circumstance is unable to manoeuvre as required by these Rules and is therefore unable to keep out of the way of another vessel.(1)

.

Part 2 _____ /35

TOTAL _____ /50